

Index*

Abbreviations used in field notes	8-11
Accessories to corner monuments (See also specific class of monument)	4-5, 4-83, 4-96
Bearing trees and bearing objects	4-86 to 4-90
Markings	4-96 to 4-114
Memorials	4-91
Mound of stone	4-92
Pits	4-94
Reference monuments	6-6, 4-16, 4-82, 4-88, 4-96
Accreted lands, sovereignty over	7-65
Accretion and reliction	7-62 to 7-70
Admission of States into the Union	1-23
Aerial photography (See also Photogrammetry)	28 to 2-14
Aliquot parts of sections	1-21, 3-33, 3-76
Altitude observation of sun for azimuth	2-66 to 2-63
Amended monument	3-36, 6-41, 8-16(6)
Angle points	3-96, 4-4
Accessories	4-113
Independent resurveys	6-38, 6-39, 6-49
Marks on monuments	4-45, 6-49(7)
Metes-and-bounds surveys	7-16
Restoration on grant boundaries	5-44
Restoration on irregular boundary	6-36
Restoration on nonriparian meander lines	6-43, 7-84
Apparent time	2-27, 2-70
Apportionment of accretion and reliction	7-62 to 7-67
Apportionment of beds of nonnavigable waters	7-57 to 7-61
Arcs of earth's surface, lengths of	2-81
Areas, computation of	9-24 to 9-34, 9-86
Artificial bodies of water	3-121
Auxiliary correction line	3-13
Auxiliary guide meridian	3-16
Auxiliary meander corners	3-121, 3-122
Accessories	4-111
Markings	4-43, 4-62, 4-81
Auxiliary standard parallel	3-13
Avulsion	7-71 to 7-76
Azimuth, observation for	
Altitude observation of a star	2-50, 2-56
Altitude observation of the sun	2-56 to 2-64
Equal altitude observation of the sun	2-65
Polaris	2-41, 2-46 to 2-48
Solar unit	2-66 to 2-69
Base line	3-9 to 3-11
Bearing of lines	2-17 to 2-19
Bearing trees and bearing objects	4-85 to 4-90
Markings	4-96 to 4-114
Beds of nonnavigable streams and lakes	7-51 to 7-61
Blazing lines	3-125

* First number indicates chapter. Second number indicates section of that chapter.

Bona fide rights of claimants	6-12 to 6-18, 6-42
Boundaries (See Township boundaries, Water boundaries, Grant boundaries, Reservation boundaries)	
Brass tablets for monumentation	4-7
Marks on	4-23 to 4-46
Broken boundaries (restoration)	5-36, 5-43, 5-44
Cadastral survey, definition	1-2
Celestial observations (See Observations, Solar observations, Stellar observations)	
Center quarter-section corner	3-93, 3-95, 7-12
Arrangement and markings of accessories	4-109
Marks on iron posts	4-38
Chain, prescribed unit of linear measure	2-1
Discrepancies in early measurements	5-23
Chaining	2-2
Claims in area of survey	3-71
Closing corners	3-14, 3-15, 3-19, 3-26, 3-42, 3-43, 3-50, 3-58, 3-59, 3-61, 3-68, 3-72, 3-73, 3-113
Arrangement and marking of accessories	4-97 to 4-114
Marks on monuments	4-25, 4-30, 4-44, 4-49, 4-54, 4-68, 4-73, 5-41, 8-16(6)
Recovered off line	5-41
Restoration of	5-41
Closing error	3-46, 3-124
Collateral evidence	5-9 to 5-16
Completion and extension surveys	3-100 to 3-114
Completion of partially surveyed sections	3-108 to 3-111
Computation of areas	9-24 to 9-34, 9-86
Construction of monuments	4-9 to 4-14
Control points	2-11, 2-14, 4-19
Marks on monument	4-82
Control surveys in photogrammetry	2-11, 2-14
Convergency of meridians	2-79 to 2-81, 3-46
Coordinate systems, State	2-11, 2-83
Corner accessories	4-5, 4-83, 4-96
Arrangement and marking	4-97 to 4-114
Corner monuments, marks on	
Iron posts and brass tablets	4-20 to 4-46
Stone monuments	4-47 to 4-62
Tree monuments	4-63 to 4-81
Corners of public land surveys, defined	5-4
Corners of two sections, method of establishment	3-37
Correction lines	3-12, 3-18
Crooked Lake and Bear Lake case	7-93
Declinations of sun, computing hourly	2-69
Defective exteriors, rectification of	3-36 to 3-45
Dependent resurvey	6-4, 6-25 to 6-32
Deposits (Memorials)	4-91
Direction of lines	2-17 to 2-19
Distance measurement	2-1 to 2-7
Division of accreted or relicted land	7-62 to 7-67
Double meridian distances	9-30 to 9-33
Double proportionate measurement	5-25 to 5-29
Double sets of corners	3-42, 3-43
Restoration	5-35
Electronic telemetry	2-7
Elongated sections	3-83, 4-41, 6-53
Ephemeris, The	1-8(2)
Equal altitude observations of sun for true meridian	2-65
Equation of time	2-30
Erroneously omitted areas (erroneous meander lines)	7-77 to 7-94
Error of closure	3-46, 3-124

Evidence of previous survey 1-20, 3-4, 4-2, 5-5, 5-9, 9-4

Existent corner

 Defined 5-5

 Identification 5-4 to 5-8

Extension and completion surveys 3-100 to 3-114

Exteriors (See Township boundaries)

Ferry Lake case 7-90 to 7-92

Field control, photogrammetry 2-11, 2-14

Field notes, Chapter VIII. (For composition of field notes, see section 3-126, the list
by subject in section 8-13, and sample field notes in the appendix.)

 As identification of survey 9-5

 Copies furnished upon field assignment **7-2(8)**

 Direction for preparation in special instructions 7-2(9)

 Erroneously omitted areas **7-87, 7-90, 7-93**

 Legal significance 9-8

 Statutory requirement for 1-18, 1-20

 Use in recovering existent corners 5-6, 5-7, 5-11, 5-16 to 5-18, 5-41, 6-27

 Use in restoring lost corners 3-4, 5-21 to 5-25, 5-27, 5-29, 5-36, 5-87,
5-39, 6-40, 5-42 to **5-47, 6-27**

 Where filed 1-23, 9-63

Field notes, mineral surveys (See under Mineral surveys)

Field tablets 8-2 to 8-6

Fractional sections, subdivision of (See also Lotting of fractional sections)

 by protraction 3-81, 3-82, 7-15

 by survey 3-88, 3-90

Fractional townships, subdivision of 3-97 to 3-99

General rules of survey 1-20

Geographic (geodetic) position and control 2-21, 2-81, 2-82

Governing township boundaries 3-17

Governing section lines 3-59, 3-62

Grant boundaries 3-69, 3-70, 3-73, **5-44**

Guide meridians 3-14 to 3-16

Gunter's link chain 2-1, 5-23

Half-mile posts 5-39, 7-10

High water mark (See also Water boundaries) 3-115, 3-116

Hourly declinations of the sun, computing 2-69

Hoversight 2-7

Identification of existent corners 5-4 to 5-8

Independent resurvey 6-5, 6-33 to 6-36

 Metes-and-bounds surveys of private claims 6-39 to 6-49

 Projection of new lines 6-50 to 6-55

 Reestablishment of outboundaries 6-36 to 6-38

Indian allotment surveys **7-8, 7-13, 7-14**

Initial points 3-6, 3-7

Islands, survey of 3-122

Lakes (See also Meander lines)

 Meanders 3-121

 Partition of beds (nonnavigable) **7-47 to 7-61**

Latitude

 Instrumental 2-71

 Meridian altitude observation of the sun **2-55**

 Polaris observations for 2-41, 2-44, 2-45

 True parallel of **2-75 to 2-78**

Latitude and longitude 2-21, 2-81, 2-82, 9-59

Laws relating to system of public surveys 1-16 to 1-20

Legal subdivisions of section 1-21, 3-33, 3-75

Limits of authority of surveyor 5-13, **6-11**

Limits of closure 3-46, **3-124**

Limits, rectangular 3-34

Line trees 3-125, **3-126**

 Use in reestablishing lost corner 6-18

Local and county surveyors. function of	3-76
Local mean time	2-29
Location monuments	4-18
Lost corner, defined (See also Restoration of lost corners).....	5-20
Lotting of fractional sections	3-77, 3-79 to 3-82, 9-80 to 9-82
Low water mark	3-116
Magnetic needle	2-48, 3-126(19)
Magnitude of stars	2-61
Marking lines	3-126
Marks on monuments (symbols)	4-22
Meander corners	
Accessories	4-108, 4-111
Control in restoring lost corners	6-32
Marks on monuments	4-87, 4-42, 4-43, 4-61, 4-62, 4-80, 481
Restoration of	5-40
Where established	3-8, 3-10, 3-18, 3-21, 3-117, 3-121, 3-122
Meander lines (See also Water boundaries).....	2-14, 3-81, 3-115 to 3-123, 6-43
Mean high water	3-115, 3-116
Mean solar time	2-28
Measurement	
Methods	2-2 to 2-7
Units	2-1
Median line of body of water	7-64 to 7-66
Memoranda on plats	9-59
Memorials	4-91, 4-93
Meridian observation of sun for apparent noon	2-54
Meridian observation of sun for latitude	2-55
Meridians	
Convergency of	2-79 to 2-81
Guide	3-14 to 3-16
Principal	3-6 to 3-9
Metes-and-bounds survey	
of irregular tracts	7-16
of private claims in resurvey	6-39 to 6-49
Mile corners	4-46, 4-113, 5-4, 6-19, 7-16
Mineral segregation surveys	7-39 to 7-44
Mineral surveys	
Amended surveys	10-61 to 10-63
Applications for survey and order	10-2, 10-10, 10-14
Appointment of mineral surveyors	10-2
Boundaries of each claim to be ascertained	10-5
Amended location certificate	10-14
Boundaries confined to location	10-9, 10-11, 10-12
Failure to show discovery or to mark boundaries of location	10-14
Locations prior to May 10, 1872	10-16
Closure of boundaries	10-17
Computation sheets	10-41
Connecting lines to corners of conflicting surveys, and to locations if excluded.....	10-26, 10-30
Claims under same ownership	10-29
Field note record	10-81
Two locations of same survey	10-27
Unsurveyed locations	10-28
Connecting lines to corners of neighboring surveys	10-31
Connecting line to location monument or subdivisional corner	10-19 to 10-22
Corner of millsite	10-24
Corner monuments, establishment	10-36
Bearing objects and trees	10-88
Marks	10-86
Material	10-85
Witness corners	10-87
Definition	10-1, 10-3, 10-4

Mineral surveys—Continued

Deposit for cost of office work	10-2
Direction of lines	10-7
Discovery point	10-13, 10-17, 10-52
Employment of assistants	10-2
Field note record	10-40
Address of claimant	10-47
Amended surveys	10-62, 10-63
Areas to be shown or reported	10-44, 10-45
Improvements	10-52, 10-53, 10-58
Lode line ..	10-17
Names of locations and survey numbers	10-48
Reference to subdivisioinal survey	10-46
Specimen field notes	10-42
Topography	10-34, 10-39, 10-64
Witness corner	10-37
Improvements (or development)	10-48
Certificate	10-49
Common improvements	10-53, 10-55 to 10-57
Labor or improvements (or development), definition	10-50, 10-51
Location to be ascertained	10-52
Millsite included with lode claim ..	10-54
Numbering	10-52
Report to be made if improved under abandoned location	10-52, 10-60
Supplemental proof	10-59
Value to be ascertained ..	10-53
Length and width of claim	10-17, 10-18
Location monument, establishment	10-20, 10-32
Bearing objects and trees, topographic map	10-34
Construction and marks	10-33
Lode line position to be recorded in field notes and shown upon plat	10-17
Qualifications	10-18
Magnetic declination	10-8
Measurement of lines	10-6
Mineral laws	10-1, 10-2
Appointments	10-2
Improvements	10-48
Locations prior to May 10, 1872	10-16
Locations to be marked	10-12
Restrictions on mineral surveyor	10-2
Numbering of corners	10-21, 10-23
Contiguous claims	10-25
Millsite ..	10-24
Placer claims	10-25
Plat	10-41
Amended surveys ..	10-62
Approval ..	10-65
Certificate	10-64
Detail to be shown ..	10-64
Disposition	10-65
Lode line ..	10-17
Order of approval	10-2
Specimen mineral plat	10-64
Subdivisioinal survey to be shown ..	10-46
Survey number	10-10, 10-24
Topography	10-34, 10-39, 10-64
Witness corners	10-37
Mineral surveys on township plat	3-126(18), 9-9, 9-66
Mine surveys	7-45
Monumentation (See also specific type monument)	
General requirements	4-4 to 4-6
Legal significance	4-2

Monument construction	4-9 to 4-14
Monument, regulation	4-7
Monuments, (special purpose)	4-16 to 4-19
Accessories	4-96
Marks on	4-82
Moon Lake case	7-87 to 7-89
Mound of stone	4-92
Navigability	7-48 to 7-50
Nonnavigable bodies of water	
Meanders	3-115 to 3-123
Division of beds	7-51 to 7-61
Non-riparian meander lines	6-43
Obliterated corner	
Definition	5-9
Identification	6-10 to 5-16
Testimony	5-11
Use of topography	5-16
Observations, general requirements (See also Polaris observations, Solar observations, Solar transit, Stellar observations, Time)	2-20 to 2-25
Omitted lands	7-77 to 7-94
Outlying areas	8-108
Parallel of latitude	2-75 to 2-78
Parallels, standard	3-12, 3-13
Partition of accreted or relicted lands	7-62 to 7-70
Partition of beds of nonnavigable waters	7-57 to 7-61
Partition of land outside meander line, no gross error	7-94
Parts of sections, survey of	3-93 to 3-96
Penalty for alteration or removal of monument	4-2
Photogrammetry, general requirements	2-8 to 2-16
In survey of meander lines	3-128
In townsite surveys	7-29
Phototriangulation	2-12, 2-13
Pits	4-94
Plane coordinates	2-11, 2-83
Plats	
Acceptance	9-1, 9-61
Aerial photographs, and use of data	9-54
Annulment or disapproval	9-2
Base drawing	9-9
Certificates	9-61
Computation of areas	9-24 to 9-34, 9-86
Copies for public	9-62
Directions and lengths of lines and areas	3-126, 9-1, 9-8, 9-9, 9-21
Connecting lines	3-36, 3-69, 3-71, 3-121, 8-122, 4-15, 9-40
Distribution of original, duplicate and triplicate	9-62 to 9-64
Field sketch	3-126, 9-53 to 9-56
Fragmentary surveys	9-78
Areas, lotting and scale	9-80
Certificates and memorandum	9-82, 9-83
Directions and lengths of lines, and topography	9-82
Distinguished from supplemental plats	9-66, 9-78
Titles and subtitles	9-58
Geographic names	9-56
Latitude and longitude to be shown	9-59
Marginal data	9-60
Memoranda	9-59
Mineral plats (See also under Mineral surveys)	10-64
Outlying areas relating to former plats	9-23
No additional outlying areas shown on new plats	8-100
Requirements with reference to the general Manual subjects	9-6

Plats — <i>Continued</i>	
Revised lottings	9-81
Specimen township plat (See Insert No. 1)	9-7
Titles and subtitles	9-57, 9-58
Use in subdividing sections	3-74, 3-75, 3-92, 9-4, 9-5
Polaris observations	2-32, 2-35, 2-38 to 2-49
Posts, standard monumentation	4-7
Marks on	4-23 to 4-46
Principal meridians	3-6 to 3-9
Proportionate measurement	5-40, 5-41
Basic rules and application	6-16, 5-21 to 5-24
Control corners	3-101, 5-17, 5-18, 5-42, 6-25, 6-28
Double proportionate measurement	6-26 to 6-29
Single proportionate measurement	5-30 to 5-38
Protraction diagrams	2-14, 3-6 Footnote 1
Protraction, subdivision of sections by	3-77 to 3-84
Public lands	
Administration of	1-9 to 1-11
General rules for survey of	1-20
States created from	1-23
Quarter-section corners	3-8, 3-18, 3-21, 3-22, 3-37, 3-40 to 3-43, 3-48, 3-50 to 3-52, 3-58, 3-61 to 3-63, 3-69, 3-103 to 3-105, 3-107
Arrangement and markings of accessories	4-105 to 4-107
Marks on iron posts	4-34 to 4-36
Marks on stone monuments	4-68 to 4-60
Marks on tree monuments	4-77 to 4-79
Restoration	5-34 to 5-36, 5-38
Records of surveys, where filed	1-23, 9-62
Rectangular limits	13-33 to 3-36
Rectangular surveys	
Early development	1-17
Legal definition	3-2, 3-4, 3-33
Principles of	3-3 to 3-7
Reference monuments	4-5, 4-16, 4-82, 4-83, 4-96
Reliction	7-63
Removal or alteration of monument, penalty for	4-2
Reservation boundaries	3-69, 3-70, 3-73, 5-44, 7-13
Restoration of lost corners (See also particular type of corner)	
Authority and jurisdiction	5-1 to 5-3
General procedure	6-21 to 5-23
Special cases	5-46, 5-47
Restoration of lost or obliterated corners and subdivision of sections, a guide for surveyors	1-8(8)
Resurveys, Chapter VI (See also Dependent resurvey, Independent resurvey)	
Definitions :	
Dependent resurvey	6-4
Independent resurvey	6-5
Resurvey	6-1
Retracement	6-7, 6-8
General field methods	6-19 to 6-24
Jurisdiction	6-9, 6-10
Retracement, definition	6-7
Rights of claimants	6-12 to 6-18, 6-42
Riparian rights	3-122, 7-88, 7-94, 7-97
Rivers (See also Meander lines)	
Meanders	3-120
Partition of beds (nonnavigable)	7-47 to 7-59
Sectional correction line	3-40, 3-61 to 3-63, 3-65
Sectional guide meridian	3-41, 3-68 to 3-60, 3-64
Section corners	3-8, 3-18, 3-21, 3-22, 3-34, 3-37, 3-40 to 3-42, 3-48, 3-58, 3-61 to 3-63
Arrangement and marking of accessories	4-102 to 4-104

Section corners—Continued

Marks on iron posts	4-29 to 4-33
Marks on stone monuments	4-63 to 4-67
Marks on tree monuments	4-72 to 4-76
Restoration —	6-28, 6-29, 6-34 to 6-37 , 6-46
Sections, subdivision of	3-74 to 3-92
Sidereal time	2-32
Single proportionate measurement	6-30 to 6-38, 5-41
Sixteenth-section corners	3-86, 3-89 to 3-96, 7-12
Arrangement and marking accessories	4-110
Marks on iron posts	4-38, 4-40, 4-41
Sketch plat	8-127, 9-52 to 9-66
Small-tract surveys	7-82
Soil classification	3-126, 7-100 to 7-104, 8-17
Solar observations (See also Observations)	2-53 to 2-66
Solar transit	2-66 to 2-73
Adjustment of solar unit	Appendix I
Sovereignty over navigable waters	1-12
Special instructions, defined	7-1
preparation of	7-2
Special meander corner	8-121, 8-122
Accessories	4-111
Markings	4-42, 4-62, 4-81
Special surveys, definition of	7-4
Specimen mineral plat	10-64
Specimen township plat	9-7 to 9-10
Stadia, limitation of use	2-3
Standard field tables and trigonometric formulas	1-8(1)
Standard parallels	3-12, 3-13
Standard quarter-section, section, and township corners	3-10
Arrangement and marking accessories —	4-97, 4-105
Marks on iron posts	4-24, 4-29, 4-34
Marks on stone monuments	4-48, 4-53 , 4-68
Marks on tree monuments	4-67, 4-72, 4-77
Restoration	5-80, 5-82, 5-83
Standard time	2-81
Star identification	2-50, 2-51
Star magnitudes	2-51
State boundary monuments	3-69, 4-26, 4-46 , 5-19
State coordinate systems	2-11, 2-83
Stellar observations (See also Polaris observations)	2-60 to 2-52
Stereophotogrammetry (See Photogrammetry)	
Stone monuments	4-8
Marks on	4-12, 4-47 to 4-62
Subdivision corners, minor	4-39, 4-83, 7-12
Subdivision of fractional sections	
by protraction	3-81, 3-82, 7-15
by survey	3-88, 3-90
Subdivision of fractional townships	3-97 to 3-99
Subdivision of sections by protraction	3-77 to 3-84
In completing partially surveyed section	8-110, 3-111
Independent resurveys —	9-88, 9-93, 9-100 to 9-102, 9-104, 9-106, 9-108, 9-109
Plat construction	9-8, 9-9, 9-21 to 9-30, 9-65, 9-82, 9-86
Supplemental plats —	9-66, to 9-69, 9-73 to 9-75
Subdivision of sections by survey	3-86 to 3-92, 3-95, 7-8 to 7-15
Subdivision of sections, general	3-74 to 8-76
Subdivision of townships	3-47 to 3-73, 3-97 to 3-99
Subtense bar, rules for use of	2-4
Supplemental-plats (See under Plats)	
Survey of parts of sections	3-93 to 3-96

Swamp and overflowed lands	
Definition and rules for survey	7-95 to 7-99
Legislation	1-13 to 1-15
System of rectangular surveys (See Rectangular surveys)	
Tablets, regulation brass, for monumentation	4-7
Tapes, description and use	2-2
Telemetry, electronic	2-7
Tidelands	1-12, 7-96
Time conversion, examples	2-36, 2-37
Time, equation of	2-30
Time, observations for	
Altitude observation of the sun	2-63
Meridian observation of a star	2-52
Meridian observation of the sun	2-54, 2-55
Time, rates and definition by class	2-26 to 2-33
Topography	3-126, 5-16, 5-40, 7-2(8), 8-16(c), 9-41 to 9-56
Township boundaries	
Allowable deviation from cardinal course	3-17 to 3-46
Closing error	3-26 to 3-28
Completion of partially surveyed exteriors	3-46
Defective exteriors, rectification	3-29, 3-30
Field note record	3-36 to 3-45
Governing boundaries	3-23, 3-32
Latitudinal boundaries, surveying procedure	3-17
Meridional boundaries, surveying procedure	3-21, 3-22
Order of survey	3-19, 3-20
Retracement before subdividing	3-18
Section lines as offsets to exteriors	3-31, 3-32
Township corners	3-25
Township corners	3-8, 3-10, 3-14, 3-18, 3-20, 3-26, 3-30
Marks on iron post	4-24 to 4-28
Marks on stone monuments	4-48 to 4-52
Marks on tree monuments	P 67 to 4-71
Restoration	5-26, 5-27, 5-29
Townsite surveys	7-17
Transfer of azimuth, station error, and curvature	2-74
Traversing	
Connection lines	3-71
Rules for	2-5
Tree corner monuments	4-13
Marks on	4-63 to 4-81
Triangulation	2-6, 3-23, 3-53, 3-122
Underground or mine surveys	7-45
Upland within swamp and overflowed lands	3-122
Water boundaries (See also Meander line)	7-46 to 7-94
Witness corners	3-117, 4-15
Accessories	4-5, 4-96
Marks on monuments	4-82
Use of in fixing original corner point	5-17
Witness point, defined	
Accessories	4-17
Marks on monuments	4-96
Witness trees (See Bearing trees)	
Marks on monuments	4-82