

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

FIELD NOTES
OF THE

DEPENDENT RESURVEY OF A PORTION OF

THE PRINCIPAL MERIDIAN THROUGH TOWNSHIP 5 SOUTH

AND A PORTION OF THE SUBDIVISIONAL LINES,

AND THE METES-AND-BOUNDS SURVEY OF THE

SOUTH MARICOPA MOUNTAINS WILDERNESS AREA BOUNDARY

IN

TOWNSHIP 5 SOUTH, RANGE 1 WEST

Of the Gila and Salt River Meridian,
In the State of Arizona

EXECUTED BY

Robert C. Umbanhowar

Cadastral Surveyor

Under Special Instructions dated November 8, 1993, approved November 8, 1993, which provided for the surveys included under Group Number 764, and assignment instructions dated November 8, 1993.

Survey Commenced November 15, 1993
Survey Completed May 12, 1994

INDEX DIAGRAM

TOWNSHIP 5 SOUTH, RANGE 1 WEST,

6	5	4	3	2	1
7	8	9	10	11	12
18	17	16	15	14	13
8	8		6	5	5
19	20	21	22	23	24
		7	6		
30	29	28	27	26	25
		7			
31	32	33	34	35	36

T. 5 S., R. 1 W., Gila and Salt River Meridian, Arizona

CHAINS

The following field notes describe the dependent resurvey of a portion of the Principal Meridian through Township 5 South and a portion of the subdivisional lines, and the metes-and-bounds survey of the South Maricopa Mountains Wilderness Area Boundary, in Township 5 South, Range 1 West, Gila and Salt River Meridian, Arizona.

The history of surveys pertaining to this survey is as follows: The Principal Meridian through Township 5 South was surveyed by J. B. McLaughlin in 1883. The Principal Meridian through Township 5 South was resurveyed by W. H. Thorn and W. K. Kierulff in 1914-15. The west boundary and subdivisional lines were surveyed by Louis D. Gilbert in 1970.

The survey was executed in accordance with the specifications as set forth in the Manual of Surveying Instructions, 1973, and the Special Instructions dated November 8, 1993, for Group No. 764, Arizona.

Preliminary to the resurvey, the lines of the original survey were retraced and search was made for all corners and other calls of the record. Identified corners were remonumented in their original positions; lost corners were restored and monumented at proportionate positions based on the original record. The retracement data were thoroughly verified and only the true line field notes are given herein.

The directions of all lines were determined by direct hour angle observations on the sun, and refer to the true meridian. Distances and angles were measured with a Pentax PTS-11105 and a Nikon NTD-4 total station instruments.

The geographic position of the cor. of secs. 13, 18, 19 and 24 on the E. bdy. of the Tp., was determined by the technique of static differential positioning using Ashtech models M-XII and MS-XII geodetic units. U.S. Coast and Geodetic Survey triangulation stations "OCO 1936" and "BIG 1960" were used as the control stations. The elevation and coordinates refer to the top of the monument.

Elevation	Latitude	Longitude	
1500.69 ft.	32°59'07.918" N.	112°18'20.127" W.	NAD27

The mean magnetic declination, as taken from quadrangle map ESTRELLA, ARIZ., published in 1979 by U.S. Geological Survey, is 13° E.

Dependent Resurvey of a Portion of the Principal Meridian
through T. 5 S., Gila and Salt River Meridian, Arizona

CHAINS	
	<p style="text-align: center;">Restoring the resurvey executed by W. H. Thorn and W. K. Kierulff in 1914-15</p> <hr/> <p>Beginning at the cor. of secs. 25, 30, 31 and 36 on the E. bdy. of the Tp., monumented with an iron post, 3 ins. diam., firmly set, projecting 14 ins. above the ground, in a supporting mound of stone, 4 ft. base, 1/2 ft. high, with a mound of stone, 2 ft. base, 1 ft. high, to the S., with brass cap mkd. T5S R1W R1E S25 S30 S36 S31 1914 GSRM.</p> <p>Add the marks 1993 to the brass cap.</p> <p>Rebuild mound of stone, 4 ft. base to top.</p> <p>Cor. is located on a low, rocky ridge line, bears SE and NW.</p> <p>N. 0°01' E., bet. secs. 25 and 30, along the South Maricopa Mountains Wilderness Area Bdy.</p>
40.00	<p>The 1/4 sec. cor. of secs. 25 and 30, monumented with an iron post, 1 in. diam., firmly set, projecting 12 ins. above ground, with brass cap mkd. 1/4 S25 S30 1914 GSRM.</p> <p>Add the marks T5S R1W R1E 1993 to the brass cap.</p> <hr/> <p>North, beginning new measurement.</p>
40.02	<p>The cor. of secs. 19, 24, 25 and 30, monumented with an iron post, 3 ins. diam., firmly set, projecting 14 ins. above ground, with brass cap mkd. T5S R1W R1E S24 S19 S25 S30 1914 GSRM.</p> <p>Add the marks 1993 to the brass cap.</p> <hr/> <p>North, bet. secs. 19 and 24, along the South Maricopa Mountains Wilderness Area Bdy.</p>
40.03	<p>The 1/4 sec. cor. of secs. 19 and 24, monumented with an iron post, 1 in. diam., firmly set, projecting 9 ins. above ground, with brass cap mkd. 1/4 S24 S19 1914.</p> <p>Add the marks T5S R1W R1E 1993 to the brass cap.</p> <hr/> <p>N. 0°01' E., beginning new measurement.</p>
40.01	<p>The cor. of secs. 13, 18, 19 and 24, monumented with an iron post, 3 ins. diam., firmly set, projecting 8 ins. above ground, with brass cap mkd. T5S R1W R1E S13 S18 S24 S19 1914 GSRM.</p>

Dependent Resurvey of a Portion of the Principal Meridian
through T. 5 S., Gila and Salt River Meridian, Arizona

CHAINS	
	<p>Add the marks 1993 to the brass cap.</p> <hr/> <p>Dependent Resurvey of a Portion of the Subdivisional Lines, T. 5 S., R. 1 W., Gila and Salt River Meridian, Arizona</p> <hr/> <p>Restoring the survey executed by Louis D. Gilbert in 1970</p> <hr/> <p>From the cor. of secs. 13, 18, 19 and 24, on the E. bdy. of the Tp., hereinbefore described.</p> <p>N. 89°53' W., bet. secs. 13 and 24, along the South Maricopa Mountains Wilderness Area Bdy.</p>
39.93	<p>The 1/4 sec. cor. of secs. 13 and 24, monumented with an iron post, 2 1/2 ins. diam., firmly set, projecting 8 ins. above ground, with brass cap mkd. T5S R1W 1/4 S13 S24 1970.</p> <p>Add the marks 1993 to the brass cap.</p> <hr/> <p>N. 89°55' W., beginning new measurement.</p>
39.95	<p>The cor. of secs. 13, 14, 23 and 24, monumented with an iron post, 2 1/2 ins. diam., firmly set, projecting 8 ins. above ground, with brass cap mkd. T5S R1W S14 S13 S23 S24 1970.</p> <p>Add the marks 1993 to the brass cap.</p> <hr/> <p>S. 89°58' W., bet. secs. 14 and 23, along the South Maricopa Mountains Wilderness Area Bdy.</p>
40.02	<p>The 1/4 sec. cor. of secs. 14 and 23, monumented with an iron post, 2 1/2 ins. diam., firmly set, projecting 7 ins. above ground, with brass cap mkd. T5S R1W 1/4 S14 S23 1970.</p> <p>Add the marks 1993 to the brass cap.</p> <hr/> <p>S. 89°57' W., beginning new measurement.</p>
39.96	<p>The cor. of secs. 14, 15, 22 and 23, monumented with an iron post, 2 1/2 ins. diam., firmly set, projecting 6 ins. above ground, with brass cap mkd. T5S R1W S15 S14 S22 S23 1970.</p>

Dependent Resurvey of a Portion of the Subdivisional Lines,
T. 5 S., R. 1 W., Gila and Salt River Meridian, Arizona

CHAINS	
	Add the marks 1993 to the brass cap.
	From the 1/4 sec. cor. of secs. 27 and 28, monumented with an iron post, 2 1/2 ins. diam., firmly set, projecting 8 ins. above ground, with brass cap mkd. T5S R1W 1/4 S28 S27 1970.
	Add the marks 1994 to the brass cap.
	North, bet. secs. 27 and 28.
28.20	Point for AP 20, on the South Maricopa Mountains Wilderness Area Bdy., hereinafter described.
39.97	The cor. of secs. 21, 22, 27 and 28, monumented with an iron post, 2 1/2 ins. diam., firmly set, projecting 4 ins. above ground, with brass cap mkd. T5S R1W S21 S22 S28 S27 1970. Cor. is located in a wash, 80 lks. wide, 2 ft. deep, drains NNE. Add the marks 1994 to the brass cap.
	From the 1/4 sec. cor. of secs. 22 and 27, monumented with an iron post, 2 1/2 ins. diam., firmly set, projecting 8 ins. above ground, with brass cap mkd. T5S R1W 1/4 S22 S27 1970. Add the marks 1994 to the brass cap. Cor. is located 56 lks. W. of wash, 15 lks. wide, 4 ft. deep, drains NE. S. 89°59' W., bet. secs. 22 and 27.
33.40	Point for AP 17, on the South Maricopa Mountains Wilderness Area Bdy., hereinafter described.
40.07	The cor. of secs. 21, 22, 27 and 28.
	From the cor. of secs. 14, 15, 22 and 23. West, bet. secs. 15 and 22, along the South Maricopa Mountains Wilderness Area Bdy.
40.11	The 1/4 sec. cor. of secs. 15 and 22, monumented with an iron post, 2 1/2 ins. diam., firmly set, projecting 7 ins. above ground, with brass cap mkd. T5S R1W 1/4 S15 S22 1970. Add the marks 1993 to the brass cap.

Dependent Resurvey of a Portion of the Subdivisional Lines,
T. 5 S., R. 1 W., Gila and Salt River Meridian, Arizona

CHAINS	
	S. 89°57' W., beginning new measurement.
1.57	Point for AP 1, hereinafter described. Leave the South Maricopa Mountains Wilderness Area Bdy.
40.10	The cor. of secs. 15, 16, 21 and 22, monumented with an iron post, 2 1/2 ins. diam., firmly set, projecting 6 ins. above ground, with brass cap mkd. T5S R1W S16 S15 S21 S22 1970. Add the marks 1993 to the brass cap.
	From the cor. of secs. 28, 29, 32 and 33, monumented with an iron post, 2 1/2 ins. diam., firmly set, projecting 6 ins. above ground, encircled with a collar of stone, with brass cap mkd. T5S R1W S29 S28 S32 S33 1970. Add the marks 1994 to the brass cap. Cor. is located in a wash, 50 lks. wide, 1 ft. deep, drains NE. N. 0°02' W., bet. secs. 28 and 29.
25.41	Point for AP 47, on the South Maricopa Mountains Wilderness Area Bdy., hereinafter described.
40.01	The 1/4 sec. cor. of secs. 28 and 29, monumented with an iron post, 2 1/2 ins. diam., firmly set, projecting 9 ins. above ground, with brass cap mkd. T5S R1W 1/4 S29 S28 1970. Add the marks 1994 to the brass cap.
	From the cor. of secs. 20, 21, 28 and 29, monumented with an iron post, 2 1/2 ins. diam., firmly set, projecting 6 ins. above ground, encircled with a collar of stone, with brass cap mkd. T5S R1W S20 S21 S29 S28 1970. Add the marks 1994 to the brass cap. S. 89°58' W., bet. secs. 20 and 29.
20.91	Point for AP 62, on the South Maricopa Mountains Wilderness Area Bdy., hereinafter described.
40.01	The 1/4 sec. cor. of secs. 20 and 29, monumented with an iron post, 2 1/2 ins. diam., firmly set, projecting 9 ins. above the ground, with a mound of stone, 1 ft. base, 1/2 ft. high, to the S., with brass cap mkd. T5S R1W 1/4 S20 S29 1970.


Dependent Resurvey of a Portion of the Subdivisional Lines,
T. 5 S., R. 1 W., Gila and Salt River Meridian, Arizona

CHAINS	
	<p>Add the marks 1994 to the brass cap.</p>
	<p>From the 1/4 sec. cor. of secs. 17 and 20, monumented with an iron post, 2 1/2 ins. diam., firmly set, projecting 8 ins. above ground, with brass cap mkd. T5S R1W 1/4 S17 S20 1970.</p>
	<p>Add the marks 1993 to the brass cap.</p>
	<p>S. 89°58' W., bet. secs. 17 and 20.</p>
14.65	<p>Point for AP 84, on the South Maricopa Mountains Wilderness Area Bdy., hereinafter described.</p>
	<p>Thence, along the South Maricopa Mountains Wilderness Area Bdy.,</p>
40.00	<p>The cor. of secs. 17, 18, 19 and 20, monumented with an iron post, 2 1/2 ins. diam., firmly set, projecting 6 ins. above ground, with brass cap mkd. T5S R1W S18 S17 S19 S20 1970.</p> <p>Add the marks 1993 to the brass cap.</p>
	<p>N. 89°58' W., bet. secs. 18 and 19, along the South Maricopa Mountains Wilderness Area Bdy.</p>
40.02	<p>The 1/4 sec. cor. of secs. 18 and 19, monumented with an iron post, 2 1/2 ins. diam., firmly set, projecting 12 ins. above the ground, with brass cap mkd. T5S R1W 1/4 S18 S19 1970.</p> <p>Add the marks 1993 to the brass cap.</p>
	<p>West, beginning new measurement.</p>
39.76	<p>The cor. of secs. 13, 18, 19 and 24, on the W. bdy. of the Tp., monumented with an iron post, 2 1/2 ins. diam., firmly set, projecting 5 ins. above ground, with brass cap mkd. T5S R2W R1W S13 S18 S24 S19 1993 1970, as described in the field notes of the dependent resurvey of a portion of the subdivisional lines, T. 5 S., R. 2 W., executed concurrently under this same group.</p>
	<p style="text-align: center;">Metes-and-Bounds Survey of the South Maricopa Mountains Wilderness Area Boundary, T. 5 S., R. 1 W., Gila and Salt River Meridian, Arizona</p>
	<p style="text-align: center;">In Sec. 22</p>

Metes-and-Bounds Survey of the
South Maricopa Mountains Wilderness Area Boundary,
T. 5 S., R. 1 W., Gila and Salt River Meridian, Arizona

CHAINS

From the point for AP 1, on the line bet. secs. 15 and 22.
Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam.,
22 ins. in the ground, with brass cap mkd.



Deposit a magnet in a 1 x 1 x 2 5/8 ins. white plastic case
inside the stainless steel post.


Cor. is located 41 lks. E. of trail road, bears NNE. and SSW.

From this cor. point, the cor. of secs. 15, 16, 21 and 22,
hereinbefore described, bears S. 89°57' W., 38.53 chs. dist.

S. 11°55' W., on line 1-2.

6.91 Point for AP 2.

Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam.,
19 ins. in the ground, with brass cap mkd.




Deposit a magnet in a 1 x 1 x 2 5/8 ins. white plastic case
inside the stainless steel post.

Cor. is located 65 lks. E. of trail road, bears NNE. and SSW.

S. 26°27' W., on line 2-3.

9.96 Point for AP 3.

Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam.,
25 ins. in the ground, with brass cap mkd.



Metes-and-Bounds Survey of the
 South Maricopa Mountains Wilderness Area Boundary,
 T. 5 S., R. 1 W., Gila and Salt River Meridian, Arizona

CHAINS	
	<p>Deposit a magnet in a 1 x 1 x 2 5/8 ins. white plastic case inside the stainless steel post.</p> <p>Cor. is located 65 lks. E. of trail road, bears NNE. and S.</p> <p>S. 0°59' W., on line 3-4.</p>
6.61	<p>Point for AP 4.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.</p> <div data-bbox="792 711 1057 862" style="text-align: center;"> <p>T5S R1W S22 AP4 SMMWA 1994</p> </div> <p>Deposit a magnet in a 1 x 1 x 2 5/8 ins. white plastic case inside the stainless steel post.</p> <p>Cor. is located 65 lks. E. of trail road, bears N. and SE.</p> <p>S. 34°47' E., on line 4-5.</p>
3.58	<p>Point for AP 5.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.</p> <div data-bbox="792 1315 1057 1487" style="text-align: center;"> <p>T5S R1W S22 AP5 SMMWA 1994</p> </div> <p>Deposit a magnet in a 1 x 1 x 2 5/8 ins. white plastic case inside the stainless steel post.</p> <p>Cor. is located 65 lks. E. of trail road, bears S. and NNW.</p> <p>S. 8°39' E., on line 5-6.</p>
4.87	<p>Point for AP 6.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 23 ins. in the ground, with brass cap mkd.</p>

Metes-and-Bounds Survey of the
South Maricopa Mountains Wilderness Area Boundary,
T. 5 S., R. 1 W., Gila and Salt River Meridian, Arizona

CHAINS	
	<div data-bbox="792 301 1057 463" data-label="Diagram"> </div> <p data-bbox="393 495 1346 556">Deposit a magnet in a 1 x 1 x 2 5/8 ins. white plastic case inside the stainless steel post.</p> <p data-bbox="393 582 1346 614">Cor. is located 70 lks. E. of trail road, bears SSW. and N.</p> <hr data-bbox="718 636 1090 646"/> <p data-bbox="393 679 817 711">S. 20°37' W., on line 6-7.</p>
7.94	<p data-bbox="393 750 636 776">Point for AP 7.</p> <p data-bbox="393 808 1346 873">Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.</p> <div data-bbox="792 905 1057 1067" data-label="Diagram"> </div> <p data-bbox="393 1099 1346 1164">Deposit a magnet in a 1 x 1 x 2 5/8 ins. white plastic case inside the stainless steel post.</p> <p data-bbox="393 1196 1379 1228">Cor. is located 65 lks. E. of trail road, bears NNE. and SSW.</p> <hr data-bbox="718 1250 1090 1261"/> <p data-bbox="393 1293 817 1325">S. 20°30' W., on line 7-8.</p>
8.29	<p data-bbox="393 1369 636 1397">Point for AP 8.</p> <p data-bbox="393 1422 1346 1487">Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.</p> <div data-bbox="792 1519 1057 1681" data-label="Diagram"> </div> <p data-bbox="393 1714 1346 1778">Deposit a magnet in a 1 x 1 x 2 5/8 ins. white plastic case inside the stainless steel post.</p> <p data-bbox="393 1811 1362 1843">Cor. is located 90 lks. E. of trail road, bears NE. and WSW.</p> <hr data-bbox="718 1864 1090 1875"/> <p data-bbox="393 1908 817 1940">S. 64°54' W., on line 8-9.</p>

Metes-and-Bounds Survey of the
 South Maricopa Mountains Wilderness Area Boundary,
 T. 5 S., R. 1 W., Gila and Salt River Meridian, Arizona


CHAINS	
<p>5.31</p>	<p>Point for AP 9.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 22 ins. in the ground, with brass cap mkd.</p> <div data-bbox="792 452 1057 625" style="text-align: center;"> <p>T5S R1W</p> <p>S22 AP9</p> <p> SMMWA</p> <p> 1994</p> </div> <p>Deposit a magnet in a 1 x 1 x 2 5/8 ins. white plastic case inside the stainless steel post.</p> <p>Cor. is located 80 lks. S. of trail road, bears E. and SW.</p> <hr style="width: 20%; margin: 10px auto;"/> <p>S. 49°45' W., on line 9-10.</p>
<p>3.62</p>	<p>Point for AP 10.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.</p> <div data-bbox="792 1067 1057 1239" style="text-align: center;"> <p>T5S R1W</p> <p>S22 AP10</p> <p> SMMWA</p> <p> 1994</p> </div> <p>Deposit a magnet in a 1 x 1 x 2 5/8 ins. white plastic case inside the stainless steel post.</p> <p>Cor. is located 100 lks. E. of trail road, bears NE. and SSW.</p> <hr style="width: 20%; margin: 10px auto;"/> <p>S. 28°22' W., on line 10-11.</p>
<p>5.28</p>	<p>Point for AP 11.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 20 ins. in the ground, with brass cap mkd.</p> <div data-bbox="792 1670 1057 1843" style="text-align: center;"> <p>T5S R1W</p> <p>S22 AP11</p> <p> SMMWA</p> <p> 1994</p> </div> <p>Deposit a magnet in a 1 x 1 x 2 5/8 ins. white plastic case inside the stainless steel post.</p>

Metes-and-Bounds Survey of the
South Maricopa Mountains Wilderness Area Boundary,
T. 5 S., R. 1 W., Gila and Salt River Meridian, Arizona

CHAINS	
3.02	<p>Cor. is located 70 lks. E. of trail road, bears NE. and WSW.</p> <hr/> <p>S. 58°15' W. on line 11-12.</p> <p>Point for AP 12.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 20 ins. in the ground, with brass cap mkd.</p> <div data-bbox="792 627 1015 819" style="text-align: center;"> <p>T5S R1W S22 AP12 SMMWA 1994</p> </div> <p>Deposit a magnet in a 1 x 1 x 2 5/8 ins. white plastic case inside the stainless steel post.</p> <p>Cor. is located 60 lks. E. of trail road, bears N. and S.</p> <hr/> <p>S. 11°56' W., on line 12-13.</p>
2.98	<p>Point for AP 13.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 23 ins. in the ground, with brass cap mkd.</p> <div data-bbox="792 1255 1065 1425" style="text-align: center;"> <p>T5S R1W S22 AP13 SMMWA 1994</p> </div> <p>Deposit a magnet in a 1 x 1 x 2 5/8 ins. white plastic case inside the stainless steel post.</p> <p>Cor. is located 65 lks. E. of trail road, bears NNE. and SW.</p> <hr/> <p>S. 10°00' E., on line 13-14.</p>
4.44	<p>Point for AP 14.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 23 ins. in the ground, with brass cap mkd.</p>

Metes-and-Bounds Survey of the
 South Maricopa Mountains Wilderness Area Boundary,
 T. 5 S., R. 1 W., Gila and Salt River Meridian, Arizona

CHAINS



Deposit a magnet in a 1 x 1 x 2 5/8 ins. white plastic case inside the stainless steel post.


Cor. is located 65 lks. E.. of trail road, bears NNE. and SW.

S. 14°46' W., on line 14-15.

9.93

Point for AP 15.

Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 23 ins. in the ground, with brass cap mkd.



Deposit a magnet in a 1 x 1 x 2 5/8 ins. white plastic case inside the stainless steel post.


Cor. is located 65 lks. E. of trail road, bears NNE. and SW.

S. 44°42' W., on line 15-16.

5.57

Point for AP 16.

Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.





Deposit a magnet in a 1 x 1 x 2 5/8 ins. white plastic case inside the stainless steel post.

Cor. is located 70 lks. S. of trail road, bears ENE. and WSW.

S. 51°19' W., on line 16-17.



Metes-and-Bounds Survey of the
 South Maricopa Mountains Wilderness Area Boundary,
 T. 5 S., R. 1 W., Gila and Salt River Meridian, Arizona

CHAINS	
5.10	<p>Point for AP 17, on the line bet. secs. 22 and 27.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 25 ins. in the ground, with brass cap mkd.</p> <div style="text-align: center;">  <p>T5S R1W</p> <p>S22 SMMWA</p> <p>S27 AP17</p> <p> 1994</p> </div> <p>Deposit a magnet in a 1 x 1 x 2 5/8 ins. white plastic case inside the stainless steel post.</p> <p>Cor. is located 60 lks. S. of trail road, bears ENE. and W.</p> <p>From this cor. point, the cor. of secs. 21, 22, 27 and 28, hereinbefore described, bears S. 89°59' W., 6.67 chs. dist.</p>
	<p style="text-align: center;">In Sec. 27</p> <hr style="width: 20%; margin: auto;"/> <p>S. 38°48' W., on line 17-18.</p>
7.01	<p>Point for AP 18.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.</p> <div style="text-align: center;">  <p>T5S R1W</p> <p>S27 AP18</p> <p> SMMWA</p> <p> 1994</p> </div> <p>Deposit a magnet in a 1 x 1 x 2 5/8 ins. white plastic case inside the stainless steel post.</p> <p>Cor. is located 90 lks. S. of trail road, bears NNE. and SSW.</p>
4.13	<p style="text-align: center;">S. 12°31' W., on line 18-19.</p> <hr style="width: 20%; margin: auto;"/> <p>Point for AP 19.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 23 ins. in the ground, with brass cap mkd.</p>

Metes-and-Bounds Survey of the
South Maricopa Mountains Wilderness Area Boundary,
T. 5 S., R. 1 W., Gila and Salt River Meridian, Arizona

CHAINS	
2.67	<div data-bbox="792 297 1065 457" data-label="Diagram"> <p>T5S R1W S27 AP19 1994 SMMWA</p> </div> <p>Deposit a magnet in a 1 x 1 x 2 5/8 ins. white plastic case inside the stainless steel post.</p> <p>Cor. is located 60 lks. E. of trail road, bears NNE. and SW.</p> <hr/> <p>S. 31°21' W., on line 19-20.</p> <p>Point for AP 20, on the line bet. secs. 27 and 28.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 22 ins. in the ground, with brass cap mkd.</p> <div data-bbox="792 904 1065 1138" data-label="Diagram"> <p>T5S R1W S28 AP20 1994 SMMWA</p> </div> <p>Deposit a magnet in a 1 x 1 x 2 5/8 ins. white plastic case inside the stainless steel post.</p> <p>Cor. is located 61 lks. E. of trail road, bears SSW. and NNE.</p> <p>From this cor. point, the cor. of secs. 21, 22, 27 and 28, hereinbefore described, bears North, 11.77 chs. dist.</p> <hr/> <p style="text-align: center;">In Sec. 28</p> <hr/> <p>S. 26°39' W., on line 20-21.</p>
6.90	<p>Point for AP 21.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 22 ins. in the ground, with brass cap mkd.</p> <div data-bbox="792 1766 1065 1936" data-label="Diagram"> <p>T5S R1W S28 AP21 1994 SMMWA</p> </div>



Metes-and-Bounds Survey of the
 South Maricopa Mountains Wilderness Area Boundary,
 T. 5 S., R. 1 W., Gila and Salt River Meridian, Arizona

CHAINS	
	<p>Deposit a magnet in a 1 x 1 x 2 5/8 ins. white plastic case inside the stainless steel post.</p> <p>Cor. is located 70 lks. E. of trail road, bears NNE. and SW.</p> <hr style="width: 20%; margin: 10px auto;"/> <p>S. 40°15' W. on line 21-22.</p>
6.51	<p>Point for AP 22.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 25 ins. in the ground, with brass cap mkd.</p> <div style="text-align: center;">  </div> <p>Deposit a magnet in a 1 x 1 x 2 5/8 ins. white plastic case inside the stainless steel post.</p> <p>Cor. is located 77 lks. S. of trail road, bears NE. and SSW.</p> <hr style="width: 20%; margin: 10px auto;"/> <p>S. 31°42' W., on line 22-23.</p>
4.29	<p>Point for AP 23.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 25 ins. in the ground, with brass cap mkd.</p> <div style="text-align: center;">  </div> <p>Deposit a magnet in a 1 x 1 x 2 5/8 ins. white plastic case inside the stainless steel post.</p> <p>Cor. is located 85 lks. S. of trail road, bears NE. and SSW.</p> <hr style="width: 20%; margin: 10px auto;"/> <p>S. 18°32' W., on line 23-24.</p>
6.95	<p>Point for AP 24.</p>

Metes-and-Bounds Survey of the
 South Maricopa Mountains Wilderness Area Boundary,
 T. 5 S., R. 1 W., Gila and Salt River Meridian, Arizona

CHAINS	
	<p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.</p> <div data-bbox="801 398 1065 582" style="text-align: center;"> <p>T5S R1W</p> <p>S28 AP24 SMMWA</p> <p>1994</p> </div> <p>Deposit a magnet in a 1 x 1 x 2 5/8 ins. white plastic case inside the stainless steel post.</p> <p>Cor. is located 85 lks. S. of trail road, bears NNE. and SW.</p> <hr style="width: 20%; margin: auto;"/> <p>S. 46°52' W., on line 24-25.</p>
4.07	<p>Point for AP 25.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 25 ins. in the ground, with brass cap mkd.</p> <div data-bbox="801 1034 1065 1239" style="text-align: center;"> <p>T5S R1W</p> <p>S28 AP25 SMMWA</p> <p>1994</p> </div> <p>Deposit a magnet in a 1 x 1 x 2 5/8 ins. white plastic case inside the stainless steel post.</p> <p>Cor. is located 70 lks. S. of trail road, bears NE. and SSW.</p> <hr style="width: 20%; margin: auto;"/> <p>S. 31°53' W., on line 25-26.</p>
5.24	<p>Point for AP 26.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 25 ins. in the ground, with brass cap mkd.</p> <div data-bbox="801 1681 1065 1886" style="text-align: center;"> <p>T5S R1W</p> <p>S28 AP26 SMMWA</p> <p>1994</p> </div>

Metes-and-Bounds Survey of the
 South Maricopa Mountains Wilderness Area Boundary,
 T. 5 S., R. 1 W., Gila and Salt River Meridian, Arizona

CHAINS	
	<p>Deposit a magnet in a 1 x 1 x 2 5/8 ins. white plastic case inside the stainless steel post.</p> <p>Cor. is located 95 lks. S. of trail road, bears NE. and SSW.</p> <hr style="width: 20%; margin: 10px auto;"/> <p>S. 7°47' W., on line 26-27.</p>
3.53	<p>Point for AP 27.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 25 ins. in the ground, with brass cap mkd.</p> <div style="text-align: center; margin: 10px 0;">  </div> <p>Deposit a magnet in a 1 x 1 x 2 5/8 ins. white plastic case inside the stainless steel post.</p> <p>Cor. is located 45 lks. S. of trail road, bears N. and SW.</p> <hr style="width: 20%; margin: 10px auto;"/> <p>S. 20°40' W., on line 27-28.</p>
3.45	<p>Point for AP 28.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 22 ins. in the ground, with brass cap mkd.</p> <div style="text-align: center; margin: 10px 0;">  </div> <p>Deposit a magnet in a 1 x 1 x 2 5/8 ins. white plastic case inside the stainless steel post.</p> <p>Cor. is located 70 lks. E. of trail road, bears NNE. and SSW.</p> <hr style="width: 20%; margin: 10px auto;"/> <p>S. 25°01' W., on line 28-29.</p>
3.05	<p>Point for AP 29.</p>

Metes-and-Bounds Survey of the
 South Maricopa Mountains Wilderness Area Boundary,
 T. 5 S., R. 1 W., Gila and Salt River Meridian, Arizona

CHAINS	
	<p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 22 ins. in the ground, with brass cap mkd.</p> <div data-bbox="792 393 1057 585" style="text-align: center;"> <p>T5S R1W S22 AP29 SMMWA 1994</p> </div> <p>Deposit a magnet in a 1 x 1 x 2 5/8 ins. white plastic case inside the stainless steel post.</p> <p>Cor. is located 160 lks. S. of trail road, bears NNE. and S.</p> <hr style="width: 20%; margin: 10px auto;"/> <p>S. 3°53' W., on line 29-30.</p>
9.02	<p>Point for AP 30.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 25 ins. in the ground, with brass cap mkd.</p> <div data-bbox="792 1032 1057 1223" style="text-align: center;"> <p>T5S R1W S28 AP30 SMMWA 1994</p> </div> <p>Deposit a magnet in a 1 x 1 x 2 5/8 ins. white plastic case inside the stainless steel post.</p> <p>Cor. is located 60 lks. E. of trail road, bears SSW. and N.</p> <hr style="width: 20%; margin: 10px auto;"/> <p>S. 21°05' W., on line 30-31.</p>
4.30	<p>Point for AP 31.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.</p> <div data-bbox="792 1670 1057 1862" style="text-align: center;"> <p>T5S R1W S28 AP31 SMMWA 1994</p> </div>



Metes-and-Bounds Survey of the
 South Maricopa Mountains Wilderness Area Boundary,
 T. 5 S., R. 1 W., Gila and Salt River Meridian, Arizona

CHAINS	
	<p>Deposit a magnet in a 1 x 1 x 2 5/8 ins. white plastic case inside the stainless steel post.</p> <p>Cor. is located 159 lks. S. of trail road, bears N. and WSW.</p> <hr/> <p>S. 68°06' W. on line 31-32.</p>
5.51	<p>Point for AP 32.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 23 ins. in the ground, with brass cap mkd.</p> <div data-bbox="792 702 1024 915" style="text-align: center;"> <p>T5S R1W</p> <p>S28 AP32 SMMWA</p> <p>1994</p> </div> <p>Deposit a magnet in a 1 x 1 x 2 5/8 ins. white plastic case inside the stainless steel post.</p> <p>Cor. is located 61 lks. S. of trail road, bears NE. and SW.</p> <hr/> <p>S. 71°36' W., on line 32-33.</p>
8.80	<p>Point for AP 33.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 21 ins. in the ground, with brass cap mkd.</p> <div data-bbox="842 1340 1007 1553" style="text-align: center;"> <p>T5S R1W</p> <p>S28</p> <p>AP33 SMMWA</p> <p>1994</p> </div> <p>Deposit a magnet in a 1 x 1 x 2 5/8 ins. white plastic case inside the stainless steel post.</p> <p>Cor. is located 53 lks. S. of trail road, bears ENE. and WSW.</p> <hr/> <p>N. 89°11' W., on line 33-34.</p>
5.47	<p>Point for AP 34.</p>

Metes-and-Bounds Survey of the
 South Maricopa Mountains Wilderness Area Boundary,
 T. 5 S., R. 1 W., Gila and Salt River Meridian, Arizona

CHAINS	
	<p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 21 ins. in the ground, with brass cap mkd.</p> <p style="text-align: center;">T5S R1W S28</p> <hr style="width: 10%; margin: auto;"/> <p style="text-align: center;">AP34 SMMWA 1994</p> <p>Deposit a magnet in a 1 x 1 x 2 5/8 ins. white plastic case inside the stainless steel post.</p> <p>Cor. is located 60 lks. S. of trail road, bears E. and W.</p> <hr style="width: 10%; margin: auto;"/> <p>N. 74°17' W., on line 34-35.</p>
6.31	<p>Point for AP 35.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 21 ins. in the ground, with brass cap mkd.</p> <p style="text-align: center;">T5S R1W S28</p> <hr style="width: 10%; margin: auto;"/> <p style="text-align: center;">AP35 SMMWA 1994</p> <p>Deposit a magnet in a 1 x 1 x 2 5/8 ins. white plastic case inside the stainless steel post.</p> <p>Cor. is located 49 lks. S. of trail road, bears E. and W.</p> <hr style="width: 10%; margin: auto;"/> <p>N. 87°21' W., on line 35-36.</p>
5.38	<p>Point for AP 36.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 23 ins. in the ground, with brass cap mkd.</p> <p style="text-align: center;">T5S R1W S28</p> <hr style="width: 10%; margin: auto;"/> <p style="text-align: center;">AP36 SMMWA 1994</p> <p>Deposit a magnet in a 1 x 1 x 2 5/8 ins. white plastic case inside the stainless steel post.</p>

Metes-and-Bounds Survey of the
South Maricopa Mountains Wilderness Area Boundary,
T. 5 S., R. 1 W., Gila and Salt River Meridian, Arizona

CHAINS	
6.89	<p>Cor. is located 52 lks. S. of trail road, bears WNW. and E.</p> <hr/> <p>N. 71°05' W., on line 36-37.</p> <p>Point for AP 37.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 20 ins. in the ground, with brass cap mkd.</p> <div style="text-align: center;">  <p>T5S R1W S28</p> <p>AP37 SMMWA 1994</p> </div> <p>Deposit a magnet in a 1 x 1 x 2 5/8 ins. white plastic case inside the stainless steel post.</p>
3.30	<p>Cor. is located 60 lks. S. of trail road, bears NNW. and ESE.</p> <hr/> <p>N. 41°01' W., on line 37-38.</p> <p>Point for AP 38.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 20 ins. in the ground, with brass cap mkd.</p> <div style="text-align: center;">  <p>T5S R1W S28</p> <p>AP38 SMMWA 1994</p> </div> <p>Deposit a magnet in a 1 x 1 x 2 5/8 ins. white plastic case inside the stainless steel post.</p>
4.02	<p>Cor. is located 45 lks. S. of trail road, bears ESE. and W.</p> <hr/> <p>S. 64°38' W., on line 38-39.</p> <p>Point for AP 39.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 20 ins. in the ground, with brass cap mkd.</p>

Metes-and-Bounds Survey of the
South Maricopa Mountains Wilderness Area Boundary,
T. 5 S., R. 1 W., Gila and Salt River Meridian, Arizona

CHAINS	
	<div data-bbox="792 297 1057 436" data-label="Diagram"> <p>T5S R1W S22 AP39 SMMWA 1994</p> </div> <p data-bbox="393 468 1346 542">Deposit a magnet in a 1 x 1 x 2 5/8 ins. white plastic case inside the stainless steel post.</p> <p data-bbox="393 574 1346 606">Cor. is located 50 lks. S. of trail road, bears NE. and SW.</p> <hr data-bbox="718 627 1090 649"/> <p data-bbox="393 670 850 712">S. 28°44' W., on line 39-40.</p>
5.78	<p data-bbox="393 734 652 776">Point for AP 40.</p> <p data-bbox="393 798 1346 883">Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 21 ins. in the ground, with brass cap mkd.</p> <div data-bbox="792 904 1057 1074" data-label="Diagram"> <p>T5S R1W S28 AP40 SMMWA 1994</p> </div> <p data-bbox="393 1095 1346 1170">Deposit a magnet in a 1 x 1 x 2 5/8 ins. white plastic case inside the stainless steel post.</p> <p data-bbox="393 1191 1362 1234">Cor. is located 70 lks. S. of trail road, bears NNE. and SW.</p> <hr data-bbox="718 1244 1090 1266"/> <p data-bbox="393 1287 850 1330">S. 65°37' W., on line 40-41.</p>
5.84	<p data-bbox="393 1351 652 1393">Point for AP 41.</p> <p data-bbox="393 1415 1346 1500">Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 21 ins. in the ground, with brass cap mkd.</p> <div data-bbox="826 1521 1015 1670" data-label="Diagram"> <p>T5S R1W S28 AP41 SMMWA 1994</p> </div> <p data-bbox="393 1691 1346 1766">Deposit a magnet in a 1 x 1 x 2 5/8 ins. white plastic case inside the stainless steel post.</p> <p data-bbox="393 1787 1379 1862">Cor. is located 9 lks. S. of a steel cable barrier, 1 strand, bears NW. and SE.</p> <hr data-bbox="718 1872 1090 1893"/>

Metes-and-Bounds Survey of the
South Maricopa Mountains Wilderness Area Boundary,
T. 5 S., R. 1 W., Gila and Salt River Meridian, Arizona

CHAINS	
<p>1.25</p>	<p>N. 43°23' W. on line 41-42.</p> <p>Point for AP 42.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 21 ins. in the ground, with brass cap mkd.</p> <div data-bbox="792 521 1049 723" style="text-align: center;"> </div> <p>Deposit a magnet in a 1 x 1 x 2 5/8 ins. white plastic case inside the stainless steel post.</p> <p>Cor. is located 10 lks. E. of a steel cable barrier, 1 strand, bears NNE. and SE.</p> <hr style="width: 20%; margin: 10px auto;"/>
<p>4.87</p>	<p>N. 27°38' E., on line 42-43.</p> <p>Point for AP 43.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 18 ins. in the ground, in a supporting mound of stone, 2 ft. base to top, with brass cap mkd.</p> <div data-bbox="792 1223 1049 1415" style="text-align: center;"> </div> <p>Deposit a magnet in a 1 x 1 x 2 5/8 ins. white plastic case inside the stainless steel post.</p> <p>Cor. is located 109 lks. N. of trail road, bears NNE. and SW.</p> <hr style="width: 20%; margin: 10px auto;"/>
<p>5.05</p>	<p>N. 11°16' W., on line 43-44.</p> <p>Point for AP 44.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 23 ins. in the ground, with brass cap mkd.</p>

Metes-and-Bounds Survey of the
 South Maricopa Mountains Wilderness Area Boundary,
 T. 5 S., R. 1 W., Gila and Salt River Meridian, Arizona

CHAINS	
	<div data-bbox="792 297 1024 457" data-label="Diagram"> <p>T5S R1W AP44 S28 SMMWA 1994</p> </div> <p data-bbox="393 489 1346 553">Deposit a magnet in a 1 x 1 x 2 5/8 ins. white plastic case inside the stainless steel post.</p> <p data-bbox="393 585 1362 627">Cor. is located 45 lks. W. of trail road, bears S. and NNW.</p> <hr data-bbox="718 649 1090 655"/> <p data-bbox="393 680 842 723">N. 48°37' W., on line 44-45.</p>
1.77	<p data-bbox="393 755 652 787">Point for AP 45.</p> <p data-bbox="393 819 1346 883">Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.</p> <div data-bbox="792 915 1024 1074" data-label="Diagram"> <p>T5S R1W AP45 S28 SMMWA 1994</p> </div> <p data-bbox="393 1106 1346 1170">Deposit a magnet in a 1 x 1 x 2 5/8 ins. white plastic case inside the stainless steel post.</p> <p data-bbox="393 1191 1313 1234">Cor. is located 61 lks. S. of trail road, bears E. and W.</p> <hr data-bbox="718 1244 1090 1251"/> <p data-bbox="393 1287 842 1330">N. 69°52' W., on line 45-46.</p>
3.14	<p data-bbox="393 1351 652 1383">Point for AP 46.</p> <p data-bbox="393 1415 1346 1478">Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 22 ins. in the ground, with brass cap mkd.</p> <div data-bbox="792 1510 1024 1670" data-label="Diagram"> <p>T5S R1W AP46 S28 SMMWA 1994</p> </div> <p data-bbox="393 1702 1346 1766">Deposit a magnet in a 1 x 1 x 2 5/8 ins. white plastic case inside the stainless steel post.</p> <p data-bbox="393 1798 1362 1840">Cor. is located 70 lks. W. of trail road, bears EWE. and NW.</p> <hr data-bbox="718 1851 1090 1857"/> <p data-bbox="393 1893 842 1936">N. 41°11' W., on line 46-47.</p>

Metes-and-Bounds Survey of the
 South Maricopa Mountains Wilderness Area Boundary,
 T. 5 S., R. 1 W., Gila and Salt River Meridian, Arizona

CHAINS	
4.19	<p>Point for AP 47, on the line bet. secs. 28 and 29.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 25 ins. in the ground, with brass cap mkd.</p> <div data-bbox="792 457 1024 649" style="text-align: center;"> </div> <p>Deposit a magnet in a 1 x 1 x 2 5/8 ins. white plastic case inside the stainless steel post.</p> <p>Cor. is located 45 lks. S. of trail road, bears NW. and SE.</p> <p>From this cor. point, the 1/4 sec. cor. of secs. 28 and 29, hereinbefore described, bears N. 0°02' W., 14.60 chs. dist.</p>
	<p>In Sec. 29</p> <hr style="width: 20%; margin: auto;"/> <p>N. 45°33' W., on line 47-48.</p>
3.66	<p>Point for AP 48.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 17 ins. in the ground, in a supporting mound of stone, 2 ft. base to top, with brass cap mkd.</p> <div data-bbox="776 1330 1024 1489" style="text-align: center;"> </div> <p>Deposit a magnet in a 1 x 1 x 2 5/8 ins. white plastic case inside the stainless steel post.</p> <p>Cor. is located 65 lks. W. of trail road, bears SE. and NNW.</p>
7.24	<p>Point for AP 49.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 14 ins. in the ground, in a supporting mound of stone, 2 ft. base to top, with brass cap mkd.</p>

Metes-and-Bounds Survey of the
 South Maricopa Mountains Wilderness Area Boundary,
 T. 5 S., R. 1 W., Gila and Salt River Meridian, Arizona

CHAINS	
	<div data-bbox="768 308 1049 446" data-label="Diagram"> <p>A diagram showing a line segment from 'T5S R1W' to 'S29'. The text 'AP49 SMMWA 1994' is positioned to the left of the line.</p> </div> <p data-bbox="398 485 1351 549">Deposit a magnet in a 1 x 1 x 2 5/8 ins. white plastic case inside the stainless steel post.</p> <p data-bbox="398 583 1351 614">Cor. is located 70 lks. S. of trail road, bears N. and SSE.</p> <hr data-bbox="723 640 1091 646"/> <p data-bbox="398 678 849 710">N. 21°28' W., on line 49-50.</p>
3.45	<p data-bbox="398 742 654 774">Point for AP 50.</p> <p data-bbox="398 802 1351 866">Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 21 ins. in the ground, with brass cap mkd.</p> <div data-bbox="784 904 1065 1053" data-label="Diagram"> <p>A diagram showing a line segment from 'T5S R1W' to 'S29'. The text 'AP50 SMMWA 1994' is positioned to the left of the line.</p> </div> <p data-bbox="398 1091 1351 1155">Deposit a magnet in a 1 x 1 x 2 5/8 ins. white plastic case inside the stainless steel post.</p> <p data-bbox="398 1189 1384 1221">Cor. is located 70 lks. S. of trail road, bears WNW. and SSE.</p> <hr data-bbox="723 1247 1091 1253"/> <p data-bbox="398 1289 849 1321">N. 59°39' W., on line 50-51.</p>
4.54	<p data-bbox="398 1359 654 1391">Point for AP 51.</p> <p data-bbox="398 1419 1450 1515">Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 10 ins. in the ground, in a supporting mound of stone, 3 ft. base to top, with brass cap mkd.</p> <div data-bbox="801 1553 1032 1713" data-label="Diagram"> <p>A diagram showing a line segment from 'T5S R1W' to 'S29'. The text 'AP51 SMMWA 1994' is positioned to the left of the line.</p> </div> <p data-bbox="398 1747 1359 1810">Deposit a magnet in a 1 x 1 x 2 5/8 ins. white plastic case inside the stainless steel post.</p> <p data-bbox="398 1844 1372 1876">Cor. is located 55 lks. S. of trail road, bears ESE. and NW.</p> <hr data-bbox="723 1902 1091 1908"/>




Metes-and-Bounds Survey of the
 South Maricopa Mountains Wilderness Area Boundary,
 T. 5 S., R. 1 W., Gila and Salt River Meridian, Arizona

CHAINS	
<p>3.65</p>	<p>N. 48°06' W. on line 51-52.</p> <p>Point for AP 52.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.</p> <div data-bbox="792 521 1049 691" style="text-align: center;"> <p>T5S R1W</p> <p>AP52 SMMWA 1994</p> <p>S29</p> </div> <p>Deposit a magnet in a 1 x 1 x 2 5/8 ins. white plastic case inside the stainless steel post.</p> <p>Cor. is located 50 lks. S. of trail road, bears ESE. and WNW.</p> <hr style="width: 20%; margin: 10px auto;"/>
<p>8.38</p>	<p>N. 69°44' W., on line 52-53.</p> <p>Point for AP 53.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 23 ins. in the ground, with brass cap mkd.</p> <div data-bbox="792 1138 1032 1308" style="text-align: center;"> <p>T5S R1W</p> <p>AP53 SMMWA 1994</p> <p>S29</p> </div> <p>Deposit a magnet in a 1 x 1 x 2 5/8 ins. white plastic case inside the stainless steel post.</p> <p>Cor. is located 60 lks. S. of trail road, bears ESE. and NW.</p> <hr style="width: 20%; margin: 10px auto;"/>
<p>5.07</p>	<p>N. 33°55' W., on line 53-54.</p> <p>Point for AP 54.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.</p> <div data-bbox="792 1755 1032 1925" style="text-align: center;"> <p>T5S R1W</p> <p>AP54 SMMWA 1994</p> <p>S29</p> </div>

Metes-and-Bounds Survey of the
 South Maricopa Mountains Wilderness Area Boundary,
 T. 5 S., R. 1 W., Gila and Salt River Meridian, Arizona

CHAINS	
3.46	<p>Deposit a magnet in a 1 x 1 x 2 5/8 ins. white plastic case inside the stainless steel post.</p> <p>Cor. is located 45 lks. S. of trail road, bears SSE. and N.</p> <hr/> <p>N. 3°32' E., on line 54-55.</p> <p>Point for AP 55.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 21 ins. in the ground, with brass cap mkd.</p> <div data-bbox="792 723 1024 915" style="text-align: center;"> <p>T5S R1W AP55 SMMWA S29 1994</p> </div> <p>Deposit a magnet in a 1 x 1 x 2 5/8 ins. white plastic case inside the stainless steel post.</p> <p>Cor. is located 30 lks. W. of trail road, bears NNE and S.</p> <hr/> <p>N. 18°50' E., on line 55-56.</p>
5.09	<p>Point for AP 56.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 23 ins. in the ground, with brass cap mkd.</p> <div data-bbox="792 1340 1024 1532" style="text-align: center;"> <p>T5S R1W AP56 SMMWA S29 1994</p> </div> <p>Deposit a magnet in a 1 x 1 x 2 5/8 ins. white plastic case inside the stainless steel post.</p> <p>Cor. is located 60 lks. W. of trail road, bears NE. and SSW.</p> <hr/> <p>N. 34°22' E., on line 56-57.</p> <p>Point for AP 57.</p>

Metes-and-Bounds Survey of the
South Maricopa Mountains Wilderness Area Boundary,
T. 5 S., R. 1 W., Gila and Salt River Meridian, Arizona


CHAINS	
	<p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 20 ins. in the ground, with brass cap mkd.</p> <div style="text-align: center;">  </div> <p>Deposit a magnet in a 1 x 1 x 2 5/8 ins. white plastic case inside the stainless steel post.</p> <p>Cor. is located 40 lks. W. of trail road, bears N. and SSW.</p> <hr style="width: 20%; margin: 10px auto;"/> <p>N. 10°28' E., on line 57-58.</p>
7.40	<p>Point for AP 58.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 20 ins. in the ground, with brass cap mkd.</p> <div style="text-align: center;">  </div> <p>Deposit a magnet in a 1 x 1 x 2 5/8 ins. white plastic case inside the stainless steel post.</p> <p>Cor. is located 40 lks. W. of trail road, bears S. and NNE.</p> <hr style="width: 20%; margin: 10px auto;"/> <p>N. 27°04' E., on line 58-59.</p>
2.95	<p>Point for AP 59.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 25 ins. in the ground, with brass cap mkd.</p> <div style="text-align: center;">  </div> <p>Deposit a magnet in a 1 x 1 x 2 5/8 ins. white plastic case inside the stainless steel post.</p>

Metes-and-Bounds Survey of the
 South Maricopa Mountains Wilderness Area Boundary,
 T. 5 S., R. 1 W., Gila and Salt River Meridian, Arizona

CHAINS	
3.91	<p>Cor. is located 45 lks. W. of trail road, bears N. and SSW.</p> <hr/> <p>N. 17°19' W., on line 59-60.</p> <p>Point for AP 60.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 20 ins. in the ground, with brass cap mkd.</p> <div data-bbox="784 636 1065 786" style="text-align: center;"> <p>T5S R1W</p> <p>AP60 SMMWA</p> <p>S29</p> <p>1994</p> </div> <p>Deposit a magnet in a 1 x 1 x 2 5/8 ins. white plastic case inside the stainless steel post.</p> <p>Cor. is located 70 lks. S. of trail road, bears SSE. and NNW.</p> <hr/> <p>N. 39°52' W., on line 60-61.</p>
3.23	<p>Point for AP 61.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.</p> <div data-bbox="801 1239 1032 1390" style="text-align: center;"> <p>T5S R1W</p> <p>AP61 SMMWA</p> <p>S29</p> <p>1994</p> </div> <p>Deposit a magnet in a 1 x 1 x 2 5/8 ins. white plastic case inside the stainless steel post.</p>
3.00	<p>Cor. is located 45 lks. W. of trail road, bears SE. and N.</p> <hr/> <p>N. 7°03' W. on line 61-62.</p> <p>Point for AP 62, on the line bet. secs. 20 and 29.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.</p>

Metes-and-Bounds Survey of the
South Maricopa Mountains Wilderness Area Boundary,
T. 5 S., R. 1 W., Gila and Salt River Meridian, Arizona

CHAINS



Deposit a magnet in a 1 x 1 x 2 5/8 ins. white plastic case inside the stainless steel post.

Cor. is located 45 lks. W. of trail road, bears NNW. and SSE.

From this cor. point, the 1/4 sec. cor. of secs. 20 and 29, hereinbefore described, bears S. 89°58' W., 19.10 chs. dist.


In Sec. 20

N. 16°07' W., on line 62-63.

3.80

Point for AP 63.

Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.



Deposit a magnet in a 1 x 1 x 2 5/8 ins. white plastic case inside the stainless steel post.

Cor. is located 40 lks. W. of trail road, bears SSE. and N.

N. 15°48' W., on line 63-64.


2.67

Point for AP 64.

Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 22 ins. in the ground, with brass cap mkd.

Metes-and-Bounds Survey of the
South Maricopa Mountains Wilderness Area Boundary,
T. 5 S., R. 1 W., Gila and Salt River Meridian, Arizona

CHAINS




Deposit a magnet in a 1 x 1 x 2 5/8 ins. white plastic case inside the stainless steel post.

Cor. is located 61 lks. W. of trail road, bears NE. and SE.

N. 63°59' W., on line 64-65.

7.72 Point for AP 65.

Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 25 ins. in the ground, with brass cap mkd.




Deposit a magnet in a 1 x 1 x 2 5/8 ins. white plastic case inside the stainless steel post.

Cor. is located 64 lks. S. of trail road, bears NW. and SE.

N. 49°16' W., on line 65-66.

2.21 Point for AP 66.

Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.






Deposit a magnet in a 1 x 1 x 2 5/8 ins. white plastic case inside the stainless steel post.

Cor. is located 61 lks. W. of trail road, bears SE. and NNW.

N. 20°43' W., on line 66-67.

Metes-and-Bounds Survey of the
South Maricopa Mountains Wilderness Area Boundary,
T. 5 S., R. 1 W., Gila and Salt River Meridian, Arizona

CHAINS	
2.57	<p>Point for AP 67.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.</p>  <p>Deposit a magnet in a 1 x 1 x 2 5/8 ins. white plastic case inside the stainless steel post.</p> <p>Cor. is located 55 lks. S. of trail road, bears SE. and WNW.</p> <hr/> <p>N. 57°41' W., on line 67-68.</p>
7.66	<p>Point for AP 68.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 25 ins. in the ground, with brass cap mkd.</p>  <p>Deposit a magnet in a 1 x 1 x 2 5/8 ins. white plastic case inside the stainless steel post.</p> <p>Cor. is located 55 lks. S. of trail road, bears SE. and NW.</p> <hr/> <p>N. 48°53' W., on line 68-69.</p>
4.71	<p>Point for AP 69.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 23 ins. in the ground, with brass cap mkd.</p>  <p>Deposit a magnet in a 1 x 1 x 2 5/8 ins. white plastic case inside the stainless steel post.</p>

Metes-and-Bounds Survey of the
 South Maricopa Mountains Wilderness Area Boundary,
 T. 5 S., R. 1 W., Gila and Salt River Meridian, Arizona

CHAINS	
	<div data-bbox="789 304 1040 463" data-label="Diagram"> <p>T5S R1W AP72 SMMWA 1994 S20</p> </div> <p data-bbox="393 495 1346 559">Deposit a magnet in a 1 x 1 x 2 5/8 ins. white plastic case inside the stainless steel post.</p> <p data-bbox="393 591 1374 623">Cor. is located 61 lks. W. of trail road, bears NNW. and SSE.</p> <hr data-bbox="731 644 1103 655"/> <p data-bbox="393 687 826 719">N. 0°20' W., on line 72-73.</p>
5.83	<p data-bbox="393 751 649 783">Point for AP 73.</p> <p data-bbox="393 815 1346 878">Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 23 ins. in the ground, with brass cap mkd.</p> <div data-bbox="789 910 1024 1070" data-label="Diagram"> <p>T5S R1W AP73 SMMWA 1994 S20</p> </div> <p data-bbox="393 1102 1346 1166">Deposit a magnet in a 1 x 1 x 2 5/8 ins. white plastic case inside the stainless steel post.</p> <p data-bbox="393 1198 1313 1229">Cor. is located 41 lks. W. of trail road, bears N. and S.</p> <hr data-bbox="715 1251 1087 1261"/> <p data-bbox="393 1293 826 1325">N. 2°56' E., on line 73-74.</p>
2.86	<p data-bbox="393 1368 649 1400">Point for AP 74.</p> <p data-bbox="393 1432 1346 1495">Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.</p> <div data-bbox="789 1527 1024 1687" data-label="Diagram"> <p>T5S R1W AP74 SMMWA 1994 S20</p> </div> <p data-bbox="393 1708 1346 1772">Deposit a magnet in a 1 x 1 x 2 5/8 ins. white plastic case inside the stainless steel post.</p> <p data-bbox="393 1804 1346 1836">Cor. is located 45 lks. W. of trail road, bears NE. and S.</p> <hr data-bbox="715 1857 1087 1868"/> <p data-bbox="393 1900 847 1932">N. 42°50' W., on line 74-75.</p>

Metes-and-Bounds Survey of the
South Maricopa Mountains Wilderness Area Boundary,
T. 5 S., R. 1 W., Gila and Salt River Meridian, Arizona

CHAINS	
3.35	<p>Point for AP 75.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 25 ins. in the ground, with brass cap mkd.</p> <div data-bbox="792 457 1024 627" style="text-align: center;"> <p>T5S R1W AP75 SMMWA 1994 S20</p> </div> <p>Deposit a magnet in a 1 x 1 x 2 5/8 ins. white plastic case inside the stainless steel post.</p> <p>Cor. is located 45 lks. W. of trail road, bears SE. and NNW.</p> <hr style="width: 20%; margin: 10px auto;"/> <p>N. 23°59' W., on line 75-76.</p>
3.57	<p>Point for AP 76.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 25 ins. in the ground, with brass cap mkd.</p> <div data-bbox="792 1064 1024 1234" style="text-align: center;"> <p>T5S R1W AP76 SMMWA 1994 S20</p> </div> <p>Deposit a magnet in a 1 x 1 x 2 5/8 ins. white plastic case inside the stainless steel post.</p> <p>Cor. is located 64 lks. S. of trail road, bears SSE. and NW.</p> <hr style="width: 20%; margin: 10px auto;"/> <p>N. 33°45' W., on line 76-77.</p>
3.25	<p>Point for AP 77.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.</p> <div data-bbox="792 1670 1024 1840" style="text-align: center;"> <p>T5S R1W AP77 SMMWA 1994 S20</p> </div> <p>Deposit a magnet in a 1 x 1 x 2 5/8 ins. white plastic case inside the stainless steel post.</p>

Metes-and-Bounds Survey of the
 South Maricopa Mountains Wilderness Area Boundary,
 T. 5 S., R. 1 W., Gila and Salt River Meridian, Arizona

CHAINS	
5.63	<p>Cor. is located 38 lks. W. of trail road, bears SE. and NW.</p> <hr style="width: 20%; margin: 0 auto;"/> <p>N. 61°45' W., on line 77-78.</p> <p>Point for AP 78.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 25 ins. in the ground, with brass cap mkd.</p> <div data-bbox="784 617 1032 819" style="text-align: center;"> </div> <p>Deposit a magnet in a 1 x 1 x 2 5/8 ins. white plastic case inside the stainless steel post.</p> <p>Cor. is located 68 lks. W. of trail road, bears ESE. and N.</p> <hr style="width: 20%; margin: 0 auto;"/> <p>N. 9°36' W., on line 78-79.</p>
3.55	<p>Point for AP 79.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.</p> <div data-bbox="768 1266 1049 1457" style="text-align: center;"> </div> <p>Deposit a magnet in a 1 x 1 x 2 5/8 ins. white plastic case inside the stainless steel post.</p> <p>Cor. is located 38 lks. W. of trail road, bears N. and SSE.</p> <hr style="width: 20%; margin: 0 auto;"/> <p>N. 31°52' E., on line 79-80.</p>
6.48	<p>Point for AP 80.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 23 ins. in the ground, with brass cap mkd.</p>

Metes-and-Bounds Survey of the
 South Maricopa Mountains Wilderness Area Boundary,
 T. 5 S., R. 1 W., Gila and Salt River Meridian, Arizona

CHAINS	
	<div data-bbox="776 287 1057 478" data-label="Diagram"> </div> <p data-bbox="386 510 1346 574">Deposit a magnet in a 1 x 1 x 2 5/8 ins. white plastic case inside the stainless steel post.</p> <p data-bbox="386 606 1329 649">Cor. is located 36 lks. W. of trail road, bears N. and SW.</p> <hr data-bbox="718 670 1090 676"/> <p data-bbox="386 702 826 744">N. 2°01' W., on line 80-81.</p>
4.08	<p data-bbox="386 776 652 808">Point for AP 81.</p> <p data-bbox="386 840 1346 904">Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 23 ins. in the ground, with brass cap mkd.</p> <div data-bbox="792 936 1032 1127" data-label="Diagram"> </div> <p data-bbox="386 1159 1346 1223">Deposit a magnet in a 1 x 1 x 2 5/8 ins. white plastic case inside the stainless steel post.</p> <p data-bbox="386 1255 1313 1298">Cor. is located 45 lks. W. of trail road, bears N. and S.</p> <hr data-bbox="718 1319 1090 1325"/> <p data-bbox="386 1351 817 1393">N. 9°38' E. on line 81-82.</p>
2.99	<p data-bbox="386 1425 652 1457">Point for AP 82.</p> <p data-bbox="386 1489 1346 1553">Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 23 ins. in the ground, with brass cap mkd.</p> <div data-bbox="792 1585 1049 1744" data-label="Diagram"> </div> <p data-bbox="386 1776 1346 1840">Deposit a magnet in a 1 x 1 x 2 5/8 ins. white plastic case inside the stainless steel post.</p> <p data-bbox="386 1872 1329 1915">Cor. is located 41 lks. W. of trail road, bears NE. and S.</p> <hr data-bbox="718 1925 1090 1932"/>

Metes-and-Bounds Survey of the
South Maricopa Mountains Wilderness Area Boundary,
T. 5 S., R. 1 W., Gila and Salt River Meridian, Arizona

CHAINS	
4.88	<p>N. 41°50' W., on line 82-83.</p> <p>Point for AP 83.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 23 ins. in the ground, with brass cap mkd.</p> <div data-bbox="792 532 1024 702" style="text-align: center;"> <p>T5S R1W AP83 SMMWA 1994 S20</p> </div> <p>Deposit a magnet in a 1 x 1 x 2 5/8 ins. white plastic case inside the stainless steel post.</p> <p>Cor. is located 45 lks. W. of trail road, bears SE. and N.</p> <hr style="width: 20%; margin: 10px auto;"/>
6.08	<p>N. 5°51' E., on line 83-84.</p> <p>Point for AP 84, on the line bet. secs. 17 and 20.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 25 ins. in the ground, with brass cap mkd.</p> <div data-bbox="792 1127 1024 1340" style="text-align: center;"> <p>T5S R1W S17 AP84 SMMWA 1994 S20</p> </div> <p>Deposit a magnet in a 1 x 1 x 2 5/8 ins. white plastic case inside the stainless steel post.</p> <p>Cor. is located 55 lks. W of trail road, bears N. and S.</p> <p>From this cor. point, the 1/4 sec. cor. of secs. 17 and 20, hereinbefore described, bears N. 89°58' E., 14.65 chs. dist.</p>
GENERAL DESCRIPTION	
<p>This survey is located approximately 8 miles south of the town of Mobile, Arizona. The elevation ranges from 1500 feet to 2800 feet above sea level. The general terrain encompassed in this resurvey is mountainous. The general drainage is to the east and south.</p>	

T. 5 S., R. 1 W., Gila and Salt River Meridian, Arizona

CHAINS

The soil is rocky and does not promote much usable vegetation. There is an abundance of saguaro and other various cacti, greasewood, along with some paloverde and ironwood trees.

There are various range improvements in the township consisting of improved dirt roads, corrals and water tanks.

Land usage consists primarily of grazing cattle. Other significant uses of the land would be for recreational and hunting purposes. Quail, javelina, rabbits and lizards are abundant in the area encompassed by this survey.

Description of the South Maricopa Mountains Wilderness Area Bdy.,
T. 5 S., R. 1 W., Gila and Salt River Meridian, Arizona

The following description is for informational purposes only.

Beginning at the cor. of secs. 25, 30, 31 and 36 on the E. bdy. of the Tp.

thence N. 0°01' E., 40.00 chs. dist., bet. secs. 25 and 30 to the 1/4 sec. cor. of secs. 25 and 30;
 thence North, 40.02 chs. dist., bet. secs. 25 and 30 to the cor. of secs. 19, 24, 25 and 30;
 thence North, 40.03 chs. dist., bet. secs. 19 and 24 to the 1/4 sec. cor. of secs. 19 and 24;
 thence N. 0°01' E., 40.01 chs. dist., bet. secs. 19 and 24 to the cor. of secs. 13, 18, 19 and 24;
 thence N. 89°53' W., 39.93 chs. dist., bet. secs. 13 and 24 to the 1/4 sec. cor. of secs. 13 and 24;
 thence N. 89°55' W., 39.95 chs. dist., bet. secs. 13 and 24 to the cor. of secs. 13, 14, 23 and 24;
 thence S. 89°58' W., 40.02 chs. dist., bet. secs. 14 and 23 to the 1/4 sec. cor. of secs. 14 and 23;
 thence S. 89°57' W., 39.96 chs. dist., bet. secs. 14 and 23 to the cor. of secs. 14, 15, 22 and 23;
 thence West, 40.11 chs. dist., bet. secs. 15 and 22 to the 1/4 sec. cor. of secs. 15 and 22;
 thence S. 89°57' W., 1.57 chs. dist., bet. secs. 15 and 22 to Angle Point 1;
 thence S. 11°55' W., 6.91 chs. dist., to Angle Point 2;
 thence S. 26°27' W., 9.96 chs. dist., to Angle Point 3;
 thence S. 0°59' W., 6.61 chs. dist., to Angle Point 4;
 thence S. 34°47' E., 3.58 chs. dist., to Angle Point 5;
 thence S. 8°39' E., 4.87 chs. dist., to Angle Point 6;
 thence S. 20°37' W., 7.94 chs. dist., to Angle Point 7;
 thence S. 20°30' W., 8.29 chs. dist., to Angle Point 8;
 thence S. 64°54' W., 5.31 chs. dist., to Angle Point 9;

T. 5 S., R. 1 W., Gila and Salt River Meridian, Arizona

CHAINS	
	thence S. 49°45' W., 3.62 chs. dist., to Angle Point 10;
	thence S. 28°22' W., 5.28 chs. dist., to Angle Point 11;
	thence S. 58°15' W., 3.02 chs. dist., to Angle Point 12;
	thence S. 11°56' W., 2.98 chs. dist., to Angle Point 13;
	thence S. 10°00' E., 4.44 chs. dist., to Angle Point 14;
	thence S. 14°46' W., 9.93 chs. dist., to Angle Point 15;
	thence S. 44°42' W., 5.57 chs. dist., to Angle Point 16;
	thence S. 51°19' W., 5.10 chs. dist., to Angle Point 17, on the line bet. secs. 22 and 27;
	thence S. 38°48' W., 7.01 chs. dist., to Angle Point 18;
	thence S. 12°31' W., 4.13 chs. dist., to Angle Point 19;
	thence S. 31°21' W., 2.67 chs. dist., to Angle Point 20, on the line bet. secs. 27 and 28;
	thence S. 26°39' W., 6.90 chs. dist., to Angle Point 21;
	thence S. 40°15' W., 6.51 chs. dist., to Angle Point 22;
	thence S. 31°42' W., 4.29 chs. dist., to Angle Point 23;
	thence S. 18°32' W., 6.95 chs. dist., to Angle Point 24;
	thence S. 46°52' W., 4.07 chs. dist., to Angle Point 25;
	thence S. 31°53' W., 5.24 chs. dist., to Angle Point 26;
	thence S. 7°47' W., 3.53 chs. dist., to Angle Point 27;
	thence S. 20°40' W., 3.45 chs. dist., to Angle Point 28;
	thence S. 25°01' W., 3.05 chs. dist., to Angle Point 29;
	thence S. 3°53' W., 9.02 chs. dist., to Angle Point 30;
	thence S. 21°05' W., 4.30 chs. dist., to Angle Point 31;
	thence S. 68°06' W., 5.51 chs. dist., to Angle Point 32;
	thence S. 71°36' W., 8.80 chs. dist., to Angle Point 33;
	thence N. 89°11' W., 5.47 chs. dist., to Angle Point 34;
	thence N. 74°17' W., 6.31 chs. dist., to Angle Point 35;
	thence N. 87°21' W., 5.38 chs. dist., to Angle Point 36;
	thence N. 71°05' W., 6.89 chs. dist., to Angle Point 37;
	thence N. 41°01' W., 3.30 chs. dist., to Angle Point 38;
	thence S. 64°38' W., 4.02 chs. dist., to Angle Point 39;
	thence S. 28°44' W., 5.78 chs. dist., to Angle Point 40;
	thence S. 65°37' W., 5.84 chs. dist., to Angle Point 41;
	thence N. 43°23' W., 1.25 chs. dist., to Angle Point 42;
	thence N. 27°38' E., 4.87 chs. dist., to Angle Point 43;
	thence N. 11°16' W., 5.05 chs. dist., to Angle Point 44;
	thence N. 48°37' W., 1.77 chs. dist., to Angle Point 45;
	thence N. 69°52' W., 3.14 chs. dist., to Angle Point 46;
	thence N. 41°11' W., 4.19 chs. dist., to Angle Point 47, on the line bet. secs. 28 and 29;
	thence N. 45°33' W., 3.66 chs. dist., to Angle Point 48;
	thence N. 21°36' W., 7.24 chs. dist., to Angle Point 49;
	thence N. 21°28' W., 3.45 chs. dist., to Angle Point 50;
	thence N. 59°39' W., 4.54 chs. dist., to Angle Point 51;
	thence N. 48°06' W., 3.65 chs. dist., to Angle Point 52;
	thence N. 69°44' W., 8.38 chs. dist., to Angle Point 53;
	thence N. 33°55' W., 5.07 chs. dist., to Angle Point 54;
	thence N. 3°32' E., 3.46 chs. dist., to Angle Point 55;
	thence N. 18°50' E., 5.09 chs. dist., to Angle Point 56;
	thence N. 34°22' E., 3.50 chs. dist., to Angle Point 57;

T. 5 S., R. 1 W., Gila and Salt River Meridian, Arizona

CHAINS	
	thence N. 10°28' E., 7.40 chs. dist., to Angle Point 58;
	thence N. 27°04' E., 2.95 chs. dist., to Angle Point 59;
	thence N. 17°19' W., 3.91 chs. dist., to Angle Point 60;
	thence N. 39°52' W., 3.23 chs. dist., to Angle Point 61;
	thence N. 7°03' W., 3.00 chs. dist., to Angle Point 62, on the line bet. secs. 20 and 29;
	thence N. 16°07' W., 3.80 chs. dist., to Angle Point 63;
	thence N. 15°48' W., 2.67 chs. dist., to Angle Point 64;
	thence N. 63°59' W., 7.72 chs. dist., to Angle Point 65;
	thence N. 49°16' W., 2.21 chs. dist., to Angle Point 66;
	thence N. 20°43' W., 2.57 chs. dist., to Angle Point 67;
	thence N. 57°41' W., 7.66 chs. dist., to Angle Point 68;
	thence N. 48°53' W., 4.71 chs. dist., to Angle Point 69;
	thence N. 12°40' W., 4.13 chs. dist., to Angle Point 70;
	thence N. 14°17' W., 2.95 chs. dist., to Angle Point 71;
	thence N. 8°03' W., 7.09 chs. dist., to Angle Point 72;
	thence N. 0°20' W., 5.83 chs. dist., to Angle Point 73;
	thence N. 2°56' E., 2.86 chs. dist., to Angle Point 74;
	thence N. 42°50' W., 3.35 chs. dist., to Angle Point 75;
	thence N. 23°59' W., 3.57 chs. dist., to Angle Point 76;
	thence N. 33°45' W., 3.25 chs. dist., to Angle Point 77;
	thence N. 61°45' W., 5.63 chs. dist., to Angle Point 78;
	thence N. 9°36' W., 3.55 chs. dist., to Angle Point 79;
	thence N. 31°52' E., 6.48 chs. dist., to Angle Point 80;
	thence N. 2°01' W., 4.08 chs. dist., to Angle Point 81;
	thence N. 9°38' E., 2.99 chs. dist., to Angle Point 82;
	thence N. 41°50' W., 4.88 chs. dist., to Angle Point 83;
	thence N. 5°51' E., 6.08 chs. dist., to Angle Point 84, on the line bet. secs. 17 and 20;
	thence S. 89°58' W., 25.35 chs. dist., bet. secs. 17 and 20 to the cor. of secs. 17, 18, 19 and 20;
	thence N. 89°58' W., 40.02 chs. dist., bet. secs. 18 and 19 to the 1/4 sec. cor. of secs. 18 and 19;
	thence West, 39.76 chs. dist., bet. secs. 18 and 19 to the cor. of secs. 13, 18, 19 and 24, on the W. bdy. of the Tp.

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

FIELD ASSISTANTS

NAMES	CAPACITY
Kevin C. Berridge	Surveying Technician
Ted E. Cazier	Surveying Technician
Jeff A. Hill	Surveying Technician
Lawrence T. Kemp	Surveying Technician
Clinton T. Lancaster	Surveying Technician
Timothy F. Patro	Surveying Technician
Mark R. Searles	Surveying Technician

CERTIFICATE OF SURVEY

I, Robert C. Umbanhowar, Cadastral Surveyor, HEREBY CERTIFY upon honor that, in pursuance of Special Instructions bearing date of the 8th day of November, 1993, I have dependently resurveyed a portion of the Principal Meridian through Township 5 South and a portion of the subdivisional lines, and executed the metes-and-bounds survey of the South Maricopa Mountains Wilderness Area Boundary, in Township 5 South, Range 1 West, of the Gila and Salt River Meridian, in the State of Arizona, which are represented in the foregoing field notes as having been executed by me and under my direction; and that said survey has been made in strict conformity with said special instructions, the Manual of Instructions for the Survey of the Public Lands of the United States, and in specific manner described in the foregoing field notes.

9-25-97

(Date)

Robert C. Umbanhowar

(Cadastral Surveyor)

CERTIFICATE OF APPROVAL

BUREAU OF LAND MANAGEMENT
Arizona State Office
Phoenix, Arizona

The foregoing field notes of the dependent resurvey of a portion of the Principal Meridian through Township 5 South and a portion of the subdivisional lines, and the metes-and-bounds survey of the South Maricopa Mountains Wilderness Area Boundary, in Township 5 South, Range 1 West, Gila and Salt River Meridian, Arizona, executed by Robert C. Umbanhowar, Cadastral Surveyor, having been critically examined and found correct, are hereby approved.

3/31/98

(Date)

Kenny D. Ravnikar

(Chief Cadastral Surveyor of Arizona)

~~CERTIFICATE OF TRANSCRIPT~~

~~I CERTIFY that the foregoing transcript of the field notes of the above-described surveys in T. 5 S., R. 1 W., Gila and Salt River Meridian, Arizona, is a true copy of the original field notes.~~

~~(Date)~~

~~(Chief Cadastral Surveyor of Arizona)~~