

ORIGINAL

1

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
BUREAU OF LAND MANAGEMENT

FIELD NOTES  
OF THE

---

DEPENDENT RESURVEY OF A PORTION OF

---

THE FIRST STANDARD PARALLEL SOUTH THROUGH RANGE 2 WEST

---

AND A PORTION OF THE WEST BOUNDARY,

---

THE SURVEY OF A PORTION OF THE EAST BOUNDARY,

---

AND

---

THE METES-AND-BOUNDS SURVEY OF THE

---

SOUTH MARICOPA MOUNTAINS WILDERNESS AREA BOUNDARY

---

IN TOWNSHIP 6 SOUTH, RANGE 2 WEST

---

Of the Gila and Salt River Meridian,

In the State of Arizona

EXECUTED BY

Robert C. Umbanhowar

Cadastral Surveyor

---

Under Special Instructions dated November 8, 1993, approved November 8, 1993, which provided for the surveys included under Group Number 764, and assignment instructions dated November 8, 1993.

Survey Commenced November 15, 1993

Survey Completed May 12, 1994

INDEX DIAGRAM

TOWNSHIP 6 SOUTH, RANGE 2 WEST,

6	6	5	4	3	2	1
5	7	8	9	10	11	12
4	18	17	16	15	14	13
	19	20	21	22	23	24
	30	29	28	27	26	25
	31	32	33	34	35	36

## T. 6 S., R. 2 W., Gila and Salt River Meridian, Arizona

## CHAINS

The following field notes describe the dependent resurvey of a portion of the First Standard Parallel South through Range 2 West and a portion of the west boundary, the survey of a portion of the east boundary, and the metes-and-bounds survey of the South Maricopa Mountains Wilderness Area Boundary, in Township 6 South, Range 2 West, Gila and Salt River Meridian, Arizona.

The history of surveys pertaining to this survey is as follows: The south boundary was surveyed by Ty White in 1938. The First Stan. Par. South through Ranges 1 and 2 West and the west boundary of the township were surveyed by Horace M. Muscott in 1938.

The survey was executed in accordance with the specifications as set forth in the Manual of Surveying Instructions, 1973, and the Special Instructions dated November 8, 1993, for Group No. 764, Arizona.

Preliminary to the resurvey, the lines of the original survey were retraced and search was made for all corners and other calls of the record. Identified corners were remonumented in their original positions; lost corners were restored and monumented at proportionate positions based on the original record. The retracement data were thoroughly verified and only the true line field notes are given herein.

The directions of all lines were determined by direct hour angle observations on the sun, and refer to the true meridian. Distances and angles were measured with a Pentax PTS-iii05 total station instrument.

The geographic position of the cor. of Tps. 6 and 7 S., Rs. 1 and 2 W., was determined by the technique of static differential positioning using Ashtech models M-XII and MS-XII geodetic units. U.S. Coast and Geodetic Survey triangulation stations "OCO 1936" and "BIG 1960" were used as the control stations. The elevation and coordinates refer to the top of the monument.

Elevation	Latitude	Longitude
1673.26 ft.	32°51'17.858" N.	112°24'30.511" W. NAD27

The mean magnetic declination, as taken from quadrangle map ESTRELLA, ARIZ., published in 1979 by U.S. Geological Survey, is 13° E.

Dependent Resurvey of a Portion of the First Stan. Par. S.,  
through R. 2 W., Gila and Salt River Meridian, Arizona

CHAINS	
	<p style="text-align: center;">Restoring the survey executed by Horace M. Muscott in 1938</p> <hr style="width: 20%; margin: auto;"/>
	<p>Beginning at the stan. 1/4 sec. cor. of sec. 31, T. 5 S., R. 2 W., monumented with an iron post, 3 ins. diam., firmly set, projecting 11 ins. above the ground, with brass cap mkd. SC 1/4 S31 1938</p>
	<p>Add the marks 1994 to the brass cap.</p>
	<p>S. 89°58' W., on the S. bdy. of sec. 31.</p>
36.63	<p>The closing cor. of Tps. 6 S., Rs. 2 and 3 W., hereinafter described.</p>
	<p>Thence, along the South Maricopa Mountains Wilderness Area Bdy.</p>
40.00	<p>The stan. cor. of Tps. 5 S., Rs. 2 and 3 W., monumented with an iron post, 3 ins. diam., firmly set, projecting 12 ins. above the ground, with brass cap mkd. SC T5S R3W R2W S36 S31 1994 1938 and witnessed as described in the field notes of the dependent resurvey of a portion of the E. bdy., T. 5 S., R. 3 W., executed concurrently under this same group,</p>
	<p style="text-align: center;">Dependent Resurvey of a Portion of the West Boundary, T. 6 S., R. 2 W., Gila and Salt River Meridian, Arizona</p> <hr style="width: 20%; margin: auto;"/>
	<p style="text-align: center;">Restoring the survey executed by Horace M. Muscott in 1938</p> <hr style="width: 20%; margin: auto;"/>
	<p>From the cor. of secs. 13, 18, 19 and 24, on the W. bdy. of the Tp., monumented with an iron pipe, 2 ins. diam., firmly set, projecting 5 ins. above ground, with brass cap mkd. T6S R3W R2W S13 S18 S24 S19 1938, from which the remaining original bearing tree</p>
	<p style="padding-left: 40px;">An ironwood, 15 ins. diam., bears S. 40° W., 535 lks. dist., mkd. T6S R3W S24 BT.</p>
	<p>Add the marks 1994 to the brass cap.</p>
	<p>N. 0°01' W., bet. secs. 13 and 18.</p>
4.91	<p>South right-of-way fence, 4 strand, U. S. Interstate 8, bears WNW. and ESE.</p>

Dependent Resurvey of a Portion of the West Boundary,  
T. 6 S., R. 2 W., Gila and Salt River Meridian, Arizona

CHAINS	
6.48	Center line of E. bound U. S. Interstate 8, asphalt surface, 40 ft. wide, bears WNW. and ESE.
8.22	Center line of W. bound U. S. Interstate 8, asphalt surface, 40 ft. wide, bears WNW. and ESE.
9.79	North right-of-way fence, 4 strand, U. S. Interstate 8, bears WNW. and ESE.
40.00	<p>The 1/4 sec. cor. of secs. 13 and 18, identical with AP 1, on the South Maricopa Mountain Wilderness Area Bdy., monumented with an iron post, 1 in. diam., firmly set, projecting 10 ins. above ground, with brass cap mkd. 1/4 S13 S18 1938, from which the original bearing trees</p> <p style="padding-left: 40px;">An ironwood, 15 ins. diam., bears S. 28° E., 99 lks. dist., markings are illegible.</p> <p style="padding-left: 40px;">An ironwood, 12 ins. diam., bears N. 80 1/2° W., 63 lks. dist., with partially healed blaze and marks BT visible.</p> <p>Add the marks T6S R3W R2W SMMWA 1994 to the brass cap.</p> <hr style="width: 20%; margin: 10px auto;"/> <p>N. 0°02' W., along the South Maricopa Mountains Wilderness Area Bdy., beginning new measurement.</p>
39.99	<p>The cor. of secs. 7, 12, 13 and 18, monumented with an iron post, 2 ins. diam., firmly set, projecting 12 ins. above ground, with brass cap mkd. T6S R3W R2W S12 S7 S13 S18 1938, from which the remaining original bearing trees</p> <p style="padding-left: 40px;">A paloverde, 12 ins. diam., bears S. 53 1/4° E., 75 lks. dist., markings are illegible.</p> <p style="padding-left: 40px;">A paloverde, 14 ins. diam., bears S. 51 1/2° W., 72 lks. dist., markings are illegible.</p> <p style="padding-left: 40px;">An ironwood, 8 ins. diam., bears N. 47 1/2° W., 36 lks. dist., markings are illegible.</p> <p>Add the marks SMMWA 1994 to the brass cap.</p>
40.00	<p>North, bet. secs. 7 and 12, along the South Maricopa Mountains Wilderness Area Bdy.</p> <p>The 1/4 sec. cor. of secs. 7 and 12, monumented with an iron post, 1 in. diam., firmly set, projecting 12 ins. above ground, with brass cap mkd. 1/4 S12 S7 1938, from which the original bearing trees</p>

Dependent Resurvey of a Portion of the West Boundary,  
T. 6 S., R. 2 W., Gila and Salt River Meridian, Arizona

CHAINS	
40.00	<p>A dead paloverde, 15 ins. diam., bears N. 65 1/4° E., 144 lks. dist., markings are illegible.</p> <p>A dead paloverde, 13 ins. diam., bears S. 72 1/2° W., 457 lks. dist., markings are illegible (Record: S. 73 1/2° W., 455 lks. dist.)</p> <p>Add the marks T6S R3W R2W SMMWA 1994 to the brass cap.</p> <hr/> <p>N. 0°01' W., beginning new measurement.</p> <p>The cor. of secs. 1, 6, 7 and 12, monumented with an iron post, 2 ins. diam., firmly set, projecting 14 ins. above ground, with brass cap mkd. T6S R3W R2W S1 S6 S12 S7 1938, from which the remaining original bearing trees</p> <p>A paloverde, 14 ins. diam., bears N. 49 1/2° E., 427 lks. dist., markings are illegible (Record: 424 lks. dist.)</p> <p>An ironwood limb, 6 ins. diam., bears S. 25 1/2° E., 496 lks. dist., mkd. T6S R2W S7 BT.</p> <p>An ironwood, 24 ins. diam., bears S. 61° W., 511 lks. dist., mkd. T6S R3W S12 BT.</p> <p>A dead ironwood, 10 ins. diam., bears N. 3° W., 378 lks. dist., with no visible blaze (Record: 387 lks. dist.)</p>
40.00	<p>N. 0°01' W., bet. secs. 1 and 6, along the South Maricopa Mountains Wilderness Area Bdy.</p> <p>The 1/4 sec. cor. of secs. 1 and 6, monumented with an iron post, 1 in. diam., firmly set, projecting 12 ins. above ground, with brass cap mkd. 1/4 S1 S6 1938, from which the original bearing trees</p> <p>An ironwood limb, 10 ins. diam., bears N. 25 1/2° E., 183 lks. dist., markings are illegible.</p> <p>A paloverde, 12 ins. diam., bears N. 50° W., 250 lks. dist., markings are illegible.</p> <p>Add the marks T6S R3W R2W SMMWA 1994 to the brass cap.</p> <hr/> <p>N. 0°01' W., beginning new measurement.</p>

Dependent Resurvey of a Portion of the West Boundary,  
T. 6 S., R. 2 W., Gila and Salt River Meridian, Arizona

CHAINS	
40.58	<p>The closing cor. of Tps. 6 S., Rs. 2 and 3 W., at intersection with the First Stan. Par. S., monumented with an iron post, 3 ins. diam., firmly set, projecting 9 ins. above ground, with brass cap mkd. T5S R2W S31 R3W R2W S1 S6 T6S CC 1938, from which the original bearing trees</p> <p style="padding-left: 40px;">A dead ironwood, 8 ins. diam., bears S. 24 3/4° E., 320 lks. dist., with marks T6S R2W S6 visible.</p> <p style="padding-left: 40px;">A paloverde, 14 ins. diam., bears S. 60 1/2° W., 312 lks. dist., markings are illegible (Record: S. 66 1/4° W.).</p> <p>Add the marks SMMWA 1994 to the brass cap.</p> <p>From this cor. point, the stan. cor. of Tps. 5 S., Rs. 2 and 3 W., bears S. 89°58' W., 3.37 chs. dist., hereinbefore described.</p>
<p>Survey of a Portion of the East Boundary, T. 6 S., R. 2 W., Gila and Salt River Meridian, Arizona</p>	
40.00	<p>From the cor. of Tps. 6 and 7 S., Rs. 1 and 2 W., monumented with an iron post, 3 ins. diam., firmly set, projecting 9 ins. above the ground, encircled in a collar of stone, with a mound of stone, 3 ft. base, 1/2 ft. high, to the S., with brass cap mkd. T6S R2W R1W S36 S31 S1 S6 T7S 1938.</p> <p>North, bet. 31 and 36, on the E. bdy. of the Tp.</p> <p>Point for the 1/4 sec. cor. of secs. 31 and 36.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.</p> <div style="text-align: center; margin: 20px 0;"> <p>T6S</p> <p>R2W    R1W</p> <p>1/4</p> <p style="font-size: 2em;"> </p> <p>S36    S31</p> <p>1994</p> </div> <p>Deposit a magnet in a 1 x 1 x 2 5/8 ins. white plastic case inside the stainless steel post.</p> <p>Cor. is located 53 lks. S. of wash, 4 ft. wide, 1 ft. deep, drains WSW, and 212 lks. N. of wash, 3 ft. wide, 1 ft. deep, drains WNW.</p>

Survey of a Portion of the East Boundary,  
T. 6 S., R. 2 W., Gila and Salt River Meridian, Arizona

CHAINS	
47.67	South right-of-way fence, 4 strand, U. S. Interstate 8, bears WNW. and ESE.
49.24	Center line of east bound U. S. Interstate 8, asphalt surface, 40 ft. wide, bears WNW. and ESE.
50.98	Center line of west bound U. S. Interstate 8, asphalt surface, 40 ft. wide, bears WNW. and ESE.
52.55	North right-of-way fence, 4 strand, U. S. Interstate 8, bears WNW. and ESE.
60.35	Point for AP 66, identical to AP 1, T. 6 S., R. 1 W., on the South Maricopa Mountains Wilderness Area Bdy., hereinafter described.
<p>Metes-and-Bounds Survey of the South Maricopa Mountains Wilderness Area Bdy., T. 6 S., R. 2 W., Gila and Salt River Meridian, Arizona</p>	
<p>From AP 1 on the South Maricopa Mountain Wilderness Area Bdy., identical with the 1/4 sec. cor. of secs. 13 and 18, on the W. bdy. of the Tp., hereinbefore described.</p>	
<p>S. 71°20' E., on line 1-2.</p>	
37.67	<p>Point selected for a witness point on line 1-2.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 23 ins. in the ground, with brass cap mkd.</p> <div style="text-align: center; margin: 10px 0;"> <p>WP T6S R2W SMMWA 1994</p> </div>
72.73	<p>Deposit a magnet in a 1 x 1 x 2 5/8 ins. white plastic case inside the stainless steel post.</p> <p>Point selected for a witness point on line 1-2.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 22 ins. in the ground, with brass cap mkd.</p>

Metes-and-Bounds Survey of the  
 South Maricopa Mountains Wilderness Area Bdy.,  
 T. 6 S., R. 2 W., Gila and Salt River Meridian, Arizona

CHAINS	
110.17	<p style="text-align: center;">WP T6S R2W SMMWA /</p> <p style="text-align: center;">1994</p> <p>Deposit a magnet in a 1 x 1 x 2 5/8 ins. white plastic case inside the stainless steel post.</p> <p>Point selected for a witness point on line 1-2.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.</p>
142.08	<p style="text-align: center;">WP T6S R2W SMMWA /</p> <p style="text-align: center;">1994</p> <p>Deposit a magnet in a 1 x 1 x 2 5/8 ins. white plastic case inside the stainless steel post.</p> <p>Point for AP 2.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 22 ins. in the ground, with brass cap mkd.</p>
5.39	<p style="text-align: center;">T6S R2W SMMWA AP2 /</p> <p style="text-align: center;">1994</p> <p>Deposit a magnet in a 1 x 1 x 2 5/8 ins. white plastic case inside the stainless steel post.</p> <hr style="width: 20%; margin: 10px auto;"/> <p>S. 62°33' E., on line 2-3.</p> <p>Point for AP 3.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 22 ins. in the ground, with brass cap mkd.</p> <p style="text-align: center;">T6S R2W SMMWA AP3 /</p> <p style="text-align: center;">1994</p>

Metes-and-Bounds Survey of the  
 South Maricopa Mountains Wilderness Area Bdy.,  
 T. 6 S., R. 2 W., Gila and Salt River Meridian, Arizona

CHAINS	
	<p>Deposit a magnet in a 1 x 1 x 2 5/8 ins. white plastic case inside the stainless steel post.</p> <hr/> <p>S. 18°10' W., on line 3-4.</p>
5.68	<p>Point for AP 4.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.</p> <div data-bbox="882 655 1058 814" style="text-align: center;"> <p>T6S R2W        AP4        SMMWA        1994</p> </div> <p>Deposit a magnet in a 1 x 1 x 2 5/8 ins. white plastic case inside the stainless steel post.</p> <p>Cor. is located 76 lks. N. of trail road, bears SE. and NW.</p> <hr/> <p>S. 55°17' E., on line 4-5.</p>
10.46	<p>Point for AP 5.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.</p> <div data-bbox="882 1267 997 1427" style="text-align: center;"> <p>T6S R2W        SMMWA        AP5        1994</p> </div> <p>Deposit a magnet in a 1 x 1 x 2 5/8 ins. white plastic case inside the stainless steel post.</p> <p>Cor. is located 80 lks. W. of trail road, bears NE. and SW.</p> <hr/> <p>N. 41°53' E., on line 5-6.</p>
5.60	<p>Point for AP 6.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.</p>



Metes-and-Bounds Survey of the  
 South Maricopa Mountains Wilderness Area Bdy.,  
 T. 6 S., R. 2 W., Gila and Salt River Meridian, Arizona

CHAINS	
	<div data-bbox="806 304 992 491" data-label="Diagram"> <p>A diagram showing a line segment sloping downwards from left to right. The text 'T6S R2W' is positioned above the line, 'AP6 SMMWA' is to the left of the line, and '1994' is below the line.</p> </div> <p data-bbox="409 527 1364 591">Deposit a magnet in a 1 x 1 x 2 5/8 ins. white plastic case inside the stainless steel post.</p> <p data-bbox="409 625 1364 655">Cor. is located 60 lks. W. of trail road, bears NE. and SW.</p> <hr data-bbox="716 676 1087 685"/> <p data-bbox="409 719 827 749">N. 33°29' E., on line 6-7.</p>
<p data-bbox="261 789 332 819">6.35</p>	<p data-bbox="409 789 650 819">Point for AP 7.</p> <p data-bbox="409 853 1364 917">Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 25 ins. in the ground, with brass cap mkd.</p> <div data-bbox="806 942 992 1129" data-label="Diagram"> <p>A diagram showing a line segment sloping downwards from left to right. The text 'T6S R2W' is positioned above the line, 'AP7 SMMWA' is to the left of the line, and '1994' is below the line.</p> </div> <p data-bbox="409 1172 1364 1236">Deposit a magnet in a 1 x 1 x 2 5/8 ins. white plastic case inside the stainless steel post.</p> <p data-bbox="409 1270 1364 1300">Cor. is located 76 lks. W. of trail road, bears NNE. and SW.</p> <hr data-bbox="733 1321 1103 1330"/> <p data-bbox="409 1364 827 1393">N. 24°34' E., on line 7-8.</p>
<p data-bbox="261 1427 332 1457">5.47</p>	<p data-bbox="409 1427 650 1457">Point for AP 8.</p> <p data-bbox="409 1491 1364 1555">Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.</p> <div data-bbox="806 1581 992 1768" data-label="Diagram"> <p>A diagram showing a line segment sloping downwards from left to right. The text 'T6S R2W' is positioned above the line, 'AP8 SMMWA' is to the left of the line, and '1994' is below the line.</p> </div> <p data-bbox="409 1810 1364 1874">Deposit a magnet in a 1 x 1 x 2 5/8 ins. white plastic case inside the stainless steel post.</p>



Metes-and-Bounds Survey of the  
 South Maricopa Mountains Wilderness Area Bdy.,  
 T. 6 S., R. 2 W., Gila and Salt River Meridian, Arizona

CHAINS	
	<p>Cor. is located 83 lks. W. of trail road, bears NE. and SSW.</p> <hr/> <p>N. 40°29' E., on line 8-9.</p>
11.02	<p>Point for AP 9.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 23 ins. in the ground, with brass cap mkd.</p> <div data-bbox="817 627 999 819" style="text-align: center;"> <p>T6S R2W</p> <p>AP9 SMMWA</p> <p>1994</p> </div> <p>Deposit a magnet in a 1 x 1 x 2 5/8 ins. white plastic case inside the stainless steel post.</p> <p>Cor. is located 65 lks. W. of trail road, bears NE. and SW.</p> <hr/> <p>N. 30°28' E., on line 9-10.</p>
11.68	<p>Point for AP 10.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 21 ins. in the ground, with brass cap mkd.</p> <div data-bbox="817 1266 999 1457" style="text-align: center;"> <p>T6S R2W</p> <p>AP10 SMMWA</p> <p>1994</p> </div> <p>Deposit a magnet in a 1 x 1 x 2 5/8 ins. white plastic case inside the stainless steel post.</p> <p>Cor. is located 114 lks. W. of trail road, bears NE. and SSW.</p> <hr/> <p>N. 45°59' E., on line 10-11.</p>
10.54	<p>Point for AP 11.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 25 ins. in the ground, with brass cap mkd.</p>




Metes-and-Bounds Survey of the  
 South Maricopa Mountains Wilderness Area Bdy.,  
 T. 6 S., R. 2 W., Gila and Salt River Meridian, Arizona

CHAINS	
	<div style="text-align: center;"> <p>T6S R2W</p> <p>AP11 SMMWA</p>  <p>1994</p> </div> <p>Deposit a magnet in a 1 x 1 x 2 5/8 ins. white plastic case inside the stainless steel post.</p> <p>Cor. is located 106 lks. W. of trail road, bears NE. and SW.</p> <hr style="width: 20%; margin: 10px auto;"/> <p>N. 46°49' E. on line 11-12.</p>
13.33	<p>Point for AP 12.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.</p> <div style="text-align: center;"> <p>T6S R2W</p> <p>AP12 SMMWA</p>  <p>1994</p> </div> <p>Deposit a magnet in a 1 x 1 x 2 5/8 ins. white plastic case inside the stainless steel post.</p> <p>Cor. is located 91 lks. W. of trail road, bears NE. and SW.</p> <hr style="width: 20%; margin: 10px auto;"/> <p>N. 49°06' E., on line 12-13.</p>
8.84	<p>Point for AP 13.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.</p> <div style="text-align: center;"> <p>T6S R2W</p> <p>AP13 SMMWA</p>  <p>1994</p> </div> <p>Deposit a magnet in a 1 x 1 x 2 5/8 ins. white plastic case inside the stainless steel post.</p>



Metes-and-Bounds Survey of the  
 South Maricopa Mountains Wilderness Area Bdy.,  
 T. 6 S., R. 2 W., Gila and Salt River Meridian, Arizona

CHAINS	
	<p>Cor. is located 114 lks. N. of trail road, bears ENE. and SW.</p> <hr style="width: 20%; margin: 0 auto;"/> <p>N. 58°06' E., on line 13-14.</p>
6.94	<p>Point for AP 14.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 25 ins. in the ground, with brass cap mkd.</p> <div style="text-align: center;">  </div> <p>Deposit a magnet in a 1 x 1 x 2 5/8 ins. white plastic case inside the stainless steel post.</p> <p>Cor. is located 60 lks. W. of trail road, bears NE. and WSW.</p> <hr style="width: 20%; margin: 0 auto;"/> <p>N. 51°28' E., on line 14-15.</p>
6.79	<p>Point for AP 15.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 26 ins. in the ground, with brass cap mkd.</p> <div style="text-align: center;">  </div> <p>Deposit a magnet in a 1 x 1 x 2 5/8 ins. white plastic case inside the stainless steel post.</p> <p>Cor. is located 100 lks. N. of trail road, bears NNE. and WSW.</p> <hr style="width: 20%; margin: 0 auto;"/> <p>N. 24°16' E., on line 15-16.</p>
6.38	<p>Point for AP 16.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 21 ins. in the ground, with brass cap mkd.</p>


Metes-and-Bounds Survey of the  
 South Maricopa Mountains Wilderness Area Bdy.,  
 T. 6 S., R. 2 W., Gila and Salt River Meridian, Arizona

CHAINS	
	<p style="text-align: center;">T6S R2W</p>  <p>AP16 SMMWA 1994</p> <p>Deposit a magnet in a 1 x 1 x 2 5/8 ins. white plastic case inside the stainless steel post.</p> <p>Cor. is located 83 lks. W. of trail road, bears NNE. and SW.</p> <hr style="width: 20%; margin: 10px auto;"/> <p>N. 31°54' E., on line 16-17.</p>
11.02	<p>Point for AP 17.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.</p> <p style="text-align: center;">T6S R2W</p>  <p>AP17 SMMWA 1994</p> <p>Deposit a magnet in a 1 x 1 x 2 5/8 ins. white plastic case inside the stainless steel post.</p> <p>Cor. is located 105 lks. W. of trail road, bears NE. and SW.</p> <hr style="width: 20%; margin: 10px auto;"/> <p>N. 60°51' E., on line 17-18.</p>
5.57	<p>Point for AP 18.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 23 ins. in the ground, with brass cap mkd.</p> <p style="text-align: center;">T6S R2W</p>  <p>AP18 SMMWA 1994</p> <p>Deposit a magnet in a 1 x 1 x 2 5/8 ins. white plastic case inside the stainless steel post.</p>



Metes-and-Bounds Survey of the  
 South Maricopa Mountains Wilderness Area Bdy.,  
 T. 6 S., R. 2 W., Gila and Salt River Meridian, Arizona

CHAINS	
	<p>Cor. is located 75 lks. W. of trail road, bears ENE. and SW.</p> <hr style="width: 20%; margin: 0 auto;"/> <p>N. 50°02' E., on line 18-19.</p>
10.21	<p>Point for AP 19.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.</p> <div style="text-align: center;"> <p>T6S R2W</p>  </div> <p>Deposit a magnet in a 1 x 1 x 2 5/8 ins. white plastic case inside the stainless steel post.</p> <p>Cor. is located 76 lks. N. of trail road, bears NE. and SW.</p> <hr style="width: 20%; margin: 0 auto;"/> <p>N. 54°35' E., on line 19-20.</p>
4.02	<p>Point for AP 20.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 23 ins. in the ground, with brass cap mkd.</p> <div style="text-align: center;"> <p>T6S R2W</p>  </div> <p>Deposit a magnet in a 1 x 1 x 2 5/8 ins. white plastic case inside the stainless steel post.</p> <p>Cor. is located 75 lks. N. of trail road, bears ENE. and WSW.</p> <hr style="width: 20%; margin: 0 auto;"/> <p>N. 70°30' E., on line 20-21.</p>
8.73	<p>Point for AP 21.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.</p>

Metes-and-Bounds Survey of the  
 South Maricopa Mountains Wilderness Area Bdy.,  
 T. 6 S., R. 2 W., Gila and Salt River Meridian, Arizona

CHAINS	
	<p style="text-align: center;">T6S R2W</p> <p style="text-align: center;">AP21 SMMWA</p>  <p style="text-align: center;">1994</p> <p>Deposit a magnet in a 1 x 1 x 2 5/8 ins. white plastic case inside the stainless steel post.</p> <p>Cor. is located 75 lks. N. of trail road, bears ENE. and WSW.</p> <hr style="width: 20%; margin: auto;"/> <p>N. 65°04' E. on line 21-22.</p>
9.76	<p>Point for AP 22.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 25 ins. in the ground, with brass cap mkd.</p> <p style="text-align: center;">T6S R2W</p> <p style="text-align: center;">AP22 SMMWA</p>  <p style="text-align: center;">1994</p> <p>Deposit a magnet in a 1 x 1 x 2 5/8 ins. white plastic case inside the stainless steel post.</p> <p>Cor. is located 80 lks. N. of trail road, bears NE. and WSW.</p> <hr style="width: 20%; margin: auto;"/> <p>N. 62°36' E., on line 22-23.</p>
9.68	<p>Point for AP 23.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 22 ins. in the ground, with brass cap mkd.</p> <p style="text-align: center;">T6S R2W</p> <p style="text-align: center;">AP23 SMMWA</p>  <p style="text-align: center;">1994</p> <p>Deposit a magnet in a 1 x 1 x 2 5/8 ins. white plastic case inside the stainless steel post.</p>




Metes-and-Bounds Survey of the  
 South Maricopa Mountains Wilderness Area Bdy.,  
 T. 6 S., R. 2 W., Gila and Salt River Meridian, Arizona

CHAINS	
	<p>Cor. is located 90 lks. N. of trail road, bears NE. and WSW.</p> <hr style="width: 20%; margin: 0 auto;"/> <p>N. 57°30' E., on line 23-24.</p>
13.14	<p>Point for AP 24.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 25 ins. in the ground, with brass cap mkd.</p> <div style="text-align: center;">  </div> <p>Deposit a magnet in a 1 x 1 x 2 5/8 ins. white plastic case inside the stainless steel post.</p> <p>Cor. is located 80 lks. S. of trail road, bears WSW. and E.</p> <hr style="width: 20%; margin: 0 auto;"/> <p>S. 89°36' E., on line 24-25.</p>
4.00	<p>Point for AP 25.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 23 ins. in the ground, with brass cap mkd.</p> <div style="text-align: center;">  </div> <p>Deposit a magnet in a 1 x 1 x 2 5/8 ins. white plastic case inside the stainless steel post.</p> <p>Cor. is located 68 lks. N. of trail road, bears NE. and W.</p> <hr style="width: 20%; margin: 0 auto;"/> <p>N. 51°34' E., on line 25-26.</p>
2.96	<p>Point for AP 26.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.</p>



Metes-and-Bounds Survey of the  
 South Maricopa Mountains Wilderness Area Bdy.,  
 T. 6 S., R. 2 W., Gila and Salt River Meridian, Arizona

CHAINS	
	<div data-bbox="809 287 1024 457" data-label="Diagram"> </div> <p data-bbox="404 478 1371 553">Deposit a magnet in a 1 x 1 x 2 5/8 ins. white plastic case inside the stainless steel post.</p> <p data-bbox="404 574 1379 617">Cor. is located 90 lks. N. of trail road, bears SW. and ESE.</p> <hr data-bbox="726 638 1106 649"/> <p data-bbox="404 670 867 712">S. 71°47' E., on line 26-27.</p>
8.88	<p data-bbox="404 734 669 776">Point for AP 27.</p> <p data-bbox="404 798 1362 872">Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 22 ins. in the ground, with brass cap mkd.</p> <div data-bbox="875 893 1082 1064" data-label="Diagram"> </div> <p data-bbox="404 1085 1371 1159">Deposit a magnet in a 1 x 1 x 2 5/8 ins. white plastic case inside the stainless steel post.</p> <p data-bbox="404 1181 1354 1255">Cor. is located 4 lks. ESE. of end of barbed wire fence, 4 strand, bears SSW.</p> <hr data-bbox="726 1276 1106 1287"/> <p data-bbox="404 1308 867 1351">S. 34°39' W., on line 27-28.</p>
4.29	<p data-bbox="404 1372 669 1415">Point for AP 28.</p> <p data-bbox="404 1436 1445 1542">Set a brass tablet, 3 1/4 ins. diam, 3 1/2 ins. stem, in a drill hole, cemented in place on a rock outcrop, 3 x 3 ft., with top mkd.</p> <div data-bbox="859 1564 1065 1734" data-label="Diagram"> </div> <p data-bbox="404 1755 1239 1798">Deposit a magnet 1 x 7/8 ins. beneath brass tablet.</p> <p data-bbox="404 1819 1462 1893">Cor. is located 6 lks. SE. of end of barbed wire fence, 4 strand, bears NNE.</p> <hr data-bbox="726 1915 1106 1925"/>




Metes-and-Bounds Survey of the  
 South Maricopa Mountains Wilderness Area Bdy.,  
 T. 6 S., R. 2 W., Gila and Salt River Meridian, Arizona

CHAINS	
7.74	<p>N. 60°55' W., on line 28-29.</p> <p>Point for AP 29.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 22 ins. in the ground, with brass cap mkd.</p> <div style="text-align: center;">  <p>T6S R2W</p> <p>AP29 SMMWA 1994</p> </div> <p>Deposit a magnet in a 1 x 1 x 2 5/8 ins. white plastic case inside the stainless steel post.</p> <p>Cor. is located 106 lks. E. of trail road, bears NE. and W.</p> <hr style="width: 20%; margin: 0 auto;"/> <p>S. 81°15' W., on line 29-30.</p>
4.61	<p>Point for AP 30.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 25 ins. in the ground, with brass cap mkd.</p> <div style="text-align: center;">  <p>T6S R2W</p> <p>AP30 SMMWA 1994</p> </div> <p>Deposit a magnet in a 1 x 1 x 2 5/8 ins. white plastic case inside the stainless steel post.</p> <p>Cor. is located 80 lks. N. of trail road, bears WSW. and E.</p> <hr style="width: 20%; margin: 0 auto;"/> <p>S. 58°10' W., on line 30-31.</p>
13.58	<p>Point for AP 31.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.</p> <div style="text-align: center;">  <p>T6S R2W</p> <p>AP31 SMMWA 1994</p> </div>



Metes-and-Bounds Survey of the  
South Maricopa Mountains Wilderness Area Bdy.,  
T. 6 S., R. 2 W., Gila and Salt River Meridian, Arizona

CHAINS	
	<p>Deposit a magnet in a 1 x 1 x 2 5/8 ins. white plastic case inside the stainless steel post.</p> <p>Cor. is located 121 lks. S. of trail road, bears NE. and WSW.</p> <hr style="width: 20%; margin: 10px auto;"/> <p>S. 63°05' W. on line 31-32.</p>
8.81	<p>Point for AP 32.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.</p> <div style="text-align: center;">  </div>
	<p>Deposit a magnet in a 1 x 1 x 2 5/8 ins. white plastic case inside the stainless steel post.</p> <p>Cor. is located 106 lks. S. of trail road, bears NE. and WSW.</p> <hr style="width: 20%; margin: 10px auto;"/> <p>S. 65°13' W., on line 32-33.</p>
10.05	<p>Point for AP 33.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 21 ins. in the ground, with brass cap mkd.</p> <div style="text-align: center;">  </div>
8.64	<p>Deposit a magnet in a 1 x 1 x 2 5/8 ins. white plastic case inside the stainless steel post.</p> <p>Cor. is located 90 lks. S. of trail road, bears ENE. and WSW.</p> <hr style="width: 20%; margin: 10px auto;"/> <p>S. 69°44' W., on line 33-34.</p> <p>Point for AP 34.</p>




Metes-and-Bounds Survey of the  
 South Maricopa Mountains Wilderness Area Bdy.,  
 T. 6 S., R. 2 W., Gila and Salt River Meridian, Arizona

CHAINS	
	<p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 23 ins. in the ground, with brass cap mkd.</p> <div style="text-align: center;">  <p>1994</p> </div> <p>Deposit a magnet in a 1 x 1 x 2 5/8 ins. white plastic case inside the stainless steel post.</p> <p>Cor. is located 87 lks. S. of trail road, bears ENE. and WSW.</p> <hr style="width: 20%; margin: auto;"/> <p>S. 50°47' W., on line 34-35.</p> <p>8.35 Point for AP 35.</p>
	<p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 23 ins. in the ground, with brass cap mkd.</p> <div style="text-align: center;">  <p>1994</p> </div> <p>Deposit a magnet in a 1 x 1 x 2 5/8 ins. white plastic case inside the stainless steel post.</p> <p>Cor. is located 80 lks. E. of trail road, bears NE. and SW.</p> <hr style="width: 20%; margin: auto;"/> <p>S. 56°37' W., on line 35-36.</p> <p>11.49 Point for AP 36.</p>
	<p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 23 ins. in the ground, with brass cap mkd.</p> <div style="text-align: center;">  <p>1994</p> </div>



Metes-and-Bounds Survey of the  
South Maricopa Mountains Wilderness Area Bdy.,  
T. 6 S., R. 2 W., Gila and Salt River Meridian, Arizona

CHAINS	
	<p>Deposit a magnet in a 1 x 1 x 2 5/8 ins. white plastic case inside the stainless steel post.</p> <p>Cor. is located 95 lks. S. of trail road, bears NE. and SW.</p> <hr style="width: 20%; margin: 10px auto;"/> <p>S. 31°23' W., on line 36-37.</p>
10.27	<p>Point for AP 37.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 23 ins. in the ground, with brass cap mkd.</p> <div style="text-align: center; margin: 10px 0;">  </div> <p>Deposit a magnet in a 1 x 1 x 2 5/8 ins. white plastic case inside the stainless steel post.</p> <p>Cor. is located 91 lks. E. of trail road, bears NNE. and SW.</p> <hr style="width: 20%; margin: 10px auto;"/> <p>S. 25°24' W., on line 37-38.</p>
7.24	<p>Point for AP 38.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 26 ins. in the ground, with brass cap mkd.</p> <div style="text-align: center; margin: 10px 0;">  </div> <p>Deposit a magnet in a 1 x 1 x 2 5/8 ins. white plastic case inside the stainless steel post.</p> <p>Cor. is located 100 lks. E. of trail road, bears NNE. and WSW.</p> <hr style="width: 20%; margin: 10px auto;"/> <p>S. 53°59' W., on line 38-39.</p>
6.12	<p>Point for AP 39.</p>




Metes-and-Bounds Survey of the  
 South Maricopa Mountains Wilderness Area Bdy.,  
 T. 6 S., R. 2 W., Gila and Salt River Meridian, Arizona

CHAINS	<p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 22 ins. in the ground, with brass cap mkd.</p> <div style="text-align: center;">  <p>T6S R2W AP39 SMMWA 1994</p> </div> <p>Deposit a magnet in a 1 x 1 x 2 5/8 ins. white plastic case inside the stainless steel post.</p> <p>Cor. is located 76 lks. E. of trail road, bears NE. and WSW.</p> <hr style="width: 20%; margin: 10px auto;"/> <p>S. 55°22' W., on line 39-40.</p> <p>7.19 Point for AP 40.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 25 ins. in the ground, with brass cap mkd.</p> <div style="text-align: center;">  <p>T6S R2W AP40 SMMWA 1994</p> </div> <p>Deposit a magnet in a 1 x 1 x 2 5/8 ins. white plastic case inside the stainless steel post.</p> <p>Cor. is located 103 lks. S. of trail road, bears ENE. and SW.</p> <hr style="width: 20%; margin: 10px auto;"/> <p>S. 42°02' W., on line 40-41.</p> <p>11.58 Point for AP 41.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 23 ins. in the ground, with brass cap mkd.</p> <div style="text-align: center;">  <p>T6S R2W AP41 SMMWA 1994</p> </div>
--------	--



Metes-and-Bounds Survey of the  
South Maricopa Mountains Wilderness Area Bdy.,  
T. 6 S., R. 2 W., Gila and Salt River Meridian, Arizona

CHAINS	
10.44	<p>Deposit a magnet in a 1 x 1 x 2 5/8 ins. white plastic case inside the stainless steel post.</p> <p>Cor. is located 91 lks. E. of trail road, bears NNE. and WSW.</p> <hr/> <p>S. 54°00' W. on line 41-42.</p> <p>Point for AP 42.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 22 ins. in the ground, with brass cap mkd.</p> <div data-bbox="867 719 1049 910" style="text-align: center;"> <p>T6S R2W</p>  <p>1994</p> </div> <p>Deposit a magnet in a 1 x 1 x 2 5/8 ins. white plastic case inside the stainless steel post.</p> <p>Cor. is located 106 lks. E. of trail road, bears NE. and SW.</p> <hr/> <p>S. 46°45' W., on line 42-43.</p>
11.23	<p>Point for AP 43.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 26 ins. in the ground, with brass cap mkd.</p> <div data-bbox="883 1366 1049 1557" style="text-align: center;"> <p>T6S R2W</p>  <p>1994</p> </div> <p>Deposit a magnet in a 1 x 1 x 2 5/8 ins. white plastic case inside the stainless steel post.</p> <p>Cor. is located 98 lks. E. of trail road, bears NE. and SSW.</p> <hr/> <p>S. 30°35' W., on line 43-44.</p>
9.87	<p>Point for AP 44.</p>




Metes-and-Bounds Survey of the  
 South Maricopa Mountains Wilderness Area Bdy.,  
 T. 6 S., R. 2 W., Gila and Salt River Meridian, Arizona

CHAINS	
	<p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 25 ins. in the ground, with brass cap mkd.</p> <div style="text-align: center;">  </div> <p>Deposit a magnet in a 1 x 1 x 2 5/8 ins. white plastic case inside the stainless steel post.</p> <p>Cor. is located 61 lks. E. of trail road, bears NE. and SW.</p> <hr style="width: 20%; margin: auto;"/> <p>S. 38°27' W., on line 44-45.</p>
11.41	<p>Point for AP 45.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 21 ins. in the ground, with brass cap mkd.</p> <div style="text-align: center;">  </div> <p>Deposit a magnet in a 1 x 1 x 2 5/8 ins. white plastic case inside the stainless steel post.</p> <p>Cor. is located 90 lks. E. of trail road, bears NE. and SSW.</p> <hr style="width: 20%; margin: auto;"/> <p>S. 28°32' W., on line 45-46.</p>
5.15	<p>Point for AP 46.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 26 ins. in the ground, with brass cap mkd.</p> <div style="text-align: center;">  </div>

Metes-and-Bounds Survey of the  
 South Maricopa Mountains Wilderness Area Bdy.,  
 T. 6 S., R. 2 W., Gila and Salt River Meridian, Arizona

CHAINS	
	<p>Deposit a magnet in a 1 x 1 x 2 5/8 ins. white plastic case inside the stainless steel post.</p> <p>Cor. is located 60 lks. E. of trail road, bears NNE. and SW.</p> <hr style="width: 20%; margin: 10px auto;"/> <p>S. 34°42' W., on line 46-47.</p>
7.55	<p>Point for AP 47.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.</p> <div style="text-align: center; margin: 10px 0;">  </div> <p>Deposit a magnet in a 1 x 1 x 2 5/8 ins. white plastic case inside the stainless steel post.</p> <p>Cor. is located 90 lks. E. of trail road, bears NE. and SW.</p> <hr style="width: 20%; margin: 10px auto;"/> <p>S. 36°49' W., on line 47-48.</p>
5.85	<p>Point for AP 48.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 23 ins. in the ground, with brass cap mkd.</p> <div style="text-align: center; margin: 10px 0;">  </div> <p>Deposit a magnet in a 1 x 1 x 2 5/8 ins. white plastic case inside the stainless steel post.</p> <p>Cor. is located 50 lks. N. of trail road, bears ESE. and WNW.</p> <hr style="width: 20%; margin: 10px auto;"/> <p>S. 71°21' E., on line 48-49.</p>
7.01	<p>Point for AP 49.</p>

Metes-and-Bounds Survey of the  
 South Maricopa Mountains Wilderness Area Bdy.,  
 T. 6 S., R. 2 W., Gila and Salt River Meridian, Arizona

CHAINS	
	<p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 22 ins. in the ground, with brass cap mkd.</p> <div style="text-align: center;"> <p>T6S R2W                      SMMWA                      AP49</p>  <p>1994</p> </div> <p>Deposit a magnet in a 1 x 1 x 2 5/8 ins. white plastic case inside the stainless steel post.</p> <p>Cor. is located 90 lks. N. of trail road, bears ESE. and WNW.</p> <hr style="width: 20%; margin: auto;"/> <p>S. 58°53' E., on line 49-50.</p>
<p>12.89</p>	<p>Point for AP 50.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 25 ins. in the ground, with brass cap mkd.</p> <div style="text-align: center;"> <p>T6S R2W                      SMMWA                      AP50</p>  <p>1994</p> </div> <p>Deposit a magnet in a 1 x 1 x 2 5/8 ins. white plastic case inside the stainless steel post.</p> <p>Cor. is located 75 lks. N. of trail road, bears SE. and NW.</p> <hr style="width: 20%; margin: auto;"/> <p>S. 48°10' E., on line 50-51.</p>
<p>9.76</p>	<p>Point for AP 51.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.</p> <div style="text-align: center;"> <p>T6S R2W                      SMMWA                      AP51</p>  <p>1994</p> </div> <p>Deposit a magnet in a 1 x 1 x 2 5/8 ins. white plastic case inside the stainless steel post.</p>

Metes-and-Bounds Survey of the  
 South Maricopa Mountains Wilderness Area Bdy.,  
 T. 6 S., R. 2 W., Gila and Salt River Meridian, Arizona

CHAINS	
	<p>Cor. is located 61 lks. N. of trail road, bears SE. and NW.</p> <hr/> <p>S. 48°53' E. on line 51-52.</p>
14.72	<p>Point for AP 52.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 23 ins. in the ground, with brass cap mkd.</p> <p style="text-align: center;">T6S R2W        SMMWA        AP52        1994</p> <p>Deposit a magnet in a 1 x 1 x 2 5/8 ins. white plastic case inside the stainless steel post.</p>
	<p>Cor. is located 75 lks. N. of trail road, bears SE. and NW.</p> <hr/> <p>S. 47°59' E., on line 52-53.</p>
9.55	<p>Point for AP 53.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 23 ins. in the ground, with brass cap mkd.</p> <p style="text-align: center;">T6S R2W        SMMWA        AP53        1994</p> <p>Deposit a magnet in a 1 x 1 x 2 5/8 ins. white plastic case inside the stainless steel post.</p>
	<p>Cor. is located 60 lks. N. of trail road, bears SE. and NW.</p> <hr/> <p>S. 61°15' E., on line 53-54.</p>
28.30	<p>Point for AP 54.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 25 ins. in the ground, with brass cap mkd.</p>

Metes-and-Bounds Survey of the  
 South Maricopa Mountains Wilderness Area Bdy.,  
 T. 6 S., R. 2 W., Gila and Salt River Meridian, Arizona

CHAINS	
	<p style="text-align: center;">T6S R2W SMMWA AP54 1994</p> <p>Deposit a magnet in a 1 x 1 x 2 5/8 ins. white plastic case inside the stainless steel post.</p> <hr/> <p>S. 62°58' E., on line 54-55.</p>
12.13	<p>Point for AP 55.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.</p> <p style="text-align: center;">T6S R2W SMMWA AP55 1994</p> <p>Deposit a magnet in a 1 x 1 x 2 5/8 ins. white plastic case inside the stainless steel post.</p> <p>Cor. is located 2 chs. N. of wash, 40 lks. wide, 1 ft deep, drains ENE, and 7.8 chs. N. of Northerly right-of-way fence of U.S. Interstate 8, 4 strand, bears WNW. and ESE.</p> <hr/> <p>S. 62°16' E., on line 55-56.</p>
29.43	<p>Point for AP 56.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 22 ins. in the ground, with brass cap mkd.</p> <p style="text-align: center;">T6S R2W SMMWA AP56 1994</p> <p>Deposit a magnet in a 1 x 1 x 2 5/8 ins. white plastic case inside the stainless steel post.</p> <p>Cor. is located 7.8 chs. N. of Northerly right-of-way fence of U.S. Interstate 8, 4 strand, bears WNW. and ESE.</p> <hr/>

Metes-and-Bounds Survey of the  
 South Maricopa Mountains Wilderness Area Bdy.,  
 T. 6 S., R. 2 W., Gila and Salt River Meridian, Arizona

CHAINS	
	<p>S. 62°14' E., on line 56-57.</p>
39.97	<p>Point for AP 57.</p>
	<p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 21 ins. in the ground, with brass cap mkd.</p>
	<p style="text-align: center;">T6S R2W                  SMMWA                  AP57                  1994</p>
	<p>Deposit a magnet in a 1 x 1 x 2 5/8 ins. white plastic case inside the stainless steel post.</p>
	<p>Cor. is located 1.6 chs. N. of wash, 23 lks. wide, 1 ft deep, drains WSW, and 7.8 chs. N. of Northerly right-of-way fence of U.S. Interstate 8, 4 strand, bears WNW. and ESE.</p>
	<p>S. 58°45' E., on line 57-58.</p>
22.40	<p>Point for AP 58.</p>
	<p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 21 ins. in the ground, with brass cap mkd.</p>
	<p style="text-align: center;">T6S R2W                  SMMWA                  AP58                  1994</p>
	<p>Deposit a magnet in a 1 x 1 x 2 5/8 ins. white plastic case inside the stainless steel post.</p>
	<p>Cor. is located 7.8 chs. N. of Northerly right-of-way fence of U.S. Interstate 8, 4 strand, bears WNW. and ESE.</p>
	<p>S. 55°11' E., on line 58-59.</p>
8.91	<p>Point for AP 59.</p>
	<p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 21 ins. in the ground, with brass cap mkd.</p>

Metes-and-Bounds Survey of the  
South Maricopa Mountains Wilderness Area Bdy.,  
T. 6 S., R. 2 W., Gila and Salt River Meridian, Arizona

<p>CHAINS</p>	<div data-bbox="839 306 1004 459" data-label="Text"> <p>T6S R2W SMMWA AP59 1994</p> </div> <div data-bbox="404 493 1364 561" data-label="Text"> <p>Deposit a magnet in a 1 x 1 x 2 5/8 ins. white plastic case inside the stainless steel post.</p> </div> <div data-bbox="404 591 1410 655" data-label="Text"> <p>Cor. is located 7.8 chs. N. of Northerly right-of-way fence of U.S. Interstate 8, 4 strand, bears WNW. and ESE.</p> </div> <hr data-bbox="811 683 1186 689"/> <div data-bbox="404 719 859 753" data-label="Text"> <p>S. 54°08' E., on line 59-60.</p> </div> <div data-bbox="261 783 664 817" data-label="Text"> <p>5.47 Point for AP 60.</p> </div> <div data-bbox="404 846 1361 910" data-label="Text"> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 23 ins. in the ground, with brass cap mkd.</p> </div> <div data-bbox="855 944 1007 1098" data-label="Text"> <p>T6S R2W SMMWA AP60 1994</p> </div> <div data-bbox="404 1132 1364 1195" data-label="Text"> <p>Deposit a magnet in a 1 x 1 x 2 5/8 ins. white plastic case inside the stainless steel post.</p> </div> <div data-bbox="404 1229 1460 1327" data-label="Text"> <p>Cor. is located 11 lks. W. of old fence post line, bears NNE. and SSW. and 7.8 chs. N. of Northerly right-of-way fence of U.S. Interstate 8, 4 strand, bears WNW. and ESE.</p> </div> <hr data-bbox="733 1349 1103 1355"/> <div data-bbox="404 1387 842 1421" data-label="Text"> <p>S. 60°29' E. on line 60-61.</p> </div> <div data-bbox="244 1451 664 1485" data-label="Text"> <p>14.05 Point for AP 61.</p> </div> <div data-bbox="404 1515 1361 1578" data-label="Text"> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 20 ins. in the ground, with brass cap mkd.</p> </div> <div data-bbox="826 1613 987 1766" data-label="Text"> <p>T6S R2W SMMWA AP61 1994</p> </div> <div data-bbox="404 1796 1364 1859" data-label="Text"> <p>Deposit a magnet in a 1 x 1 x 2 5/8 ins. white plastic case inside the stainless steel post.</p> </div>
---------------	---

Metes-and-Bounds Survey of the  
 South Maricopa Mountains Wilderness Area Bdy.,  
 T. 6 S., R. 2 W., Gila and Salt River Meridian, Arizona

CHAINS	
30.76	<p>Cor. is located 7.8 chs. N. of Northerly right-of-way fence of U.S. Interstate 8, 4 strand, bears WNW. and ESE.</p> <hr/> <p>S. 67°29' E., on line 61-62.</p> <p>Point for AP 62.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 20 ins. in the ground, with brass cap mkd.</p> <p style="text-align: center;">T6S R2W SMMWA AP62 1994</p> <p>Deposit a magnet in a 1 x 1 x 2 5/8 ins. white plastic case inside the stainless steel post.</p> <p>Cor. is located 7.8 chs. N. of Northerly right-of-way fence of U.S. Interstate 8, 4 strand, bears WNW. and ESE.</p> <hr/> <p>S. 73°10' E., on line 62-63.</p>
13.27	<p>Point for AP 63.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 23 ins. in the ground, with brass cap mkd.</p> <p style="text-align: center;">T6S R2W SMMWA AP63 1994</p> <p>Deposit a magnet in a 1 x 1 x 2 5/8 ins. white plastic case inside the stainless steel post.</p>
34.13	<p>Cor. is located 7.8 chs. N. of Northerly right-of-way fence of U.S. Interstate 8, 4 strand, bears WNW. and ESE.</p> <hr/> <p>S. 72°49' E., on line 63-64.</p> <p>Point for AP 64.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 22 ins. in the ground, with brass cap mkd.</p>

Metes-and-Bounds Survey of the  
 South Maricopa Mountains Wilderness Area Bdy.,  
 T. 6 S., R. 2 W., Gila and Salt River Meridian, Arizona

CHAINS	
	<p style="text-align: center;">T6S R2W SMMWA AP64 /_____ 1994</p> <p>Deposit a magnet in a 1 x 1 x 2 5/8 ins. white plastic case inside the stainless steel post.</p> <p>Cor. is located 7.8 chs. N. of Northerly right-of-way fence of U.S. Interstate 8, 4 strand, bears WNW. and ESE.</p> <hr/> <p>S. 72°57' E., on line 64-65.</p>
44.34	<p>Point for AP 65.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 20 ins. in the ground, with brass cap mkd.</p> <p style="text-align: center;">T6S R2W SMMWA AP65 /_____ 1994</p> <p>Deposit a magnet in a 1 x 1 x 2 5/8 ins. white plastic case inside the stainless steel post.</p> <p>Cor. is located 7.8 chs. N. of Northerly right-of-way fence of U.S. Interstate 8, 4 strand, bears WNW. and ESE.</p> <hr/> <p>S. 72°56' E., on line 65-66.</p>
33.57	<p>Point for AP 66, identical with AP 1, T. 6 S., R. 1 W., on the line bet. secs. 31 and 36, on the E. bdy. of the Tp.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 10 ins. in the ground, in a supporting mound of stone, 3 1/2 ft. base to top, with brass cap mkd.</p> <p style="text-align: center;">T6S R2W R1W SMMWA AP66   AP1 /_____ _____ S36   S31 1994</p>

Metes-and-Bounds Survey of the  
 South Maricopa Mountains Wilderness Area Bdy.,  
 T. 6 S., R. 2 W., Gila and Salt River Meridian, Arizona

CHAINS	<p>Deposit a magnet in a 1 x 1 x 2 5/8 ins. white plastic case inside the stainless steel post.</p> <p>Cor. is located 7.8 chs. N. of Northerly right-of-way fence of U.S. Interstate 8, 4 strand, bears WNW. and ESE.</p> <p>From this cor. point, the 1/4 sec. cor. of secs. 31 and 36, bears South, 20.35 chs. dist., hereinbefore described.</p>
	GENERAL DESCRIPTION
	<p>This survey is located approximately 8 miles east of the town of Gila Bend, Arizona. The elevation ranges from 1500 feet to 2800 feet above sea level. The terrain encompassed in this survey and resurvey is desert. The general drainage is to the south and west.</p> <p>The soil is rocky and does not promote much usable vegetation. There is an abundance of saguaro and other various cacti, greasewood, along with some paloverde and ironwood trees.</p> <p>There are various range improvements in the township consisting of improved dirt roads, corrals and water tanks.</p> <p>Land usage consists primarily of grazing cattle. Other significant uses of the land would be for recreational and hunting purposes. Quail, javelina, rabbits and lizards are abundant in the area encompassed by this survey.</p>
	Description of the South Maricopa Mountains Wilderness Area Bdy., T. 6 S., R. 2 W., Gila and Salt River Meridian, Arizona
	<p>Beginning at the Stan. cor. of Tps. 5 S., Rs. 2 and 3 W.</p> <p>thence N. 89°58' E., 3.37 chs. dist. on the S. bdy. of sec. 31, T. 5 S., R. 2 W., to the closing cor. of Tps. 6 S., Rs. 2 and 3 W;</p> <p>thence S. 0°01' E., 40.58 chs. dist. bet. secs. 1 and 6, to the 1/4 sec. cor. of secs. 1 and 6;</p> <p>thence S. 0°01' E., 40.00 chs. dist. bet. secs. 1 and 6, to the cor. of secs. 1, 6, 7 and 12;</p> <p>thence S. 0°01' E., 40.00 chs. dist. bet. secs. 7 and 12, to the 1/4 sec. cor. of secs. 7 and 12;</p> <p>thence South, 40.00 chs. dist. bet. secs. 7 and 12, to the cor. of secs. 7, 12, 13 and 18;</p>

## T. 6 S., R. 2 W., Gila and Salt River Meridian, Arizona

CHAINS	
	thence S. 0°02' E., 39.99 chs. dist., bet. secs. 13 and 18, to the 1/4 sec. cor. of secs. 13 and 18, identical with Angle Point 1, on the W. bdy. of the Tp.;
	thence S. 71°20' E., 142.08 chs. dist., to Angle Point 2;
	thence S. 62°33' E., 5.39 chs. dist., to Angle Point 3;
	thence S. 18°10' W., 5.68 chs. dist., to Angle Point 4;
	thence S. 55°17' E., 10.46 chs. dist., to Angle Point 5;
	thence N. 41°53' E., 5.60 chs. dist., to Angle Point 6;
	thence N. 33°29' E., 6.35 chs. dist., to Angle Point 7;
	thence N. 24°34' E., 5.47 chs. dist., to Angle Point 8;
	thence N. 40°29' E., 11.02 chs. dist., to Angle Point 9;
	thence N. 30°28' E., 11.68 chs. dist., to Angle Point 10;
	thence N. 45°59' E., 10.54 chs. dist., to Angle Point 11;
	thence N. 46°49' E., 13.33 chs. dist., to Angle Point 12;
	thence N. 49°06' E., 8.84 chs. dist., to Angle Point 13;
	thence N. 58°06' E., 6.94 chs. dist., to Angle Point 14;
	thence N. 51°28' E., 6.79 chs. dist., to Angle Point 15;
	thence N. 24°16' E., 6.38 chs. dist., to Angle Point 16;
	thence N. 31°54' E., 11.02 chs. dist., to Angle Point 17;
	thence N. 60°51' E., 5.57 chs. dist., to Angle Point 18;
	thence N. 50°02' E., 10.21 chs. dist., to Angle Point 19;
	thence N. 54°35' E., 4.02 chs. dist., to Angle Point 20;
	thence N. 70°30' E., 8.73 chs. dist., to Angle Point 21;
	thence N. 65°04' E., 9.76 chs. dist., to Angle Point 22;
	thence N. 62°36' E., 9.68 chs. dist., to Angle Point 23;
	thence N. 57°30' E., 13.14 chs. dist., to Angle Point 24;
	thence S. 89°36' E., 4.00 chs. dist., to Angle Point 25;
	thence N. 51°34' E., 2.96 chs. dist., to Angle Point 26;
	thence S. 71°47' E., 8.88 chs. dist., to Angle Point 27;
	thence S. 34°39' W., 4.29 chs. dist., to Angle Point 28;
	thence N. 60°55' W., 7.74 chs. dist., to Angle Point 29;
	thence S. 81°15' W., 4.61 chs. dist., to Angle Point 30;
	thence S. 58°10' W., 13.58 chs. dist., to Angle Point 31;
	thence S. 63°05' W., 8.81 chs. dist., to Angle Point 32;
	thence S. 65°13' W., 10.05 chs. dist., to Angle Point 33;
	thence S. 69°44' W., 8.64 chs. dist., to Angle Point 34;
	thence S. 50°47' W., 8.35 chs. dist., to Angle Point 35;
	thence S. 56°37' W., 11.49 chs. dist., to Angle Point 36;
	thence S. 31°23' W., 10.27 chs. dist., to Angle Point 37;
	thence S. 25°24' W., 7.24 chs. dist., to Angle Point 38;
	thence S. 53°59' W., 6.12 chs. dist., to Angle Point 39;
	thence S. 55°22' W., 7.19 chs. dist., to Angle Point 40;
	thence S. 42°02' W., 11.58 chs. dist., to Angle Point 41;
	thence S. 54°00' W., 10.44 chs. dist., to Angle Point 42;
	thence S. 46°45' W., 11.23 chs. dist., to Angle Point 43;
	thence S. 30°35' W., 9.87 chs. dist., to Angle Point 44;
	thence S. 38°27' W., 11.41 chs. dist., to Angle Point 45;
	thence S. 28°32' W., 5.15 chs. dist., to Angle Point 46;
	thence S. 34°42' W., 7.55 chs. dist., to Angle Point 47;
	thence S. 36°49' W., 5.85 chs. dist., to Angle Point 48;
	thence S. 71°21' E., 7.01 chs. dist., to Angle Point 49;

## T. 6 S., R. 2 W., Gila and Salt River Meridian, Arizona

CHAINS	
	thence S. 58°53' E., 12.89 chs. dist., to Angle Point 50;
	thence S. 48°10' E., 9.76 chs. dist., to Angle Point 51;
	thence S. 48°53' E., 14.72 chs. dist., to Angle Point 52;
	thence S. 47°59' E., 9.55 chs. dist., to Angle Point 53;
	thence S. 61°15' E., 28.30 chs. dist., to Angle Point 54;
	thence S. 62°58' E., 12.13 chs. dist., to Angle Point 55;
	thence S. 62°16' E., 29.43 chs. dist., to Angle Point 56;
	thence S. 62°14' E., 39.97 chs. dist., to Angle Point 57;
	thence S. 58°45' E., 22.40 chs. dist., to Angle Point 58;
	thence S. 55°11' E., 8.91 chs. dist., to Angle Point 59;
	thence S. 54°08' E., 5.47 chs. dist., to Angle Point 60;
	thence S. 60°29' E., 14.05 chs. dist., to Angle Point 61;
	thence S. 67°29' E., 30.76 chs. dist., to Angle Point 62;
	thence S. 73°10' E., 13.27 chs. dist., to Angle Point 63;
	thence S. 72°49' E., 34.13 chs. dist., to Angle Point 64;
	thence S. 72°57' E., 44.34 chs. dist., to Angle Point 65;
	thence S. 72°56' E., 33.57 chs. dist., to Angle Point 66, identical with Angle Point 1, T. T. 6 S., R. 1 W., on the line bet. secs. 31 and 36, on the E. bdy. of the Tp.

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
BUREAU OF LAND MANAGEMENT

## FIELD ASSISTANTS

NAMES	CAPACITY
Jeff A. Hill	Surveying Technician
Clinton T. Lancaster	Surveying Technician
Wallace R. Ott., Jr.	Surveying Technician
Timothy F. Patro	Surveying Technician
Mark R. Searles	Surveying Technician

## CERTIFICATE OF SURVEY

I, Robert C. Umbanhowar, Cadastral Surveyor, HEREBY CERTIFY upon honor that, in pursuance of Special Instructions bearing date of the 8th day of November, 1993, I have dependently resurveyed a portion of the First Standard Parallel South through Range 2 West and a portion of the west boundary, surveyed a portion of the east boundary, and executed the metes-and-bounds survey of the South Maricopa Mountains Wilderness Area Boundary, in Township 6 South, Range 2 West, of the Gila and Salt River Meridian, in the State of Arizona, which are represented in the foregoing field notes as having been executed by me and under my direction; and that said survey has been made in strict conformity with said special instructions, the Manual of Instructions for the Survey of the Public Lands of the United States, and in specific manner described in the foregoing field notes.

9-25-97

(Date)

Robert C. Umbanhowar

(Cadastral Surveyor)

## CERTIFICATE OF APPROVAL

BUREAU OF LAND MANAGEMENT  
Arizona State Office  
Phoenix, Arizona

The foregoing field notes of the dependent resurvey of a portion of the First Standard Parallel South through Range 2 West and a portion of the west boundary, the survey of a portion of the east boundary, and the metes-and-bounds survey of the South Maricopa Mountains Wilderness Area Boundary, in Township 6 South, Range 2 West, Gila and Salt River Meridian, Arizona, executed by Robert C. Umbanhowar, Cadastral Surveyor, having been critically examined and found correct, are hereby approved.

5-11-98

(Date)

Fenny S. Ravnikar

(Chief Cadastral Surveyor of Arizona)

~~CERTIFICATE OF TRANSCRIPT~~

~~I CERTIFY that the foregoing transcript of the field notes of the above-described surveys in T. 6 S., R. 2 W., Gila and Salt River Meridian, Arizona, is a true copy of the original field notes.~~

~~(Date)~~

~~(Chief Cadastral Surveyor of Arizona)~~