

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
BUREAU OF LAND MANAGEMENT

FIELD NOTES  
OF THE

---

DEPENDENT RESURVEY OF A PORTION OF

---

THE SUBDIVISIONAL LINES,

---

AND THE SUBDIVISION OF SECTION 8

---

AND

---

THE METES-AND-BOUNDS SURVEY OF

---

THE MOUNT TIPTON WILDERNESS AREA BOUNDARY,

---

IN TOWNSHIP 24 NORTH, RANGE 18 WEST

---

Of the Gila and Salt River Meridian,  
 In the State of Arizona

EXECUTED BY  
 Gordon R. Babel, Cadastral Surveyor

---

Under Special Instructions dated April 8, 1994, approved April 8, 1994, which provided for the surveys included under Group Number 770 and assignment instructions dated December 22, 1994.

Survey commenced August 14, 1995  
 Survey completed August 5, 1996

INDEX DIAGRAM

TOWNSHIP 24 NORTH, RANGE 18 WEST.

6	5	4	3	2	1
13		10			
7	8	9	9	6	10
	12		9		
	11				
18	17	16	15	5	14
			5		
	10	8		4	
		7			
19	20	21	22	23	24
30	29	28	27	26	25
31	32	33	34	35	36

Subdivision of Sec. 8  
Metes-and-Bounds Survey MTWA

pp. 14-17  
pp. 17-46

## T. 24 N., R. 18 W., Gila and Salt River Meridian, Arizona

CHAINS

The following field notes describe the dependent resurvey of a portion of the subdivisional lines, the subdivision of section 8, and the metes-and-bounds survey of a portion of the Mount Tipton Wilderness Area Boundary, in Township 24 North, Range 18 West, Gila and Salt River Meridian, Arizona.

The Sixth Standard Parallel North and the Fifth Guide Meridian West were surveyed by C. Burton Foster in 1874. The Sixth Standard Parallel North was independently resurveyed by H.G. Bardsley and Royston C. Durnford in 1915. The Fifth Guide Meridian West was independently resurveyed by Hugo Price in 1916. The subdivisional lines were surveyed by Guy H. Richardson and Hugo Price in 1916.

The survey was executed in accordance with the specifications as set forth in the Manual of Surveying Instructions, 1973, and the Special Instructions dated April 8, 1994, for Group No. 770, Arizona.

Preliminary to the resurvey, the lines of the original survey were retraced and search was made for all corners and other calls of the record. Identified corners were remonumented in their original positions; lost corners were restored and monumented at proportionate positions based on the original record. The retracement data were thoroughly verified and only the true line field notes are given herein.

The directions of all lines were determined by direct hour angle observations on the sun, and refer to the true meridian. Distances and angles were measured with a Sokia Set 2BII total station instrument.

The geographic position of the 1/4 sec. cor. of secs. 14 and 23, as determined from a tie to U.S. Geological Survey triangulation station "Putnam 1958", is as follows:

Latitude: 35°27'43.22" N. Longitude: 114°10'23.50" W. NAD27

The mean magnetic declination, as taken from quadrangle map CHLORIDE, ARIZ., published in 1968 by U.S. Geological Survey, is 15° E.

Dependent Resurvey of a Portion of the Subdivisional Lines,  
T. 24 N., R. 18 W., Gila and Salt River Meridian, Arizona

CHAINS

Restoring the survey executed by  
Guy H. Richardson and Hugo Price, in 1916

Beginning at the 1/4 sec. cor. of secs. 14 and 23, monumented with an iron post, 1 in. diam., firmly set, projecting 30 ins. above ground, in a mound of stone, ft. base, 2 ft. high, with brass cap mkd. S14 1/4 S23 1916, with a mound of stone, 2 ft. base, 1 ft. high, to the N.

Add the marks 1996 to the brass cap.

Cor. is located in a wash, 12 lks. wide, 1 ft. deep, drains W.

From this cor. point, U.S. Geological Survey triangulation station "PUTNAM 1958", with published latitude of 35°28'50.155" N. and longitude of 114°15'42.626" W., NAD 27, bears N. 75°35'40" W., (forward bearing) 412.97 chs. dist., monumented with a standard brass tablet, 4 ins. diam., firmly set in bedrock, with top mkd. PUTNAM 1958 and a triangle.


N. 89° 59' W., bet. secs. 14 and 23, along the Mount Tipton Wilderness Area Bdy.

Over mountainous land, through medium timber and undergrowth.

22.13

Point for AP 4, sec. 14, on the Mount Tipton Wilderness Area Bdy.

Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 21 ins. in the ground, encircled with a collar of stone, with brass cap mkd.



Deposit a magnet in a 1 x 1 x 2 5/8 in. white colored plastic case beneath the stainless steel post.

Cor. is located on a steep SW slope.

Leave the Mount Tipton Wilderness Area Bdy.

Dependent Resurvey of a Portion of the Subdivisional Lines,  
T. 24 N., R. 18 W., Gila and Salt River Meridian, Arizona

CHAINS	
40.25	<p>The cor. of secs. 14, 15, 22, and 23, monumented with an iron post, 2 ins. diam., firmly set, projecting 24 ins. above ground, in a mound of stone, 2 ft. base, 1 ft. high, with brass cap mkd. T24N R18W S15 S14 S22 S23 1916, with a mound of stone 3 ft. base, 2 ft. high, to the W.</p> <p>Add the marks 1996 to the brass cap.</p> <p>Cor. is located on a steep NNE facing slope.</p> <hr/> <p>N. 0°02' W., bet. secs. 14 and 15.</p> <p>Over mountainous land, through medium timber and undergrowth.</p>
15.76	<p>Point for AP 1, sec. 14, identical with AP 8, sec. 15, on the Mount Tipton Wilderness Area Bdy.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 21 ins. in the ground, encircled with a collar of stone, with brass cap mkd.</p> <div data-bbox="857 989 1015 1207" style="text-align: center;"> </div> <p>Deposit a magnet in a 1 x 1 x 2 5/8 in. white colored plastic case beneath the stainless steel post.</p> <p>Cor. is located on a steep S. slope.</p>
39.96	<p>The 1/4 sec. cor. of secs. 14 and 15, monumented with an iron post, 1 in. diam., firmly set, projecting 20 ins. above ground, in a mound of stone, 2 ft. base, 1 ft. high, with brass cap mkd. S15 1/4 S14 1916, with a mound of stone 2 ft. base, 1 ft. high, to the W.</p> <p>Add the marks T24N R18W 1996 to the brass cap.</p> <p>Cor. is located 1.20 chs. S. of a wash, 30 lks. wide, 12 ft. deep, drains WSW.</p> <hr/> <p>From the cor. of secs. 15, 16, 21, and 22, monumented with an iron post, 2 ins. diam., firmly set, projecting 12 ins. above ground, with brass cap mkd. T24N R18W S16 S15 S21 S22 1916, with a mound of stone 3 ft. base, 2 ft. high, W. of the cor.</p>

Dependent Resurvey of a Portion of the Subdivisional Lines,  
T. 24 N., R. 18 W., Gila and Salt River Meridian, Arizona

CHAINS	
9.09	<p>Add the marks 1996 to the brass cap.</p> <p>Cor. is located on a gentle N. facing slope.</p> <p>N. 0°02' W., bet. secs. 15 and 16.</p> <p>Over rolling land, through scattered timber and undergrowth.</p> <p>Point for AP 1, sec. 15, identical with AP 6, sec. 16, on the Mount Tipton Wilderness Area Bdy.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 21 ins. in the ground, encircled with a collar of stone, with brass cap mkd.</p> <div data-bbox="852 766 1015 997" style="text-align: center;"> </div>
39.98	<p>Deposit a magnet in a 1 x 1 x 2 5/8 in. white colored plastic case beneath the stainless steel post.</p> <p>The 1/4 sec. cor. of secs. 15 and 16, monumented with an iron post, 1 in. diam., firmly set, projecting 12 ins. above ground, with brass cap mkd. 1/4 S16 S15 1916, with a mound of stone 2 ft. base, 2 ft. high, to the W.</p> <p>Add the marks T24N R18W 1996 to the brass cap.</p> <p>Cor. is located on a gentle SSE facing slope.</p> <hr/> <p>From the cor. of secs. 9, 10, 15, and 16, monumented with an iron post, 2 ins. diam., firmly set, projecting 24 ins. above ground, in a mound of stone, 1 1/2 ft. base, 1 ft. high, with brass cap mkd. T24N R18W S9 S10 S16 S15 1916, with a mound of stone 2 ft. base, 2 ft. high, W. of the cor.</p> <p>Add the marks 1996 to the brass cap.</p> <p>Cor. is located 30 lks. N. of a wash, 6 lks. wide, 1 ft. deep, drains W.</p> <p>N. 0°08' W., bet. secs. 9 and 10, along the Mount Tipton Wilderness Area Bdy.</p> <p>Over mountainous land, through moderate timber and undergrowth.</p>

Dependent Resurvey of a Portion of the Subdivisional Lines,  
T. 24 N., R. 18 W., Gila and Salt River Meridian, Arizona

CHAINS	
40.01	<p>The 1/4 sec. cor. of secs. 9 and 10, monumented with an iron post, 1 in. diam., firmly set, projecting 18 ins. above ground, in a mound of stone, 2 ft. base, 1 ft. high, with brass cap mkd. S9 1/4 S10 1916, with a mound of stone 2 ft. base, 1 1/2 ft. high, to the W.</p> <p>Add the marks T24N R18W 1996 to the brass cap.</p> <p>Cor. is located on a steep S. facing slope.</p> <hr/> <p>N. 0°08' W., beginning new measurement.</p> <p>Over mountainous land, through moderate timber and undergrowth.</p>
39.73	<p>The cor. of secs. 3, 4, 9, and 10, monumented with an iron post, 2 ins. diam., firmly set, projecting 18 ins. above ground, in a mound of stone, 2 ft. base, 1 ft. high, with brass cap mkd. T24N R18W S4 S3 S9 S10 1916, with a mound of stone 3 1/2 ft. base, 2 ft. high, W. of the cor.</p> <p>Add the marks 1996 to the brass cap.</p> <hr/> <p>From the 1/4 sec. cor. of secs. 20 and 21, monumented with an iron post, 1 in. diam., firmly set, projecting 24 ins. above ground, with brass cap mkd. 1/4 S20 S21 1916, with a mound of stone 2 1/2 ft. base, 1 ft. high, W. of the cor.</p> <p>Add the marks T24N R18W 1996 to the brass cap.</p> <p>Build a mound of stone 2 ft. base, 1 ft. high around the iron pipe.</p> <p>Cor. is located on a gentle W. facing slope.</p> <p>N. 0°03' W., bet. secs. 20 and 21.</p> <p>Over rolling land, through scattered timber and undergrowth.</p>
36.15	<p>Point for AP 1, sec. 21, identical with AP 3, sec. 20, on the Mount Tipton Wilderness Area Bdy.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 21 ins. in the ground, encircled with a collar of stone, with brass cap mkd.</p>

Dependent Resurvey of a Portion of the Subdivisional Lines,  
T. 24 N., R. 18 W., Gila and Salt River Meridian, Arizona

CHAINS	
39.98	<div data-bbox="844 283 1006 514" data-label="Diagram"> <p style="text-align: center;">T24N R18W MTWA AP1 AP3 S20 S21 1996</p> </div> <p data-bbox="414 535 1388 609">Deposit a magnet in a 1 x 1 x 2 5/8 in. white colored plastic case beneath the stainless steel post.</p> <p data-bbox="414 640 1445 798">The cor. of secs. 16, 17, 20, and 21, monumented with an iron post, 2 ins. diam., firmly set, projecting 24 ins. above ground, in a mound of stone, 2 ft. base, 1 ft. high, with brass cap mkd. T24N R18W S17 S16 S20 S21 1916, with a mound of stone 2 ft. base, 1 ft. high, W. of the cor.</p> <p data-bbox="414 829 982 861">Add the marks 1996 to the brass cap.</p> <p data-bbox="414 892 1421 955">Cor. is located 20 lks. E. of a wash, 15 lks. wide, 3 ft. deep, drains SSE.</p> <hr/> <p data-bbox="414 1018 1388 1144">From the 1/4 sec. cor. of secs. 16 and 21, monumented with an iron post, 1 in. diam., firmly set, projecting 18 ins. above ground, in a mound of stone, 2 1/2 ft. base, 1 ft. high, with brass cap mkd. S16 1/4 S21 1916.</p> <p data-bbox="414 1176 982 1207">Add the marks 1996 to the brass cap.</p> <p data-bbox="414 1239 974 1270">N. 89°57' W., bet. secs. 16 and 21.</p> <p data-bbox="414 1302 698 1333">Over rolling land.</p>
26.57	<div data-bbox="771 1585 1063 1753" data-label="Diagram"> <p style="text-align: center;">T24N R18W AP1 S16 MTWA AP2 S21 1996</p> </div> <p data-bbox="414 1365 1388 1438">Point for AP 1, sec. 16, identical with AP 2, sec. 21, on the Mount Tipton Wilderness Area Edy.</p> <p data-bbox="414 1470 1388 1564">Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 21 ins. in the ground, encircled with a collar of stone, with brass cap mkd.</p> <div data-bbox="771 1585 1063 1753" data-label="Diagram"> <p style="text-align: center;">T24N R18W AP1 S16 MTWA AP2 S21 1996</p> </div> <p data-bbox="414 1785 1388 1848">Deposit a magnet in a 1 x 1 x 2 5/8 in. white colored plastic case beneath the stainless steel post.</p>

Dependent Resurvey of a Portion of the Subdivisional Lines,  
T. 24 N., R. 18 W., Gila and Salt River Meridian, Arizona

CHAINS	
40.04	<p>The cor. of secs. 16, 17, 20 and 21.</p> <hr/> <p>From the cor. of secs. 9, 10, 15, and 16.</p> <p>S. 89°54' W., bet. secs. 9 and 16, along the Mount Tipton Wilderness Area Bdy.</p> <p>Over mountainous land, through moderate timber and undergrowth.</p>
39.98	<p>The 1/4 sec. cor. of secs. 9 and 16, monumented with an iron post, 1 in. diam., firmly set, projecting 30 ins. above ground, in a mound of stone, 3 ft. base, 1 1/2 ft. high, with brass cap mkd. S9 1/4 S16 1916, with a mound of stone 2 ft. base, 1 1/2 ft. high, to the N.</p> <p>Add the marks 1996 to the brass cap.</p> <p>Cor. is located on a steep, rocky SW facing slope.</p> <hr/> <p>West, beginning new measurement.</p>
40.03	<p>The cor. of secs. 8, 9, 16, and 17, monumented with an iron post, 2 ins. diam., firmly set, projecting 17 ins. above ground, in a mound of stone, 2 ft. base, 1 ft. high, with brass cap mkd. T24N R18W S8 S9 S17 S16 1916, with a mound of stone 3 ft. base, 2 ft. high, W. of the cor.</p> <p>Add the marks 1996 to the brass cap.</p> <p>Cor. is located 25 lks. E. of the terminus of a 4 strand, barbed wire fence, bears E. and W.</p> <hr/> <p>N. 0°05' W., bet. secs. 8 and 9, along the Mount Tipton Wilderness Area Bdy.</p> <p>Over mountainous land, through medium timber and undergrowth.</p>
40.10	<p>The 1/4 sec. cor. of secs. 8 and 9, monumented with an iron post, 1 in. diam., firmly set, projecting 28 ins. above ground, in a mound of stone, 4 ft. base, to top, with brass cap mkd. S8 1/4 S9 1916, with a mound of stone 2 ft. base, 1 ft. high, W. of the cor.</p> <p>Add the marks T24N R18W 1995 to the brass cap.</p> <hr/> <p>N. 0°04' W., beginning new measurement.</p>


Dependent Resurvey of a Portion of the Subdivisional Lines,  
T. 24 N., R. 18 W., Gila and Salt River Meridian, Arizona

CHAINS	
39.97	<p>The cor. of secs. 4, 5, 8, and 9, monumented with an iron post, 2 ins. diam., firmly set, projecting 28 ins. above ground, in a mound of stone, 4 ft. base, to top, with brass cap mkd. T24N R18W S5 S4 S8 S9 1916, with a mound of stone 3 ft. base, 2 ft. high, W. of the cor.</p> <p>Add the marks 1996 to the brass cap.</p> <p>Cor. is located on a steep, rocky ENE facing slope.</p> <hr/> <p>From the cor. of secs. 3, 4, 9, and 10.</p> <p>N. 89°46' W., bet. secs. 4 and 9, along the Mount Tipton Wilderness Area Bdy.</p>
39.95	<p>The 1/4 sec. cor. of secs. 4 and 9, monumented with an iron post, 1 in. diam., firmly set, projecting 27 ins. above ground, in a mound of stone, 2 1/2 ft. base, 1 1/2 ft. high, with brass cap mkd. S4 1/4 S9 1916, with a mound of stone 1 1/2 ft. base, 1 1/2 ft. high, N. of the cor.</p> <p>Add the marks T24N R18W 1996 to the brass cap.</p> <hr/> <p>N. 89°51' W., beginning new measurement.</p>
39.95	<p>The cor. of secs. 4, 5, 8, and 9.</p> <hr/> <p>From the cor. of secs. 16, 17, 20, and 21.</p> <p>S. 89°46' W., bet. secs. 17 and 20.</p>
8.40	<p>Point for AP 1, sec. 20 identical with AP 10, sec. 17, on the Mount Tipton Wilderness Area Bdy.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 10 ins. in the ground, to bedrock, in a mound of stone, 4 ft. base, to top, with brass cap mkd.</p> <div data-bbox="857 1598 1015 1812" style="text-align: center;"> <p>T24N R18W MTWA AP10 S17 AP1 S20 1996</p> </div> <p>Deposit a magnet in a 1 x 1 x 2 5/8 in. white colored plastic case beneath the stainless steel post.</p>

Dependent Resurvey of a Portion of the Subdivisional Lines,  
T. 24 N., R. 18 W., Gila and Salt River Meridian, Arizona

CHAINS	
39.98	<p>Cor. is located on a low ridge, bears SE and NW.</p> <p>The 1/4 sec. cor. of secs. 17 and 20, monumented with an iron post, 1 in. diam., firmly set, projecting 18 ins. above ground, with brass cap mkd. 1/4 S17 S20 1916, with a mound of stone 2 ft. base, 1 1/2 ft. high, N. of the cor.</p> <p>Add the marks T24N R18W 1996 to the brass cap.</p> <p>Build a mound of stone 2 ft. base, 1 ft. high around the iron pipe.</p> <hr/> <p>From the 1/4 sec. cor. of secs. 8 and 17, monumented with an iron post, 1 in. diam., firmly set, projecting 18 ins. above ground, in a mound of stone 3 ft. base, 1 ft. high, with brass cap mkd. 1/4 S8 S17 1916. with a mound of stone 3 ft. base, 2 ft. high, N. of the cor.</p> <p>Add the marks T24N R18W 1995 to the brass cap.</p> <p>Cor. is located in a 4 strand barbed wire fence, bears E. and W. S. 89°54' W., bet. secs. 8 and 17.</p> <p>Over mountainous land, through medium timber and undergrowth.</p>
19.96	<p>Point for the W. 1/16 sec. cor. of secs. 8 and 17.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 22 ins. in the ground, in a mound of stone, 3 ft. base, to top, with brass cap mkd.</p> <p style="text-align: center;">T24N R18W S 8 W 1/16 _____ S17 1995</p> <p>Deposit a magnet in a 1 x 1 x 2 5/8 in. white colored plastic case beneath the stainless steel post.</p> <p>Cor. is located 4 lks. N. of a 4 strand barbed wire fence, bears E. and W.</p> <p>Thence along the Mount Tipton Wilderness Area Bdy.</p>
35.42	<p>Point for AP 1, sec. 17, on the Mount Tipton Wilderness Area Bdy.</p>

Dependent Resurvey of a Portion of the Subdivisional Lines,  
T. 24 N., R. 18 W., Gila and Salt River Meridian, Arizona

CHAINS	
	<p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 23 ins. in the ground, with brass cap mkd.</p> <div style="text-align: center;"> <p>T24N R18W S 8</p>  </div> <p>Deposit a magnet in a 1 x 1 x 2 5/8 in. white colored plastic case beneath the stainless steel post.</p> <p>The cor. is located 24 lks. E. of a ridge top, bears SE and NNW, and 20 lks. W. of the terminus of a 4 strand barbed wire fence extending E.</p> <p>Leave the Mount Tipton Wilderness Area Bdy.</p>
39.92	<p>The cor. of secs. 7, 8, 17, and 18, monumented with an iron post, 2 ins. diam., firmly set, projecting 24 ins. above ground, in a mound of stone, 2 ft. base, 1 ft. high, with brass cap mkd. T24N R18W S7 S8 S18 S17 1916, with a mound of stone 2 ft. base, 1 ft. high, W. of the cor.</p> <p>Add the marks 1995 to the brass cap.</p>
	<p>N. 0°01' W., bet. secs. 7 and 8.</p> <p>Over mountainous land, through medium timber and undergrowth.</p>
20.01	<p>Point for the S. 1/16 sec. cor. of secs. 7 and 8.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 12 ins. in the ground, in a mound of stone, 4 ft. base, to top, with brass cap mkd.</p> <div style="text-align: center;"> <p>T24N R18W S 1/16 S 7   S 8 1995</p> </div> <p>Deposit a magnet in a 1 x 1 x 2 5/8 in. white colored plastic case beneath the stainless steel post.</p> <p>Cor. is located on a moderately steep, E. facing slope.</p>
38.60	<p>Center of dirt road, 10 lks. wide, bears SE and NW.</p>
39.15	<p>Point for AP 1, sec. 8, on the Mount Tipton Wilderness Area Bdy.</p>

Dependent Resurvey of a Portion of the Subdivisional Lines,  
T. 24 N., R. 18 W., Gila and Salt River Meridian, Arizona

CHAINS	
	<p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 22 ins. in the ground, with brass cap mkd.</p> <div style="text-align: center;"> <p>T24N R18W MTWA AP1 S 7 ——— S 8 1995</p> </div> <p>Deposit a magnet in a 1 x 1 x 2 5/8 in. white colored plastic case beneath the stainless steel post.</p> <p>Thence along the Mount Tipton Wilderness Area Bdy.</p>
40.02	<p>The 1/4 sec. cor. of secs. 7 and 8, monumented with an iron post, 1 in. diam., firmly set, projecting 14 ins. above ground, in a mound of stone, 2 ft. base, 1 ft. high, with brass cap mkd. 1/4 S7 S8 1916, with a mound of stone 2 1/2 ft. base, 1 ft. high, W. of the cor.</p> <p>Add the marks T24N R18W 1995 to the brass cap.</p> <hr/>
	<p>From the 1/4 sec. cor. of secs. 6 and 7, monumented with a granite stone, 19 x 13 x 5 ins., firmly set, projecting 5 ins. above ground, mkd. 1/4 on the N. face, with a mound of stone, 2 ft. base, 1 1/2 ft. high, N. of the cor.</p> <p>At the cor. point</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 23 ins. in the ground, with brass cap mkd.</p> <div style="text-align: center;"> <p>T24N R18W S 6 1/4 ——— S 7 1995</p> </div> <p>Deposit a magnet in a 1 x 1 x 2 5/8 in. white colored plastic case beneath the stainless steel post.</p> <p>Bury the original stone alongside the stainless steel post.</p> <p>N. 89°59' W., bet. secs. 6 and 7.</p> <p>Over rolling land, through scattered timber, and medium undergrowth.</p>
20.00	<p>Point for the W. 1/16 sec. cor. of secs. 6 and 7.</p>

Dependent Resurvey of a Portion of the Subdivisional Lines,  
T. 24 N., R. 18 W., Gila and Salt River Meridian, Arizona

CHAINS	
	Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 21 ins. in the ground, with brass cap mkd.
	<p style="text-align: center;">T24N R18W S6 W 1/16 ————— S7 1995</p>
	Deposit a magnet in a 1 x 1 x 2 5/8 in. white colored plastic case beneath the stainless steel post.
	Thence along the Mount Tipton Wilderness Area Bdy.
26.50	Center of track road, 12 lks. wide, extends S.
42.54	<p>The closing cor. of secs. 6 and 7, at intersection with the W. bdy. of the Tp., monumented with an iron post, 2 ins. diam., firmly set, projecting 15 ins. above ground, with brass cap mkd. T24N R19W R18W S6 S7 S12 1916 1995, as described in the field notes of the dependent resurvey of a portion of the 5th Guide Mer. W. through T. 24 N., T. 24 N., R. 19 W. executed concurrently under this same group.</p> <p>From this cor. point, the cor. of secs. 1 and 12 only, T. 24 N., R. 19 W., bears N. 0°02' E., 2.57 chs. dist., monumented with an iron post, 3 ins. diam., firmly set, projecting 14 ins. above ground, with brass cap mkd. T24N R19W S1 S12 1916 1995, as described in the field notes of the dependent resurvey of a portion of the 5th Guide Mer. W. through T. 24 N., T. 24 N., R. 19 W. executed concurrently under this same group.</p>
	<hr/> <p style="text-align: center;">Subdivision of Section 8, T. 24 N., R. 18 W., Gila and Salt River Meridian, Arizona</p> <hr/>
	From the 1/4 sec. cor. of secs. 8 and 17.
	N. 0°02' E., on the N. and S. centerline of sec. 8.
	Over mountainous land, through medium timber and undergrowth.
20.03	Point for the center S. 1/16 sec. cor. of sec. 8.
	Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 23 ins. in the ground, in a mound of stone, 4 ft. base, to top, with brass cap mkd.

Subdivision of Section 8,  
T. 24 N., R. 18 W., Gila and Salt River Meridian, Arizona


CHAINS	
	<p style="text-align: center;">T24N R18W C S 1/16   S 8 C 1995</p> <p>Deposit a magnet in a 1 x 1 x 2 5/8 in. white colored plastic case beneath the stainless steel post.</p>
40.06	<p>Point for the center 1/4 sec. cor. of sec. 8, at intersection with the E. and W. centerline of sec. 8.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 20 ins. in the ground, in a mound of stone, 4 ft. base, to top, with brass cap mkd.</p>
80.07	<p style="text-align: center;">T24N R18W C 1/4 S 8 1995</p> <p>Deposit a magnet in a 1 x 1 x 2 5/8 in. white colored plastic case beneath the stainless steel post.</p> <p>The 1/4 sec. cor. of secs. 5 and 8, monumented with an iron post, 1 in. diam., firmly set, projecting 9 ins. above ground, with brass cap mkd. 1/4 S5 S8 1916, with a mound of stone, 2 ft. base, 1 ft. high, N. of the cor.</p> <p>Add the marks T24N R18W 1995 to the brass cap.</p> <p>The cor. is located on a steep W. facing slope.</p> <hr/> <p>From the 1/4 sec. cor. of secs. 8 and 9.</p> <p>S. 89°51' W., on the E. and W. centerline of sec. 8.</p>
39.88	<p>The center 1/4 sec. cor. of sec. 8.</p>
59.86	<p>Point for the center W. 1/16 sec. cor. of sec. 8.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.</p> <p style="text-align: center;">T24N R18W W 1/16 C-----C S 8 1995</p>

Subdivision of Section 8,  
T. 24 N., R. 18 W., Gila and Salt River Meridian, Arizona

CHAINS	
	Deposit a magnet in a 1 x 1 x 2 5/8 in. white colored plastic case beneath the stainless steel post.
79.84	The 1/4 sec. cor. of secs. 7 and 8.
	<hr/> SW 1/4 <hr/>
	From the W. 1/16 sec. cor. of secs. 8 and 17.
	North, on the N. and S. centerline of the SW 1/4 of sec. 8, along the Mount Tipton Wilderness Area Bdy.
20.02	Point for the SW 1/16 sec. cor. of sec. 8, at intersection with the E. and W. centerline of the SW 1/4 of sec. 8.
	Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 25 ins. in the ground, with brass cap mkd.
	T24N R18W SW 1/16 S 8 1995
	Deposit a magnet in a 1 x 1 x 2 5/8 in. white colored plastic case beneath the stainless steel post.
	Leave the Mount Tipton Wilderness Area Bdy.
40.04	The center W. 1/16 sec. cor. of sec. 8.
	<hr/> From the center S. 1/16 sec. cor. of sec. 8.
	S. 89°53' W., on the E. and W. centerline of the SW 1/4 of sec. 8.
19.97	The SW 1/16 sec. cor. of sec. 8.
	Thence along the Mount Tipton Wilderness Area Bdy.
26.67	Point for AP 8, sec. 8, on the Mount Tipton Wilderness Area Bdy.
	Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 22 ins. in the ground, with brass cap mkd.

Subdivision of Section 8,  
T. 24 N., R. 18 W., Gila and Salt River Meridian, Arizona

CHAINS



1995

Deposit a magnet in a 1 x 1 x 2 5/8 in. white colored plastic case beneath the stainless steel post.

The cor. is located 51 lks. E. of a gravel road, 12 lks. wide, bears NNE and SSW.

Leave the Mount Tipton Wilderness Area Bdy.

39.94

The S. 1/16 sec. cor. of secs. 7 and 8.

---

Metes-and-Bounds Survey of the  
Mount Tipton Wilderness Area Bdy.,  
T. 24 N., R. 18 W., Gila and Salt River Meridian, Arizona

---

In Sec. 6

---

AP 1 to AP 11 are along the northerly side of a track road, AP 15 to AP 24 are along the southerly side of the same track road, and AP 11 to AP 15 encompass a windmill and a water tank.

From AP 1, sec. 6, identical with AP 6, sec. 1, T. 24 N., R. 19 W., on the line bet. secs. 1 and 6, on the W. bdy. of the Tp., monumented with a stainless steel post, 2 1/2 ins. diam., firmly set, projecting 4 ins. above ground, with brass cap mkd. T24N R19W R18W S1 S6 MTWA AP6 1995 as described in the field notes of the metes-and-bounds survey of the Mount Tipton Wilderness Area Bdy., T. 24 N., R. 19 W., executed concurrently under this same group. Add the marks AP 1 to the brass cap.

From this cor. point, the 1/4 sec. cor. of sec. 1 only, T. 24 N., R. 19 W., bears N. 0°02' E., 10.58 chs. dist., monumented with an iron post, 1 in. diam., firmly set, projecting 21 ins. above ground, with brass cap mkd. T24N R19W S1 1/4 1916 1995 as described in the field notes of the dependent resurvey of a portion of the 5th Guide Mer. W. through T. 24 N., T. 24 N., R. 19 W. executed concurrently under this same group.

N. 57°15' E., on line 1-2.

6.42

Point for AP 2, sec. 6.




Metes-and-Bounds Survey of the Mount Tipton Wilderness Area Bdy.,  
T. 24 N., R. 18 W., Gila and Salt River Meridian, Arizona

CHAINS	
	<p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 22 ins. in the ground, with brass cap mkd.</p> <div style="text-align: center;"> <p>T24N R18W MTWA AP2 / S 6 1995</p> </div> <p>Deposit a magnet in a 1 x 1 x 2 5/8 in. white colored plastic case beneath the stainless steel post.</p> <p>Set a steel fence post near the cor.</p> <hr style="width: 20%; margin: auto;"/> <p>N. 36°30' E., on line 2-3.</p>
4.80	<p>Point for AP 3, sec. 6.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 23 ins. in the ground, with brass cap mkd.</p> <div style="text-align: center;"> <p>T24N R18W MTWA AP3 / S 6 1995</p> </div> <p>Deposit a magnet in a 1 x 1 x 2 5/8 in. white colored plastic case beneath the stainless steel post.</p> <p>Set a steel fence post near the cor.</p> <hr style="width: 20%; margin: auto;"/> <p>N. 32°26' E., on line 3-4.</p>
9.79	<p>Point for AP 4, sec. 6.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 16 ins. in the ground, to bedrock, in a mound of stone, 2 ft. base, to top, with brass cap mkd.</p> <div style="text-align: center;"> <p>T24N R18W MTWA AP4 / S 6 1995</p> </div> <p>Deposit a magnet in a 1 x 1 x 2 5/8 in. white colored plastic case beneath the stainless steel post.</p>

Metes-and-Bounds Survey of the Mount Tipton Wilderness Area Bdy.,  
T. 24 N., R. 18 W., Gila and Salt River Meridian, Arizona

CHAINS	
8.62	<p>Set a steel fence post near the cor.</p> <hr/> <p>N. 50°55' E., on line 4-5.</p> <p>Point for AP 5, sec. 6.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 12 ins. in the ground, to bedrock, in a mound of stone, 3 ft. base, to top, with brass cap mkd.</p> <div data-bbox="865 638 1029 821" style="text-align: center;"> <p>T24N R18W MTWA AP5 S 6 1995</p> </div> <p>Deposit a magnet in a 1 x 1 x 2 5/8 in. white colored plastic case beneath the stainless steel post.</p> <p>Set a steel fence post near the cor.</p> <hr/> <p>N. 78°54' E., on line 5-6.</p>
4.78	<p>Point for AP 6, sec. 6.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 16 ins. in the ground, to bedrock, in a mound of stone, 3 ft. base, to top, with brass cap mkd.</p> <div data-bbox="865 1304 1016 1486" style="text-align: center;"> <p>T24N R18W MTWA AP6 S 6 1995</p> </div> <p>Deposit a magnet in a 1 x 1 x 2 5/8 in. white colored plastic case beneath the stainless steel post.</p> <p>Set a steel fence post near the cor.</p> <hr/> <p>N. 76°40' E., on line 6-7.</p>
8.97	<p>Point for AP 7, sec. 6.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 22 ins. in the ground, with brass cap mkd.</p>

Metes-and-Bounds Survey of the Mount Tipton Wilderness Area Bdy.,  
T. 24 N., R. 18 W., Gila and Salt River Meridian, Arizona


CHAINS	
	<p style="text-align: center;">T24N R18W MTWA AP7</p>  <p style="text-align: center;">S 6 1995</p> <p>Deposit a nail, 1/4 in. diam., 6 ins. long beneath the stainless steel post.</p> <p>Set a steel fence post near the cor.</p> <hr style="width: 20%; margin: auto;"/> <p>N. 83°41' E., on line 7-8.</p>
5.18	<p>Point for AP 8, sec. 6.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 10 ins. in the ground, to bedrock, in a mound of stone, 5 ft. base, to top, with brass cap mkd.</p> <p style="text-align: center;">T24N R18W MTWA AP8</p>  <p style="text-align: center;">S 6 1995</p> <p>Deposit a magnet in a 1 x 1 x 2 5/8 in. white colored plastic case beneath the stainless steel post.</p> <hr style="width: 20%; margin: auto;"/> <p>N. 71°19' E., on line 8-9.</p>
13.45	<p>Point for AP 9, sec. 6.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 23 ins. in the ground, with brass cap mkd.</p> <p style="text-align: center;">T24N R18W MTWA AP9</p>  <p style="text-align: center;">S 6 1995</p> <p>Deposit a nail, 1/4 in. diam., 6 ins. long beneath the stainless steel post.</p> <p>Set a steel fence post near the cor.</p> <hr style="width: 20%; margin: auto;"/>

Metes-and-Bounds Survey of the Mount Tipton Wilderness Area Bdy.,  
T. 24 N., R. 18 W., Gila and Salt River Meridian, Arizona

CHAINS	
3.90	<p>N. 65°30' E., on line 9-10.</p> <p>Point for AP 10, sec. 6.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 14 ins. in the ground, to bedrock, in a mound of stone, 3 ft. base, to top, with brass cap mkd.</p> <div style="text-align: center;"> <p>T24N R18W MTWA AP10</p>  <p>S 6 1995</p> </div> <p>Deposit a magnet in a 1 x 1 x 2 5/8 in. white colored plastic case beneath the stainless steel post.</p> <p>Set a steel fence post near the cor.</p> <hr style="width: 20%; margin: 10px auto;"/> <p>S. 86°52' E., on line 10-11.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 12 ins. in the ground, to bedrock, in a mound of stone, 3 ft. base, to top, with brass cap mkd.</p> <div style="text-align: center;"> <p>T24N R18W</p>  <p>MTWA AP11</p> <p>S 6 1995</p> </div> <p>Deposit a magnet in a 1 x 1 x 2 5/8 in. white colored plastic case beneath the stainless steel post.</p> <p>Set a steel fence post near the cor.</p> <hr style="width: 20%; margin: 10px auto;"/> <p>N. 19°18' W., on line 11-12.</p> <p>Point for AP 12, sec. 6, on the N. bdy. of the Tp.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 18 ins. in the ground, to bedrock, in a mound of stone, 4 ft. base, to top, with brass cap mkd.</p>

Metes-and-Bounds Survey of the Mount Tipton Wilderness Area Bdy.,  
T. 24 N., R. 18 W., Gila and Salt River Meridian, Arizona

CHAINS




Deposit a magnet in a 1 x 1 x 2 5/8 in. white colored plastic case beneath the stainless steel post.

From this cor. point the stan. E. 1/16 sec. cor. of sec. 31, T. 25 N., R. 18 W., bears West, 4.48 chs. dist., monumented with a stainless steel post, 2 1/2 ins. diam., firmly set, projecting 6 ins. above ground, with brass cap mkd. SC T25N R18W E1/16 S31 1995 as described in the field notes of the dependent resurvey of a portion of the 6th Stan. Par. N. through R. 18 W., T. 25 N., R. 18 W., executed concurrently under this same group.

From the point for AP 13, sec. 6, on the N. bdy. of the Tp.

Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 18 ins. in the ground, to bedrock, in a mound of stone, 4 ft. base, to top, with brass cap mkd.



Deposit a magnet in a 1 x 1 x 2 5/8 in. white colored plastic case beneath the stainless steel post.

From this cor. point, the standard sec. cor. of secs. 31 and 32, T. 25 N., R. 18 W., bears East, 12.21 chs. dist. monumented with a stainless steel post, 2 1/2 ins. diam., firmly set, projecting 5 ins. above ground, with brass cap mkd. SC T25N R18W S31 S32 1995 as described and witnessed in the field notes of the dependent resurvey of a portion of the 6th Stan. Par. N. through R. 18 W., T. 25 N., R. 18 W., executed concurrently under this same group.

S. 13°32' E., on line 13-14.



3.58

Point for AP 14, sec. 6.

Metes-and-Bounds Survey of the Mount Tipton Wilderness Area Bdy.,  
T. 24 N., R. 18 W., Gila and Salt River Meridian, Arizona

CHAINS	
	<p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 22 ins. in the ground, with brass cap mkd.</p> <div data-bbox="836 378 1031 567" style="text-align: center;"> <p>T24N R18W S 6 AP14 MTWA 1995</p> </div> <p>Deposit a nail, 1/4 in. diam., 6 ins. long beneath the stainless steel post.</p> <p>Set a steel fence post near the cor.</p> <hr style="width: 20%; margin: auto;"/> <p>S. 83°25' W., on line 14-15.</p>
9.35	<p>Point for AP 15, sec. 6.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 22 ins. in the ground, with brass cap mkd.</p> <div data-bbox="868 1018 1039 1207" style="text-align: center;"> <p>T24N R18W S 6 AP15 MTWA 1995</p> </div> <p>Deposit a magnet in a 1 x 1 x 2 5/8 in. white colored plastic case beneath the stainless steel post.</p> <p>Set a steel fence post near the cor.</p> <hr style="width: 20%; margin: auto;"/> <p>S. 69°15' W., on line 15-16.</p>
12.71	<p>Point for AP 16, sec. 6.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.</p> <div data-bbox="836 1648 1031 1837" style="text-align: center;"> <p>T24N R18W S 6 AP16 MTWA 1995</p> </div>




Metes-and-Bounds Survey of the Mount Tipton Wilderness Area Bdy.,  
T. 24 N., R. 18 W., Gila and Salt River Meridian, Arizona

CHAINS	
	<p>Deposit a nail, 1/4 in. diam., 6 ins. long beneath the stainless steel post.</p> <p>Set a steel fence post near the cor.</p> <hr style="width: 20%; margin: 10px auto;"/> <p>S. 85°35' W., on line 16-17.</p> <p>5.88 Point for AP 17, sec. 6.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 16 ins. the ground, to bedrock, in a mound of stone, 3 ft. base, to top, with brass cap mkd.</p> <div style="text-align: center; margin: 10px 0;"> <p>T24N R18W S 6</p>  <p>AP17</p> <p>MTWA 1995</p> </div> <p>Deposit a magnet in a 1 x 1 x 2 5/8 in. white colored plastic case beneath the stainless steel post.</p> <p>Set a steel fence post near the cor.</p> <hr style="width: 20%; margin: 10px auto;"/> <p>S. 64°43' W., on line 17-18.</p>
6.43	<p>Point for AP 18, sec. 6.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 21 ins. in the ground, in a mound of stone, 2 ft. base, to top, with brass cap mkd.</p> <div style="text-align: center; margin: 10px 0;"> <p>T24N R18W S 6</p>  <p>AP18 MTWA 1995</p> </div> <p>Deposit a nail, 1/4 in. diam., 6 ins. long beneath the stainless steel post.</p> <p>Set a steel fence post near the cor.</p> <hr style="width: 20%; margin: 10px auto;"/> <p>N. 88°50' W., on line 18-19.</p>


Metes-and-Bounds Survey of the Mount Tipton Wilderness Area Bdy.,  
T. 24 N., R. 18 W., Gila and Salt River Meridian, Arizona

CHAINS	
6.65	<p>Point for AP 19, sec. 6.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 19 ins. in the ground, to bedrock, in a mound of stone, 3 ft. base, to top, with brass cap mkd.</p> <div data-bbox="852 472 1015 661" style="text-align: center;"> <p>T24N R18W S 6 AP19 MTWA 1995</p> </div> <p>Deposit a magnet in a 1 x 1 x 2 5/8 in. white colored plastic case beneath the stainless steel post.</p> <p>Set a steel fence post near the cor.</p> <hr style="width: 20%; margin: 10px auto;"/> <p>S. 49°42' W., on line 19-20.</p>
8.82	<p>Point for AP 20, sec. 6.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 15 ins. in the ground, to bedrock, in a mound of stone, 2 ft. base, to top, with brass cap mkd.</p> <div data-bbox="836 1144 1023 1333" style="text-align: center;"> <p>T24N R18W S 6 AP20 MTWA 1995</p> </div> <p>Deposit a magnet in a 1 x 1 x 2 5/8 in. white colored plastic case beneath the stainless steel post.</p> <hr style="width: 20%; margin: 10px auto;"/> <p>S. 32°43' W., on line 20-21.</p>
9.63	<p>Point for AP 21, sec. 6.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 19 ins. in the ground, to bedrock, in a mound of stone, 3 ft. base, to top, with brass cap mkd.</p>



Metes-and-Bounds Survey of the Mount Tipton Wilderness Area Bdy.,  
T. 24 N., R. 18 W., Gila and Salt River Meridian, Arizona

CHAINS	
	<div style="text-align: center;">  </div> <p>Deposit a magnet in a 1 x 1 x 2 5/8 in. white colored plastic case beneath the stainless steel post.</p> <hr/> <p>S. 38°37' W., on line 21-22.</p>
4.71	<p>Point for AP 22, sec. 6.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 25 ins. in the ground, with brass cap mkd.</p> <div style="text-align: center;">  </div> <p>Deposit a nail, 1/4 in. diam., 6 ins. long beneath the stainless steel post.</p> <hr/> <p>S. 51°28' W., on line 22-23.</p>
5.53	<p>Point for AP 23, sec. 6.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 25 ins. in the ground, with brass cap mkd.</p> <div style="text-align: center;">  </div> <p>Deposit a nail 1/4 in. diam., 6 ins. long beneath the stainless steel post.</p> <hr/> <p>S. 73°37' W., on line 23-24.</p>

Metes-and-Bounds Survey of the Mount Tipton Wilderness Area Bdy.,  
T. 24 N., R. 18 W., Gila and Salt River Meridian, Arizona

CHAINS	
1.71	<p>AP 24, sec. 6, identical with AP 7, sec. 1, T. 24 N., R. 19 W., on the line bet. secs. 1 and 6, on the W. bdy of the Tp., monumented with a stainless steel post, 2 1/2 ins. diam., firmly set, projecting 4 ins. above ground, with brass cap mkd. T24N R19W R18W S1 S6 AP7 MTWA 1995 as described in the field notes of the metes-and-bounds survey of the Mount Tipton Wilderness Area Bdy., T. 24 N., R. 19 W., executed concurrently under this same group. Add the marks AP 24 to the brass cap.</p> <p>From this cor. point, the cor. of secs. 1 and 12 only, T. 24 N., R. 19 W., bears S. 0°02' W., 28.37 chs. dist., monumented with an iron post, 3 ins. diam., firmly set, projecting 14 ins. above the ground, with a mound of stone, 2 ft. base, 2 ft. high, to the N., with brass cap mkd. T24N R19W S1 S12 1916 1995 as described in the field notes of the dependent resurvey of a portion of the 5th Guide Mer. W. through T. 24 N., T. 24 N., R. 19 W. executed concurrently under this same group.</p> <hr/> <p style="text-align: center;">In Sec. 7</p> <hr/> <p>AP 2 to AP 19 are along the northerly side of a track road.</p> <p>From AP 1, sec. 7, identical with the W. 1/16 sec. cor. of secs. 6 and 7, hereinbefore described.</p> <p>S. 16°23' E., on line 1-2.</p>
7.28	<p>Point for AP 2, sec. 7.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 21 ins. in the ground, with brass cap mkd.</p> <div style="text-align: center;">  <p>T24N R18W MTWA AP2 1995</p> </div> <p>Deposit a magnet in a 1 x 1 x 2 5/8 in. white colored plastic case beneath the stainless steel post.</p> <hr/> <p>S. 24°34' E., on line 2-3.</p>
10.15	<p>Point for AP 3, sec. 7.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.</p>




Metes-and-Bounds Survey of the Mount Tipton Wilderness Area Bdy.,  
T. 24 N., R. 18 W., Gila and Salt River Meridian, Arizona

CHAINS	
	<div style="text-align: center;"> <p>T24N R18W MTWA AP3</p>  <p>S 7 1995</p> </div> <p>Deposit a magnet in a 1 x 1 x 2 5/8 in. white colored plastic case beneath the stainless steel post.</p> <hr/> <p>S. 84°48' E., on line 3-4.</p>
8.36	<p>Point for AP 4, sec. 7.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 23 ins. in the ground, with brass cap mkd.</p> <div style="text-align: center;"> <p>T24N R18W MTWA AP4</p>  <p>S 7 1995</p> </div> <p>Deposit a magnet in a 1 x 1 x 2 5/8 in. white colored plastic case beneath the stainless steel post.</p> <hr/> <p>N. 70°55' E., on line 4-5.</p>
7.24	<p>Point for AP 5, sec. 7.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 22 ins. in the ground, in a mound of stone, 4 ft. base, to top, with brass cap mkd.</p> <div style="text-align: center;"> <p>T24N R18W MTWA AP5</p>  <p>S 7 1995</p> </div> <p>Deposit a magnet in a 1 x 1 x 2 5/8 in. white colored plastic case beneath the stainless steel post.</p> <hr/> <p>S. 81°12' E., on line 5-6.</p>
6.08	<p>Point for AP 6, sec. 7.</p>

Metes-and-Bounds Survey of the Mount Tipton Wilderness Area Bdy.,  
T. 24 N., R. 18 W., Gila and Salt River Meridian, Arizona

CHAINS	
	<p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.</p> <p style="text-align: center;">T24N R18W MTWA AP6 S 7 1995</p> <p>Deposit a magnet in a 1 x 1 x 2 5/8 in. white colored plastic case beneath the stainless steel post.</p> <hr/> <p>N. 72°13' E., on line 6-7.</p>
4.23	<p>Point for AP 7, sec. 7.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 23 ins. in the ground, with brass cap mkd.</p> <p style="text-align: center;">T24N R18W MTWA AP7 S 7 1995</p> <p>Deposit a magnet in a 1 x 1 x 2 5/8 in. white colored plastic case beneath the stainless steel post.</p> <hr/> <p>N. 5°12' E., on line 7-8.</p>
3.84	<p>Point for AP 8, sec. 7.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 22 ins. in the ground, in a mound of stone, 3 1/2 ft. base, to top, with brass cap mkd.</p> <p style="text-align: center;">T24N R18W MTWA AP8 S 7 1995</p> <p>Deposit a magnet in a 1 x 1 x 2 5/8 in. white colored plastic case beneath the stainless steel post.</p> <hr/>

Metes-and-Bounds Survey of the Mount Tipton Wilderness Area Bdy.,  
T. 24 N., R. 18 W., Gila and Salt River Meridian, Arizona

CHAINS	
<p>2.99</p>	<p>S. 81°15' E., on line 8-9.</p> <p>Point for AP 9, sec. 7.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 21 ins. in the ground, in a mound of stone, 2 1/2 ft. base, to top, with brass cap mkd.</p> <div style="text-align: center;">  </div> <p>Deposit a magnet in a 1 x 1 x 2 5/8 in. white colored plastic case beneath the stainless steel post.</p>
<p>3.92</p>	<p>S. 76°13' E., on line 9-10.</p> <p>Point for AP 10, sec. 7.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.</p> <div style="text-align: center;">  </div> <p>Deposit a magnet in a 1 x 1 x 2 5/8 in. white colored plastic case beneath the stainless steel post.</p>
<p>3.11</p>	<p>S. 53°44' E., on line 10-11.</p> <p>Point for AP 11, sec. 7.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 21 ins. in the ground, in a mound of stone, 3 1/2 ft. base, to top, with brass cap mkd.</p> <div style="text-align: center;">  </div>




Metes-and-Bounds Survey of the Mount Tipton Wilderness Area Bdy.,  
T. 24 N., R. 18 W., Gila and Salt River Meridian, Arizona

CHAINS	
	<p>Deposit a magnet in a 1 x 1 x 2 5/8 in. white colored plastic case beneath the stainless steel post.</p> <hr/> <p>S. 28°12' E., on line 11-12.</p>
3.85	<p>Point for AP 12, sec. 7.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 23 ins. in the ground, in a mound of stone, 3 1/2 ft. base, to top, with brass cap mkd.</p> <div data-bbox="841 667 1036 856" style="text-align: center;"> <p>T24N R18W MTWA AP12 S 7 1995</p> </div> <p>Deposit a magnet in a 1 x 1 x 2 5/8 in. white colored plastic case beneath the stainless steel post.</p> <hr/> <p>S. 50°50' E., on line 12-13.</p>
5.70	<p>Point for AP 13, sec. 7.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 15 ins. in the ground, in a mound of stone, 3 1/2 ft. base, to top, with brass cap mkd.</p> <div data-bbox="857 1276 1019 1444" style="text-align: center;"> <p>T24N R18W MTWA AP13 S 7 1995</p> </div> <p>Deposit a magnet in a 1 x 1 x 2 5/8 in. white colored plastic case beneath the stainless steel post.</p> <hr/> <p>S. 60°54' E., on line 13-14.</p>
8.64	<p>Point for AP 14, sec. 7.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, in a mound of stone, 3 ft. base, to top, with brass cap mkd.</p>



Metes-and-Bounds Survey of the Mount Tipton Wilderness Area Bdy.,  
T. 24 N., R. 18 W., Gila and Salt River Meridian, Arizona

CHAINS	
	<div data-bbox="852 289 1015 445" style="text-align: center;"> <p>T24N R18W MTWA AP14 S 7 1995</p> </div> <p data-bbox="423 478 1398 541">Deposit a magnet in a 1 x 1 x 2 5/8 in. white colored plastic case beneath the stainless steel post.</p> <hr data-bbox="743 562 1123 571"/> <p data-bbox="423 604 867 636">S. 34°03' E., on line 14-15.</p>
2.25	<p data-bbox="423 674 805 705">Point for AP 15, sec. 7.</p> <p data-bbox="423 737 1458 831">Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 14 ins. in the ground, to bedrock, in a mound of stone, 3 1/2 ft. base, to top, with brass cap mkd.</p> <div data-bbox="841 856 1026 1045" style="text-align: center;"> <p>T24N R18W MTWA AP15 S 7 1995</p> </div> <p data-bbox="423 1083 1398 1146">Deposit a magnet in a 1 x 1 x 2 5/8 in. white colored plastic case beneath the stainless steel post.</p> <hr data-bbox="743 1167 1123 1176"/> <p data-bbox="423 1209 867 1241">S. 55°52' E., on line 15-16.</p>
3.41	<p data-bbox="423 1272 805 1304">Point for AP 16, sec. 7.</p> <p data-bbox="423 1335 1425 1430">Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 21 ins. in the ground, in a mound of stone, 4 ft. base, to top, with brass cap mkd.</p> <div data-bbox="841 1461 1016 1621" style="text-align: center;"> <p>T24N R18W MTWA AP16 S 7 1995</p> </div> <p data-bbox="423 1654 1398 1717">Deposit a magnet in a 1 x 1 x 2 5/8 in. white colored plastic case beneath the stainless steel post.</p> <hr data-bbox="743 1738 1123 1747"/> <p data-bbox="423 1780 867 1812">S. 12°29' W., on line 16-17.</p>
3.41	<p data-bbox="423 1843 805 1875">Point for AP 17, sec. 7.</p>

Metes-and-Bounds Survey of the Mount Tipton Wilderness Area Bdy.,  
T. 24 N., R. 18 W., Gila and Salt River Meridian, Arizona

CHAINS	
	<p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 20 ins. in the ground, in a mound of stone, 4 ft. base, to top, with brass cap mkd.</p> <div style="text-align: center;">  </div> <p>Deposit a magnet in a 1 x 1 x 2 5/8 in. white colored plastic case beneath the stainless steel post.</p> <hr style="width: 20%; margin: 10px auto;"/>
3.00	<p>S. 3°52' E., on line 17-18.</p> <p>Point for AP 18, sec. 7.</p>
	<p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 22 ins. in the ground, in a mound of stone, 4 ft. base, to top, with brass cap mkd.</p> <div style="text-align: center;">  </div> <p>Deposit a magnet in a 1 x 1 x 2 5/8 in. white colored plastic case beneath the stainless steel post.</p> <hr style="width: 20%; margin: 10px auto;"/>
4.11	<p>S. 7°39' E., on line 18-19.</p> <p>Point for AP 19, sec. 7.</p>
	<p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 20 ins. in the ground, in a mound of stone, 5 ft. base, to top, with brass cap mkd.</p> <div style="text-align: center;">  </div> <p>Deposit a magnet in a 1 x 1 x 2 5/8 in. white colored plastic case beneath the stainless steel post.</p> <hr style="width: 20%; margin: 10px auto;"/>
	<p>S. 47°21' E., on line 19-20.</p>

Metes-and-Bounds Survey of the Mount Tipton Wilderness Area Bdy.,  
T. 24 N., R. 18 W., Gila and Salt River Meridian, Arizona

CHAINS	
1.44	<p>AP 20, sec. 7, identical with the 1/4 sec. cor. of secs. 7 and 8, hereinbefore described.</p> <hr/> <p style="text-align: center;">In Sec. 8</p> <hr/> <p>AP 1 to AP 8 are along the northerly side of a track road.</p> <p>From AP 1, sec. 8, on the line bet. secs. 7 and 8, hereinbefore described.</p> <p>From this cor. point, the 1/4 sec. cor. of secs. 7 and 8, hereinbefore described, bears N. 0°01' W., 0.87 chs. dist.</p> <p>S. 52°02' E., on line 1-2.</p>
3.24	<p>Point for AP 2, sec. 8.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 18 ins. in the ground, in a mound of stone, 5 ft. base, to top, with brass cap mkd.</p> <div style="text-align: center;">  <p>T24N R18W MTWA S 8 AP2 1995</p> </div> <p>Deposit a magnet in a 1 x 1 x 2 5/8 in. white colored plastic case beneath the stainless steel post.</p> <hr/> <p>S. 18°35' E., on line 2-3.</p>
7.66	<p>Point for AP 3, sec. 8.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 23 ins. in the ground, in a mound of stone, 4 ft. base, to top, with brass cap mkd.</p> <div style="text-align: center;">  <p>T24N R18W MTWA S 8 AP3 1995</p> </div> <p>Deposit a magnet in a 1 x 1 x 2 5/8 in. white colored plastic case beneath the stainless steel post.</p> <hr/>




Metes-and-Bounds Survey of the Mount Tipton Wilderness Area Bdy.,  
T. 24 N., R. 18 W., Gila and Salt River Meridian, Arizona

CHAINS	
<p>2.60</p>	<p>S. 34°54' E., on line 3-4.</p> <p>Point for AP 4, sec. 8.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 22 ins. in the ground, in a mound of stone, 3 1/2 ft. base, to top, with brass cap mkd.</p> <div data-bbox="841 541 1015 703" style="text-align: center;"> </div> <p>Deposit a magnet in a 1 x 1 x 2 5/8 in. white colored plastic case beneath the stainless steel post.</p>
<p>3.36</p>	<p>S. 46°22' E., on line 4-5.</p> <p>Point for AP 5, sec. 8.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 16 ins. in the ground, to bedrock, in a mound of stone, 5 ft. base, to top, with brass cap mkd.</p> <div data-bbox="841 1115 1031 1312" style="text-align: center;"> </div> <p>Deposit a magnet in a 1 x 1 x 2 5/8 in. white colored plastic case beneath the stainless steel post.</p>
<p>3.70</p>	<p>S. 70°27' E., on line 5-6.</p> <p>Point for AP 6, sec. 8.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, in a mound of stone, 4 ft. base, to top, with brass cap mkd.</p> <div data-bbox="841 1717 1023 1915" style="text-align: center;"> </div>




Metes-and-Bounds Survey of the Mount Tipton Wilderness Area Bdy.,  
T. 24 N., R. 18 W., Gila and Salt River Meridian, Arizona

CHAINS	
	<p>Deposit a magnet in a 1 x 1 x 2 5/8 in. white colored plastic case beneath the stainless steel post.</p> <hr/> <p>S. 31°18' W., on line 6-7.</p>
2.25	<p>Point for AP 7, sec. 8.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 21 ins. in the ground, in a mound of stone, 3 ft. base, to top, with brass cap mkd.</p> <div data-bbox="844 661 1063 829" style="text-align: center;"> <p>T24N R18W S 8    \    MTWA          \    AP7          1995</p> </div> <p>Deposit a magnet in a 1 x 1 x 2 5/8 in. white colored plastic case beneath the stainless steel post.</p> <hr/> <p>S. 42°13' E., on line 7-8.</p>
3.04	<p>AP 8, sec. 8, on the E. and W. centerline of the SW 1/4 of sec. 8, hereinbefore described.</p> <p>From this cor. point, the SW 1/16 sec. cor. of sec. 8, bears N. 89°53' E., 6.70 chs. dist., hereinbefore described.</p> <hr/> <p style="text-align: center;">In Sec. 17</p> <hr/> <p>From AP 1, sec. 17, on the line bet. secs. 8 and 17, hereinbefore described.</p> <p>From this cor. point, the W. 1/16 sec. cor. of secs. 8 and 17, bears N. 89°54' E., 15.46 chs. dist., hereinbefore described.</p> <p>S. 47°23' E., on line 1-2.</p>
4.95	<p>Point for AP 2, sec. 17.</p> <p>Set an aluminum rod, 36 ins. long, 3/4 in. diam., 10 ins. in the ground, to bedrock, in a mound of stone, 3 ft. base, 2 ft. high, with aluminum cap mkd.</p>

Metes-and-Bounds Survey of the Mount Tipton Wilderness Area Bdy.,  
T. 24 N., R. 18 W., Gila and Salt River Meridian, Arizona

CHAINS	
	 <p>T24N R18W MTWA AP2 S17 1996</p>
	<p>Cor. is located on top of a ridge, bears ESE and WNW.</p> <hr/>
	<p>S. 71°08' E., on line 2-3.</p>
6.00	<p>Point for AP 3, sec. 17.</p>
	<p>Set an aluminum rod, 36 ins. long, 3/4 in. diam., 8 ins. in the ground, to bedrock, in a mound of stone, 5 ft. base, 2 ft. high, with aluminum cap mkd.</p>
	 <p>T24N R18W MTWA AP3 S17 1996</p>
	<p>Cor. is located on top of a ridge, bears ESE and WNW.</p> <hr/>
	<p>S. 24°50' E., on line 3-4.</p>
8.85	<p>Point for AP 4, sec. 17.</p>
	<p>Set an aluminum rod, 36 ins. long, 3/4 in. diam., 8 ins. in the ground, to bedrock, in a mound of stone, 4 ft. base, 2 ft. high, with aluminum cap mkd.</p>
	 <p>T24N R18W MTWA AP4 S17 1996</p>
	<p>Cor. is located on top of a ridge, bears SE and NW.</p> <hr/>
	<p>S. 5°02' E., on line 4-5.</p>
20.87	<p>Point for AP 5, sec. 17.</p>
	<p>Set an aluminum rod, 36 ins. long, 3/4 in. diam., 15 ins. in the ground, to bedrock, in a mound of stone, 3 ft. base, 1 ft. high, with aluminum cap mkd.</p>


Metes-and-Bounds Survey of the Mount Tipton Wilderness Area Bdy.,  
T. 24 N., R. 18 W., Gila and Salt River Meridian, Arizona

CHAINS	
	 <p>Cor. is located on top of a ridge, bears E. and W.</p> <hr/> <p>S. 87°52' E., on line 5-6.</p>
4.62	<p>Point for AP 6, sec. 17.</p> <p>Set an aluminum rod, 36 ins. long, 3/4 in. diam., 12 ins. in the ground, to bedrock, in a mound of stone, 4 ft. base, 1 ft. high, with aluminum cap mkd.</p>  <p>Cor. is located on top of a ridge, bears SE. and W.</p> <hr/> <p>S. 53°22' E., on line 6-7.</p>
17.35	<p>Point for AP 7, sec. 17.</p> <p>Set an aluminum rod, 36 ins. long, 3/4 in. diam., 24 ins. in the ground, to bedrock, in a mound of stone, 2 1/2 ft. base, 1 ft. high, with aluminum cap mkd.</p>  <p>Cor. is located on top of a ridge, bears SE and WNW.</p> <hr/> <p>S. 55°45' E., on line 7-8.</p>
15.90	<p>Point for AP 8, sec. 17.</p> <p>Set an aluminum rod, 36 ins. long, 3/4 in. diam., 12 ins. in the ground, to bedrock, in a mound of stone, 3 ft. base, 1 ft. high, with aluminum cap mkd.</p>




Metes-and-Bounds Survey of the Mount Tipton Wilderness Area Bdy.,  
T. 24 N., R. 18 W., Gila and Salt River Meridian, Arizona

CHAINS	
	<div data-bbox="844 283 1047 441" style="text-align: center;"> <p>T24N R18W MTWA AP8 S17 1996</p> </div> <p data-bbox="418 478 1230 508">Cor. is located on top of a ridge, bears SE and NW.</p> <hr data-bbox="738 535 1120 541"/> <p data-bbox="418 577 836 606">S. 36°04' E., on line 8-9.</p>
28.51	<p data-bbox="418 640 803 669">Point for AP 9, sec. 17.</p> <p data-bbox="418 699 1442 793">Set an aluminum rod, 36 ins. long, 3/4 in. diam., 10 ins. in the ground, to bedrock, in a mound of stone, 3 ft. base, 2 ft. high, with aluminum cap mkd.</p>
	<div data-bbox="844 829 1047 987" style="text-align: center;"> <p>T24N R18W MTWA AP9 S17 1996</p> </div> <p data-bbox="418 1018 1263 1050">Cor. is located on top of a ridge, bears SSE and NNW.</p> <hr data-bbox="738 1075 1120 1081"/> <p data-bbox="418 1117 852 1146">S. 48°35' E., on line 9-10.</p>
5.01	<p data-bbox="418 1180 1404 1241">AP 10, sec. 17, identical with AP 1, sec. 20, on the line bet. secs. 17 and 20, hereinbefore described.</p> <p data-bbox="418 1270 1458 1331">From this cor. point, the cor. of secs. 16, 17, 20, and 21, bears N. 89°46' E., 8.40 chs. dist., hereinbefore described.</p>
	<hr data-bbox="438 1360 1458 1367"/> <p data-bbox="868 1402 1031 1432" style="text-align: center;">In Sec. 20</p> <hr data-bbox="763 1459 1144 1465"/> <p data-bbox="418 1495 836 1524">S. 25°19' E., on line 1-2.</p>
7.28	<p data-bbox="418 1564 803 1593">Point for AP 2, sec. 20.</p> <p data-bbox="418 1623 1396 1717">Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, encircled with a collar of stone, with brass cap mkd.</p>
	<div data-bbox="860 1753 1031 1911" style="text-align: center;"> <p>T24N R18W MTWA AP2 S20 1996</p> </div>


Metes-and-Bounds Survey of the Mount Tipton Wilderness Area Bdy.,  
T. 24 N., R. 18 W., Gila and Salt River Meridian, Arizona

CHAINS	
	<p>Deposit a magnet in a 1 x 1 x 2 5/8 in. white colored plastic case beneath the stainless steel post.</p> <hr/>
	<p>N. 62°13' E., on line 2-3.</p>
5.98	<p>AP 3, sec. 20, identical with AP 1, sec. 21, on the line bet. secs. 20 and 21, hereinbefore described.</p>
	<p>From this cor. point, the cor. of secs. 16, 17, 20, and 21, bears N. 0°03' W., 3.83 chs. dist., hereinbefore described.</p> <hr/>
	<p style="text-align: center;">In Sec. 21</p> <hr/>
	<p>N. 74°11' E., on line 1-2.</p>
13.99	<p>AP 2, sec. 21, identical with AP 1, sec. 16, on the line bet. secs. 16 and 21, hereinbefore described.</p>
	<p>From this cor. point, the cor. of secs. 16, 17, 20, and 21, bears N. 89°57' W., 13.47 chs. dist., hereinbefore described.</p> <hr/>
	<p style="text-align: center;">In Sec. 16</p> <hr/>
	<p>N. 76°25' E., on line 1-2.</p>
22.00	<p>Point for AP 2, sec. 16.</p>
	<p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 18 ins. in the ground, to bedrock, in a mound of stone, 2 ft. base, to top, with brass cap mkd.</p>
	<p style="text-align: center;">T24N R18W MTWA AP2  S16 1996</p>
	<p>Deposit a magnet in a 1 x 1 x 2 5/8 in. white colored plastic case beneath the stainless steel post.</p> <hr/>
	<p>N. 48°48' E., on line 2-3.</p>
9.02	<p>Point for AP 3, sec. 16.</p>




Metes-and-Bounds Survey of the Mount Tipton Wilderness Area Bdy.,  
T. 24 N., R. 18 W., Gila and Salt River Meridian, Arizona

CHAINS	
	<p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 19 ins. in the ground, to bedrock, in a mound of stone, 3 ft. base, to top, with brass cap mkd.</p> <p style="text-align: center;">T24N R18W MTWA AP3</p>  <p style="text-align: center;">S16 1996</p> <p>Deposit a magnet in a 1 x 1 x 2 5/8 in. white colored plastic case beneath the stainless steel post.</p> <hr style="width: 20%; margin: auto;"/> <p>S. 83°41' E., on line 3-4.</p>
11.18	<p>Point for AP 4, sec. 16.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 18 ins. in the ground, to bedrock, in a mound of stone, 3 ft. base, to top, with brass cap mkd.</p> <p style="text-align: center;">T24N R18W MTWA AP4</p>  <p style="text-align: center;">S16 1996</p> <p>Deposit a magnet in a 1 x 1 x 2 5/8 in. white colored plastic case beneath the stainless steel post.</p> <hr style="width: 20%; margin: auto;"/> <p>N. 73°22' E., on line 4-5.</p> <p>Over rolling land.</p>
17.05	<p>Point for AP 5, sec. 16.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 22 ins. in the ground, encircled with a collar of stone, with brass cap mkd.</p> <p style="text-align: center;">T24N R18W MTWA AP5</p>  <p style="text-align: center;">S16 1996</p>



Metes-and-Bounds Survey of the Mount Tipton Wilderness Area Bdy.,  
T. 24 N., R. 18 W., Gila and Salt River Meridian, Arizona

CHAINS	
	<p>Deposit a magnet in a 1 x 1 x 2 5/8 in. white colored plastic case beneath the stainless steel post.</p> <hr/> <p>S. 62°46' E., on line 5-6.</p> <p>Over rolling land.</p>
12.23	<p>AP 6, sec. 16, identical with AP 1, sec. 15, on the line bet. secs. 15 and 16, hereinbefore described.</p> <p>From this cor. point, the cor. of secs. 15, 16, 21, and 22, bears S. 0°02' E., 9.09 chs. dist., hereinbefore described.</p> <hr/> <p style="text-align: center;">In Sec. 15</p> <hr/> <p>S. 62°05' E., on line 1-2.</p> <p>Over rolling land.</p>
13.22	<p>Point for AP 2, sec. 15.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 8 ins. in the ground, to bedrock, in a mound of stone, 4 ft. base, to top, with brass cap mkd.</p> <div style="text-align: center;"> <p>T24N R18W MTWA AP2 S15 1996</p>  </div> <p>Deposit a magnet in a 1 x 1 x 2 5/8 in. white colored plastic case beneath the stainless steel post.</p> <hr/> <p>N. 23°21' E., on line 2-3.</p> <p>Over rolling land.</p>
11.02	<p>Point for AP 3, sec. 15.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 5 ins. in the ground, to bedrock, in a supporting mound of stone, 4 1/2 ft. base, to top, with brass cap mkd.</p>



Metes-and-Bounds Survey of the Mount Tipton Wilderness Area Bdy.,  
T. 24 N., R. 18 W., Gila and Salt River Meridian, Arizona

CHAINS	
	<div data-bbox="862 283 1024 472" style="text-align: center;"> <p>T24N R18W MTWA AP3</p>  <p>S15 1996</p> </div> <p data-bbox="418 506 1398 569">Deposit a magnet in a 1 x 1 x 2 5/8 in. white colored plastic case beneath the stainless steel post.</p> <hr data-bbox="738 590 1122 598"/> <p data-bbox="418 636 833 667">N. 84°47' E., on line 3-4.</p> <p data-bbox="418 699 704 730">Over rolling land.</p> <p data-bbox="261 766 802 798">20.37 Point for AP 4, sec. 15.</p> <p data-bbox="418 829 1398 919">Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 26 ins. in the ground, encircled with a collar of stone, with brass cap mkd.</p>
	<div data-bbox="846 955 1019 1144" style="text-align: center;"> <p>T24N R18W MTWA AP4</p>  <p>S15 1996</p> </div> <p data-bbox="418 1171 1398 1241">Deposit a magnet in a 1 x 1 x 2 5/8 in. white colored plastic case beneath the stainless steel post.</p> <hr data-bbox="738 1262 1122 1270"/> <p data-bbox="418 1304 833 1335">S. 51°40' E., on line 4-5.</p> <p data-bbox="418 1367 773 1398">Over mountainous land.</p> <p data-bbox="261 1434 802 1465">14.05 Point for AP 5, sec. 15.</p> <p data-bbox="418 1497 1398 1587">Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 17 ins. in the ground, encircled with a collar of stone, with brass cap mkd.</p>
	<div data-bbox="846 1623 1036 1812" style="text-align: center;"> <p>T24N R18W MTWA AP5</p>  <p>S15 1996</p> </div>

Metes-and-Bounds Survey of the Mount Tipton Wilderness Area Bdy.,  
T. 24 N., R. 18 W., Gila and Salt River Meridian, Arizona

CHAINS	
16.23	<p>Deposit a magnet in a 1 x 1 x 2 5/8 in. white colored plastic case beneath the stainless steel post.</p> <hr/> <p>N. 85°51' E., on line 5-6.</p> <p>Over mountainous land.</p> <p>Point for AP 6, sec. 15.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 12 ins. in the ground, to bedrock, in a mound of stone, 3 ft. base, to top, with brass cap mkd.</p> <div style="text-align: center;"> <p>T24N R18W MTWA AP6</p>  <p>S15 1996</p> </div> <p>Deposit a magnet in a 1 x 1 x 2 5/8 in. white colored plastic case beneath the stainless steel post.</p> <hr/> <p>N. 55°56' E., on line 6-7.</p> <p>Over mountainous land.</p> <p>Point for AP 7, sec. 15.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 8 ins. in the ground, to bedrock, in a supporting mound of stone, 3 1/2 ft. base, to top, with brass cap mkd.</p> <div style="text-align: center;"> <p>T24N R18W MTWA AP7</p>  <p>S15 1996</p> </div> <p>Deposit a magnet in a 1 x 1 x 2 5/8 in. white colored plastic case beneath the stainless steel post.</p> <hr/> <p>N. 73°32' E., on line 7-8.</p> <p>Over rolling land.</p>

Metes-and-Bounds Survey of the Mount Tipton Wilderness Area Bdy.,  
T. 24 N., R. 18 W., Gila and Salt River Meridian, Arizona

CHAINS	
7.15	<p>AP 8, sec. 15, identical with AP 1, sec. 14, on the line bet. secs. 14 and 15, hereinbefore described.</p> <p>From this cor. point, the cor. of secs. 14, 15, 22, and 23, bears S. 0°02' E., 15.76 chs. dist., hereinbefore described.</p> <hr/> <p style="text-align: center;">In Sec. 14</p> <hr/> <p>N. 46°08' E., on line 1-2.</p> <p>Over mountainous land.</p>
5.05	<p>Point for AP 2, sec. 14.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 4 ins. in the ground, to bedrock, in a supporting mound of stone, 4 ft. base, to top, with brass cap mkd.</p> <div style="text-align: center;"> <p>T24N R18W MTWA AP2</p>  <p>S14 1996</p> </div> <p>Deposit a magnet in a 1 x 1 x 2 5/8 in. white colored plastic case beneath the stainless steel post.</p> <hr/> <p>S. 79°30' E., on line 2-3.</p> <p>Over mountainous land.</p>
18.92	<p>Point for AP 3, sec. 14.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 8 ins. in the ground, to bedrock, in a supporting mound of stone, 4 ft. base, to top, with brass cap mkd.</p> <div style="text-align: center;"> <p>T24N R18W MTWA AP3</p>  <p>S14 1996</p> </div> <p>Deposit a magnet in a 1 x 1 x 2 5/8 in. white colored plastic case beneath the stainless steel post.</p> <hr/>

Metes-and-Bounds Survey of the Mount Tipton Wilderness Area Bdy.,  
T. 24 N., R. 18 W., Gila and Salt River Meridian, Arizona

CHAINS	<p>S. 14°35' W., on line 3-4.</p> <p>Over mountainous land.</p>
16.35	<p>AP 4, sec. 14, on the line bet. secs., 14 and 23, hereinbefore described.</p> <p>From this cor. point, the cor. of secs. 14, 15, 22, and 23, bears N. 89°59' W., 18.12 chs. dist., hereinbefore described.</p>
<hr/> <p>GENERAL DESCRIPTION</p> <hr/>	
<p>The area embraced by this survey ascends from gently rolling land in sec. 6, into mountainous terrain to the E. The elevation ranges from about 4000 ft. to 6500 ft. above sea level. The soil varies from sandy in the lower elevations to rocky in the higher elevations. Native grasses are the dominant species of the lower elevations. Pinyon pine and juniper dominate the higher elevations.</p> <p>Dolan Springs, a settlement with less than one thousand inhabitants, lies approximately 8 miles NNW of the NW cor. of the township.</p> <p>Putnam Springs, a perennial source of water lies within the SW 1/4 of the SW 1/4 of sec. 8, adjacent to the Mount Tipton Wilderness Area.</p> <p>Cattle ranchers are the principal users of the land.</p>	
<hr/> <p>Description of the Mount Tipton Wilderness Area Bdy., T. 24 N., R. 18 W., Gila and Salt River Meridian, Arizona</p> <hr/>	
<p>The following is for informational purposes only.</p> <hr/>	
<p>Beginning at Angle Point 1, sec. 6, identical with Angle Point 6, sec. 1, T. 24 N., R. 19 W., on the line bet. secs. 1 and 6, on the W. bdy. of the Tp.</p> <p>thence N. 57°15' E., 6.42 chs. dist. to Angle Point 2, sec. 6;  thence N. 36°30' E., 4.80 chs. dist. to Angle Point 3, sec. 6;  thence N. 32°26' E., 9.79 chs. dist. to Angle Point 4, sec. 6;  thence N. 50°55' E., 8.62 chs. dist. to Angle Point 5, sec. 6;  thence N. 78°54' E., 4.78 chs. dist. to Angle Point 6, sec. 6;  thence N. 76°40' E., 8.97 chs. dist. to Angle Point 7, sec. 6;  thence N. 83°41' E., 5.18 chs. dist. to Angle Point 8, sec. 6;</p>	

## T. 24 N., R. 18 W., Gila and Salt River Meridian, Arizona

## CHAINS

thence N. 71°19' E., 13.45 chs. dist. to Angle Point 9, sec. 6;  
 thence N. 65°30' E., 3.90 chs. dist. to Angle Point 10, sec. 6;  
 thence S. 86°52' E., 1.89 chs. dist. to Angle Point 11, sec. 6;  
 thence N. 19°18' W., 2.22 chs. dist. to Angle Point 12, sec. 6;  
 on the N. bdy. of the Tp.

From Angle Point 13, sec. 6, on the N. bdy. of the Tp.

thence S. 13°32' E., 3.58 chs. dist. to Angle Point 14, sec. 6;  
 thence S. 83°25' W., 9.35 chs. dist. to Angle Point 15, sec. 6;  
 thence S. 69°15' W., 12.71 chs. dist. to Angle Point 16, sec. 6;  
 thence S. 85°35' W., 5.88 chs. dist. to Angle Point 17, sec. 6;  
 thence S. 64°43' W., 6.43 chs. dist. to Angle Point 18, sec. 6;  
 thence N. 88°50' W., 6.65 chs. dist. to Angle Point 19, sec. 6;  
 thence S. 49°42' W., 8.82 chs. dist. to Angle Point 20, sec. 6;  
 thence S. 32°43' W., 9.63 chs. dist. to Angle Point 21, sec. 6;  
 thence S. 38°37' W., 4.71 chs. dist. to Angle Point 22, sec. 6;  
 thence S. 51°28' W., 5.53 chs. dist. to Angle Point 23, sec. 6;  
 thence S. 73°37' W., 1.71 chs. dist. to Angle Point 24, sec. 6,  
 identical with Angle Point 7, sec. 1, T. 24 N., R. 19 W., on  
 the line bet. secs. 1 and 6, on the W. bdy. of the Tp.

From the cor. of secs. 1 and 12 only, T. 24 N., R. 19 W., on the  
 W. bdy. of the Tp.

thence S. 0°02' W., 2.57 chs. dist., on the W. bdy. of sec. 6  
 to the closing cor. of secs. 6 and 7;  
 thence S. 89°59' E., 22.54 chs. dist., on the line bet. secs. 6  
 and 7 to the W. 1/16 sec. cor. of secs. 6 and 7, identical  
 with Angle Point 1, sec. 7;  
 thence S. 16°23' E., 7.28 chs. dist. to Angle Point 2, sec. 7;  
 thence S. 24°34' E., 10.15 chs. dist. to Angle Point 3, sec. 7;  
 thence S. 84°48' E., 8.36 chs. dist. to Angle Point 4, sec. 7;  
 thence N. 70°55' E., 7.24 chs. dist. to Angle Point 5, sec. 7;  
 thence S. 81°12' E., 6.08 chs. dist. to Angle Point 6, sec. 7;  
 thence N. 72°13' E., 4.23 chs. dist. to Angle Point 7, sec. 7;  
 thence N. 5°12' E., 3.84 chs. dist. to Angle Point 8, sec. 7;  
 thence S. 81°15' E., 2.99 chs. dist. to Angle Point 9, sec. 7;  
 thence S. 76°13' E., 3.92 chs. dist. to Angle Point 10, sec. 7;  
 thence S. 53°44' E., 3.11 chs. dist. to Angle Point 11, sec. 7;  
 thence S. 28°12' E., 3.85 chs. dist. to Angle Point 12, sec. 7;  
 thence S. 50°50' E., 5.70 chs. dist. to Angle Point 13, sec. 7;  
 thence S. 60°54' E., 8.64 chs. dist. to Angle Point 14, sec. 7;  
 thence S. 34°03' E., 2.25 chs. dist. to Angle Point 15, sec. 7;  
 thence S. 55°52' E., 3.41 chs. dist. to Angle Point 16, sec. 7;  
 thence S. 12°29' W., 3.41 chs. dist. to Angle Point 17, sec. 7;  
 thence S. 3°52' E., 3.00 chs. dist. to Angle Point 18, sec. 7;  
 thence S. 7°39' E., 4.11 chs. dist. to Angle Point 19, sec. 7;

## T. 24 N., R. 18 W., Gila and Salt River Meridian, Arizona

CHAINS	
	thence S. 47°21' E., 1.44 chs. dist. to the 1/4 sec. cor. of secs. 7 and 8.
	thence S. 0°01' E., 0.87 chs. dist., on the line bet. secs. 7 and 8 to Angle Point 1, sec. 8;
	thence S. 52°02' E., 3.24 chs. dist. to Angle Point 2, sec. 8;
	thence S. 18°35' E., 7.66 chs. dist. to Angle Point 3, sec. 8;
	thence S. 34°54' E., 2.60 chs. dist. to Angle Point 4, sec. 8;
	thence S. 46°22' E., 3.36 chs. dist. to Angle Point 5, sec. 8;
	thence S. 70°27' E., 3.70 chs. dist. to Angle Point 6, sec. 8;
	thence S. 31°18' W., 2.25 chs. dist. to Angle Point 7, sec. 8;
	thence S. 42°13' E., 3.04 chs. dist. to Angle Point 8, sec. 8, on the E. and W. centerline of the SW 1/4 of sec. 8;
	thence N. 89°53' E., 6.70 chs. dist., on the E. and W. center line of the SW 1/4 of sec. 8 to the SW 1/16 sec. cor. of sec. 8;
	thence South, 20.02 chs. dist., on the N. and S. center line of the SW 1/4 of sec. 8 to the W 1/16 sec. cor. of secs. 8 and 17;
	thence S. 89°54' W., 15.46 chs. dist., on the line bet. secs. 8 and 17 to Angle Point 1, sec. 17;
	thence S. 47°23' E., 4.95 chs. dist. to Angle Point 2, sec. 17;
	thence S. 71°08' E., 6.00 chs. dist. to Angle Point 3, sec. 17;
	thence S. 24°50' E., 8.85 chs. dist. to Angle Point 4, sec. 17;
	thence S. 5°02' E., 20.87 chs. dist. to Angle Point 5, sec. 17;
	thence S. 87°52' E., 4.62 chs. dist. to Angle Point 6, sec. 17;
	thence S. 53°22' E., 17.35 chs. dist. to Angle Point 7, sec. 17;
	thence S. 55°45' E., 15.90 chs. dist. to Angle Point 8, sec. 17;
	thence S. 36°04' E., 28.51 chs. dist. to Angle Point 9, sec. 17;
	thence S. 48°35' E., 5.01 chs. dist. to Angle Point 10, sec. 17, identical with Angle Point 1, sec. 20, on the line bet. secs. 17 and 20;
	thence S. 25°19' E., 7.28 chs. dist. to Angle Point 2, sec. 20;
	thence N. 62°13' E., 5.98 chs. dist. to Angle Point 3, sec. 20, identical with Angle Point 1, sec. 21, on the line bet. secs. 20 and 21;
	thence N. 74°11' E., 13.99 chs. dist. to Angle Point 2, sec. 21, identical with Angle Point 1, sec. 16, on the line bet. secs. 16 and 21;
	thence N. 76°25' E., 22.00 chs. dist. to Angle Point 2, sec. 16;
	thence N. 48°48' E., 9.02 chs. dist. to Angle Point 3, sec. 16;
	thence S. 83°41' E., 11.18 chs. dist. to Angle Point 4, sec. 16;
	thence N. 73°22' E., 17.05 chs. dist. to Angle Point 5, sec. 16;
	thence S. 62°46' E., 12.23 chs. dist. to Angle Point 6, sec. 16, identical with Angle Point 1, sec. 15, on the line bet. secs. 15 and 16;
	thence S. 62°05' E., 13.22 chs. dist. to Angle Point 2, sec. 15;
	thence N. 23°21' E., 11.02 chs. dist. to Angle Point 3, sec. 15;
	thence N. 84°47' E., 20.37 chs. dist. to Angle Point 4, sec. 15;
	thence S. 51°40' E., 14.05 chs. dist. to Angle Point 5, sec. 15;
	thence N. 85°51' E., 16.23 chs. dist. to Angle Point 6, sec. 15;
	thence N. 55°56' E., 11.39 chs. dist. to Angle Point 7, sec. 15;

## T. 24 N., R. 18 W., Gila and Salt River Meridian, Arizona

## CHAINS

thence N. 73°32' E., 7.15 chs. dist. to Angle Point 8, sec. 15, identical with Angle Point 1, sec. 14, on the line bet. secs. 14 and 15;

thence N. 46°08' E., 5.05 chs. dist. to Angle Point 2, sec. 14;

thence S. 79°30' E., 18.92 chs. dist. to Angle Point 3, sec. 14;

thence S. 14°35' W., 16.35 chs. dist. to Angle Point 4, sec. 14, on the line bet. secs. 14 and 23;

thence S. 89°59' E., 22.13 chs. dist., on the line bet. secs. 14 and 23 to the 1/4 sec. cor. of secs. 14 and 23;

thence S. 89°56' E., 40.10 chs. dist., on record course bet. secs. 14 and 23 to the cor. of secs. 13, 14, 23, and 24;

thence N. 0°01' W., 80.00 chs. dist., on record course bet. secs. 13 and 14 to the cor. of secs. 11, 12, 13, and 14;

thence N. 89°42' W., 80.20 chs. dist., on record course bet. secs. 11 and 14 to the cor. of secs. 10, 11, 14, and 15;

thence N. 0°01' W., 80.00 chs. dist., on record course bet. secs. 10 and 11 to the cor. of secs. 2, 3, 10, and 11;

thence S. 89°46' E., 80.10 chs. dist., on record course bet. secs. 2 and 11 to the cor. of secs. 1, 2, 11, and 12;

thence N. 0°01' W., 64.55 chs. dist., on record course bet. secs. 1 and 2 to the closing cor. of secs. 1 and 2, at intersection with the 6th Stan. Par. N;

thence East, 80.12 chs. dist., on record course on the N. bdy. of sec. 1 to the closing cor. of Tps. 24 N., Rs. 17 and 18 W., at intersection with the 6th Stan. Par. N.;

thence South, 64.45 chs. dist., on record course bet. secs. 1 and 6 on the E. bdy. of the Tp. to the cor. of secs. 1, 6, 7, and 12, on the E. bdy. of the Tp.

---

The following parcel in this township is excluded from the Mount Tipton Wilderness Area.

in sec. 9; ALL

---

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
BUREAU OF LAND MANAGEMENT

## FIELD ASSISTANTS

NAMES	CAPACITY
Robert J. Lyle	Surveying Technician
Mark R. Searles	Surveying Technician
Cheryl A. Baier	Surveying Technician
George A. Berg	Surveying Aid

CERTIFICATE OF SURVEY

I, Gordon R. Bubel, Cadastral Surveyor, HEREBY CERTIFY upon honor that, in pursuance of Special Instructions bearing date of the 8th day of April, 1994, I have dependently resurveyed a portion of the subdivisional lines, subdivided section 8, and executed the metes-and-bounds survey of the Mount Tipton Wilderness Area Boundary, in Township 24 North, Range 18 West, of the Gila and Salt River Meridian, in the State of Arizona, which are represented in the foregoing field notes as having been executed by me and under my direction; and that said survey has been made in strict conformity with said special instructions, the Manual of Instructions for the Survey of the Public Lands of the United States, and in specific manner described in the foregoing field notes.

July 8, 1998  
(Date)

Gordon R. Bubel  
(Cadastral Surveyor)

CERTIFICATE OF APPROVAL

BUREAU OF LAND MANAGEMENT  
Arizona State Office  
Phoenix, Arizona

The foregoing field notes of the dependent resurvey of a portion of the subdivisional lines, the subdivision of section 8, and the metes-and-bounds survey of the Mount Tipton Wilderness Area Boundary, in Township 24 North, Range 18 West, Gila and Salt River Meridian, Arizona, executed by Gordon R. Bubel, Cadastral Surveyor, having been critically examined and found correct, are hereby approved.

7/23/98  
(Date)

Kenny A. Lawmiller  
(Chief Cadastral Surveyor of Arizona)

~~CERTIFICATE OF TRANSCRIPT~~

~~I CERTIFY that the foregoing transcript of the field notes of the above-described surveys in T. 24 N., R. 18 W., Gila and Salt River Meridian, Arizona, is a true copy of the original field notes.~~

~~\_\_\_\_\_  
(Date)~~

~~\_\_\_\_\_  
(Chief Cadastral Surveyor of Arizona)~~