



INDEX DIAGRAM

TOWNSHIP 7 SOUTH, RANGE 3 EAST.

6	5	4	3	2	1
7	8	9	10	11	12
18	17	16	15	14	13
19	20	21	22	23	24
30	29	28	27	26	25
31	32	33	34	35	36

Diagram annotations: A vertical line labeled '9' is between columns 1 and 2 in row 3. A horizontal line labeled '8' is between rows 3 and 4 in column 1. A horizontal line labeled '7' is between rows 3 and 4 in column 2. A horizontal line labeled '6' is between rows 4 and 5 in column 3. A horizontal line labeled '6' is between rows 5 and 6 in column 2. A horizontal line labeled '4' is between rows 6 and 7 in column 2.

Metes and Bounds Survey of TTWA Bdy., Tract 38  
 Metes and Bounds Survey of TTWA Bdy.  
 Metes and Bounds Survey of TTWA Bdy., Tract 37

Pgs. 10-13  
 Pgs. 13-43  
 Pgs. 43-45

## T. 7 S., R. 3 E., Gila and Salt River Meridian, Arizona

## CHAINS

The following field notes describe the dependent resurvey of a portion of the south boundary and a portion of the subdivisional lines and the metes-and-bounds survey of the Table Top Wilderness Area Boundary, Township 7 South, Range 3 East, Gila and Salt River Meridian, Arizona.

The south boundary, a portion of the west boundary and a portion of the subdivisional lines were surveyed by W. H. Thorn and W. K. Kierulff, in 1915.

The survey was executed in accordance with the specifications as set forth in the Manual of Surveying Instructions, 1973, and the Special Instructions dated April 8, 1996, for Group No. 797, Arizona.

Preliminary to the resurvey, the lines of the original survey were retraced and search was made for all corners and other calls of the record. Identified corners were remonumented in their original positions; lost corners were restored and monumented at proportionate positions based on the original record. The retracement data were thoroughly verified and only the true line field notes are given herein.

The directions of all lines were determined by the technique of static differential positioning using Ashtech models M-XII and MS-XII geodetic units, confirmed by direct hour angle observations on the sun, and refer to the true meridian. Distances and angles were measured with Sokkia SET2BII and Topcon GTS3B total station instruments.

The geographic position of the cor. of secs. 4, 5, 32 and 33, on the south boundary of the township, was determined by static differential positioning using Ashtech models M-XII and MS-XII geodetic units. U.S. Coast and Geodetic Survey triangulation station "TULE 1960" was used as the control station. The coordinates refer to the top of the monument.

Latitude: 32°46'04.26" N. Longitude: 112°04'00.12" W.  
NAD83(1992)

The mean magnetic declination of 12 1/4° E. was derived from U.S. Geological Survey computer program MAGPOINT, utilizing the Regional Magnetic Field Model for Epoch 1995 for the dates of the survey.

Dependent Resurvey of a Portion of the South Boundary,  
T. 7 S., R. 3 E., Gila and Salt River Meridian, Arizona

CHAINS

Restoring the survey executed by  
W. H. Thorn and W. K. Kierulff, in 1915.

Beginning at the cor. of secs. 4, 5, 32 and 33 on the S. bdy. of Tp., monumented with an iron post, 2 1/2 ins. diam., firmly set, projecting 11 ins. above ground, in a mound of stone 2 ft. base, 8 ins. high, with brass cap mkd., T7S R3E S32 S33 S5 S4 T8S 1915.

Add the marks 1997 to the brass cap.

From this cor. point, U.S. Coast and Geodetic Survey triangulation station "TULE 1960", with published latitude of 32°49'56.87446" N. and longitude of 112°03'59.09841" W., NAD83(1992), bears N. 0°12'45" E. (forward bearing), 356.22 chs. dist., monumented with a standard brass disk, 3 ins. diam., incased in concrete 12 ins. square, 8 ins. high and rounded on top, with top of disk mkd. TULE 1960 and a triangle.


N. 89°59' W., bet. secs. 5 and 32, on the S. bdy. of the Tp.

Over rolling and rocky land, through creosote and cacti.

15.76

Point for AP 1, Tract 38, identical with AP 44, sec. 5, T. 8 S., R. 3 E., on the Table Top Wilderness Area Bdy.

Set an aluminum rod, 36 ins. long, 3/4 in. diam., 32 ins. in the ground, with aluminum cap mkd.



Cor. is located 30 ft. easterly of two track road.

40.00

The 1/4 sec. cor. of secs. 5 and 32, monumented with an iron post, 1 in. diam., firmly set, projecting 12 ins. above the ground, with a mound of stone, 3 1/2 ft base, 1/2 ft. high, N. of cor., with brass cap mkd. S32 1/4 S5 1915.

Add the marks T7S R3E T8S 1997 to the brass cap.

Dependent Resurvey of a Portion of the Subdivisional Lines,  
T. 7 S., R. 3 E., Gila and Salt River Meridian, Arizona

CHAINS	
	<p>Restoring the survey executed by W. H. Thorn and W. K. Kierulff, in 1915.</p> <hr/> <p>From the cor. of secs. 21, 22, 27 and 28, monumented with an iron post, 2 ins. diam, firmly set, projecting 7 ins. above the ground, with brass cap mkd. T7S R3E S21 S22 S28 S27 1915, from which the remaining original bearing trees.</p> <p>A palo verde, 17 ins. diam., bears S. 26 1/2° E., 64 lks. dist., no marks visible on rotted blaze.</p> <p>An ironwood, 22 ins. diam., bears S. 67° W., 130 lks. dist., with no visible blaze or marks.</p> <p>An ironwood, 9 ins. diam., bears N. 25° W., 282 lks. dist., mkd. T7S R3E S21 on open blaze.</p> <p>Add the marks 1997 to the brass cap.</p> <p>North, bet. secs. 21 and 22.</p> <p>Over rolling and rocky land, through creosote and cacti.</p>
26.93	Point for AP 25, sec. 21, identical with AP 1, sec. 22, on the Table Top Wilderness Area Bdy., not monumented.
40.02	<p>The 1/4 sec. cor. of secs. 21 and 22, monumented with an iron post, 1 in. diam. firmly set, projecting 10 ins. above the ground, with brass cap mkd. S21 1/4 S22 1915.</p> <p>Add the marks T7S R3E 1997 to the brass cap.</p> <hr/> <p>N. 0°01' W., beginning new measurement.</p>
13.72	Point for AP 26, sec. 21, identical with AP 7, sec. 22, on the Table Top Wilderness Area Bdy., not monumented.
40.02	<p>The cor. of secs. 15, 16, 21 and 22, monumented with an iron post, 2 ins. diam., firmly set, projecting 17 ins. above the ground, in a mound of stone, 3 ft. base, to top, with brass cap mkd. T7S R3E S16 S15 S21 S22 1915, from which the original bearing trees.</p> <p>A palo verde, 17 ins. diam., bears N. 21 1/4° E., 39 lks. dist., mkd. T and other illegible marks on bark.</p> <p>A palo verde, 20 ins. diam., bears N. 47 1/2° W., 113 lks. dist., with illegible marks on bark.</p>

Dependent Resurvey of a Portion of the Subdivisional Lines,  
T. 7 S., R. 3 E., Gila and Salt River Meridian, Arizona

CHAINS	
	Add the marks 1997 to the brass cap.
	<p>From the cor. of secs. 4, 5, 32 and 33 on the S. bdy. of Tp., hereinbefore described.</p> <p>North, bet. secs. 32 and 33.</p> <p>Over rolling and rocky land, through creosote and cacti.</p>
37.47	Point for AP 10, Tract 38, identical with AP 1, sec. 33, on the Table Top Wilderness Area Bdy., not monumented.
39.98	<p>The 1/4 sec. cor. of secs. 32 and 33, monumented with an iron post, 1 in. diam., firmly set, projecting 11 ins. above the ground, with brass cap mkd. S32 1/4 S33 1915.</p> <p>Add the marks T7S R3E 1997 to the brass cap.</p>
	<p>North, beginning new measurement.</p>
40.00	<p>The cor. of secs. 28, 29, 32 and 33, monumented with an iron post, 2 ins. diam., firmly set, projecting 13 ins. above the ground, with brass cap mkd. T7S R3E S29 S28 S32 S33 1915.</p> <p>Add the marks 1997 to the brass cap.</p>
	<p>From the 1/4 sec. cor. of secs. 28 and 33, monumented with an iron post, 1 in. diam., firmly set, projecting 10 ins. above the ground, with brass cap mkd. S28 1/4 S33 1915.</p> <p>Add the marks T7S R3E 1997 to the brass cap.</p>
	<p>West, bet. secs. 28 and 33.</p> <p>Over rolling and rocky land, through creosote and cacti.</p>
21.48	Point for AP 1, sec. 28, identical with AP 8, sec. 33, on the Table Top Wilderness Area Bdy., not monumented.
39.98	The cor. of secs. 28, 29, 32 and 33.
	<p>From the cor. of secs. 21, 22, 27 and 28.</p> <p>S. 89°59' W., bet. secs. 21 and 28.</p> <p>Over rolling and rocky land, through creosote and cacti.</p>

Dependent Resurvey of a Portion of the Subdivisional Lines,  
T. 7 S., R. 3 E., Gila and Salt River Meridian, Arizona

CHAINS	
27.43	Point for AP 1, sec. 21, identical with AP 19, sec. 28, on the Table Top Wilderness Area Bdy., not monumented
40.01	<p>The 1/4 sec. cor. of secs. 21 and 28, monumented with an iron post, 1 in. diam., firmly set, projecting 10 ins. above the ground, with brass cap mkd. S21 1/4 S28 1915.</p> <p>Add the marks T7S R3E 1997 to the brass cap.</p>
40.04	<p>From the cor. of secs. 15, 16, 21 and 22.</p> <p>S. 89°49' W., bet. secs. 16 and 21.</p> <p>Over rolling and rocky land, through creosote and cacti.</p> <p>The 1/4 sec. cor. of secs. 16 and 21, monumented with an iron post, 1 in. diam., firmly set, projecting 24 ins. above the ground, in a mound of stone, 4 ft. base, to top, with a mound of stone, 2 ft. base, 1 ft. high, N. of cor., with brass cap mkd. S16 1/4 S21 1915.</p> <p>Add the marks T7S R3E 1997 to the brass cap.</p> <hr/> <p>N. 89°54' W., beginning new measurement.</p> <p>Over rolling and rocky land, through creosote and cacti.</p>
11.23	<p>Point for AP 27, sec. 21, on the Table Top Wilderness Area Bdy.</p> <p>Set an aluminum rod, 36 ins. long, 3/4 in. diam., 12 ins. in the ground to bedrock, in a mound of stone, 3 ft. base, 18 ins. high, with aluminum cap mkd.</p> <div data-bbox="844 1407 1055 1606" style="text-align: center;"> <p>T7S R3E S16 AP27 S21 TTWA 1997</p> </div> <p>Cor. is located 210 ft. S. of 500 KV. Transmission line.</p> <p>From this cor. point, a reinforcing bar, 5/8 in. diam., firmly set, projecting 2 ins. above the ground, with 2 in. aluminum cap mkd. LS 1144 CL R/W TGE, established by Robert L. Frazer, Arizona Registered Land Surveyor No. 1144, bears S. 89°59' E., 5.59 chs. dist.</p> <p>Thence, along the Table Top Wilderness Area Bdy.</p>

Dependent Resurvey of a Portion of the Subdivisional Lines,  
T. 7 S., R. 3 E., Gila and Salt River Meridian, Arizona

CHAINS	
40.03	<p>The cor. of secs. 16, 17, 20 and 21, monumented with an iron post, 2 ins. diam., firmly set, projecting 33 ins. above the ground, in a mound of stone, 3 ft. base, 2 ft. high, with a mound of stone, 2 ft. base, 2 ft. high, W. of cor., with brass cap mkd. T7S R3E S17 S16 S20 S21 1915.</p> <p>Add the marks 1997 to the brass cap.</p>
14.66	<p>N. 0°01' E., bet. secs. 16 and 17, along the Table Top Wilderness Area Bdy.</p> <p>Over rolling and rocky land, through creosote and cacti.</p> <p>Point for AP 1, sec. 17, on the Table Top Wilderness Area Bdy.</p> <p>Set an aluminum rod, 36 ins. long, 3/4 in. diam., 18 ins. in the ground to bedrock, in a mound of stone, 3 ft. base, 18 ins. high, with aluminum cap mkd.</p> <div data-bbox="857 919 1019 1108" style="text-align: center;"> </div> <p>Cor. is located 210 ft. S. of 500 KV. Transmission line.</p> <p>Leave the Table Top Wilderness Area Bdy.</p>
40.02	<p>The 1/4 sec. cor. of secs. 16 and 17, monumented with an iron post, 1 in. diam., firmly set, projecting 32 ins. above the ground, in a mound of stone, 3 ft. base, 18 ins. high, with brass cap mkd. 1/4 S16 S17 1915.</p> <p>Add the marks T7S R3E 1997 to the brass cap.</p> <p>From the 1/4 sec. cor. of secs. 18 and 19, monumented with an iron post, 1 in. diam., firmly set, projecting 28 ins. above the ground, in a mound of stone, 2 ft. base, 1 ft. high, with a mound of stone, 3 ft. base, 1 ft. high, N. of cor., with brass cap mkd. S18 1/4 S19 1915.</p> <p>Add the marks T7S R3E 1997 to the brass cap.</p> <p>N. 89°59' W., bet. secs. 18 and 19.</p> <p>Over rolling and rocky land, through creosote and cacti.</p>



Dependent Resurvey of a Portion of the Subdivisional Lines,  
T. 7 S., R. 3 E., Gila and Salt River Meridian, Arizona

CHAINS	
10.86	Point for AP 11, Tract 37, identical with AP 23, sec. 18, on the Table Top Wilderness Area Bdy., not monumented.
38.27	<p>The cor. of secs. 13, 18, 19 and 24 on the W. bdy. of Tp., monumented with an iron post, 3 ins. diam., firmly set, projecting 20 ins. above the ground, in a mound of stone, 4 ft. base, 18 ins. high, with brass cap mkd. T7S R2E R3E S13 S18 S24 S19 1915 1996, as witnessed and described in the field notes of the survey of a portion of the E. bdy., T. 7 S., R. 2 E., executed concurrently under this same group.</p> <hr/> <p>From the 1/4 sec. cor. of secs. 17 and 18, monumented with an iron post, 1 in. diam., firmly set, projecting 32 ins. above the ground, in a mound of stone, 3 ft. base, 18 ins. high, with a mound of stone W. of cor., with brass cap mkd. 1/4 S18 S17 1915.</p> <p>Add the marks T7S R3E 1997 to the brass cap.</p> <p>N. 0°01' W., bet. secs. 17 and 18.</p> <p>Over rolling and rocky land, through creosote and cacti.</p>
15.50	<p>Point for AP 2, sec. 17, identical with AP 1, sec. 18, on the Table Top Wilderness Area Bdy.</p> <p>Set an aluminum rod, 36 ins. long, 3/4 in. diam., 18 ins. in the ground to bedrock, in a mound of stone, 3 ft. base, 18 ins. high, with aluminum cap mkd.</p> <div data-bbox="868 1239 1023 1428" style="text-align: center;"> <p>T7S R3E S18   S17 AP1   AP2 TTWA 1997</p> </div> <p>Cor. is located 210 ft. S. of 500 KV. Transmission line.</p>
18.31	<p>A reinforcing bar, 5/8 in. diam., firmly set, projecting 3 ins. above the ground, with 2 in. aluminum cap mkd. LS 1144 CL R/W TGE, established by Robert L. Frazer, Arizona Registered Land Surveyor No. 1144.</p>
40.04	<p>The cor. of secs. 7, 8, 17 and 18, monumented with an iron post, 2 ins. diam., firmly set, projecting 36 ins. above the ground, in a mound of stone, 3 ft. base, 18 ins. high, with brass cap mkd. T7S R3E S7 S8 S18 S17 1915.</p>

Dependent Resurvey of a Portion of the Subdivisional Lines,  
T. 7 S., R. 3 E., Gila and Salt River Meridian, Arizona

CHAINS	
	<p>Add the marks 1997 to the brass cap.</p> <hr/> <p>Metes-and-Bounds Survey of the Table Top Wilderness Area Bdy., T. 7 S., R. 3 E., Gila and Salt River Meridian, Arizona</p> <hr/> <p style="text-align: center;">Tract 38</p> <hr/> <p>From AP 1, Tract 38, on line bet. secs. 5 and 32, on the S. bdy. of Tp., hereinbefore described.</p> <p>N. 27°44' E., on line 1-2, Tract 38, of the metes-and bounds survey of the Table Top Wilderness Area Bdy.</p> <p>Over rolling and rocky lands, through creosote and cacti.</p> <p>5.47 Point for AP 2, Tract 38.</p> <p>Set an aluminum rod, 36 ins. long, 3/4 in. diam., 32 ins. in the ground, with aluminum cap mkd.</p> <div style="text-align: center;"> <p>T7S R3E TTWA AP2 / 1997</p> </div> <p>Cor. is located 30 ft. easterly of two track road.</p> <hr/> <p>N. 33°41' E., on line 2-3, Tract 38.</p> <p>Over rolling and rocky lands, through creosote and cacti.</p> <p>5.17 Point for AP 3, Tract 38.</p> <p>Set an aluminum rod, 36 ins. long, 3/4 in. diam., 14 ins. in the ground to bedrock, in a mound of stone, 2 ft. base, 16 ins high, with aluminum cap mkd.</p> <div style="text-align: center;"> <p>T7S R3E TTWA AP3 / 1997</p> </div> <p>Cor. is located 30 ft. easterly of two track road.</p> <hr/>

Metes-and-Bounds Survey of the Table Top Wilderness Area Bdy.,  
T. 7 S., R. 3 E., Gila and Salt River Meridian, Arizona

CHAINS	
	N. 52°10' E., on line 3-4, Tract 38.
	Over rolling and rocky lands, through creosote and cacti.
4.02	Point for AP 4, Tract 38.
	Set an aluminum rod, 36 ins. long, 3/4 in. diam., 30 ins. in the ground, with aluminum cap mkd.
	
	Cor. is located 30 ft. easterly of two track road.
	<hr style="width: 20%; margin: 0 auto;"/>
	N. 45°19' E., on line 4-5, Tract 38.
	Over rolling and rocky lands, through creosote and cacti.
3.89	Point for AP 5, Tract 38.
	Set an aluminum rod, 36 ins. long, 3/4 in. diam., 28 ins. in the ground, with aluminum cap mkd.
	
	Cor. is located on E. bank of wash, drains NE. and 30 ft. easterly of two track road.
	<hr style="width: 20%; margin: 0 auto;"/>
	N. 1°40' W., on line 5-6, Tract 38.
	Over rolling and rocky lands, through creosote and cacti.
0.60	Wash, drains NE.
5.31	Point for AP 6, Tract 38.
	Set an aluminum rod, 36 ins. long, 3/4 in. diam., 29 ins. in the ground, with aluminum cap mkd.



Metes-and-Bounds Survey of the Table Top Wilderness Area Bdy.,  
T. 7 S., R. 3 E., Gila and Salt River Meridian, Arizona

CHAINS	
	<p style="text-align: center;">T7S R3E TTWA AP6 1997</p>
0.50	<p>Cor. is located on E. bank of wash, drains NE. and 30 ft. easterly of two track road.</p> <hr style="width: 20%; margin: auto;"/>
7.43	<p>N. 5°57' E., on line 6-7, Tract 38. Over rolling and rocky lands, through creosote and cacti.</p>
	<p>Wash, drains NE.</p>
	<p>Point for AP 7, Tract 38. Set an aluminum rod, 36 ins. long, 3/4 in. diam., 29 ins. in the ground, with aluminum cap mkd.</p>
	<p style="text-align: center;">T7S R3E TTWA AP7 1997</p>
	<p>Cor. is located on E. bank of wash, drains N. and 30 ft. easterly of two track road.</p> <hr style="width: 20%; margin: auto;"/>
2.84	<p>N. 19°11' E., on line 7-8, Tract 38. Over rolling and rocky lands, through creosote and cacti.</p>
	<p>Point for AP 8, Tract 38. Set an aluminum rod, 36 ins. long, 3/4 in. diam., 32 ins. in the ground, with aluminum cap mkd.</p>
	<p style="text-align: center;">T7S R3E TTWA AP8 1997</p>
	<p>Cor. is located 30 ft. easterly of two track road.</p> <hr style="width: 20%; margin: auto;"/>
	<p>N. 27°10' E., on line 8-9, Tract 38.</p>

Metes-and-Bounds Survey of the Table Top Wilderness Area Bdy.,  
T. 7 S., R. 3 E., Gila and Salt River Meridian, Arizona

CHAINS	
4.58	<p>Over rolling and rocky lands, through creosote and cacti.</p> <p>Point for AP 9, Tract 38.</p> <p>Set an aluminum rod, 36 ins. long, 3/4 in. diam., 27 ins. in the ground, with aluminum cap mkd.</p> <div style="text-align: center;"> <p>T7S R3E TTWA AP9 1997</p> </div> <p>Cor. is located on E. bank of wash, drains NNE. and 30 ft. easterly of two track road.</p> <hr/> <p>N. 11°49' E., on line 9-10, Tract 38.</p> <p>Over rolling and rocky lands, through creosote and cacti.</p>
3.75	<p>The point for AP 10, Tract 38, identical with AP 1, sec. 33, on line bet. secs. 32 and 33, hereinbefore described.</p> <p>From this point, the 1/4 sec. cor. of secs. 32 and 33, bears North, 2.51 chs. dist., hereinbefore described.</p> <hr/> <p style="text-align: center;">In Section 33</p> <hr/> <p>From the point for AP 1, sec. 33, identical with AP 10, Tract 38, on line bet. secs. 32 and 33.</p> <p>N. 11°49' E., on line 1-2, sec. 33, of the metes-and bounds survey of the Table Top Wilderness Area Bdy.</p> <p>Over rolling and rocky lands, through creosote and cacti.</p>
5.71	<p>Point for AP 2, sec. 33.</p> <p>Set an aluminum rod, 36 ins. long, 3/4 in. diam., 32 ins. in the ground, with aluminum cap mkd.</p> <div style="text-align: center;"> <p>T7S R3E TTWA AP2      S33 1997</p> </div>

Metes-and-Bounds Survey of the Table Top Wilderness Area Bdy.,  
T. 7 S., R. 3 E., Gila and Salt River Meridian, Arizona

CHAINS	
	Cor. is located 30 ft. easterly of two track road. <hr/>
	N. 16°21' E., on line 2-3, sec. 33.
	Over rolling and rocky lands, through creosote and cacti.
0.50	Wash, drains NE.
6.00	Wash, drains E.
6.52	Point for AP 3, sec. 33.
	Set an aluminum rod, 36 ins. long, 3/4 in. diam., 32 ins. in the ground, with aluminum cap mkd.
	 <p style="text-align: center;">T7S R3E TTWA AP3                      S33                                  1997</p>
	Cor. is located 30 ft. easterly of two track road. <hr/>
	N. 30°09' E., on line 3-4, sec. 33.
	Over rolling and rocky lands, through creosote and cacti.
7.24	Point for AP 4, sec. 33.
	Set an aluminum rod, 36 ins. long, 3/4 in. diam., 33 ins. in the ground, with aluminum cap mkd.
	 <p style="text-align: center;">T7S R3E TTWA AP4                      S33                                  1997</p>
	Cor. is located 30 ft. easterly of two track road. <hr/>
	N. 33°22' E., on line 4-5, sec. 33.
	Over rolling and rocky lands, through creosote and cacti.
7.37	Point for AP 5, sec. 33.
	Set an aluminum rod, 36 ins. long, 3/4 in. diam., 31 ins. in the ground, with aluminum cap mkd.

Metes-and-Bounds Survey of the Table Top Wilderness Area Bdy.,  
T. 7 S., R. 3 E., Gila and Salt River Meridian, Arizona

CHAINS	
4.68	<div data-bbox="857 289 1045 443" data-label="Diagram"> </div> <p data-bbox="415 478 1211 510">Cor. is located 30 ft. easterly of two track road.</p> <hr data-bbox="732 531 1101 541"/> <p data-bbox="415 575 971 606">N. 43°58' E., on line 5-6, sec. 33.</p> <p data-bbox="415 636 1325 667">Over rolling and rocky lands, through creosote and cacti.</p> <p data-bbox="415 705 797 737">Point for AP 6, sec. 33.</p> <p data-bbox="415 762 1438 831">Set an aluminum rod, 36 ins. long, 3/4 in. diam., 30 ins. in the ground, with aluminum cap mkd.</p>
9.08	<div data-bbox="857 863 1045 1016" data-label="Diagram"> </div> <p data-bbox="415 1045 1211 1077">Cor. is located 30 ft. easterly of two track road.</p> <hr data-bbox="732 1098 1101 1108"/> <p data-bbox="415 1142 971 1173">N. 20°18' E., on line 6-7, sec. 33.</p> <p data-bbox="415 1203 1325 1234">Over rolling and rocky lands, through creosote and cacti.</p> <p data-bbox="415 1272 797 1304">Point for AP 7, sec. 33.</p> <p data-bbox="415 1329 1438 1398">Set an aluminum rod, 36 ins. long, 3/4 in. diam., 32 ins. in the ground, with aluminum cap mkd.</p>
6.53	<div data-bbox="857 1430 1045 1583" data-label="Diagram"> </div> <p data-bbox="415 1619 1211 1650">Cor. is located 30 ft. easterly of two track road.</p> <hr data-bbox="732 1671 1101 1682"/> <p data-bbox="415 1715 984 1747">N. 12°27' E., on line 7-8, sec. 33.</p> <p data-bbox="415 1776 1325 1808">Over rolling and rocky lands, through creosote and cacti.</p> <p data-bbox="415 1839 1463 1908">The point for AP 8, sec. 33, identical with AP 1, sec. 28; on the line bet. secs. 28 and 33, hereinbefore described.</p>




Metes-and-Bounds Survey of the Table Top Wilderness Area Bdy.,  
T. 7 S., R. 3 E., Gila and Salt River Meridian, Arizona

CHAINS	
	<p>From this point, the 1/4 sec. cor. of secs. 28 and 33, bears East, 21.48 chs. dist., hereinbefore described.</p>
	<p style="text-align: center;">In Section 28</p> <hr style="width: 20%; margin: auto;"/>
	<p>From the point for AP 1, sec. 28, identical with AP 8, sec. 33, on line bet. secs. 28 and 33.</p> <p>N. 12°27' E., on line 1-2, sec. 28, of the metes-and-bounds survey of the Table Top Wilderness Area Bdy.</p> <p>Over rolling and rocky lands, through creosote and cacti.</p>
2.94	<p>Point for AP 2, sec. 28.</p> <p>Set an aluminum rod, 36 ins. long, 3/4 in. diam., 32 ins. in the ground, with aluminum cap mkd.</p> <div style="text-align: center;"> <p>T7S R3E TTWA AP2      S28 1997</p> </div> <p>Cor. is located 30 ft. westerly of two track road.</p> <hr style="width: 20%; margin: auto;"/>
	<p>N. 1°01' E., on line 2-3, sec. 28.</p> <p>Over rolling and rocky lands, through creosote and cacti.</p>
3.60	<p>Point for AP 3, sec. 28.</p> <p>Set an aluminum rod, 36 ins. long, 3/4 in. diam., 32 ins. in the ground, with aluminum cap mkd.</p> <div style="text-align: center;"> <p>T7S R3E TTWA AP3      S28 1997</p> </div> <p>Cor. is located 30 ft. westerly of two track road.</p> <hr style="width: 20%; margin: auto;"/>
	<p>N. 10°03' E., on line 3-4, sec. 28.</p> <p>Over rolling and rocky lands, through creosote and cacti.</p>

Metes-and-Bounds Survey of the Table Top Wilderness Area Bdy.,  
T. 7 S., R. 3 E., Gila and Salt River Meridian, Arizona

CHAINS	
2.00	Wash, drains NE.
4.75	<p>Point for AP 4, sec. 28.</p> <p>Set an aluminum rod, 36 ins. long, 3/4 in. diam., 33 ins. in the ground, with aluminum cap mkd.</p> <div data-bbox="860 499 1047 661" style="text-align: center;"> <p>T7S R3E TTWA AP4 } S28 1997</p> </div> <p>Cor. is located 30 ft. westerly of two track road.</p> <hr style="width: 20%; margin: auto;"/> <p>N. 4°51' W., on line 4-5, sec. 28.</p> <p>Over rolling and rocky lands, through creosote and cacti.</p>
4.21	<p>Point for AP 5, sec. 28.</p> <p>Set an aluminum rod, 36 ins. long, 3/4 in. diam., 32 ins. in the ground, with aluminum cap mkd.</p> <div data-bbox="860 1066 1047 1228" style="text-align: center;"> <p>T7S R3E TTWA AP5 } S28 1997</p> </div> <p>Cor. is located 30 ft. westerly of two track road.</p> <hr style="width: 20%; margin: auto;"/> <p>N. 37°50' E., on line 5-6, sec. 28.</p> <p>Over rolling and rocky lands, through creosote and cacti.</p>
5.69	<p>Point for AP 6, sec. 28.</p> <p>Set an aluminum rod, 36 ins. long, 3/4 in. diam., 32 ins. in the ground, with aluminum cap mkd.</p> <div data-bbox="860 1642 1047 1803" style="text-align: center;"> <p>T7S R3E TTWA AP6 } S28 1997</p> </div> <p>Cor. is located 30 ft. westerly of two track road.</p> <hr style="width: 20%; margin: auto;"/>

Metes-and-Bounds Survey of the Table Top Wilderness Area Bdy.,  
T. 7 S., R. 3 E., Gila and Salt River Meridian, Arizona

CHAINS	
4.30	<p>N. 24°14' E., on line 6-7, sec. 28.</p> <p>Over rolling and rocky lands, through creosote and cacti.</p> <p>Point for AP 7, sec. 28.</p> <p>Set an aluminum rod, 36 ins. long, 3/4 in. diam., 33 ins. in the ground, with aluminum cap mkd.</p> <div style="text-align: center;">  </div> <p>Cor. is located 30 ft. westerly of two track road.</p> <hr style="width: 20%; margin: 10px auto;"/>
3.95	<p>N. 29°47' E., on line 7-8, sec. 28.</p> <p>Over rolling and rocky lands, through creosote and cacti.</p> <p>Point for AP 8, sec. 28.</p> <p>Set an aluminum rod, 36 ins. long, 3/4 in. diam., 32 ins. in the ground, with aluminum cap mkd.</p> <div style="text-align: center;">  </div> <p>Cor. is located 30 ft. westerly of two track road.</p> <hr style="width: 20%; margin: 10px auto;"/>
5.24	<p>N. 0°51' W., on line 8-9, sec. 28.</p> <p>Over rolling and rocky lands, through creosote and cacti.</p> <p>Point for AP 9, sec. 28.</p> <p>Set an aluminum rod, 36 ins. long, 3/4 in. diam., 29 ins. in the ground, with aluminum cap mkd.</p> <div style="text-align: center;">  </div>




Metes-and-Bounds Survey of the Table Top Wilderness Area Bdy.,  
T. 7 S., R. 3 E., Gila and Salt River Meridian, Arizona

CHAINS	
7.24	<p>Cor. is located 30 ft. westerly of two track road. _____</p> <p>N. 19°34' W., on line 9-10, sec. 28.</p> <p>Over rolling and rocky lands, through creosote and cacti.</p> <p>Point for AP 10, sec. 28.</p> <p>Set an aluminum rod, 36 ins. long, 3/4 in. diam., 32 ins. in the ground, with aluminum cap mkd.</p> <div data-bbox="844 661 1031 829" style="text-align: center;"> <p>T7S R3E AP10 TTWA S28 1997</p> </div>
6.55	<p>Cor. is located 30 ft. westerly of two track road. _____</p> <p>N. 20°37' E., on line 10-11, sec. 28.</p> <p>Over rolling and rocky lands, through creosote and cacti.</p> <p>Point for AP 11, sec. 28.</p> <p>Set an aluminum rod, 36 ins. long, 3/4 in. diam., 31 ins. in the ground, with aluminum cap mkd.</p> <div data-bbox="844 1228 1031 1396" style="text-align: center;"> <p>T7S R3E AP11 TTWA S28 1997</p> </div>
3.79	<p>Cor. is located 30 ft. westerly of two track road. _____</p> <p>N. 32°40' E., on line 11-12, sec. 28.</p> <p>Over rolling and rocky lands, through creosote and cacti.</p> <p>Point for AP 12, sec. 28.</p> <p>Set an aluminum rod, 36 ins. long, 3/4 in. diam., 25 ins. in the ground, with aluminum cap mkd.</p>

Metes-and-Bounds Survey of the Table Top Wilderness Area Bdy.,  
T. 7 S., R. 3 E., Gila and Salt River Meridian, Arizona

CHAINS	
6.53	<div data-bbox="841 285 1024 436" data-label="Diagram"> <p>A diagram showing a point labeled 'AP12' and 'TTWA' with the year '1997' below it. A line extends from this point towards the top right, labeled 'S28'. Above the diagram are the coordinates 'T7S R3E'.</p> </div> <p>Cor. is located 30 ft. westerly of two track road.</p> <hr/> <p>N. 50°08' E., on line 12-13, sec. 28.</p> <p>Over rolling and rocky lands, through creosote and cacti.</p> <p>Point for AP 13, sec. 28.</p> <p>Set an aluminum rod, 36 ins. long, 3/4 in. diam., 23 ins. in the ground, in a mound of stone, 2 ft. base, to top, with aluminum cap mkd.</p>
3.94	<div data-bbox="841 888 1024 1039" data-label="Diagram"> <p>A diagram showing a point labeled 'AP13' and 'TTWA' with the year '1997' below it. A line extends from this point towards the top right, labeled 'S28'. Above the diagram are the coordinates 'T7S R3E'.</p> </div> <p>Cor. is located 30 ft. westerly of two track road.</p> <hr/> <p>N. 10°43' E., on line 13-14, sec. 28.</p> <p>Over rolling and rocky lands, through creosote and cacti.</p> <p>Point for AP 14, sec. 28.</p> <p>Set an aluminum rod, 36 ins. long, 3/4 in. diam., 28 ins. in the ground, with aluminum cap mkd.</p>
6.70	<div data-bbox="841 1455 1024 1606" data-label="Diagram"> <p>A diagram showing a point labeled 'AP14' and 'TTWA' with the year '1997' below it. A line extends from this point towards the top right, labeled 'S28'. Above the diagram are the coordinates 'T7S R3E'.</p> </div> <p>Cor. is located 30 ft. westerly of two track road.</p> <hr/> <p>N. 24°58' E., on line 14-15, sec. 28.</p> <p>Over rolling and rocky lands, through creosote and cacti.</p> <p>Point for AP 15, sec. 28.</p>



Metes-and-Bounds Survey of the Table Top Wilderness Area Bdy.,  
T. 7 S., R. 3 E., Gila and Salt River Meridian, Arizona

CHAINS	
	<p>Set an aluminum rod, 36 ins. long, 3/4 in. diam., 27 ins. in the ground, with aluminum cap mkd.</p> <div style="text-align: center;">  </div> <p>Cor. is located 30 ft. westerly of two track road.</p> <hr style="width: 20%; margin: auto;"/> <p>N. 32°01' E., on line 15-16, sec. 28.</p> <p>Over rolling and rocky lands, through creosote and cacti.</p>
4.59	<p>Point for AP 16, sec. 28.</p> <p>Set an aluminum rod, 36 ins. long, 3/4 in. diam., 28 ins. in the ground, with aluminum cap mkd.</p> <div style="text-align: center;">  </div> <p>Cor. is located 30 ft. westerly of two track road.</p> <hr style="width: 20%; margin: auto;"/> <p>N. 41°43' E., on line 16-17, sec. 28.</p> <p>Over rolling and rocky lands, through creosote and cacti.</p>
5.21	<p>Point for AP 17, sec. 28.</p> <p>Set an aluminum rod, 36 ins. long, 3/4 in. diam., 29 ins. in the ground, with aluminum cap mkd.</p> <div style="text-align: center;">  </div> <p>Cor. is located 30 ft. westerly of two track road.</p> <hr style="width: 20%; margin: auto;"/> <p>N. 39°00' E., on line 17-18, sec. 28.</p> <p>Over rolling and rocky lands, through creosote and cacti.</p>

Metes-and-Bounds Survey of the Table Top Wilderness Area Bdy.,  
T. 7 S., R. 3 E., Gila and Salt River Meridian, Arizona

CHAINS	
7.61	<p>Point for AP 18, sec. 28.</p> <p>Set an aluminum rod, 36 ins. long, 3/4 in. diam., 29 ins. in the ground, with aluminum cap mkd.</p> <div data-bbox="852 436 1031 598" style="text-align: center;"> <p>T7S R3E TTWA AP18      S28 1997</p> </div> <p>Cor. is located 30 ft. westerly of two track road.</p> <hr style="width: 20%; margin: auto;"/> <p>N. 51°25' E., on line 18-19, sec. 28.</p> <p>Over rolling and rocky lands, through creosote and cacti.</p>
5.81	<p>The point for AP 19, sec. 28, identical with AP 1, sec. 21, on line bet. secs. 21 and 28, hereinbefore described.</p> <p>From this point, the cor. of secs. 21, 22, 27 and 28, bears N. 89°59' E., 27.43 chs. dist., hereinbefore described.</p> <hr style="width: 80%; margin: auto;"/> <p style="text-align: center;">In Section 21</p> <hr style="width: 20%; margin: auto;"/> <p>From the point for AP 1, sec. 21, identical with AP 19, sec. 28, on line bet. secs. 21 and 28.</p> <p>N. 51°25' E., on line 1-2, sec. 21, of the metes-and-bounds survey of the Table Top Wilderness Area Bdy.</p> <p>Over rolling and rocky lands, through creosote and cacti.</p>
0.32	<p>Point for AP 2, sec. 21.</p> <p>Set an aluminum rod, 36 ins. long, 3/4 in. diam., 29 ins. in the ground, with aluminum cap mkd.</p> <div data-bbox="885 1575 1039 1774" style="text-align: center;"> <p>T7S R3E TTWA AP2      S21 1997</p> </div> <p>Cor. is located 30 ft. northwesterly of two track road.</p> <hr style="width: 20%; margin: auto;"/>




Metes-and-Bounds Survey of the Table Top Wilderness Area Bdy.,  
T. 7 S., R. 3 E., Gila and Salt River Meridian, Arizona

CHAINS	
5.66	<p>N. 78°39' E., on line 2-3, sec. 21.</p> <p>Over rolling and rocky lands, through creosote and cacti.</p> <p>Point for AP 3, sec. 21.</p> <p>Set an aluminum rod, 36 ins. long, 3/4 in. diam., 28 ins. in the ground, with aluminum cap mkd.</p> <div style="text-align: center;"> <p>T7S R3E TTWA AP3</p>  <p>S21 1997</p> </div> <p>Cor. is located 30 ft. northwesterly of two track road.</p> <hr style="width: 20%; margin: 10px auto;"/>
5.57	<p>N. 41°07' E., on line 3-4, sec. 21.</p> <p>Over rolling and rocky lands, through creosote and cacti.</p> <p>Point for AP 4, sec. 21.</p> <p>Set an aluminum rod, 36 ins. long, 3/4 in. diam., 29 ins. in the ground, with aluminum cap mkd.</p> <div style="text-align: center;"> <p>T7S R3E TTWA AP4</p>  <p>S21 1997</p> </div> <p>Cor. is located 30 ft. westerly of two track road.</p> <hr style="width: 20%; margin: 10px auto;"/>
4.17	<p>N. 18°25' E., on line 4-5, sec. 21.</p> <p>Over rolling and rocky lands, through creosote and cacti.</p> <p>Point for AP 5, sec. 21.</p> <p>Set an aluminum rod, 36 ins. long, 3/4 in. diam., 26 ins. in the ground, with aluminum cap mkd.</p> <div style="text-align: center;"> <p>T7S R3E TTWA AP5</p>  <p>S21 1997</p> </div>


Metes-and-Bounds Survey of the Table Top Wilderness Area Bdy.,  
T. 7 S., R. 3 E., Gila and Salt River Meridian, Arizona

CHAINS	
7.39	<p>Cor. is located 30 ft. westerly of two track road.</p> <hr/> <p>N. 26°33' E., on line 5-6, sec. 21.</p> <p>Over rolling and rocky lands, through creosote and cacti.</p> <p>Point for AP 6, sec. 21.</p> <p>Set an aluminum rod, 36 ins. long, 3/4 in. diam., 25 ins. in the ground, with aluminum cap mkd.</p> <div data-bbox="873 667 1036 823" style="text-align: center;"> <p>T7S R3E TTWA AP6 1997</p> </div>
3.54	<p>Cor. is located 30 ft. westerly of two track road.</p> <hr/> <p>N. 41°46' E., on line 6-7, sec. 21.</p> <p>Over rolling and rocky lands, through creosote and cacti.</p> <p>Point for AP 7, sec. 21.</p> <p>Set an aluminum rod, 36 ins. long, 3/4 in. diam., 25 ins. in the ground, with aluminum cap mkd.</p> <div data-bbox="873 1234 1036 1390" style="text-align: center;"> <p>T7S R3E TTWA AP7 1997</p> </div>
2.60	<p>Cor. is located 30 ft. westerly of two track road.</p> <hr/> <p>N. 74°06' W., on line 7-8, sec. 21.</p> <p>Over rolling and rocky lands, through creosote and cacti.</p> <p>Wash, 45 ft. wide, drains NE.</p>
2.77	<p>Point for AP 8, sec. 21.</p> <p>Set an aluminum rod, 36 ins. long, 3/4 in. diam., 18 ins. in the ground to bedrock, in a mound of stone, 3 ft. base, to top, with aluminum cap mkd.</p>




Metes-and-Bounds Survey of the Table Top Wilderness Area Bdy.,  
T. 7 S., R. 3 E., Gila and Salt River Meridian, Arizona

CHAINS	
	<p style="text-align: center;">T7S R3E S21</p>  <p style="text-align: center;">AP8 TTWA 1997</p> <p>Cor. is located 30 ft. southerly of two track road.</p> <hr style="width: 20%; margin: auto;"/> <p>S. 88°39' W., on line 8-9, sec. 21.</p> <p>Over rolling and rocky lands, through creosote and cacti.</p>
1.50	Wash, 17 ft. wide, drains NE.
1.72	Point for AP 9, sec. 21.
	<p>Set an aluminum rod, 36 ins. long, 3/4 in. diam., 32 ins. in the ground, with aluminum cap mkd.</p>
	<p style="text-align: center;">T7S R3E S21</p>  <p style="text-align: center;">AP9 TTWA 1997</p> <p>Cor. is located 30 ft. southerly of two track road.</p> <hr style="width: 20%; margin: auto;"/> <p>N. 51°18' W., on line 9-10, sec. 21.</p> <p>Over rolling and rocky lands, through creosote and cacti.</p>
3.94	Point for AP 10, sec. 21.
	<p>Set an aluminum rod, 36 ins. long, 3/4 in. diam., 31 ins. in the ground, with aluminum cap mkd.</p>
	<p style="text-align: center;">T7S R3E S21</p>  <p style="text-align: center;">AP10 TTWA 1997</p> <p>Cor. is located 30 ft. southerly of two track road.</p> <hr style="width: 20%; margin: auto;"/> <p>N. 59°05' W., on line 10-11, sec. 21.</p>




Metes-and-Bounds Survey of the Table Top Wilderness Area Bdy.,  
T. 7 S., R. 3 E., Gila and Salt River Meridian, Arizona

CHAINS	
1.31	<p>Over rolling and rocky lands, through creosote and cacti.</p> <p>Point for AP 11, sec. 21.</p> <p>Set an aluminum rod, 36 ins. long, 3/4 in. diam., 26 ins. in the ground, with aluminum cap mkd.</p> <div data-bbox="868 514 990 703" style="text-align: center;"> <p>T7S R3E S21</p>  </div> <p>Cor. is located 30 ft. southerly of two track road.</p> <hr style="width: 20%; margin: 10px auto;"/> <p>S. 19°08' W., on line 11-12, sec. 21.</p> <p>Over rolling and rocky lands, through creosote and cacti.</p>
1.38	<p>Point for AP 12, sec. 21.</p> <p>Set an aluminum rod, 36 ins. long, 3/4 in. diam., 22 ins. in the ground, with aluminum cap mkd.</p> <div data-bbox="860 1113 1047 1270" style="text-align: center;"> <p>T7S R3E</p>  </div> <p>Cor. is located 42 ft., SSE., of corner of fences, bears N. and W.</p> <hr style="width: 20%; margin: 10px auto;"/> <p>S. 70°36' W., on line 12-13, sec. 21.</p> <p>Over rolling and rocky lands, through creosote and cacti.</p>
3.54	<p>Point for AP 13, sec. 21.</p> <p>Set an aluminum rod, 36 ins. long, 3/4 in. diam., 29 ins. in the ground, with aluminum cap mkd.</p>



Metes-and-Bounds Survey of the Table Top Wilderness Area Bdy.,  
T. 7 S., R. 3 E., Gila and Salt River Meridian, Arizona

CHAINS	
3.42	<div data-bbox="878 289 1015 478" style="text-align: center;"> <p>T7S R3E S21 AP13 TTWA 1997</p>  </div> <p>Cor. is located 42 ft., SW. of corner of fences, bears E. and N.</p> <hr style="width: 20%; margin: 10px auto;"/> <p>N. 20°03' W., on line 13-14, sec. 21. Over rolling and rocky lands, through creosote and cacti.</p> <p>Point for AP 14, sec. 21. Set an aluminum rod, 36 ins. long, 3/4 in. diam., 23 ins. in the ground, with aluminum cap mkd.</p>
1.26	<div data-bbox="878 898 1015 1117" style="text-align: center;"> <p>T7S R3E TTWA AP14 S21 1997</p>  </div> <p>Cor. is located 42 ft., NW. of corner of fences, bears E. and S.</p> <hr style="width: 20%; margin: 10px auto;"/> <p>N. 57°26' E., on line 14-15, sec. 21. Over rolling and rocky lands, through creosote and cacti.</p> <p>Point for AP 15, sec. 21. Set an aluminum rod, 36 ins. long, 3/4 in. diam., 24 ins. in the ground, with aluminum cap mkd.</p>
	<div data-bbox="867 1535 1015 1724" style="text-align: center;"> <p>T7S R3E TTWA AP15 S21 1997</p>  </div> <p>Cor. is located 42 ft., N. of fences, bears E. and W.</p> <hr style="width: 20%; margin: 10px auto;"/> <p>N. 72°22' E., on line 15-16, sec. 21.</p>



Metes-and-Bounds Survey of the Table Top Wilderness Area Bdy.,  
T. 7 S., R. 3 E., Gila and Salt River Meridian, Arizona

CHAINS	
1.00	<p>Over rolling and rocky lands, through creosote and cacti.</p> <p>Point for AP 16, sec. 21.</p> <p>Set an aluminum rod, 36 ins. long, 3/4 in. diam., 29 ins. in the ground, with aluminum cap mkd.</p> <div style="text-align: center;"> <p>T7S R3E TTWA AP16</p>  <p>S21 1997</p> </div>
2.36	<p>N. 83°30' E., on line 16-17, sec. 21.</p> <p>Over rolling and rocky lands, through creosote and cacti.</p> <p>Point for AP 17, sec. 21.</p> <p>Set an aluminum rod, 36 ins. long, 3/4 in. diam., 25 ins. in the ground, with aluminum cap mkd.</p> <div style="text-align: center;"> <p>T7S R3E TTWA AP17</p>  <p>S21 1997</p> </div> <p>Cor. is located 42 ft., NE., of fence corner, bears W. and S.</p>
1.45	<p>S. 34°04' E., on line 17-18, sec. 21.</p> <p>Over rolling and rocky lands, through creosote and cacti.</p> <p>Point for AP 18, sec. 21.</p> <p>Set an aluminum rod, 36 ins. long, 3/4 in. diam., 30 ins. in the ground, with aluminum cap mkd.</p> <div style="text-align: center;"> <p>T7S R3E TTWA AP18</p>  <p>S21 1997</p> </div>



Metes-and-Bounds Survey of the Table Top Wilderness Area Bdy.,  
T. 7 S., R. 3 E., Gila and Salt River Meridian, Arizona

CHAINS	
	<p>Cor. is located 30 ft. northerly of two track road.</p> <hr style="width: 20%; margin: auto;"/> <p>S. 65°03' E., on line 18-19, sec. 21.</p> <p>Over rolling and rocky lands, through creosote and cacti.</p>
1.30	<p>Point for AP 19, sec. 21.</p> <p>Set an aluminum rod, 36 ins. long, 3/4 in. diam., 29 ins. in the ground, with aluminum cap mkd.</p> <div style="text-align: center; margin: 20px 0;"> <p>T7S R3E TTWA AP19</p>  <p>S21 1997</p> </div> <p>Cor. is located 30 ft. northerly of two track road.</p> <hr style="width: 20%; margin: auto;"/> <p>S. 50°29' E., on line 19-20, sec. 21.</p> <p>Over rolling and rocky lands, through creosote and cacti.</p>
3.88	<p>Point for AP 20, sec. 21.</p> <p>Set an aluminum rod, 36 ins. long, 3/4 in. diam., 28 ins. in the ground, with aluminum cap mkd.</p> <div style="text-align: center; margin: 20px 0;"> <p>T7S R3E TTWA AP20</p>  <p>S21 1997</p> </div> <p>Cor. is located 30 ft. northerly of two track road.</p> <hr style="width: 20%; margin: auto;"/> <p>S. 89°44' E., on line 20-21, sec. 21.</p> <p>Over rolling and rocky lands, through creosote and cacti.</p>
1.00	<p>Wash, 30 ft. wide, drains NE.</p>
1.44	<p>Point for AP 21, sec. 21.</p>




Metes-and-Bounds Survey of the Table Top Wilderness Area Bdy.,  
T. 7 S., R. 3 E., Gila and Salt River Meridian, Arizona

CHAINS	
	<p>Set an aluminum rod, 36 ins. long, 3/4 in. diam., 12 ins. in the ground to bedrock, in a mound of stone, 3 ft. base, 18 ins. high, with aluminum cap mkd.</p> <p style="text-align: center;">T7S R3E TTWA AP21</p>  <p style="text-align: center;">S21 1997</p> <p>Cor. is located 30 ft. northerly of two track road.</p> <p style="text-align: center;">_____</p> <p>S. 77°04' E., on line 21-22, sec. 21.</p> <p>Over rolling and rocky lands, through creosote and cacti.</p>
0.50	Wash, 30 ft. wide, drains NE.
2.10	Wash, 33 ft. wide, drains NE.
3.43	Point for AP 22, sec. 21.
	<p>Set an aluminum rod, 36 ins. long, 3/4 in. diam., 31 ins. in the ground, with aluminum cap mkd.</p> <p style="text-align: center;">T7S R3E TTWA AP22</p>  <p style="text-align: center;">S21 1997</p> <p>Cor. is located 30 ft. northerly of two track road.</p> <p style="text-align: center;">_____</p> <p>N. 53°08' E., on line 22-23, sec. 21.</p> <p>Over rolling and rocky lands, through creosote and cacti.</p>
6.42	Point for AP 23, sec. 21.
	<p>Set an aluminum rod, 36 ins. long, 3/4 in. diam., 32 ins. in the ground, with aluminum cap mkd.</p>

Metes-and-Bounds Survey of the Table Top Wilderness Area Bdy.,  
T. 7 S., R. 3 E., Gila and Salt River Meridian, Arizona

CHAINS	
4.66	<p style="text-align: center;">T7S R3E TTWA AP23 S21  1997</p> <p>Cor. is located 30 ft. northerly of two track road.</p> <hr style="width: 20%; margin: auto;"/> <p>N. 58°45' E., on line 23-24, sec. 21. Over rolling and rocky lands, through creosote and cacti.</p> <p>Point for AP 24, sec. 21. Set an aluminum rod, 36 ins. long, 3/4 in. diam., 29 ins. in the ground, with aluminum cap mkd.</p>
1.70	<p style="text-align: center;">T7S R3E TTWA AP24 S21  1997</p> <p>Cor. is located 30 ft. northerly of two track road.</p> <hr style="width: 20%; margin: auto;"/> <p>N. 49°05' E., on line 24-25, sec. 21. Over rolling and rocky lands, through creosote and cacti.</p> <p>The point for AP 25, sec. 21, identical with AP 1, sec. 22, on line bet. secs. 21 and 22, hereinbefore described. From this point, the cor. of secs. 21, 22, 27 and 28, bears South, 26.93 chs. dist., hereinbefore described.</p>
	<p style="text-align: center;">In Section 22</p> <hr style="width: 20%; margin: auto;"/> <p>From the point for AP 1, sec. 22, identical with AP 25, sec. 21, on line bet. secs. 21 and 22. N. 49°05' E., on line 1-2, sec. 22, of the metes-and-bounds survey of the Table Top Wilderness Area Bdy. Over rolling and rocky lands, through creosote and cacti.</p>

Metes-and-Bounds Survey of the Table Top Wilderness Area Bdy.,  
T. 7 S., R. 3 E., Gila and Salt River Meridian, Arizona

CHAINS	
3.08	<p>Point for AP 2, sec. 22.</p> <p>Set an aluminum rod, 36 ins. long, 3/4 in. diam., 25 ins. in the ground, with aluminum cap mkd.</p> <div style="text-align: center;">  <p>T7S R3E TTWA / S22 AP2 1997</p> </div> <p>Cor. is located 30 ft. westerly of two track road.</p> <hr style="width: 20%; margin: auto;"/> <p>N. 26°57' E., on line 2-3, sec. 22.</p> <p>Over rolling and rocky lands, through creosote and cacti.</p>
5.24	<p>Point for AP 3, sec. 22.</p> <p>Over rolling and rocky lands, through creosote and cacti.</p> <p>Set an aluminum rod, 36 ins. long, 3/4 in. diam., 27 ins. in the ground, with aluminum cap mkd.</p> <div style="text-align: center;">  <p>TTWA      T7S AP3      R3E           S22 1997</p> </div> <p>Cor. is located 30 ft. westerly of two track road.</p> <hr style="width: 20%; margin: auto;"/> <p>N. 48°00' E., on line 3-4, sec. 22.</p> <p>Over rolling and rocky lands, through creosote and cacti.</p>
4.16	<p>Point for AP 4, sec. 22.</p> <p>Set an aluminum rod, 36 ins. long, 3/4 in. diam., 12 ins. in the ground to bedrock, in a mound of stone, 3 ft. base, 25 ins. high, with aluminum cap mkd.</p> <div style="text-align: center;">  <p>TTWA      T7S AP4      R3E           S22 1997</p> </div>

Metes-and-Bounds Survey of the Table Top Wilderness Area Bdy.,  
T. 7 S., R. 3 E., Gila and Salt River Meridian, Arizona

CHAINS	
5.18	<p>Cor. is located 30 ft. westerly of two track road.</p> <hr/> <p>N. 9°16' W., on line 4-5, sec. 22.</p> <p>Over rolling and rocky lands, through creosote and cacti.</p> <p>Point for AP 5, sec. 22.</p> <p>Set an aluminum rod, 36 ins. long, 3/4 in. diam., 30 ins. in the ground, with aluminum cap mkd.</p> <div data-bbox="857 655 1039 814" style="text-align: center;"> <p>T7S R3E TTWA AP5 1997 S22</p> </div>
8.27	<p>Cor. is located 30 ft. westerly of two track road.</p> <hr/> <p>N. 5°59' E., on line 5-6, sec. 22.</p> <p>Over rolling and rocky lands, through creosote and cacti.</p> <p>Point for AP 6, sec. 22.</p> <p>Set an aluminum rod, 36 ins. long, 3/4 in. diam., 27 ins. in the ground, with aluminum cap mkd.</p> <div data-bbox="844 1222 1039 1381" style="text-align: center;"> <p>T7S R3E AP6 TTWA 1997 S22</p> </div>
8.79	<p>Cor. is located 210 ft. southerly of a 500 KV. Transmission line.</p> <hr/> <p>N. 62°56' W., on line 6-7, sec. 22, along the southerly right-of-way of a 500 KV. Transmission line.</p> <p>Over rolling and rocky lands, through creosote and cacti.</p> <p>The point for AP 7, sec. 22, identical with AP 26, sec. 21, on the line bet. secs. 21 and 22, hereinbefore described.</p>

Metes-and-Bounds Survey of the Table Top Wilderness Area Bdy.,  
T. 7 S., R. 3 E., Gila and Salt River Meridian, Arizona

CHAINS	
	<p>From this point, the cor. of secs. 15, 16, 21 and 22, bears N. 0°01' W., 26.30 chs. dist., hereinbefore described.</p>
	<p style="text-align: center;">In Section 21</p> <hr style="width: 20%; margin: auto;"/>
	<p>From the point for AP 26, sec. 21, identical with AP 7, sec. 22, on line bet. secs. 21 and 22.</p> <p>N. 62°56' W., on line 26-27, sec. 21, along the southerly right-of-way of a 500 KV. Transmission line.</p> <p>Over rolling and rocky lands, through creosote and cacti.</p>
35.98	<p>Point selected for a witness point, on line 1-2, sec. 17.</p> <p>Set an aluminum rod, 36 ins. long, 3/4 in. diam., 16 ins. in the ground to bedrock, in a mound of stone, 3 ft. base, 12 ins. high, with aluminum cap mkd.</p>
	<p style="text-align: center;">           WP            T7S R3E            S21              TTWA            1997         </p>
57.59	<p>Cor. is located 210 ft. southerly of a 500 KV. Transmission line.</p> <p>AP 27, sec. 21, on line bet. secs. 16 and 21, hereinbefore described.</p> <p>From this cor. point, the 1/4 sec. cor. of secs. 16 and 21, bears S. 89°54' E., 11.23 chs. dist., hereinbefore described.</p>
	<p style="text-align: center;">In Section 17</p> <hr style="width: 20%; margin: auto;"/>
	<p>From AP 1, sec. 17, on line bet. secs. 16 and 17, hereinbefore described.</p> <p>From this cor. point, the cor. of secs. 16, 17, 20 and 21, bears S. 0°01' W., 14.66 chs. dist., hereinbefore described</p> <p>N. 62°56' W., on line 1-2, sec. 17, on the metes-and-bounds survey of the Table Top Wilderness Area Bdy., along the southerly right-of way of a 500 KV. Transmission line.</p> <p>Over rolling and rocky lands, through creosote and cacti.</p>

Metes-and-Bounds Survey of the Table Top Wilderness Area Bdy.,  
T. 7 S., R. 3 E., Gila and Salt River Meridian, Arizona

CHAINS	
44.92	<p>Point selected for a witness point, on line 1-2, sec. 17.</p> <p>Set an aluminum rod, 36 ins. long, 3/4 in. diam., 16 ins. in the ground to bedrock, in a mound of stone, 3 ft. base, 12 ins. high, with aluminum cap mkd.</p> <div style="text-align: center;">  </div> <p>Cor. is located 210 ft. S. of 500 KV. Transmission line.</p>
89.84	<p>AP 2, sec. 17, identical with AP 1 sec. 18, on line bet. secs. 16 and 17, hereinbefore described.</p> <p>From this cor. point, the cor. of secs. 7, 8, 17 and 18, bears N. 0°01' W., 24.54 chs. dist., hereinbefore described.</p>
	<p style="text-align: center;">In Section 18</p> <hr style="width: 20%; margin: auto;"/> <p>From AP 1, sec. 18, identical with AP 2, sec. 17, on line bet. secs. 17 and 18.</p> <p>N. 62°56' W., on line 1-2, sec. 18, of the metes-and-bounds survey of the Table Top Wilderness Areas Bdy., along the southerly right-of-way of a 500 KV. Transmission line.</p> <p>Over rolling and rocky lands, through creosote and cacti.</p>
20.21	<p>Point for AP 2, sec. 18.</p> <p>Set an aluminum rod, 36 ins. long, 3/4 in. diam., 27 ins. in the ground, with aluminum cap mkd.</p> <div style="text-align: center;">  </div> <p>Cor. is located 210 ft. southerly of a 500 KV. Transmission line.</p> <hr style="width: 20%; margin: auto;"/> <p>S. 11°56' W., on line 2-3, sec. 18.</p>




Metes-and-Bounds Survey of the Table Top Wilderness Area Bdy.,  
T. 7 S., R. 3 E., Gila and Salt River Meridian, Arizona

CHAINS	
3.44	<p>Over rolling and rocky lands, through creosote and cacti.</p> <p>Point for AP 3, sec. 18.</p> <p>Set an aluminum rod, 36 ins. long, 3/4 in. diam., 14 ins. in the ground to bedrock, in a mound of stone, 2 1/2 ft. base, 18 ins. high, with aluminum cap mkd.</p> <div data-bbox="834 533 1057 688" style="text-align: center;"> <p>T7S R3E S18      AP3             TTWA             1997</p> </div> <p>Cor. is located 30 ft. easterly of two track road.</p> <hr style="width: 20%; margin: auto;"/> <p>S. 29°11' E., on line 3-4, sec. 18.</p> <p>Over rolling and rocky lands, through creosote and cacti.</p>
2.65	<p>Point for AP 4, sec. 18.</p> <p>Set an aluminum rod, 36 ins. long, 3/4 in. diam., 24 ins. in the ground, with aluminum cap mkd.</p> <div data-bbox="834 1104 1057 1260" style="text-align: center;"> <p>T7S R3E S18      AP4             TTWA             1997</p> </div> <p>Cor. is located 30 ft. easterly of two track road.</p> <hr style="width: 20%; margin: auto;"/> <p>S. 2°12' W., on line 4-5, sec. 18.</p> <p>Over rolling and rocky lands, through creosote and cacti.</p>
4.57	<p>Point for AP 5, sec. 18.</p> <p>Set an aluminum rod, 36 ins. long, 3/4 in. diam., 27 ins. in the ground, with aluminum cap mkd.</p> <div data-bbox="834 1680 1057 1835" style="text-align: center;"> <p>T7S R3E S18      AP5             TTWA             1997</p> </div>




Metes-and-Bounds Survey of the Table Top Wilderness Area Bdy.,  
T. 7 S., R. 3 E., Gila and Salt River Meridian, Arizona

CHAINS	
1.75	<p>Cor. is located 30 ft. easterly of two track road.</p> <hr/> <p>S. 39°09' W., on line 5-6, sec. 18.</p> <p>Over rolling and rocky lands, through creosote and cacti.</p> <p>Point for AP 6, sec. 18.</p> <p>Set an aluminum rod, 36 ins. long, 3/4 in. diam., 25 ins. in the ground, with aluminum cap mkd.</p> <div data-bbox="824 653 1047 808" style="text-align: center;"> <p>A diagram showing a horizontal line representing a two-track road. A vertical line labeled 'S18' intersects it. From the intersection, a line goes up and to the right, labeled 'T7S R3E'. A point is marked on this line with the year '1997'. To the right of the point are the labels 'AP6' and 'TTWA'.</p> </div> <p>Cor. is located 30 ft. easterly of two track road.</p> <hr/> <p>S. 1°38' W., on line 6-7, sec. 18.</p> <p>Over rolling and rocky lands, through creosote and cacti.</p> <p>Point for AP 7, sec. 18.</p> <p>Set an aluminum rod, 36 ins. long, 3/4 in. diam., 35 ins. in the ground, with aluminum cap mkd.</p> <div data-bbox="824 1213 1047 1369" style="text-align: center;"> <p>A diagram showing a horizontal line representing a two-track road. A vertical line labeled 'S18' intersects it. From the intersection, a line goes up and to the right, labeled 'T7S R3E'. A point is marked on this line with the year '1997'. To the right of the point are the labels 'AP7' and 'TTWA'.</p> </div>
4.47	<p>Cor. is located 30 ft. easterly of two track road.</p> <hr/> <p>S. 11°28' W., on line 7-8, sec. 18.</p> <p>Over rolling and rocky lands, through creosote and cacti.</p> <p>Point for AP 8, sec. 18.</p> <p>Set an aluminum rod, 36 ins. long, 3/4 in. diam., 30 ins. in the ground, with aluminum cap mkd.</p>

Metes-and-Bounds Survey of the Table Top Wilderness Area Bdy.,  
T. 7 S., R. 3 E., Gila and Salt River Meridian, Arizona

CHAINS	
	<div style="text-align: center;">  </div> <p>Cor. is located 30 ft. easterly of two track road.</p> <hr style="width: 20%; margin: auto;"/> <p>S. 13°34' E., on line 8-9, sec. 18.</p> <p>Over rolling and rocky lands, through creosote and cacti.</p> <p>6.39 Point for AP 9, sec. 18.</p> <p>Set an aluminum rod, 36 ins. long, 3/4 in. diam., 30 ins. in the ground, with aluminum cap mkd.</p>
	<div style="text-align: center;">  </div> <p>Cor. is located 30 ft. easterly of two track road.</p> <hr style="width: 20%; margin: auto;"/> <p>S. 36°30' E., on line 9-10, sec. 18.</p> <p>Over rolling and rocky lands, through creosote and cacti.</p> <p>3.07 Point for AP 10, sec. 18.</p> <p>Set an aluminum rod, 36 ins. long, 3/4 in. diam., 25 ins. in the ground, with aluminum cap mkd.</p>
	<div style="text-align: center;">  </div> <p>Cor. is located 30 ft. easterly of two track road.</p> <hr style="width: 20%; margin: auto;"/> <p>S. 18°50' E., on line 10-11, sec. 18.</p> <p>Over rolling and rocky lands, through creosote and cacti.</p> <p>3.25 Point for AP 11, sec. 18.</p>



Metes-and-Bounds Survey of the Table Top Wilderness Area Bdy.,  
T. 7 S., R. 3 E., Gila and Salt River Meridian, Arizona

CHAINS	
	<p>Set an aluminum rod, 36 ins. long, 3/4 in. diam., 30 ins. in the ground, with aluminum cap mkd.</p> <div style="text-align: center;">  </div> <p>Cor. is located 30 ft. easterly of two track road.</p> <hr style="width: 20%; margin: auto;"/> <p>S. 10°04' W., on line 11-12, sec. 18.</p> <p>Over rolling and rocky lands, through creosote and cacti.</p>
5.88	<p>Point for AP 12, sec. 18.</p> <p>Set an aluminum rod, 36 ins. long, 3/4 in. diam., 29 ins. in the ground, with aluminum cap mkd.</p> <div style="text-align: center;">  </div> <p>Cor. is located 30 ft. easterly of two track road.</p> <hr style="width: 20%; margin: auto;"/> <p>S. 15°13' E., on line 12-13, sec. 18.</p> <p>Over rolling and rocky lands, through creosote and cacti.</p>
3.73	<p>Point for AP 13, sec. 18.</p> <p>Set an aluminum rod, 36 ins. long, 3/4 in. diam., 30 ins. in the ground, with aluminum cap mkd.</p> <div style="text-align: center;">  </div> <p>Cor. is located 30 ft. easterly of two track road.</p> <hr style="width: 20%; margin: auto;"/> <p>S. 6°30' E., on line 13-14, sec. 18.</p> <p>Over rolling and rocky lands, through creosote and cacti.</p>

Metes-and-Bounds Survey of the Table Top Wilderness Area Bdy.,  
T. 7 S., R. 3 E., Gila and Salt River Meridian, Arizona

CHAINS	
4.37	<p>Point for AP 14, sec. 18.</p> <p>Set an aluminum rod, 36 ins. long, 3/4 in. diam., 29 ins. in the ground, with aluminum cap mkd.</p> <div data-bbox="812 420 1055 588" style="text-align: center;"> <p>T7S R3E S18      AP14             TTWA             1997</p> </div> <p>Cor. is located 30 ft. easterly of two track road.</p> <hr style="width: 20%; margin: 10px auto;"/> <p>S. 31°51' W., on line 14-15, sec. 18.</p> <p>Over rolling and rocky lands, through creosote and cacti.</p>
4.98	<p>Point for AP 15, sec. 18.</p> <p>Set an aluminum rod, 36 ins. long, 3/4 in. diam., 25 ins. in the ground, with aluminum cap mkd.</p> <div data-bbox="812 987 1055 1155" style="text-align: center;"> <p>T7S R3E S18      AP15             TTWA             1997</p> </div> <p>Cor. is located 30 ft. easterly of two track road and 27 ft. W. of 4 strand barbed wire fence, bears ENE. and SW.</p> <hr style="width: 20%; margin: 10px auto;"/> <p>S. 56°34' W., on line 15-16, sec. 18.</p> <p>Over rolling and rocky lands, through creosote and cacti.</p>
3.43	<p>Point for AP 16, sec. 18.</p> <p>Set an aluminum rod, 36 ins. long, 3/4 in. diam., 18 ins. in the ground to bedrock, in a mound of stone, 2 ft. base, 1 ft. high, with aluminum cap mkd.</p> <div data-bbox="844 1617 1023 1827" style="text-align: center;"> <p>T7S R3E S18             AP16             TTWA             1997</p> </div>



Metes-and-Bounds Survey of the Table Top Wilderness Area Bdy.,  
T. 7 S., R. 3 E., Gila and Salt River Meridian, Arizona

CHAINS	
5.55	<p>Cor. is located 30 ft. easterly of two track road. _____</p> <p>S. 67°16' W., on line 16-17, sec. 18.</p> <p>Over rolling and rocky lands, through creosote and cacti.</p> <p>Point for AP 17, sec. 18.</p> <p>Set an aluminum rod, 36 ins. long, 3/4 in. diam., 29 ins. in the ground, with aluminum cap mkd.</p> <div style="text-align: center;"> <p>T7S R3E S18</p>  <p>AP17 TTWA 1997</p> </div>
2.89	<p>Cor. is located 30 ft. easterly of two track road. _____</p> <p>S. 75°05' W., on line 17-18, sec. 18.</p> <p>Over rolling and rocky lands, through creosote and cacti.</p> <p>Point for AP 18, sec. 18.</p> <p>Set an aluminum rod, 36 ins. long, 3/4 in. diam., 10 ins. in the ground to bedrock, in a mound of stone, 3 ft. base, 2 ft. high, with aluminum cap mkd.</p> <div style="text-align: center;"> <p>T7S R3E S18</p>  <p>AP18 TTWA 1997</p> </div>
2.99	<p>Cor. is located 30 ft. easterly of two track road. _____</p> <p>S. 64°16' W., on line 18-19, sec. 18.</p> <p>Over rolling and rocky lands, through creosote and cacti.</p> <p>Point for AP 19, sec. 18.</p> <p>Set an aluminum rod, 36 ins. long, 3/4 in. diam., 29 ins. in the ground, with aluminum cap mkd.</p>

Metes-and-Bounds Survey of the Table Top Wilderness Area Bdy.,  
T. 7 S., R. 3 E., Gila and Salt River Meridian, Arizona

CHAINS	
	<p style="text-align: center;">T7S R3E S18</p> <hr style="width: 10%; margin: auto;"/> <p style="text-align: center;">AP19 TTWA 1997</p> <p>Cor. is located 30 ft. southeasterly of two track road.</p> <hr style="width: 10%; margin: auto;"/> <p>S. 79°09' W., on line 19-20, sec. 18.</p> <p>Over rolling and rocky lands, through creosote and cacti.</p>
4.92	<p>Point for AP 20, sec. 18.</p> <p>Set an aluminum rod, 36 ins. long, 3/4 in. diam., 18 ins. in the ground to bedrock, in a mound of stone, 2 ft. base, 1 ft. high, with aluminum cap mkd.</p> <p style="text-align: center;">T7S R3E S18</p> <hr style="width: 10%; margin: auto;"/> <p style="text-align: center;">AP20 TTWA 1997</p> <p>Cor. is located 30 ft. southeasterly of two track road.</p> <hr style="width: 10%; margin: auto;"/> <p>S. 70°17' W., on line 20-21, sec. 18.</p> <p>Over rolling and rocky lands, through creosote and cacti.</p>
8.83	<p>Point for AP 21, sec. 18.</p> <p>Set an aluminum rod, 36 ins. long, 3/4 in. diam., 24 ins. in the ground, with aluminum cap mkd.</p> <p style="text-align: center;">T7S R3E S18</p> <hr style="width: 10%; margin: auto;"/> <p style="text-align: center;">AP21 TTWA 1997</p> <p>Cor. is located 30 ft. southeasterly of two track road.</p> <hr style="width: 10%; margin: auto;"/> <p>S. 61°26' W., on line 21-22, sec. 18.</p>

Metes-and-Bounds Survey of the Table Top Wilderness Area Bdy.,  
T. 7 S., R. 3 E., Gila and Salt River Meridian, Arizona

CHAINS	
2.76	<p>Over rolling and rocky lands, through creosote and cacti.</p> <p>Point for AP 22, sec. 18.</p> <p>Set an aluminum rod, 36 ins. long, 3/4 in. diam., 18 ins. in the ground to bedrock, in a mound of stone, 2 ft. base, 1 ft. high, with aluminum cap mkd.</p> <div style="text-align: center;"> <p>T7S R3E S18</p>  <p>AP22 TTWA 1997</p> </div> <p>Cor. is located 30 ft. southeasterly of two track road.</p> <hr style="width: 20%; margin: auto;"/> <p>S. 70°15' W., on line 22-23, sec. 18.</p> <p>Over rolling and rocky lands, through creosote and cacti.</p> <p>The point for AP 23, sec. 18, identical with AP 11, Tract 37, on line bet. secs. 18 and 19, hereinbefore described.</p> <p>From this point, the 1/4 sec. cor. of secs. 18 and 19, bears S. 89°59' E., 10.86 chs. dist., hereinbefore described.</p>
3.80	<div style="text-align: center;"> <p>Tract 37</p> <hr style="width: 20%; margin: auto;"/> </div> <p>From the point for AP 11, Tract 37, identical with AP 23, sec. 18, on line bet. secs. 18 and 19.</p> <p>S. 70°15' W., on line 11-12, Tract 37, of the metes-and-bounds survey of the Table Top Wilderness Area Bdy.</p> <p>Over rolling and rocky lands, through creosote and cacti.</p> <p>Point for AP 12, Tract 37.</p> <p>Set an aluminum rod, 36 ins. long, 3/4 in. diam., 26 ins. in the ground, with aluminum cap mkd.</p> <div style="text-align: center;"> <p>T7S R3E</p>  <p>AP12 TTWA 1997</p> </div>

Metes-and-Bounds Survey of the Table Top Wilderness Area Bdy.,  
T. 7 S., R. 3 E., Gila and Salt River Meridian, Arizona

CHAINS	
2.94	<p>Cor. is located southerly of two track road.</p> <hr/> <p>S. 73°16' W., on line 12-13, Tract 37.</p> <p>Over rolling and rocky lands, through creosote and cacti.</p> <p>Point for AP 13, Tract 37.</p> <p>Set an aluminum rod, 36 ins. long, 3/4 in. diam., 22 ins. in the ground to bedrock, in a mound of stone, 3 ft. base, to top, with aluminum cap mkd.</p> <div style="text-align: center;"> <p>T7S R3E</p> <hr style="width: 10%; margin: 0 auto;"/> <p>AP13 TTWA 1997</p> </div> <p>Cor. is located on N. bank of wash, drains W. and southerly of two track road.</p> <hr/> <p>S. 77°40' W., on line 13-14, Tract 37.</p> <p>Over rolling and rocky lands, through creosote and cacti.</p>
3.78	<p>Point for AP 14, Tract 37.</p> <p>Set an aluminum rod, 36 ins. long, 3/4 in. diam., 20 ins. in the ground to bedrock, in a mound of stone, 3 ft. base, 1 ft high, with aluminum cap mkd.</p> <div style="text-align: center;"> <p>T7S R3E</p> <hr style="width: 10%; margin: 0 auto;"/> <p>AP14 TTWA 1997</p> </div> <p>Cor. is located southerly of two track road.</p> <hr/> <p>S. 85°00' W., on line 14-15, Tract 37.</p> <p>Over rolling and rocky lands, through creosote and cacti.</p>
5.46	<p>Point for AP 15, Tract 37.</p> <p>Set an aluminum rod, 36 ins. long, 3/4 in. diam., 16 ins. in the ground to bedrock, in a mound of stone, 3 ft. base, 18 ins. high, with aluminum cap mkd.</p>

Metes-and-Bounds Survey of the Table Top Wilderness Area Bdy.,  
T. 7 S., R. 3 E., Gila and Salt River Meridian, Arizona

CHAINS	
4.99	<p style="text-align: center;">T7S R3E ----- AP15 TTWA 1997</p> <p>Cor. is located southerly of two track road. -----</p> <p>S. 72°47' W., on line 15-16, Tract 37.</p> <p>Over rolling and rocky lands, through creosote and cacti.</p> <p>Point for AP 16, Tract 37.</p> <p>Set an aluminum rod, 36 ins. long, 3/4 in. diam., 18 ins. in the ground to bedrock, in a mound of stone, 2 ft. base, 1 ft. high, with aluminum cap mkd.</p>
7.43	<p style="text-align: center;">T7S R3E ----- AP16 TTWA 1997</p> <p>Cor. is located southerly of two track road. -----</p> <p>S. 73°51' W., on line 16-17, Tract 37.</p> <p>Over rolling and rocky lands, through creosote and cacti.</p> <p>Point for AP 17, Tract 37, identical with AP 1, Tract 37, T. 7 S., R. 2 E., on the line bet. secs. 19 and 24, on the W. bdy. of the Tp., monumented with a stainless steel post, 2 1/2 ins. diam., firmly set, projecting 11 ins. above ground, and in a mound of stone, 3 ft. base, to top, with brass cap mkd. T7S R2E R3E AP1 AP17 TTWA 1996 as described in the field notes of the metes-and-bounds survey of the Table Top Wilderness Area Bdy., T. 7 S., R. 2 E., surveyed concurrently under this same group.</p>
	<p style="text-align: center;">General Description -----</p> <p>Table Top Wilderness Area is located about 30 miles easterly of Gila Bend, Arizona. The land is rolling and rocky. Vegetation consists of creosote, palo verde, ironwood, and cacti.</p> <p>Access is through Interstate 8.</p>

## T. 7 S., R. 3 E., Gila and Salt River Meridian, Arizona

CHAINS

Description of the Table Top Wilderness Area Bdy.,  
T. 7 S., R. 3 E., Gila and Salt River Meridian, Arizona

The following is for informational purposes only.

Beginning at Angle Point 1, Tract 38, identical with Angle Point 44, sec. 5, T. 8 S., R. 3 E., on line bet. secs. 5 and 32, on the S. bdy. of the Tp.

thence N. 27°44' E., 5.47 chs. dist. to Angle Point 2, Tract 38;  
 thence N. 33°41' E., 5.17 chs. dist. to Angle Point 3, Tract 38;  
 thence N. 52°10' E., 4.02 chs. dist. to Angle Point 4, Tract 38;  
 thence N. 45°19' E., 3.89 chs. dist. to Angle Point 5, Tract 38;  
 thence N. 1°40' W., 5.31 chs. dist. to Angle Point 6, Tract 38;  
 thence N. 5°57' E., 7.43 chs. dist. to Angle Point 7, Tract 38;  
 thence N. 19°11' E., 2.84 chs. dist. to Angle Point 8, Tract 38;  
 thence N. 27°10' E., 4.58 chs. dist. to Angle Point 9, Tract 38;  
 thence N. 11°49' E., 3.75 chs. dist. to Angle Point 10, Tract  
 38, identical with Angle Point 1, sec. 33, on the line bet.  
 secs. 32 and 33;

thence N. 11°49' E., 5.71 chs. dist. to Angle Point 2, sec. 33;  
 thence N. 16°21' E., 6.52 chs. dist. to Angle Point 3, sec. 33;  
 thence N. 30°09' E., 7.24 chs. dist. to Angle Point 4, sec. 33;  
 thence N. 33°22' E., 7.37 chs. dist. to Angle Point 5, sec. 33;  
 thence N. 43°58' E., 4.68 chs. dist. to Angle Point 6, sec. 33;  
 thence N. 20°18' E., 9.08 chs. dist. to Angle Point 7, sec. 33;  
 thence N. 12°27' E., 6.53 chs. dist. to Angle Point 8, sec. 33,  
 identical with Angle Point 1, sec. 28, on the line bet.  
 secs. 28 and 33;

thence N. 12°27' E., 2.94 chs. dist. to Angle Point 2, sec. 28;  
 thence N. 1°01' E., 3.60 chs. dist. to Angle Point 3, sec. 28;  
 thence N. 10°03' E., 4.75 chs. dist. to Angle Point 4, sec. 28;  
 thence N. 4°51' W., 4.21 chs. dist. to Angle Point 5, sec. 28;  
 thence N. 37°50' E., 5.69 chs. dist. to Angle Point 6, sec. 28;  
 thence N. 24°14' E., 4.30 chs. dist. to Angle Point 7, sec. 28;  
 thence N. 29°47' E., 3.95 chs. dist. to Angle Point 8, sec. 28;  
 thence N. 0°51' W., 5.24 chs. dist. to Angle Point 9, sec. 28;  
 thence N. 19°34' W., 7.24 chs. dist. to Angle Point 10, sec. 28;  
 thence N. 20°37' E., 6.55 chs. dist. to Angle Point 11, sec. 28;  
 thence N. 32°40' E., 3.79 chs. dist. to Angle Point 12, sec. 28;  
 thence N. 50°08' E., 6.53 chs. dist. to Angle Point 13, sec. 28;  
 thence N. 10°43' E., 3.94 chs. dist. to Angle Point 14, sec. 28;  
 thence N. 24°58' E., 6.70 chs. dist. to Angle Point 15, sec. 28;  
 thence N. 32°01' E., 4.59 chs. dist. to Angle Point 16, sec. 28;  
 thence N. 41°43' E., 5.21 chs. dist. to Angle Point 17, sec. 28;  
 thence N. 39°00' E., 7.61 chs. dist. to Angle Point 18, sec. 28;  
 thence N. 51°25' E., 5.81 chs. dist. to Angle Point 19, sec. 28,  
 identical with Angle Point 1, sec. 21, on the line bet.  
 secs. 21 and 28;

## T. 7 S., R. 3 E., Gila and Salt River Meridian, Arizona

CHAINS	
	thence N. 51°25' E., 0.32 chs. dist. to Angle Point 2, sec. 21;
	thence N. 78°39' E., 5.66 chs. dist. to Angle Point 3, sec. 21;
	thence N. 41°07' E., 5.57 chs. dist. to Angle Point 4, sec. 21;
	thence N. 18°25' E., 4.17 chs. dist. to Angle Point 5, sec. 21;
	thence N. 26°33' E., 7.39 chs. dist. to Angle Point 6, sec. 21;
	thence N. 41°46' E., 3.54 chs. dist. to Angle Point 7, sec. 21;
	thence N. 74°06' W., 2.77 chs. dist. to Angle Point 8, sec. 21;
	thence S. 88°39' W., 1.72 chs. dist. to Angle Point 9, sec. 21;
	thence N. 51°18' W., 3.94 chs. dist. to Angle Point 10, sec. 21;
	thence N. 59°05' W., 1.31 chs. dist. to Angle Point 11, sec. 21;
	thence S. 19°08' W., 1.38 chs. dist. to Angle Point 12, sec. 21;
	thence S. 70°36' W., 3.54 chs. dist. to Angle Point 13, sec. 21;
	thence N. 20°03' W., 3.42 chs. dist. to Angle Point 14, sec. 21;
	thence N. 57°26' E., 1.26 chs. dist. to Angle Point 15, sec. 21;
	thence N. 72°22' E., 1.00 chs. dist. to Angle Point 16, sec. 21;
	thence N. 83°30' E., 2.36 chs. dist. to Angle Point 17, sec. 21;
	thence S. 34°04' E., 1.45 chs. dist. to Angle Point 18, sec. 21;
	thence S. 65°03' E., 1.30 chs. dist. to Angle Point 19, sec. 21;
	thence S. 50°29' E., 3.88 chs. dist. to Angle Point 20, sec. 21;
	thence S. 89°44' E., 1.44 chs. dist. to Angle Point 21, sec. 21;
	thence S. 77°04' E., 3.43 chs. dist. to Angle Point 22, sec. 21;
	thence N. 53°08' E., 6.42 chs. dist. to Angle Point 23, sec. 21;
	thence N. 58°45' E., 4.66 chs. dist. to Angle Point 24, sec. 21;
	thence N. 49°05' E., 1.70 chs. dist. to Angle Point 25, sec. 21, identical with Angle Point 1, sec. 22, on the line bet. secs. 21 and 22;
	thence N. 49°05' E., 3.08 chs. dist. to Angle Point 2, sec. 22;
	thence N. 26°57' E., 5.24 chs. dist. to Angle Point 3, sec. 22;
	thence N. 48°00' E., 4.16 chs. dist. to Angle Point 4, sec. 22;
	thence N. 9°16' W., 5.18 chs. dist. to Angle Point 5, sec. 22;
	thence N. 5°59' E., 8.27 chs. dist. to Angle Point 6, sec. 22;
	thence N. 62°56' W., 8.79 chs. dist. to Angle Point 7, sec. 22, identical with Angle Point 26, sec. 21, on the line bet. secs. 21 and 22;
	thence N. 62°56' W., 57.59 chs. dist. to Angle Point 27, sec. 21, on the line bet. secs. 16 and 21;
	thence N. 89°54' W., 28.80 chs. dist., bet. secs. 16 and 21, to the cor. of secs. 16, 17, 20 and 21;
	thence N. 0°01' E., 14.66 chs. dist., bet. secs. 16 and 17, to Angle Point 1, sec. 17;
	thence N. 62°56' W., 89.84 chs. dist., to Angle Point 2, sec. 17, identical with Angle Point 1, sec. 18, on the line bet. secs. 17 and 18;
	thence N. 62°56' W., 20.21 chs. dist. to Angle Point 2, sec. 18;
	thence S. 11°56' W., 3.44 chs. dist. to Angle Point 3, sec. 18;
	thence S. 29°11' E., 2.65 chs. dist. to Angle Point 4, sec. 18;
	thence S. 2°12' W., 4.57 chs. dist. to Angle Point 5, sec. 18;
	thence S. 39°09' W., 1.75 chs. dist. to Angle Point 6, sec. 18;
	thence S. 1°38' W., 6.19 chs. dist. to Angle Point 7, sec. 18;
	thence S. 11°28' W., 4.47 chs. dist. to Angle Point 8, sec. 18;
	thence S. 13°34' E., 6.39 chs. dist. to Angle Point 9, sec. 18;

## T. 7 S., R. 3 E., Gila and Salt River Meridian, Arizona


CHAINS	
	thence S. 36°30' E., 3.07 chs. dist. to Angle Point 10, sec. 18;
	thence S. 18°50' E., 3.25 chs. dist. to Angle Point 11, sec. 18;
	thence S. 10°04' W., 5.88 chs. dist. to Angle Point 12, sec. 18;
	thence S. 15°13' E., 3.73 chs. dist. to Angle Point 13, sec. 18;
	thence S. 6°30' E., 4.37 chs. dist. to Angle Point 14, sec. 18;
	thence S. 31°51' W., 4.98 chs. dist. to Angle Point 15, sec. 18;
	thence S. 56°34' W., 3.43 chs. dist. to Angle Point 16, sec. 18;
	thence S. 67°16' W., 5.55 chs. dist. to Angle Point 17, sec. 18;
	thence S. 75°05' W., 2.89 chs. dist. to Angle Point 18, sec. 18;
	thence S. 64°16' W., 2.99 chs. dist. to Angle Point 19, sec. 18;
	thence S. 79°09' W., 4.92 chs. dist. to Angle Point 20, sec. 18;
	thence S. 70°17' W., 8.83 chs. dist. to Angle Point 21, sec. 18;
	thence S. 61°26' W., 2.76 chs. dist. to Angle Point 22, sec. 18;
	thence S. 70°15' W., 4.48 chs. dist. to Angle Point 23, sec. 18, identical with Angle Point 11, Tract 37;
	thence S. 70°15' W., 3.80 chs. dist. to Angle Point 12, Tract 37;
	thence S. 73°16' W., 2.94 chs. dist. to Angle Point 13, Tract 37;
	thence S. 77°40' W., 3.78 chs. dist. to Angle Point 14, Tract 37;
	thence S. 85°00' W., 5.46 chs. dist. to Angle Point 15, Tract 37;
	thence S. 72°47' W., 4.99 chs. dist. to Angle Point 16, Tract 37;
	thence S. 73°51' W., 7.43 chs. dist. to Angle Point 17, Tract 37, identical with Angle Point 1, Tract 37, T. 7 S., R. 2 E. on the line bet. secs. 19 and 24, on the W. bdy. of the Tp.;



# TOWNSHIP 7 SOUTH, RANGE 3 EAST, OF THE GILA AND SALT RIVER MERIDIAN, ARIZONA

## 1731-A

### DEPENDENT RESURVEY AND METES-AND-BOUNDS SURVEY OF THE TABLE TOP WILDERNESS BOUNDARY



The history of surveys is contained in the field notes.

This plot, in 4 sheets, represents the dependent resurvey of a portion of the south boundary and a portion of the subdivisional lines, designed to restore the corners in their true original locations according to the best available evidence; and the metes-and-bounds survey of the Table Top Wilderness Area Boundary, in Township 7 South, Range 3 East, Gila and Salt River Meridian, Arizona.

Except as indicated herein, the lottings and areas are as shown on the plot approved March 19, 1917, accepted July 30, 1917.

This survey was executed by Joe R. Salazar, Cadastral Surveyor, beginning January 13, 1997, and completed January 30, 1997, pursuant to Special Instructions dated April 8, 1996, for Group No. 797, Arizona.

UNITED STATES DEPARTMENT OF THE INTERIOR  
BUREAU OF LAND MANAGEMENT

Phoenix, Arizona December 8, 1999

This plot is strictly conformable to the approved field notes, and the survey, having been correctly executed in accordance with the requirements of law and the regulations of this Bureau, is hereby accepted.

For the Director

*Henry D. Ramirez*

Chief Cadastral Surveyor of Arizona

0 10 20 30 40  
Chains  
Area Surveyed: 32.67 Acres