

Copied
6-28-1911.
SB

21
MAY 31 1911

HOMESTEAD ENTRY SURVEY NO. 53

Arizona Land District.

FIELD NOTES

of

The Survey of the Homestead Entry Claim

of

Peter Lazear

Described as

H. E. No. 0501 List No. 1001

Sec. 5, T. 10 N., R. 11 E.

Uns. Sec. 32, T. 11 N., R. 11 E.

Tonto National Forest,

Gila County, Arizona

Surveyed under instructions dated May 17, 1910,

by Howard C. Hopkins
U. S. Mineral Surveyor.

Survey commenced September 21, 1910

Survey completed September 24, 1910

Address:

Payson, Arizona.

22

WILLIAM W. ...
ATTORNEY AT LAW

FIELD NOTES

of the ...

of

...

...

...

...

...

...

...

...

...

...



HOMESTEAD ENTRY SURVEY NO.53.

Peter Lazear, Claimant.

Beginning at Cor.No.1.

On line bet.secs.5 & 32, Tps. 10 & 11 N., R.11E., G.& S.R. Mer., East 5 chs.from 1/4 cor.bet.secs.5- & 32 and West 35 chs.from cor.secs. 4,5,32 & 33. Where I set

A sandstone 8x10x24 ins., set 12 ins.in the ground, chiseled 1-HES-53 on the west face and CC on the east face, with mound of stone 2 ft. base, 1-1/2 ft.high alongside, whence

A black oak tree, 10 ins.dia., blazed and scribed 1-HES-53-CC-BT bears N.81°20'E. 0.32 chs.

Chains.

Thence NORTH.

20.00 Along foot of hill.
To Cor.No.2, where I set

A sandstone 6x8x24 ins., set 12 ins.in the ground, chiseled 2-HES-53, with mound of stone 2 ft.base, 1-1/2 ft. high alongside.

No bearings available.

Thence WEST.

7.00 Along foot of hill.
Rail fence, course N.50°W., S.50°E.
15.00 To Cor.No.3, where I set

A sandstone 6x8x24 ins., set 12 ins.in the ground, chiseled 3-HES-53, with mound of stone 2 ft.base, 1-1/2 ft. high alongside, whence

A black oak tree, 8 ins.dia., blazed and scribed 3-HES-53-BT, bears N.5°15'W. 0.50 chs.

Thence NORTH.

6.00 Ascend steep hill.
Top of hill, 175 ft.above valley.
Descend.

10.00 To Cor.No.4.
40 ft.above the valley, where I set

A sandstone 8x10x24 ins., set 12 ins.in the ground, chiseled 4-HES-53, with mound of stone 2 ft.base, 1-1/2 ft. high alongside, whence

A juniper tree, 6 ins.dia., blazed and scribed 4-HES-53-BT, bears N.3°05'W. 0.24 chs.

Thence WEST.

3.00 Descend.
Foot of hill.
Across valley.

29.50 Star Valley Creek, 0.5 chs.wide, flows southeasterly.
30.00 Cor.No.5, where I set

A sandstone 7x8x24 ins., set 12 ins.in the ground, chiseled 5-HES-53, with mound of stone 2 ft.base, 1-1/2 ft. high alongside, whence

A walnut tree 18 ins.dia., blazed and scribed 5-HES-53-BT bears N.18°35'E. 0.73 chs.

Chains

Thence SOUTH.

- 6.00 Ascend steep ridge.
Top of ridge 200 ft. above valley, course northwesterly and southeasterly.
- 10.00 Descend.
To Cor. No. 6, where I set
A limestone 8x8x24 ins., set 12 ins. in the ground, chiseled 6-HES-53, with mound of stone 2 ft. base, 1-1/2 ft. high alongside, whence
A juniper tree 18 ins. dia., blazed and scribed 6-HES-53-BT, bears N. 69° 35' W. 0.72 chs.

Thence EAST.

- 6.00 Ascend.
Top of ridge 200 ft. above valley, course northwesterly and southeasterly.
- 10.00 Descend.
To Cor. No. 7, where I set
100 ft. above valley, where I set
A sandstone 8x9x24 ins., set 12 ins. in the ground, chiseled 7-HES-53, with mound of stone 2 ft. base, 1-1/2 ft. high alongside, whence
A juniper tree 15 ins. dia., blazed and scribed 7-HES-53-BT, bears S. 80° W. 0.31 chs.

Thence SOUTH.

- 5.00 Ascend.
Top of ridge, 150 ft. above valley, course northwesterly and southeasterly.
- 10.00 Descend.
To Cor. No. 8, where I set
A red granite stone, 8x10x24 ins., set 12 ins. in the ground, chiseled 8-HES-53, with mound of stone 2 ft. base, 1-1/2 ft. high alongside, whence
A juniper tree 12 ins. dia., blazed and scribed 8-HES-53-BT bears N. 71° 40' W. 0.32 chs.

Thence EAST.

- 7.00 Ascend.
Top of ridge, 150 ft. above valley, course northwesterly and southeasterly.
- 10.00 Descend.
To Cor. No. 9.
75 ft. above valley, where I set
A red granite stone 8x11x24 ins., set 12 ins. in the ground, chiseled 9-HES-53, with mound of stone 2 ft. base, 1-1/2 ft. high alongside, whence
An oak tree 10 ins. dia., blazed and scribed 9-HES-53-BT bears S. 15° 30' E. 0.22 chs.

Thence SOUTH.

- 6.00 Ascend.
Top of ridge 200 ft. above valley, course northwesterly and southeasterly.
- 10.00 Descend.
To Cor. No. 10.
40 ft. above valley.

Chains.

On line bet. secs. 5 & 32, Tps. 10 & 11 N., R. 11 E., G. & S. R. Mer., East 20 chs. from cor. secs. 5, 6, 31 & 32, and West 20 chs. from 1/4 cor. bet. secs. 5 & 32.

I set A red granite stone, 7x11x24 ins., set 12 ins. in the ground, chiseled 10-HES-53 on the east face and CC on the west face, with mound of stone 2 ft. base, 1-1/2 ft. high alongside, whence

A pinon tree 10 ins. dia., blazed and scribed 10-HES-53-CC-BT, bears S. 80° 48' W. 0.56 chs.

Thence WEST.

Along side of hill, slopes southerly.

5.00 Draw, course southeasterly.

Ascend.

10.00 To Cor. No. 11.

On hill 150 ft. above valley.

On line bet. secs. 5 & 32, Tps. 10 & 11 N., R. 11 E., G. & S. R. Mer., East 10 chs. from cor. secs. 5, 6, 31 & 32 and west 30 chs. from 1/4 cor. bet. secs. 5 & 32. Where I set

A red granite stone 6x8x24 ins., set 12 ins. in the ground, chiseled 11-HES-53 on the east face, CC on the west face.

No bearings available.

Thence SOUTH.

Descend.

6.00 Foot of hill.

Across valley.

20.00 To Cor. No. 12, where I set

A sandstone 8x10x24 ins., set 12 ins. in the ground, chiseled 12-HES-53, with mound of stone 2 ft. base, 1-1/2 ft. high alongside, whence

A black oak tree 18 ins. dia., blazed and scribed 12-HES-53-BT bears N. 58° 57' W. 1.14 chs.

Thence EAST.

Along edge of valley.

2.50 Rail fence, course N. 38° E., S. 38° W.

Along foot of hill.

10.00 To Cor. No. 13.

A fence, course S. 21° W., N. 21° E.

I set A red granite stone 5x12x24 ins., set 12 ins. in the ground, chiseled 13-HES-53, with mound of stone 2 ft. base 1-1/2 ft. high alongside, whence

A black oak tree, 1 ft. dia., blazed and scribed 13-HES-53-BT bears S. 45° E. 0.73 chs.

Thence SOUTH.

Along foot of hill.

3.50 Rail fence, course N. 74° 45' W., S. 74° 45' E.

5.00 To Cor. No. 14, where I set

A red granite stone 8x10x30 ins., set 15 ins. in the ground, chiseled 14-HES-53, with mound of stone 2 ft. base, 1-1/2 ft. high alongside, whence

A black oak tree, 8 ins. dia., blazed and scribed 14-HES-53-BT, bears N. 15° 25' E. 0.90 chs.

Chains.

Thence EAST.

- Along foot of hill.
- 5.50 Rail fence, course N.74°45'W. and East.
Along fence.
- 7.00 Fence turns N.63°26'E.
- 10.00 To Cor.No.15, where I set
A red granite stone 8x10x30 ins., set 12 ins. in the ground, chiseled 15-HES-53, with mound of stone 2 ft. base, 1-1/2 ft. high alongside.
No bearings available.

Thence NORTH.

- Along foot of hill.
- 1.50 Rail fence, course S.63°26'W., N.63°26'E.
- 4.70 Rail fence, course N.54°W., S.54°E.
- 5.00 To Cor.No.16, where I set
A red granite stone 6x8x24 ins., set 12 ins. in the ground, chiseled 12-HES-53, with mound of stone 2 ft. base, 1-1/2 ft. high alongside.
No bearings available.

Thence EAST.

- Along edge of flat.
- 9.50 Rail fence, course N.55°E., S.55°W.
- 14.25 To witness Cor.No.17, where I set
A red granite stone 5x8x24 ins., set 12 ins. in the ground, chiseled 17-HES-53-WC, with mound of stone 2 ft. base, 1-1/2 ft. high alongside.
No bearings available.
- 14.50 West bank Star Valley Creek, flows southerly.
- 15.00 To Cor.No.17.
Not set as it falls in Star Valley Creek, W.C. heretofore described brs. West .75 chs.

Thence NORTH.

- Along Star Valley Creek.
- 4.50 Leave creek.
- Along foot of hill.
- 10.00 To Cor.No.18, where I set
A red granite stone 8x10x24 ins., set 12 ins. in the ground, chiseled 18-HES-53, with mound of stone 2 ft. base, 1-1/2 ft. high alongside, whence
A cedar tree 18 ins. dia., blazed and scribed 18-HES-53-BT bears N.51°40'E. 0.82 chs.

Thence West.

- 2.50 Star Valley Creek, flows southerly.
Across level valley.
- 3.50 Rail fence, course S.8°E., N.8°W.
- 5.00 To Cor.No.19, where I set
A red granite stone 5x8x24 ins., set 12 ins. in the ground, chiseled 19-HES-53, with mound of stone 2 ft. base, 1-1/2 ft. high alongside, whence
A willow tree 20 ins. dia., blazed and scribed 19-HES-53-BT bears N.11°15'E. 1.42 chs.

Thence NORTH.

Across level land.
 2.00 Fence, course N.52°W., S.52°E.
 4.00 Star Valley Creek, 0.5 chs. wide, flows southeasterly.
 Ascend steep slope.
 10.00 To Cor. No. 20.
 On top of hill 150 ft. above valley.
 Identical with 1/4 sec. cor. bet. secs. 5 & 32, Tps. 10 & 11 N., R. 11 E., G. & S. R. Mer.
 I set A sandstone 6x8x24 ins., set 12 ins. in the ground beside the 1/4 sec. cor., chiseled 20-HES-53 with mound of stone 2 ft. base, 1-1/2 ft. high alongside, whence
 A cedar tree 6 ins. dia., blazed and scribed 20-HES-53-BT, bears S.50°50'E. 0.67 chs.

Thence EAST.

Descend.
 5.00 Along line bet. secs. 5 & 32.
 To Cor. No. 1.
 The place of beginning.

Magnetic variation at all corners 14°50'E.

This survey is identical with the preliminary survey and listing.

Area 160 Acres.

Location.

This survey is located in sec. 5 and what will be when surveyed, sec. 32, Tps. 10 & 11 N., R. 11 E., G. & S. R. Mer. In Star Valley, Tonto National Forest, Gila County, Arizona.

Improvements.

A frame house 25 ft. square, course of side North, southeast cor. bears N.82°15'W. 10.75 chs. from Cor. No. 19.
 A store house, 10 x 15 ft., course of long side West, northeast cor. bears N.82°20'W. 10.50 chs. from Cor. No. 19.
 A frame wagon shed 15 x 20 ft., course of long side N.55°W., the northeast cor. bears N.84°30'W. 12.60 chs. from Cor. No. 19.
 A frame barn 60 ft. square, course of side S.55°E., northwest cor. bears N.81°35'W. 14.5 chs. from Cor. No. 19.
 A log shop, 14 x 20 ft., course of long side N.55°W., northeast cor. bears S.86°W. 10.60 chs. from Cor. No. 19.
 A corral, 100 ft. square, course of side N.55°W., southeast corner bears N.83°28'W. 13.62 chs. from Cor. No. 19.
 A corral, 100 ft. square, course of side N.55°W., northeast cor. bears N.81°35'W. 14.50 chs. from Cor. No. 19.
 A rail fence beginning at a point on line 2-3, 7 chs. from Cor. No. 2, thence S.50°E. 6 chs.; thence South 10 chs.; thence S.65°W. 8 chs. to Star Valley Creek.
 A wire and rail fence beginning at a point on line 5-6, 0.50 chs. from Cor. No. 5; thence S.56°E. 14 chs.; thence South 5 chs.; thence S.61°E. 12 chs.; thence S.13°E. 17.70 chs.
 A rail fence beginning at a point on line 12-13, 2.50 chs. from Cor. No. 12; thence N.38°W. 3 chs.; thence North 4.50 chs.;

thence N.40°E. 11.chs.;thence N.72°E. 8 chs.

A rail fence beginning at Cor.No.13;thence N.21°E. 0.50chs.,thence N.73°W. 2.30chs.;thence N.35°E. 11.90chs.

A rail fence beginning at a point on line 13-14,3.50chs. from Cor.No.13;thence S.75°45'E. 5.70chs.,thence East 1.5 chs.,thence N.63°26'E. 3.35 chs.

A rail fence beginning at a point on line 15-16,4.7 chs. from Cor.No.15;thence N.54°W. 3.70chs.;thence N.42°E. 7.7 chs.;thence N.55°W. 7.20chs.

A rail fence,beginning at a point on line 16-17,9.5 chs. from Cor.No.16;thence N.55°E. 3.80chs.;thence N.8°05'W. 7.90chs. to point on line 18-19,3.50chs.from Cor.No.18. And from a point on line 19-20,2 chs.from Cor.No.19, N.52°W. 4 chs.to Star Valley Creek.

This survey is bounded on the north by Star Valley Ranger Station;on the east,south and west by unclaimed land of the Tonto National Forest.

The discrepancies between these notes and the survey of Tp.10 N.,R.11 E. are due to errors in the latter.

Report.

The cor.of secs.5,6,31 & 32 is a set red granite stone with one notch on the west side and five notches on the east side.

The 1/4 cor.bet.secs.5 & 32 is a red granite stone chiseled 1/4,with bearing trees.

This survey was made with a Gurley light mountain transit. The courses were deflected from the true meridian as determined by direct solar observations as follows:-

On Sept.21,1910,at 10:30 A.M.Mountain time,in latitude 34°18'N.,Longitude 111°10' W.from Greenwich,I set on Cor. No.11,sighted to 1/4 cor.bet.secs.5 & 32 and deflected right

42°35',altitude 45°52';43°47',altitude 46°30';

—44°27',altitude 46°50';45°22',altitude 47°17';

quartering the sun. The average of the four observations gives bearing of reference line East. The same line is N.75°10'E. magnetic,giving variation 14°50'East.

JUN 8- 1911

FINAL OATHS FOR SURVEYS.

---oOo---

LIST OF NAMES.

A list of the names of the individuals employed by
Howard C. Hopkins United States Mineral Surveyor, to
 assist in running, measuring, and marking the lines, cor-
 ners, and boundaries described in the foregoing field
 notes of the survey of the Homestead Entry claim of
Peter Lazear, described as H. E. No. 0501,
 List No. 1001

and showing the respective capacities in which they acted.

Andrew M. Ogilvie Chairman
John H. Ogilvie Chairman
 _____ Axman
 _____ Flagman.

FINAL OATHS OF ASSISTANTS.

We, Andrew M. Ogilvie & John D. Ogilvie and
Howard C. Hopkins, do solemnly swear that we assisted
Howard C. Hopkins, United States Mineral Surveyor, in
marking the corners and surveying the boundaries of the
Homestead Entry claim of Peter Lazear
described as Homestead Entry No. 0501, List
No. 1001, H.E. Sur. No. 53

represented in the foregoing field notes as having been
surveyed by said mineral surveyor and under his direction;
and that said survey has been in all respects, to the best
of our knowledge and belief, faithfully and correctly exe-
cuted, and the corner and boundary monuments established
according to law and the instructions furnished by the
United States Surveyor General for Arizona.

Andrew M. Ogilvie
Chainman.

John D. Ogilvie
Chainman.

Axman

Flagman.

Subscribed and sworn to by the above named persons
before me this 29th day of May, 1911.

(Seal)

George A. Bairdall
Notary Public

my Commission expires
May 23rd 1912


FINAL STATE OF GEORGIA

United States Marshal Service, in
the County of ... and having the number of the
... of ... as ...

... of the ... and ... as ...
... of all ... and ...
... of our knowledge and belief, ...
... and the ...
... to law and the ...
... for ...

John B. ...
Notary Public

11




FINAL OATH OF U.S. MINERAL SURVEYOR.

I, Howard C. Hopkins, U. S. Mineral Surveyor, do solemnly swear that, in pursuance of instructions received from the United States Surveyor-General of Arizona, dated May 17, 1910, have, in strict conformity to the laws of the United States, the official regulations and instructions thereunder, and the instructions of said Surveyor-General, faithfully and correctly executed the survey of the Homestead Entry Claim of Peter Lazear, described as H. E. No. 0501, List No. 1001, situate in the Tonto National Forest, Gila County, Arizona, and designated as Homestead Entry Survey No. 53, as represented in the foregoing field notes, which accurately show the boundaries of said Homestead Entry claim as distinctly marked by monuments on the ground, and described in List No. 1001, as incorporated in the instructions for the survey received from the Surveyor-General, and that all the corners of said survey have been established and perpetuated in strict accordance with the law, official regulations, and instructions thereunder; and I do further solemnly swear that the foregoing are the true and original field notes of said survey and my report therein.

Howard C. Hopkins
U. S. Mineral Surveyor.

Subscribed and sworn to by the said Howard C. Hopkins, U. S. Mineral Surveyor, before me, Anna M. Bannister, this tenth day of May, 1911.

Anna M. Bannister
Notary Public.



DESCRIPTION OF LISTING.

Beginning at a point 10 chains east from the section corner common to 31 and 32, T. 11 N., R. 11 E., and Secs. 5 and 6, T. 10 N., R. 11 E., extending Thence south 20 chains; thence E. 10 chains; thence S. 5 chains; thence E. 10 chains; thence N. 5 chains; thence E. 15 chains; thence N. 10 chains; thence W. 5 chains; thence N. 10 chains to quarter corner, thence E. 5 chains; thence N. 20 chains; thence W. 15 chains; thence N. 10 chains; thence W. 30 chains; thence S. 10 chains; thence E. 10 chains; thence S. 10 chains; thence E. 10 chains; thence S. 10 chains; thence W. 10 chains; to place of beginning. Magnetic declination 14° 30' E. Listed upon the application of John Lezear Jr. of Payson, Arizona, who alleged settlement in 1900.

U. S. SURVEYOR-GENERAL'S FINAL CERTIFICATE
ON FIELD NOTES.

---600---

DEPARTMENT OF THE INTERIOR,
Office of U. S. Surveyor-General,
Phoenix, Arizona, August 23, 1911.

I, U. S. Surveyor-General for the District of Arizona, do hereby certify that the foregoing transcript of the Field Notes, Return and Approval of the Survey of the Homestead Entry Claim of Peter Lazear, described as Homestead Entry No. 0501, List No. 1001, situated in the Tonto National Forest, Gila County, Arizona, in Sec. 5, T. 10 N., R. 11 E., and unsurveyed Sec. 32, T. 11 N., R. 11 E., G. & S. R. Mer., and designated as Homestead Entry Survey No. 53, have been correctly copied from the originals on file in this office; that said Field Notes furnish such an accurate description of said Homestead Entry Claim as will, if incorporated into a patent, serve fully to identify the premises and that such reference is made therein to natural objects or to permanent monuments as will perpetuate and fix the locus thereof.

Frank S. Ingalls,
U. S. Surveyor-General for Arizona.

SURVEYOR-GENERAL'S CERTIFICATE OF APPROVAL
of
FIELD NOTES AND SURVEY OF HOMESTEAD ENTRY CLAIM.

-----oOo-----

DEPARTMENT OF THE INTERIOR,
Office of U. S. Surveyor-General,

Phoenix, Arizona, August 23, 1911.

I, U. S. Surveyor-General for the District of Arizona, do hereby certify that the foregoing and hereto attached Field Notes and Return of the Survey of the Homestead Entry Claim of Peter Lazear, described as Homestead Entry No. 0501, List No. 1001, situated in the Tonto National Forest, Gila County, Arizona, in Sec. 5, T. 10 N., R. 11 E., and unsurveyed Sec. 32, T. 11 N., R. 11 E., G. & S. R. Mer., designated as Homestead Entry Survey No. 53, executed by Howard C. Hopkins, U. S. Mineral Surveyor, September 21 - 24, 1910, under my instructions dated May 17, 1910, have been critically examined and the necessary corrections and explanations made and the said Field Notes and Return and the Survey they describe are hereby approved. A true copy of the copy of the Field Notes of the preliminary survey of said Homestead Entry Claim by the Department of Agriculture is included in the Field Notes.

Frank S. Ingalls
U. S. SURVEYOR GENERAL FOR ARIZONA.

SURVEYOR-GENERAL'S CERTIFICATE OF APPROVAL

of

FIELD NOTES AND SURVEY OF HOMESTEAD ENTRY CLAIM

DEPARTMENT OF THE INTERIOR

Office of U. S. Surveyor-General

Phoenix, Arizona, August 28, 1911.

I, U. S. Surveyor-General for the District of Arizona, do hereby certify that the foregoing and hereto attached field notes and Return of the Survey of the Homestead Entry Claim of Peter Jazant, described as Homestead Entry No. 0501, List No. 1001, situated in the Tanta National Forest, Gila County, Arizona, in Sec. 5, T. 10 N., R. 11 E., and unurveyed Sec. 25, T. 11 N., R. 11 E., G. & S. R. Mer., designated as Homestead Entry Survey No. 53, executed by Howard U. Hopkins, U. S. District Surveyor, September 21 - 24, 1910, under my instructions dated May 17, 1910, have been critically examined and the necessary corrections and explanations made and the said Field Notes and Return and the Survey they describe are hereby approved. A true copy of the copy of the Field Notes of the preliminary survey of said Homestead Entry Claim by the Department of Agriculture is included in the Field Notes.

U. S. SURVEYOR-GENERAL FOR ARIZONA

42

2254

2254

