

HOMESTEAD ENTRY SURVEY NO. 74,

ARIZONA LAND DISTRICT.

## FIELD NOTES

OF THE SURVEY OF THE

-----  
Homestead Entry Claim-----  
of-----  
Charles H. Thayer-----  
described as-----  
H. E. No. 07927-----  
List No. 3-275-----  
Situating in Sec. 1, T. 1 S., R. 15 E., unsurveyed,-----  
Gila and Salt River Base and Meridian-----  
within the Crook National Forest-----  
Gila County-----  
ARIZONA.-----  
Of the ----- Meridian,-----  
In the State of ----------  
EXECUTED BY-----  
Edwin T. Stewart-----  
Mineral-----  
In the capacity of U. S. Surveyor, under instructions dated July 13, 1912,-----  
issued by the United States Surveyor General to ~~govern surveys included in~~-----  
~~Group No.~~ -----, which were approved by the Commissioner of the General Land-----  
Office, Aug. 14, 1912, pursuant to authority contained in the Act of-----  
Congress dated June 11, 1906.-----  
Survey commenced August 7, 1912-----  
Survey completed August 11, 1912-----  
Address of Claimant:-----  
Charles H. Thayer,-----  
Globe, Arizona.



FIELD NOTES

OF THE SURVEY OF THE

INDEX DIAGRAM.

Township \_\_\_\_\_, Range \_\_\_\_\_

6	5	4	3	2	1
7	8	9	10	11	12
18	17	16	15	14	13
19	20	21	22	23	24
30	29	28	27	26	25
31	32	33	34	35	36



AUG 20 1912

HOMESTEAD ENTRY SURVEY NO. 74  
Arizona Land District.

FIELD NOTES

of

The Survey of the Homestead Entry Claim

of

Charles H. Thayer

Described as

H. E. No. 07927 List No. 3-275

in Section 1, T. 1 S., R. 15 E., unsurveyed,

Gila and Salt River Base and Meridian

Crook National Forest,

Gila County, Arizona

Surveyed under instructions dated July 13, 1909<sup>12</sup>.

by Edwin T. Stewart  
U. S. Mineral Surveyor.

Survey commenced August 7, 1912.

Survey completed August 11, 1912.

Address: Charles H. Thayer,  
Globe, Arizona.



1000 10 10



Chains.

HOMESTEAD ENTRY SURVEY NO.74.

Beginning at Cor. No.1, from which Cor. No.1 of said Homestead as surveyed by the Department of Agriculture, a schist stone showing 6 x 11 x 11 ins. out of the ground, chiseled H 1 on each the west and east faces, bears N.01°-46' W. .08 ch.

On south boundary Sec. 34, T.1 N., R. 15½ E., G.& S.R. B.& M., an unapproved survey, S. 89°-59' E., 16.99 ch. from the S.E.Cor. T.1 N., R. 15 E., identical with the S.W.Cor. of said Sec. 34; and N.89°-59' W. 22.92 ch. from the S.¼ Cor. of said Section 34, and on east line of homestead claim of J. J. A. Farlay S. 01°-46' E. .08 ch. from Cor. No.1 thereof.

A schist stone, 6 x 9 x 26 ins. set 14 ins. in the ground, chiseled cross 1 HES 74, whence

A sycamore tree, 12 ins. in diameter, blazed and scribed W H 1, to which I add cross BT HES 74 bears N.40°-20' E. 2.50 ch.

A sycamore tree, 20 ins. in diameter, blazed and scribed WH 1, to which I add cross BT HES 74 bears S.33°-00' E. 1.38 ch.

Thence S.89°-59' E.

Along south boundary of said Section 34.

Across flat.

- .80 Barbed wire fence of J. J. A. Farlay course northwest.
- 1.04 Wagon road, Globe to Kelvin, 12 lks. wide, course northwest.
- 1.74 Foot of hill; ascend.
- 2.49 Barbed wire fence of claimant, course northwest.
- 7.58 Barbed wire fence of claimant, course northwest.
- 7.66 To Cor. No.2, 110 ft. above the bed of Pinal Creek; on top of ridge, course northwest.



A schist stone, 5 x 7 x 25 ins. set 13 ins. in the ground, chiseled cross 2 HES 74, whence Corner No.6 of said Homestead as surveyed by the Department of Agriculture, a quartzite stone, showing 5 x 11 ins. out of the ground, chiseled H 6 bears N.19°-00'W. .04 ch, which corner I destroy.

The S.  $\frac{1}{4}$  Cor. of said Sec. 34, T.1 N., R. 15  $\frac{1}{2}$  E., unapproved, bears S.89°-59' E. 15.26 ch.

A diorite stone, showing 5 x 8 x 7 ins. out of the ground, chiseled WH 6, to which I add cross BR HES 74, bears N.73°-08' E. .33 ch.

A quartzite stone, showing 5 x 10 x 12 ins. out of the ground, chiseled WH 6, to which I add cross BR HES 74 bears S.30°-42' E. .51 ch.

Thence S. 19°-00' E.

Ascend along west side of ridge.

7.86 To Cor. No.3, 149 ft. above the bed of Pinal Creek, identical with Cor. No.5 of said homestead as surveyed by the Department of Agriculture.

A schist stone, 5 x 10 x 13 ins. out of the ground, chiseled H 5 to which I add cross 3 HES 74, whence

A schist stone, 5 x 9 x 9 ins. out of the ground, chiseled WH 5, to which I add cross BR HES 74, bears N.18°-21' W. .43 ch.

A quartzite stone, 4 x 7 x 10 ins. out of the ground, chiseled WH 5, to which I add cross BR HES 74, bears N.81°-28' E. .43 ch.

Thence S.63°-46' E.

.50 Top of ridge, course southwest; descend along southwest side of ridge.

3.27 To head of small gulch, draining southerly.

11.00 To Cor. No.4, 125 ft. above the bed of Pinal Creek, identical with Cor. No.4 of said Homestead as surveyed by the Department of Agriculture.

A quartzite stone, 6 x 6 x 9 ins. out of the ground, chiseled H 4, to which I add cross 4 HES 74, whence



A schist stone, 4 x 12 x 12 ins. out of the ground, chiseled WH 4, to which I add cross BR HES 74, bears N. 69°-00' E. .66 ch.

A schist stone, 3 x 9 x 12 ins. out of the ground, chiseled WH 4, to which I add cross BR HES 74, bears N. 26° 45' W. .76 ch.

Thence S. 46°-46' W.

Descend.

- .03 Barbed wire fence of claimant, course southeast.
- .08 Barbed wire fence of claimant, course southwest.
- 4.80 Cross gulch, 12 lks. wide, draining southwest; ascend.
- 6.58 Top of ridge, course west, 75 ft. above bed of Pinal Creek; descend.
- 7.91 Bed of gulch, 10 lks. wide, draining northwest; ascend.
- 9.56 Top of ridge, 80 ft. above bed of Pinal Creek; across point of ridge.
- 12.10 Descend from ridge.
- 14.60 Cross bed of gulch, 10 lks. wide, draining northwest; ascend.
- 15.67 Top of ridge, course northwest; 75 ft. above Pinal Creek.
- 15.97 To Cor. No. 5, identical with Cor. No. 3 of said Homestead as surveyed by the Department of Agriculture, and Cor. No. 4 of the homestead claim of A. Toccoer.

A granite stone, 4 x 12 x 12 ins. out of the ground, chiseled H 3 and H 4 to which I add cross 5 HES 74, whence

A quartzite stone, 5 x 8 x 9 ins. out of the ground, chiseled WH 3, to which I add cross BR HES 74, bears S. 68°-53' E. .66 ch.

A schist stone, 5 x 9 x 14 ins. out of the ground, chiseled WH 3, to which I add cross BR HES 74, bears N. 29° 36' E. .55 ch.

Thence S. 87°-51' W.

Along north line of homestead claim of A. Toccoer.



Descend.

- 3.00 Foot of slope; across flat.
- 3.75 Center of main channel of Pinal Creek, 30 lks. wide, draining north.
- 4.68 N.W. Cor. of Homestead claim of A. Tocco, and N.E. Cor. of Homestead claim of W.B. Morse, a stone monument 1 ft. high, 2 ft. base.
- 6.35 Center of Wagon road, Globe to Kelvin, 12 lks. wide, course north.
- 7.11 Barbed wire fence of J. A. Farlay, course northwest.
- 7.73 Intersect east side line of the Homestead claim of J. A. Farlay, S.  $01^{\circ}-46'$  E. 23.64 ch. from Cor. No. 1.
- 7.85 To Cor. No. 6, identical with Cor. ~~of~~ No. 2 of said Homestead as surveyed by the Department of Agriculture, and N.W. Cor. of the claim of W. B. Morse.  
A quartzite stone, 4 x 7 x 11 ins. out of the ground; chiseled H 2 and H 1, to which I add cross 6 HES 74, whence
- A 4 in. cats claw, blazed and scribed W H 2, to which I add cross, bears N.  $53^{\circ}-00'$  E. .66 ch. Not possible to further scribe this tree.
- A sycamore tree, 24 ins. in diameter, blazed and scribed WH 2, to which I add cross BT HES 74, bears N.  $76^{\circ}-52'$  E. 2.61 ch.

Thence N.  $01^{\circ}-29'$  W.

Along flat.

- 3.94 Barbed wire fence of J. A. Farlay, course northwest.
- 6.30 Center of main channel of Pinal Creek, 25 lks. wide, draining northwest.
- 9.71 Center of main channel of Pinal Creek, 25 lks. wide, draining northeast.
- 19.54 Cross wagon road, 12 lks. wide, course northeast.
- 19.76 Barbed wire fence of J. A. Farlay, course northeast.
- 23.11 Center of main channel of Pinal Creek, 30 lks. wide, draining northwest.
- 23.56 To Cor. No. 1, the place of beginning.

Magnetic variation at all corners  $14^{\circ} 30'$  E.



Total area Homestead Entry Survey No. 74,	Acres.
Area in conflict with Homestead Claim	29.05
of J. A. Farlay	0.14

.....

Location.

This survey is located on unsurveyed land in what will probably be, when surveyed, Section 1, T.1 S., R.15 E., G. & S.R.B. & M., Gila County, Arizona, in the Crook National Forest.

.....

Improvements.

A dwelling house, .39 x .46 ch., course of long sides, S. 29° E., the N.W.Cor. of which bears N.61°-11' E. 2.44 ch. from a point on line 6-1, hereinafter referred to as Pt. No.1, 5.18 ch. from Cor. No.6.

A barn, .26 x .61 ch., course of long sides, S. 20° E. the N.W.Cor. of which bears S.88°-09' E. 3.68 ch. from Pt. No.1.

A chicken house, .12 x .18 ch., course of long sides N. 68° E.; the N.W.Cor. of which bears S.85°-37' E. 3.01 ch. from Pt. No.1.

A well, .05 ch. sq., and .46 ch. deep, the N.W.Cor. of which bears N.43°-34' E. 2.07 ch. from Pt. No.1.

A barbed wire fence surrounding an area of irregular shape, as shown by the plat of survey, which is intersected by line 1-2, 2.49 ch. from Cor. No.1, and 7.58 ch. from Cor. No.1; a bend in which bears S.07°-52' E. 3.95 ch. from Cor. No.2; a bend in which bears N.68°-30' W. .32 ch. from Cor. No.3; which is intersected by line 4-5, .03 ch. from Cor. No.4, and .08 ch. from Cor. No.4, the S.W.Cor. of which bears N.54°-48' W. 5.19 ch. from Cor. No.5; a bend in which bears N.45°-16' E. 1.76 ch. from Pt. No.1; and a bend in which bears S.48°-35' E. 4.35 ch. from Cor. No.1.

A barbed wire fence, owned by J.A.Farlay, which is intersected by line 1-2, .80 ch. from Cor. No.1 and by



line 6-1, 19.76 ch. from Cor. No.6, and the S.E.Cor. of which bears S.26°-33' E. 3.78 ch. from Cor. No.1.

A barbed wire fence, owned by J.A.Farlay, which is intersected by line 5-6, 7.11 ch. from Cor. No.5, and which is intersected by line 6-1, 3.94 ch. from Cor. No.6.

§oooooooooooooooooooo

Adjoining Claims.

This claim is surrounded on the north by unappropriated land and the location of Mrs.E.R.Huston. On the east by unappropriated land. On the south by unappropriated land, the Homestead claim of A. Tocco and the Homestead claim of W.B.Morse. And on the west by the Homestead claim of J. A. Farlay

oooooooooooooooooooo

Instrument and determination of Meridian.

This survey was made with a 6¼ inch Berger Engineer's Transit. The distances were measured with a 650 ft. steel tape. The courses were deflected from the true meridian as determined at the S.E.Cor. of T.1 N., R.15 E., G.& S.R. B.& M., in the execution of Homestead Entry Survey No.66 on the 26th day of March, 1911, the same being turned from the section tie line from Cor. No.1 of said survey.

oooooooooooooooooooo

Report.

The boundaries of this claim and all tie lines were run direct upon the ground.

I locate the south boundary of section 34, T.1 N., R. 15½ E., unapproved, by running due east from the S.E. Cor. of T.1 N., R.15 E., a distance of 39.91 chains, missing the S.¼ Cor. a distance of 1 link to the N., I retrace this line on the true course between the two stones, S.89°-59' E., and establish Corners No.1 and No.2 of this survey on it.

The S.E.Cor. of T.1 N., R. 15 E., identical with the S.W.Cor. of Sec. 34, T.1 N., R. 15½ E., unapproved, to which tie is given, is a granite stone showing 7 x 11 x 12



ins. out of the ground, chiseled 1 HES #65 on south face; six grooves and 15 E on west face; six grooves and SC 1N on north face and six grooves and 15 $\frac{1}{2}$  E. on east face.

The S. $\frac{1}{4}$  corner of Sec. 34, T.1 N., R. 15 $\frac{1}{2}$  E., unapproved, to which tie is given is a quartzite stone 6 x 7 x 18 ins. out of the ground, chiseled SC  $\frac{1}{4}$ S, with mound of stone alongside.

The N.E. Corner of the Homestead claim of A. Tocco is a set stone as described for Cor. No.5 of this survey. The N.W. Corner of said claim is a mound of stone 1 ft. high, 2 ft. base.

The N.E. Corner of the Homestead claim of W.B. Morse, is identical with the N.W. Cor. of the claim of A. Tocco. The N.W. Cor. of said claim is a set stone as described for Cor. No.6 of this survey.

The N.E. Corner of the Homestead claim of J. A. Farley is a set stone, identical with Corner No.1 of this survey as surveyed by the Department of Agriculture, as described herein. The S.E. Cor. of said Homestead is a set quartzite stone, scribed H.2 on each the west and east faces.

The disagreement between these notes and the survey of this claim by the Department of Agriculture is due to errors in the latter.

*Edwin P. Stewart*  
U.S. Mineral Surveyor.

Globe, Arizona, August 16, 1912.























FINAL OATH OF U.S. MINERAL SURVEYOR.

I, Edwin T. Stewart, U. S. Mineral Surveyor, do solemnly swear that, in pursuance of instructions received from the United States Surveyor-General of Arizona, dated July 13, 1912, I have, in strict conformity to the laws of the United States, the official regulations and instructions thereunder, and the instructions of said Surveyor-General, faithfully and correctly executed the survey of the Homestead Entry Claim of Charles H. Thayer, described as H. E. No. 07927, List No. 3-275, situate in the Crook National Forest, Gila County, Arizona, and designated as Homestead Entry Survey No. 74, as represented in the foregoing field notes, which accurately show the boundaries of said Homestead Entry claim as distinctly marked by monuments on the ground, and described in List No. 3-275, as incorporated in the instructions for the survey received from the Surveyor-General, and that all the corners of said survey have been established and perpetuated in strict accordance with the law, official regulations, and instructions thereunder; and I do further solemnly swear that the foregoing are the true and original field notes of said survey and my report therein.


Edwin T. Stewart  
U. S. Mineral Surveyor.

Subscribed and sworn to by the said Edwin T. Stewart, U. S. Mineral Surveyor, before me, L.M. Brookner, a Notary Public, this 17th day of August, 1912.

My commission expires December 12, 1912.


L.M. Brookner

Notary Public, Gila County, Arizona





122



*James A. [unclear]*

*[unclear]*





*Duplicate*

60  
24 3/4  
5 5/8

45123

102515

Description and Survey.

MAR. 20. 1911

Chas H. Thayer. Homestead #15.

Crook National Forest.

Arizona.

June 12, 1909.

This survey was run and platted on a variation of 13 1/2° E. Tie line- Corner #1 bears east 17.00 chains from the S.E. corner of T. 1 N., R. 15 E., G. & S.R., Base and Meridian.

From Corner #1-, a gray granite 10"X 14"X 18" set 10" in the ground, and chiseled H/1, whence a 16" Sycamore scribed WH/1 in a blaze bears S. 31 1/4° E., 1.46 chains, and a 12" Sycamore, similarly marked, bears N. 41 1/4° E., 2.43 chains.

Chains  
23.56

Ran S. 2 1/2° E. to Corner #2- a red sandstone 4"X 12"X 18", set 10" in the ground and chiseled H/2, whence a 4" Cats Claw scribed WH/2 in a blaze, bears N. 52 1/2° E., .665 chains, and a 24" Sycamore, similarly marked, bears N. 76 1/2° E., 2.60 chains.

7.96

Thence N. 87 1/4° E., across flat and up hill, to Corner #3- a red granite 5"X 14"X 18", set 10" in the ground and chiseled H/3, whence a set gray granite 6"X 8"X 17" marked WH/3, bears S. 69° E., .66 chains, and another set gray granite 8" X 15"X 18" similarly marked bears N. 29° E., .55 chains,

16.17

Thence N. 46 1/4° E. to Corner #4- a sandstone 6"X 6"X 18", set 10" in the ground and chiseled H/4, whence a set gray granite stone 5"X 10"X 22", marked WH/4, bears N. 69° E., .63 chains, and another set gray granite stone 4"X 7"X 24" similarly marked, bears N. 26 3/4° W., .76 chains.

11.00

Thence N. 64 1/4° W., along side wire fence, to Corner #5-, a gray granite stone 5"X 10"X 23", set 12" in the ground and chiseled H/5, whence a set red granite stone 7"X 7"X 18" marked WH/5 bears N. 81 1/2° E., .43 chains, and a set gray granite stone 5"X 8"X 16" similarly marked, bears N. 19° W., .43 chains.

7.92

Thence N. 19 1/2° W., along wire fence, to Corner #6-, a red granite stone 6"X 11"X 18", set 10" and chiseled H/6, whence a set granite stone 6"X 10"X 18", marked WH/6, bears N. 80 1/2° E., .33 chains, and an imbedded granite 10"X 12"X 12" similarly marked, bears S. 30° E., .55 chains.

7.82

Thence W., down slope, to Corner #1-, the place of beginning, containing 29.5 acres, be the same more or less.

Surveyed by

*Harold Green*

Asst. Land Examiner.

Description and Plat  
Compared and Approved.

*Theodore T. Swift*  
Supervisor.



105212

124

MAR 20 1911

Description and Survey.

Olga K. Sawyer. Homestead #15.

Grass National Forest.

Arizona. June 12, 1909.

This survey was run and plotted on a variation of 13 1/2° E. The line corner #1 bears east 17.00 chains from the S.R. From corner #1, a gray granite 10" X 14" X 18" set 10" in the ground, and chiseled N/4, whence a 16" sycamore scribbled N/4 in a blaze bears S. 21 1/4° E., 1.48 chains, and a 12" sycamore, similarly marked, bears N. 61 1/4° E., 2.43 chains. Whence N. 27 1/4° E., 2.00 chains. to corner #2 - a red sandstone 4" X 12" X 18", set 10" in the ground and chiseled N/4, whence a 4" data claw scribbled N/4 in a blaze, bears N. 73 1/2° E., 2.00 chains. similarly marked, bears N. 73 1/2° E., 2.00 chains. Whence N. 27 1/4° E., across flat and up hill, to corner #3 - a red granite 8" X 14" X 18", set 10" in the ground and chiseled N/4, whence a set gray granite 6" X 8" X 14" marked N/4, bears S. 69° E., .88 chains, and another set gray granite 8" X 12" X 18" similarly marked, bears N. 29° E., .88 chains. Whence N. 48 1/4° E., to corner #4 - a sandstone 8" X 8" X 18", set 10" in the ground and chiseled N/4, whence a set gray granite alone 6" X 10" X 18", marked N/4, bears N. 69° E., .83 chains, and another set gray granite alone 4" X 7" X 12" similarly marked, bears N. 28 1/4° E., .78 chains. Whence N. 64 1/4° E., along side wire fence, to corner #5 - a red granite stone 5" X 10" X 18", set 12" in the ground and chiseled N/4, whence a set red granite alone 7" X 7" X 10" marked N/4, bears N. 21 1/4° E., .43 chains, and a set gray granite alone 5" X 8" X 12" similarly marked, bears N. 19° E., .43 chains. Whence N. 12 1/2° E., along wire fence, to corner #6 - a red granite stone 6" X 11" X 18", set 16" and chiseled N/4, whence a set granite alone 8" X 10" X 18", marked N/4, bears N. 80 1/2° E., .75 chains, and an imbedded granite 10" X 12" X 18" similarly marked, bears S. 50° E., .55 chains. Whence N., down slope, to corner #7 - the place of beginning, containing 89.8 acres, do the same more or less.

Chains 27.25

7.98

16.17

11.00

7.92

7.82

Surveyed by

*Olga K. Sawyer*

Asst. Land Examiner.

Description and Plat Compared and Approved.

*Thomas F. Smith*  
Inspector.



U. S. SURVEYOR-GENERAL'S FINAL CERTIFICATE  
ON FIELD NOTES.

\*\*\*\*\*

DEPARTMENT OF THE INTERIOR,  
Office of U. S. Surveyor-General,

Phoenix, Arizona, January 11, 1913.

I, U. S. Surveyor-General for the District of Arizona, do hereby certify that the foregoing transcript of the Field Notes, Return and Approval of the Survey of the Homestead Entry Claim of Charles H. Thayer, described as Homestead Entry No. 07927, Phoenix, Arizona, Land Office, based on List No. 3-275, situated in the Crook National Forest, Gila County, Arizona, in what will probably be when surveyed, Section 1, T. 1 S., R. 15 E., G. & S. R. E. & M., and designated as Homestead Entry Survey No. 74, have been correctly copied from the originals on file in this office; that said Field Notes furnish such an accurate description of said Homestead Entry Claim as will, if incorporated into a patent, serve fully to identify the premises, and that such reference is made therein to natural objects or to permanent monuments as will perpetuate and fix the locus thereof.

Frank S. Ingalls,  
U. S. Surveyor-General for  
Arizona.



176

U. S. DEPARTMENT OF THE INTERIOR

OFFICE OF THE SURVEYOR-GENERAL

DEPARTMENT OF THE INTERIOR

Office of U. S. Surveyor-General

Phoenix, Arizona, January 11, 1913.

U. S. Surveyor-General for the District of Arizona,  
 do hereby certify that the following transcript of the field  
 notes, return and report of the Survey of the Homestead  
 claim filed of Charles H. Taylor, described as Homestead  
 No. 2287, Phoenix, Arizona, Land Office, based on  
 No. 2287, situated in the Grand National Forest, Gila  
 County, Arizona, in what is probably an unurveyed  
 section, T. 15 N., R. 15 E., S. 10 S., and being  
 located nearest Entry Survey No. 74, have been correctly  
 filed and the original is in this office; that said  
 field notes contain such an accurate description of said  
 located entry claim as will, if incorporated into a patent,  
 give fully to identify the premises, and that such reference  
 is made therein to natural objects or to permanent monuments  
 as will determine and fix the locus thereof.

Frank E. Jewell,  
 U. S. Surveyor-General for  
 Arizona.



SURVEYOR-GENERAL'S CERTIFICATE OF APPROVAL  
OF  
FIELD NOTES AND SURVEY OF HOMESTEAD ENTRY CLAIM.

\*\*\*\*\*

DEPARTMENT OF THE INTERIOR,  
Office of U. S. Surveyor-General,

Phoenix, Arizona, January 11, 1913.

I, U. S. Surveyor-General for the District of Arizona, do hereby certify that the foregoing and hereto attached Field Notes and Return of the Survey of the Homestead Entry Claim of Charles H. Thayer, described as Homestead Entry No. 07927, Phoenix, Arizona, Land Office, based on List No. 3-275, situated in the Crook National Forest, Gila County, Arizona, in what will probably be when surveyed, Section 1, T. 1 S., R. 15 E., G. & S.R.E. & M. designated as Homestead Entry Survey No. 74, executed by Edwin T. Stewart, U. S. Mineral Surveyor, August 7 - 11, 1912, under my instructions dated July 13, 1912, have been critically examined and the necessary corrections and explanations made and the said Field Notes and Return and the Survey they describe are hereby approved. A true copy of the copy of the Field Notes of the preliminary survey of said Homestead Entry Claim by the Department of Agriculture is included in the Field Notes.

*Frank S. Ingalls*  
U. S. Surveyor-General for  
Arizona.



OFFICE OF THE SURVEYOR-GENERAL

FIELD NOTES AND SURVEY OF HOMESTEAD ENTRY CLAIMS

DEPARTMENT OF THE INTERIOR

Office of U. S. Surveyor-General

Phoenix, Arizona, January 11, 1915.

I, U. S. Surveyor-General for the District of Arizona,

do hereby certify that the foregoing and hereto attached

Field Notes and Return of the Survey of the Homestead Entry

Claim of Charles H. Tayer, described as Homestead Entry No.

0797, Phoenix, Arizona, Land Office, based on list No. 5-275,

situated in the Grock National Forest, Gila County, Arizona,

in what will probably be when surveyed, Section 1, T. 1 N.,

R. 12 E., G. & S. R. A. M. designated as Homestead Entry Survey

No. 74, executed by Edwin T. Cravent, U. S. Mineral Surveyor,

August 7 - 11, 1911, under my instructions dated July 15, 1911,

have been critically examined and the necessary corrections and

explanations made and the said Field Notes and Return and the

Survey they describe are hereby approved. A true copy of

the copy of the Field Notes of the preliminary survey of said

Homestead Entry Claim by the Department of Agriculture is in-

cluded in the Field Notes.

U. S. Surveyor-General for  
Arizona







