

U. S. DEPARTMENT OF AGRICULTURE  
FOREST SERVICE

FEB. 25 1914

**FIELD NOTES**

OF

HOMESTEAD ENTRY SURVEY NO. 80

SITUATED IN THE

PRESCOTT NATIONAL FOREST

ADMINISTRATIVE DISTRICT NO. 3

in

Section 14, unsurveyed, Township 12 N, Range 2 W.

Section 15, unsurveyed, Township 12 N, Range 2 W.

of the

Gila and Salt River Principal Meridian.

Arizona

Survey executed by W. H. Finigan, Forest Service Surveyor

Under special instructions dated August 1, 1913

Survey commenced August 13, 1913

Survey completed August 15, 1913

Under Acts of <sup>June 11, 1906</sup> August 10, 1912 and March 4, 1913.

Applicant for listing M. P. Lacy

Residence Maxton, Arizona

Application No. 73, dated April 17, 1910

List No. 3-1110, dated February 6, 1911

Applicant for survey F. E. Edwards

Residence Poland, Arizona

H. E. No. 015849, dated November 17, 1911

Land district Phoenix, Arizona

OATH OF ASSISTANTS

We hereby certify that we assisted W. H. Finigan,  
Forest Service Surveyor in surveying all those  
parts or portions of Homestead Entry Survey No. 80, in  
unsurveyed Section 14, Township 12 N., Range 2 W.,  
unsurveyed Section 15, Township 12 N., Range 2 W.,

of the G & S. R. P. meridian, State of Arizona, which  
are represented in the following field notes as having been  
surveyed by him and under his direction; and that said sur-  
vey has been in all respects, to the best of our knowledge  
and belief, well and faithfully surveyed, and the corner  
monuments established, according to the instructions fur-  
nished by the United States Surveyor General for Arizona

Subscribed and sworn to before me this \_\_\_\_\_ day of  
\_\_\_\_\_, 19\_\_\_\_.

OATH OF SURVEYOR

I, W. H. Finigan, do solemnly swear  
that, in strict conformity with the special instructions of  
the United States Surveyor General for Arizona, dated  
August 1, 1913, and the laws of the United States, I have  
well, faithfully, and truly, in my own proper person, sur-  
veyed a tract of land ~~upon the application of~~ embraced in  
LIST, No. 3-1110, dated February 6 1911, for  
PATENT, under the Act of JUNE 11, 1906,  
the same to be known as Homestead Entry Survey No. 80,  
situated within the PRESCOTT National Forest, in  
unsurveyed Section 14, Township 12 N., Range 2 W., and  
unsurveyed Section 15, Township 12 N., Range 2 W.,

of the G. & S. R. P. meridian, Arizona, and the  
related retracements and resurveys and section subdivisions,  
which are represented in the following field notes as having  
been surveyed by me; and I further solemnly swear that all  
the corners of said survey have been established and perpet-  
uated in strict accordance with the stated special instruc-  
tions, and in the specific manner described in the field  
notes, and that the following are the original field notes  
of such survey.

W. H. Finigan  
Forest Service Surveyor.

Subscribed and sworn to before me this February day of  
February, 1914.



*Handwritten signature and date:*  
February 26 1914

*Handwritten signature and title:*  
Benjamin P. Randall  
County Public

UNITED STATES DEPARTMENT OF AGRICULTURE  
FOREST SERVICE  
DISTRICT 3

F. S. D-3  
AUG 30 1918  
Hour, .....  
Referred to  
LANDS

LUNA-OTERO BUILDING  
ALBUQUERQUE, N. MEX.

ADDRESS REPLY TO  
DISTRICT FORESTER  
AND REFER TO:

OATH OF ASSISTANTS

We hereby certify that we assisted W. H. Finigan

surveyor, in surveying all those parts or portions of Homestead  
Entry Survey No. 80 situated in secs 14 and 15 (approx) Twp. 12 N.  
R. 2 W. unsurveyed. of the Sila and  
Salt River Principal meridian, State of Arizona, which


are represented in the foregoing field notes as having been  
surveyed by him and under his direction; and that said survey  
has been in all respects, to the best of our knowledge and belief  
well and faithfully surveyed, and the corner monuments estab-  
lished, according to the instructions furnished by the United  
States Surveyor General for Arizona

Raymond W. Oberchain Chainman  
Ray Spurr Chainman.

Subscribed and sworn to before me this 15 day of August  
1913.

W. H. Finigan  
Surveyor

Note:  
The oaths of the Assistants were taken in the present form, prior  
to the approval of Form 85-1. It would be almost impossible to  
locate the above assistants at this late date.



UNITED STATES DEPARTMENT OF AGRICULTURE  
FOREST SERVICE  
DISTRICT

DATE OF ASSISTANTS

whereby certify that we assisted

*W. H. Thompson*

surveyor; in surveying all those parts or portions of located  
entry survey no. 80 situated in sec. 12, T. 12 N.

of the *State of*

represented in the foregoing field notes, having been

surveyed by him and under his direction; and that said survey

has been in all respects, to the best of our knowledge and belief

well and faithfully surveyed, and the corner monuments set-

placed, according to the instructions furnished by the United

States surveyor general for

*W. H. Thompson*  
Chairman

Chairman.

Subscribed and sworn to before me this \_\_\_\_\_ day of \_\_\_\_\_

1913.

*W. H. Thompson*

Note:  
The oaths of the Assistants were taken in the present form prior  
to the approval of Form 85-1. It would be almost impossible to  
locate the above assistants at this late date.

## PRESCOTT NATIONAL FOREST

ARIZONA

Chains

F. E. Edwards, applicant, Application No. 73 dated April 17, 1910; List No. 3-1110 dated <sup>Feb. 6,</sup> April 27, 1911; H. E. No. 015849, Phoenix Land District, dated November 17, 1911.

Surveyed under Special Instructions from the Surveyor General for Arizona, dated August 1, 1913, and designated as Homestead Entry, Survey No. 80. Located in approximate Secs. 14 and 15, unsurveyed, T. 12 N., R. 2 W. of the Gila and Salt River Principal Meridian, in the Prescott National Forest, Arizona.

This survey is based on listing not under the co-operative plan under the Act of June 11, 1906 and March 4, 1913.

Survey commenced August 13, 1913, and executed with a W. and L. E. Gurley light mountain transit equipped with a Burt Solar attachment. August 11, 1913 at 10h. 8m. p. m., l.m.t. observe Polaris at Eastern elongation and mark line on ground. The next morning I set off  $1^{\circ} 24'$  to west, from observed line, for true meridian. I test the Burt on the above determined meridian and find it to be in adjustment.

The distances were measured with a 400 lk. steel tape directly on the slope and the slope angles determined with a clinometer.

August 13, 1913, at 9h. 0m. a. m., l.m.t. I set off  $14^{\circ} 44\frac{1}{2}'$  N. on decl. arc and  $34^{\circ} 22'$  N. on lat. arc and determine a meridian at Cor. No. 1. I check this meridian by a subsequent observation in the p. m. I begin at U. S. M. M. No. 1804, Hassayampa Mining District which is + U S M M No. 1804 H M D on granite ledge in place showing 9 x 10 ft. x 6 in. above ground,

HOMESTEAD ENTRY SURVEY NO. 80

PRESCOTT NATIONAL FOREST

ARIZONA

Chains

witnessed as described by the Surveyor General, thence  
 over very rough brush country N. 34° 39' W. 48.50 chs.,  
 thence N. 32° 38' W. 47.97 chs., thence N. 47° 24' W.  
 2.40 chs., thence N. 64° 43' W. 2.20 chs., thence N.  
 51° 12' W. 2.26 chs., thence N. 54° 47' W. 7.39 chs.,  
 thence S. 51° 43' W. 1.84 chs., thence S. 55° 31' W.  
 2.05 chs. to Cor. No. 4 of list survey which is the  
 nearest corner to the mineral monument, therefore be-  
 comes Cor. No. 1 of this survey. Therefore tie line  
 from Cor. No. 1 to U. S. M. M. No. 1804 is S. 38° 19'  
 E. 109.91 chs.  
 August 13, 1913.

August 14, 1913: Beginning at Cor. No. 1, identical with

Cor. No. 4 of list, which is H/4 chiseled on top of  
 granite boulder showing 6" x 14" x 8" above ground,  
 witnessed as described by field notes of listing sur-  
 vey. I destroy marks on same and chisel 1 on  
 same rock, on side facing claim, raise a mound of  
 stone, 2 ft. base, 1 1/2 ft. high, 3 1/2 ft. distant with-  
 in claim, whence

A pine, 12" in diameter, scribed BT 1 bears S. 59°  
 50' W. 55 lks.

An oak, 12" in diameter, scribed BT 1 bears S. 3° 55'  
 W. 77 links.

U. S. M. M. No. 1804 Hassayampa Mining District hereto-  
 fore described bears S. 38° 19' E. 109.91 chs.

Magnetic Variation at Corner No. 1 at 9 a. m. 13° 49' E.

Mean Magnetic Variation 13° 45' E.

Thence I run, S. 88° 55' W.

over level bottom land.

2.85 Ash Creek, ~~30'~~ <sup>45 lks.</sup> wide, 5' deep, course south ascend gentle  
 slope.

HOMESTEAD ENTRY SURVEY NO. 80

PRESCOTT NATIONAL FOREST

ARIZONA

Chains

3.95 Fence, bears Northwest and Southeast

7.41 To Cor. No. 2 - Identical with Cor. No. 5 of List, which is a granite stone 14" x 8" x 6" above ground marked and witnessed as described by Field Notes of Listing Survey. I destroy same and set a granite stone, 24" x 10" x 6", 14" in ground over stone marked x, chiseled  $\frac{2}{\text{HES80}}$  on side facing claim, raise mound of stone 2' base,  $1\frac{1}{2}'$  high,  $3\frac{1}{2}'$  distant within claim, whence

A pine, 30" in diameter, scribed BT  $\frac{2}{\text{HES80}}$  bears S.  $34^{\circ} 55'$  W. 18 links.

An oak, 12" in diameter, scribed BT  $\frac{2}{\text{HES80}}$  bears S.  $44^{\circ} 30'$  E. 81 links.

Thence I run N.  $53^{\circ} 26'$  E.

Ascending along west side of gulch

3.50 Fence, bears North and South.

4.80 Top of ascent, descend gradually along west side of gulch.

10.00 To Corner No. 3, identical with Corner No. 6. of list, which is H/6 chiseled on a granite ledge showing 10' x 4' x 1' above ground, witnessed as described by Surveyor General. I destroy marks on same and chisel  $\frac{3}{\text{HES80}}$  for corner on same ledge, whence

An oak, 16" in diameter, scribed BT  $\frac{3}{\text{HES80}}$  bears N.  $70^{\circ} 10'$  W. 12 links.

A pine, 10" in diameter, scribed BT  $\frac{3}{\text{HES80}}$  bears S.  $16^{\circ} 25'$  W. 104 links.

Thence I run, N.  $1^{\circ} 54'$  E.

Ascending along west side of gulch.

4.10 West 45 links to SE. Corner out-house.

4.80 West 40 links to NE. Corner iron house.

6.35 Top of ascent on ridge bears East and West, descend.

7.57 To Corner No. 4, identical with Corner No. 7 of list,

HOMESTEAD ENTRY SURVEY NO. 80

PRESCOTT NATIONAL FOREST

ARIZONA

Chains

which is an oak 6" in diameter, marked and witnessed as described by field notes of listing survey I destroy marks on same and scribe it  $\times \frac{4}{HES80}$  on side facing claim and raise a mound of stone, 2' base, 1 1/2' high, 3 1/2' distant within claim, whence

An oak, 6" in diameter, scribed BT  $\frac{4}{HES80}$  bears N. 85° 10' W. 29 links. A granite stone, showing 3' x 4' x 2' above ground chiseled  $\times \frac{BR}{HES80}$  bears N. 82° 30' E. 60 links.

Thence I run, N. 10° 43' E.

Descending

- 1.45 Draw, course east, ascend.
- 2.00 Top of ascent, bears east and west, descend along west side gulch.
- 2.75 Small V shaped flume, bears north and south.
- 3.60 Wire fence, bears N. 20° W. and S. 20° E.
- 4.50 Wire fence, bears N. 70° E. and S. 70° W.
- 5.00 Foot of descent in bottom of gulch, ascend gradually along west side of creek.
- 12.74 To Corner No. 5 In bottom gulch. Identical with F. S. M. and Corner #1 of list which is a granite boulder in place 1' x 1 1/2' x 1 1/2' above ground, marked and witnessed as described by Field Notes of Listing Survey, I destroy marks on same and chisel same rock  $\times \frac{5}{HES80}$  on side facing claim, and raise mound of stone, 2' base, 1 1/2' high, 3 1/2' distant within claim, whence A pine, 16" in diameter, scribed BT  $\frac{5}{HES80}$  bears N. 11° 10' E. 28 links. An oak, 18" in diameter, scribed



HOMESTEAD ENTRY SURVEY NO. 80

PRESCOTT NATIONAL FOREST

ARIZONA

Chains

BT 5 bears S. 62° 05' E. 50 links.  
HES80

August 14, 1913.

August 15, 1913:

Thence I run, S. 0° 10' W.

Descending along bottom gulch

1.45 Ash Creek, <sup>181ks</sup> 12' wide, 6' deep, course SW.

8.70 Descend more rapidly to creek.

11.78 Ash Creek, <sup>271ks</sup> 18' wide, 5' deep, Course SE., thence along west side creek.

16.40 Ash Creek, <sup>371ks</sup> 25' wide, 3' deep, course SW.

19.30 Draw, course SW.

19.68 To Corner No. 6, identical with Cor. No. 2 list, which is an oak 8" in diameter, marked and witnessed as described by field notes of listing survey. I destroy marks on same and scribe same tree + <sup>6</sup>/<sub>HES80</sub> on side facing claim, and raise mound of stone, 2' base 1½' high, 3½' distant within claim, whence;

An oak, 18" in diameter, scribed

BT 6 bears S. 27° 0' W. 18 links.  
HES80

A walnut, 8" in diameter, scribed

BT 6 bears S. 67° W. 21 links.  
HES80

Thence I run, S. 48° 31' W.

Ascending

0.55 Top of ascent 15 ft. high descend.

2.10 To Cor. No. 7, identical with Corner No. 3 of list, which is a pine 6" in diameter, marked and witnessed as described by field notes of listing survey. I destroy marks on same and scribe same tree + <sup>7</sup>/<sub>HES80</sub> on side facing claim, and raise mound of stone, 2' base 1½' high, 3½' distant within claim, whence,

A pine, 6" in diameter, scribed BT 7  
HES80

HOMESTEAD ENTRY SURVEY NO. 80  
 PRESCOTT NATIONAL FOREST  
 ARIZONA

Chains	bears S. 20° 50' W. 32 links. A pine, 7" in diameter, scribed BT <u>7</u> <u>HES80</u> bears S. 43° 30' E. 18 links.
	Thence I run, S. 17° 21' W. Descending Arroya, <sup>151Ks.</sup> 10' wide, 3' deep, course west. To Corner No. 1, the plan of beginning. Area.
4.20	Total Area H. E. S. 80
5.19	5.83 acres.
<u>Improvements.</u>	
The improvements consist of the following:	
	A frame house, the NE. corner of which bears from Corner No. 6 N. 22° 05' W. 3.72 chains. Great- est dimensions are 36' x 64', course long side N. 23° E. Value \$1,000.00
	A tent house, the SW. Corner of which bears from Corner No. 3 N. 8° 40' E. 2.55 chains. 14' x 16' course of long side east. Value \$25.00
	A log barn, the SE. Corner of which bears from Corner No. 1 N. 3° 0' E. 1.33 chs. 14' x 18', course of long side N. 80° E. Value \$75.00
	A frame cabin, the SE. Corner of which bears from Corner No. 6 N. 6° 15' W. 64 links, 9' x 10', course of long side east. Value \$10.00
	Two corrals, one of wire fence and the other a slab fence. Value \$50.00
	About one-quarter mile of fence all on claim. Value \$50.00
	Total estimated value of improvements \$1,210.00
	All of above improvements of claimant herein.

PRESCOTT NATIONAL FOREST

ARIZONA

Chains

Chains

Description.

This claim is located on Ash Creek in the creek bottom and surrounded by rough granite hills, the greater part of the land being of uniform slope to the south with creek. There is timber on the larger part of the claim. The tract is traversed by Ash Creek, which in an average season carries sufficient water for household and irrigation purposes, and claimant has a small flume from creek for such purposes. Claimant has about 1 acre in cultivation in alfalfa, garden truck and fruit and ground is adapted for such crops. Claim is located in a mineral country but no evidences of mineral show on surface of claim. No other like tract nor officially surveyed mining or other claims are known in the vicinity. There are said to be several lode locations lying to the east of this claim but I fail to find or identify any corners of such.

No conflicting claims known.

The claim is reached by trail from Palace Station about 2 miles easterly. Maxton, a small settlement, is about five miles northeast. The nearest railroad point is Prescott, 15 to 20 miles distant which is reached by a good mountain road and trail.

The Bodie group of mining claims is situated about 1 1/2 miles southeast.

Survey completed August 15, 1913.

*W. H. Finigan*

Forest Service Surveyor.

HOMESTEAD ENTRY SURVEY NO. 8088 MOH

PRESCOTT NATIONAL FOREST

ARIZONA

Chains

TRAVERSE

Chains

This claim is located on Ash Creek in the creek bottom

: 1-2	: S. 88° 55'	W.:	7.41	:	0.14	:	7.41
: 2-3	: N. 53° 26'	E.:	10.00	:	5.96	:	8.03
: 3-4	: N. 1° 54'	E.:	7.57	:	7.57	:	0.25
: 4-5	: N. 10° 43'	E.:	12.74	:	12.52	:	2.37
: 5-6	: S. 0° 10'	W.:	19.68	:		:	0.06
: 6-7	: S. 48° 31'	W.:	2.10	:		:	1.57
: 7-1	: S. 17° 21'	W.:	5.19	:		:	1.55

64.69	26.05	26.16	10.65	10.59
		26.05	10.59	

ERROR 0.11 0.06

$$\text{Error} = \sqrt{\frac{121 + 36}{6469}} = \frac{12.53}{6469} = \frac{1}{516}$$

There being no official authorized to administer oaths within a reasonable distance, I witness oath of assistants in my official capacity.

No conflicting claims known, corners of each. of this claim but I fail to find or identify any said to be several lode locations lying to the east other claims are known in the vicinity. There are No other like tract not officially surveyed mining or evidences of mineral show on surface of claim.

The Bodie group of mining claims is situated about 1 1/2 miles southeast. reached by a good mountain road and trail. point at Prescott, is to 30 miles distant which is about five miles northeast. The nearest railroad is 2 miles easterly. Maxton, a small settlement, is The claim is reached by trail from Palace Station about

Survey completed August 13, 1913.  
 W. H. Ferguson  
 Forest Service Surveyor.

APPROVAL

Office of the United States Surveyor General,

Phoenix, Arizona, April 14, 1914 .

The foregoing field notes of Homestead Entry Survey No.

80

F. E. Edwards, claimant.

executed by W. H. Finigan, Forest Service Surveyor.

under his special instructions, dated August 1, 1913,

having been critically examined, and the necessary correc-

tions and explanations made, the said field notes, and the

surveys they describe, are hereby approved.

*Frank S. Ingalls*  
U. S. Surveyor General.

I certify that the foregoing transcript of the field notes of the above-described survey in \_\_\_\_\_, has been correctly copied from the original notes on file in this office.

\_\_\_\_\_  
U. S. Surveyor General.

