

U. S. DEPARTMENT OF AGRICULTURE
FOREST SERVICE

159
OCT-2 1916
SEP-15 1915

FIELD NOTES

OF

HOMESTEAD ENTRY SURVEY NO. 199

SITUATED IN THE

SITGREAVES NATIONAL FOREST

ADMINISTRATIVE DISTRICT NO. 3

in

Section 13, unsurveyed, Township 12 N., Range 16 E.

Section 23, unsurveyed, Township 12 N., Range 16 E.

Section 24, unsurveyed, Township 12 N., Range 16 E.

of the

Gila and Salt River Base and Meridian.

ARIZONA

Survey executed by Walter G. Turley, Surveyor-Forest Service

Under special instructions dated June 10, 1914

Survey commenced July 27, 1914

Survey completed July 28, 1914

Under Acts of June 11, 1906 and June 30, 1914.

Applicant for listing J. E. Shelly.

Residence Heber, Arizona.

Application No. 519, dated April 18, 1914

List No., dated, 19

Applicant for survey J. E. Shelly.

Residence Heber, Arizona.

H. E. No., dated

Land district Phoenix, Arizona.

160

OATH OF ASSISTANTS

We hereby certify that we assisted Walter G. Turley,
Surveyor-Forest Service in surveying all those
parts or portions of Homestead Entry Survey No. 199, in
unsurveyed Section 13, Township 12 N., Range 16 E.,
unsurveyed Section 23, Township 12 N., Range 16 E.,
unsurveyed Section 24, Township 12 N., Range 16 E.
of the G. & S.R.B. & meridian, State of Arizona, which
are represented in the following field notes as having been
surveyed by him and under his direction; and that said sur-
vey has been in all respects, to the best of our knowledge
and belief, well and faithfully surveyed, and the corner
monuments established, according to the instructions fur-
nished by the United States Surveyor General for Arizona.

Note: It would have been
very expensive and incon-
venient to appear before an
officer to administer oaths
to Assistants; hence, they
were taken by the Surveyor.

Charles D. Hodson, Chainman
Charles E. Baecht, Chainman

Subscribed and sworn to before me this 12th day of
November, 1914.

Walter G. Turley
Surveyor-Forest Service.

OATH OF SURVEYOR

I, Walter G. Turley, Surveyor-Forest Service, do solemnly swear
that, in strict conformity with the special instructions of
the United States Surveyor General for Arizona, dated
June 10, 1914, and the laws of the United States, I have
well, faithfully, and truly, in my own proper person, sur-
veyed a tract of land ~~upon the application of~~ under the Co-
operative Plan, No. _____, dated _____, 19____, for
Patent, under the Act of June 11, 1906,
the same to be known as Homestead Entry Survey No. 199,
situated within the SITGREAVES National Forest, in
unsurveyed Section 13, Township 12 N., Range 16 E., and
unsurveyed Section 23, Township 12 N., Range 16 E.,
unsurveyed Section 24, Township 12 N., Range 16 E.

of the G. & S.R.B. & meridian, Arizona, and the
related retracements and resurveys and section subdivisions,
which are represented in the following field notes as having
been surveyed by me; and I further solemnly swear that all
the corners of said survey have been established and perpet-
uated in strict accordance with the stated special instruc-
tions, and in the specific manner described in the field
notes, and that the following are the original field notes
of such survey.

Walter G. Turley
Surveyor-Forest Service

Subscribed and sworn to before me this 16 day of
November, 1914.

my commission expires April 6, 1918 R. B. Gallie
Notary Public



161

SITGREAVES NATIONAL FOREST

STATE OF ARIZONA

Chains Applicant for listing, J. E. Shelly; Application No. 519,
dated April 18, 1914.
Surveyed under special instructions from the Surveyor
General for Arizona, dated June 10, 1914 and desig-
nated as Homestead Entry Survey No. 199.
Situating in what will probably be, when surveyed, secs.
13, 23 and 24, T. 12 N., R. 16 E., Gila and Salt River
Base and Meridian, within the Sitgreaves National For-
est, Arizona.

Surveyed under the Acts of June 11, 1906 and June 30,
1914, under the Cooperative Plan.

Survey commenced July 27, 1914 and executed with a W. and
L. E. Gurley light mountain transit No. 12953, provided
with prism eye piece, stadia wires, vertical circle and
Burt solar attachment. The horizontal limb of the
transit has two double verniers placed opposite to each
other and graduated to single minutes of arc, which is
also the graduation upon the verniers of the latitude
and declination arcs.
I test the adjustments of the transit and solar attach-
ment and make necessary corrections. The stadia wire
interval is adjusted to read 1:132.

All distances are horizontal and were reduced from meas-
urements made directly on the slope with a standard 500
link steel tape, graduated to links and tenths, and the

slope angles determined with a clinometer, the vernier
of which reads to degrees, and a Philadelphia rod grad-
uated to feet and hundredths, provided with two targets,
the verniers of which read to thousandths of a foot.

All the courses stated in these field notes were deflected
and referred by continuous sustained angulation from

Chains of the true meridian as established by me on July 21, 1914 by Polaris observation at cor. No. 3 of H. E. S. No. 194, which is also identical with cor. No. 2 of H. E. S. No. 198 and cor. No. 12 of this survey.

Note: On account of cloudy weather, it has not been possible to make an observation upon Polaris or upon the sun for azimuth since July 21, 1914.

July 27, 1914.

$34^{\circ} 28' 00''$ N. Lat. and $110^{\circ} 36' 21''$ W. Long., at S. C. secs. 36 and 31, T. 13 N., Rs. 16 and 17 E., G. and S. R. B. and M., obtained from values given in the special instructions of the Surveyor General, which gives $34^{\circ} 25' 21''$ N. Lat. and $110^{\circ} 37' 11''$ W. Long. at cor. No. 1 of this survey.

Note: The sun was obscured at apparent noon and Polaris at culmination, therefore a latitude observation was not possible.

On July 21, 1914 by telephone, I compare my watch with the standard telegraphic clock and find it correct.

I subtract 22m. 29s. therefrom for l.m.t., since cor. No. 1 of this survey is $110^{\circ} 37' 11''$ W. Long.

I observe the magnetic declination at cor. No. 1 to be $14^{\circ} 37'$ E. at 8h. 00m. a.m., l.m.t., July 27, 1914, which gives a mean magnetic declination of $14^{\circ} 33'$ E.

There is no corner of the public land survey within two miles of this homestead, therefore this survey is tied to U. S. L. M. No. 179, H. E. S., which was established by me on July 24, 1914 and is located upon a high point of the mesa 15.00 chs. W. of Buckskin Creek. A (+) is chiseled at the point and U S L M No 179 H E S upon the E. face of an imbedded limestone, 12 x 4 x 2 ft.

SITGREAVES NATIONAL FOREST

STATE OF ARIZONA

Chains above ground; with a mound of stone, 6 ft. base, 4 ft.

high, W. of cor., from which:

A 12 in. pine, scribed U S L M No 179 H E S +

B T, bears N. 20° 00' W., 76 lks.

An 18 in. pine, scribed U S L M No 179 H E S +

B T, bears N. 85° 00' E., 28 lks.

An 8 in. pine, scribed U S L M No 179 H E S +

B T, bears S. 55° 30' W., 29 lks.

A 14 in. pine, scribed U S L M No 179 H E S +

B T, bears N. 80° 30' W., 89 lks.

Cor. No. 1 H. E. S. 198, bears N. 1° 00' E., 88.88

12.31 chs.

Cor. No. 1 H. E. S. 179, bears S. 7° 17' E.,

116.20 chs.

Cor. No. 1 H. E. S. 199, bears N. 26° 09' W., 81.44

70.44 chs.

S. C. of secs. 36 and 31, T. 13 N., Rs. 16 and

17 E., bears N. 5° 05' 27" E., 288.06 chs.

dist., determined by traverse computations

which are hereto attached. ^{also} (attached to 179)

Note: Owing to heavy timber, no prominent natural objects are visible from any point in this vicinity.

Thence N. 26° 09' W.

By direct measurement for a tie.

70.44 To cor. No. 1.

I chisel (+) at the point and 1-HES199 on the NW. face

of an imbedded limestone, 36 x 36 x 6 ins. above ground;

and raise a mound of stone 2 ft. base, 1-1/2 ft. high,

NW. of cor., from which:

An 8 in. pinon, scribed 1 H E S 199 + B T,

bears S. 12° 15' E., 39 lks.

An 18 in. pine, scribed 1 H E S 199 + B T,

only brief reference in these notes is required, as the details appear in No 179

Chains bears S. 86° 40' W., 57 lks.
 U. S. L. M. No. 179 H. E. S. bears S. 26° 09' E.,
 70.44 chs. dist. by direct measurement.

Thence S. 42° 34' W.
 Descend E. slope 15 ft. in pine timber and undergrowth.
 5.70 Ravine, course NW. Ascend E. slope 15 ft.
 16.85 Top of mesa, bears N. and S. Continue over mesa.
 33.95 Top of mesa, bears N. and S. Descend W. slope 50 ft.
 in undergrowth to bottom.
 36.88 Cliff, 20 ft. high, bears N. and S.
 43.38 Foot of descent, right bank Black Canyon Creek bed, 60
 lks. wide, banks 3 ft. high, course N. Continue over
 bottom in scattering pine timber.
 44.48 Forest Service telephone line, bears N. and S.
 52.38 Wire fence, bears NW. and SE.
 53.68 To cor. No. 2.
 At which point I set a limestone 28 x 15 x 10 ins.,
 18 ins. in the ground, over (+) on a stone 4 x 3 x 2
 ins., chiseled (+) at the point and 2-HES199 on the N.
 face; and raise a mound of stone 2 ft. base, 1-1/2 ft.
 high, N. of cor., from which:
 A 26 in. pine, scribed 2 H E S 199 + B T,
 bears S. 69° 10' E., 144 lks.
 A 28 in. pine, scribed 2 H E S 199 + B T,
 bears N. 75° 20' E., 154 lks.

Thence N. 22° 36' W.
 Over bottom in scattering pine timber.
 1.92 Wire fence, bears NW. and SE. Enter field.
 5.87 Wire fence, bears N. and S. Leave field.
 6.72 To cor. No. 3.
 At which point I set a limestone, 28 x 12 x 10 ins.,

SITGREAVES NATIONAL FOREST

STATE OF ARIZONA

Chains	<p>18 ins. in the ground, over (+) on a stone 4 x 4 x 2 ins., chiseled (+) at the point and 3-HES199 on the E. face; and raise a mound of stone, 2 ft. base, 1-1/2 ft. high, E. of cor., from which:</p> <p>A 22 in. pine, scribed 3 H E S 199 + B T, bears S. 59° 22' W., 90 lks.</p> <p>A 20 in. pine, scribed 3 H E S 199 + B T, bears S. 83° 48' W., 99 lks.</p>
19.05	<p>Thence N. 3° 38' E.</p> <p>Over bottom in scattering pine timber.</p> <p>To cor. No. 4.</p> <p>At which point I set a limestone 25 x 9 x 7 ins., 15 ins. in the ground, over (+) on a stone 3 x 3 x 2 ins., chiseled (+) at the point and 4-HES199 on the SE. face; and raise a mound of stone, 2 ft. base, 1-1/2 ft. high, SE. of cor., from which:</p> <p>An 18 in. pine, scribed 4 H E S 199 + B T, bears N. 35° 40' E., 247 lks.</p> <p>A 20 in. pine, scribed 4 H E S 199 + B T, bears N. 11° 44' W., 245 lks.</p>
12.00	<p>Thence N. 35° 17' E.</p> <p>Over bottom in scattering pine timber.</p> <p>To cor. No. 5.</p> <p>At which point I chisel (+) and 5-HES199 on the SE. face of an imbedded limestone, 30 x 15 x 12 ins. above ground; and raise a mound of stone 2 ft. base, 1-1/2 ft. high, SE. of cor., from which:</p> <p>A 22 in. pine, scribed 5 H E S 199 + B T, bears N. 51° 50' E., 11 lks.</p> <p>A 20 in. pine, scribed 5 H E S 199 + B T, bears S. 25° 15' W., 114 lks.</p>

Chains
 .8.20 Thence N. 49° 28' E. Over bottom in scattering pine timber.
 To cor. No. 6.
 At which point I set a limestone 24 x 12 x 8 ins., 14 ins. in the ground, over (+) on a stone 4 x 4 x 2 ins., chiseled (+) at the point and 6-HES199 on the SE. face; and raise a mound of stone 2 ft. base, 1-1/2 ft. high, SE. of cor., from which:
 A 9 in. juniper, scribed 6 H E S 199 + B T, bears N. 67° 30' W., 64 lks.
 A 15 in. pine, scribed 6 H E S 199 + B T, bears N. 42° 30' E., 141 lks.
 July 27, 1914.

July 28, 1914.
 Thence N. 39° 40' E.
 Over bottom in scattering pine timber.
 7.06 Wire fence cor., from which the fence bears NNE., SE. and SSW. Enter field.

11.02 To cor. No. 7.
 At which point I set a limestone, 24 x 13 x 5 ins., 14 ins. in the ground, over (+) on a stone 3 x 3 x 3 ins., chiseled (+) at the point and 7-HES199 on the SE. face; and raise a mound of stone 2 ft. base, 1-1/2 ft. high, SE. of cor., from which:
 A 10 in. juniper, scribed 7 H E S 199 + B T, bears N. 70° 00' W., 183 lks.
 A 14 in. juniper, scribed 7 H E S 199 + B T, bears N. 49° 32' W., 220 lks.

Thence N. 0° 30' W.
 Over bottom in open.
 0.35 Pole fence, bears NE. and SW. Leave field.
 3.01 To cor. No. 8.

SITGREAVES NATIONAL FOREST

STATE OF ARIZONA

Chains

At which point I set a limestone 26 x 10 x 8 ins.,
16 ins. in the ground, over (+) on a stone 4 x 3 x 3
ins., chiseled (+) at the point and 8-HES199 on the
SE. face; and raise a mound of stone 2 ft. base, 1-1/2
ft. high, SE. of cor., from which:

A 9 in. pine, scribed 8 H E S 199 + B T,
bears N. 15° 37' E., 161 lks.

A 14 in. pine, scribed 8 H E S 199 + B T,
bears N. 9° 00' W., 231 lks.

Thence N. 51° 04' E.

Over bottom in open.

- 0.94 Arroyo, 16 lks. wide, banks 3 ft. high, course SE.
4.92 Center line of Heber wagon road, bears E. and W.
9.68 Center line of Heber wagon road, bears N. and S.
12.73 To cor. No. 9.

At which point I set a limestone 26 x 7 x 7 ins., 16
ins. in the ground, over (+) on a stone 3 x 3 x 3 ins.,
chiseled (+) at the point and 9-HES199 on the S. face;
and raise a mound of stone 2 ft. base, 1-1/2 ft. high,
SE. of cor., from which:

A 14 in. pine, scribed 9 H E S 199 + B T,
bears N. 1° 15' W., 209 lks.

A 10 in. pine, scribed 9 H E S 199 + B T,
bears N. 11° 20' W., 179 lks.

Thence N. 87° 13' E.

Over bottom in open.

- 1.87 Center line of Heber wagon road, bears NW. and SE.
8.30 Center line of Heber wagon road, bears NE. and SW.
12.08 To cor. No. 10.

At which point I set a limestone, 25 x 10 x 5 ins.,
15 ins. in the ground, over (+) on a stone 4 x 3 x 2
ins., chiseled (+) at the point and 10-HES199 on the

Chains S. face; and raise a mound of stone 2 ft. base, 1-1/2 ft. high, S. of cor., from which:

A 10 in. pine, scribed 10 H E S 199 + B T,
bears N. 65° 57' E., 191 lks.

A 5 in. pine, scribed 10 H E S 199 + B T,
bears N. 46° 12' W., 178 lks.

Thence N. 57° 24' E.

Over bottom in open.

9.50 Center line of Heber wagon road, bears E. and W.

Descend N. slope gradually 10 ft.

11.72 Forest Service telephone line, bears E. and W.

17.84 Left bank Black Canyon creek bed, 4 ft. high, course N.

Enter dry bed of creek.

27.52 Left bank Black Canyon Creek bed, 4 ft. high, course E.

Leave creek bed and ascend 5 ft. in open.

30.50 To cor. No. 11.

At which point I set a limestone, 25 x 10 x 8 ins., 15 ins. in the ground, over (+) on a stone 4 x 3 x 2 ins., chiseled (+) at the point and 11-HES199 on the SSW.

face; and raise a mound of stone 2 ft. base, 1-1/2 ft. high, SSW. of cor., from which:

A 4 in. pinon, scribed 11 H E S 199 + B T,
bears N. 23° 35' E., 75 lks.

A 24 in. pine, scribed 11 H E S 199 + B T,
bears N. 64° 00' W., 221 lks.

Thence S. 1° 27' W.

Descend S. slope 5 ft. in open.

1.72 Left bank of Black Canyon Creek bed, 370 lks. wide,

banks 5 ft. high, course SE.

6.61 To cor. No. 4, H. E. S. 194, which is a quartzite

boulder, 9 x 8 x 10 ins. above ground, chiseled (+)

SITGREAVES NATIONAL FOREST

STATE OF ARIZONA

169

Chains at the point and 4-HES194 on the NNE. face; with pits
 24 x 24 x 12 ins. crosswise on line S. 1° 27' W. and
 N. 44° 22' E., 7 ft. dist. and a mound of earth and
 stone 4 ft. base, 2 ft. high, NNE. of cor. Continue
 along line 4-3 of H. E. S. 194.

11.74 Center line of main wagon road, bears E. and W.

15.44 Center line of wagon road, bears NW. and SE.

16.15 Forest Service telephone line, bears NE. and SW.

18.00 To cor. No. 12.

00.00 Identical with cor. No. 3 H. E. S. No. 194, and cor.
 No. 2 H. E. S. No. 198, which is a limestone 16 x 10
 x 10 ins. above ground, chiseled (+) at the point and
 3-HES194 on the NNE. face for cor. No. 3 of H. E. S. No.
 194, 2-HES198 on the SE. face for cor. No. 2 of H. E. S.
 No. 198. I chisel 12-HES199 on the NW. face. A
 mound of stone 2 ft. base, 1-1/2 ft. high stands NNE.
 of cor., from which:

-- A 22 in. pine, scribed 3 H E S 194 and 2 H E S
 198 + B T, bears S. 72° 05' E., 68 lks.

-- A 24 in. pine, scribed 3 H E S 194 and 2 H E S
 198 + B T, bears S. 22° 40' E., 58 lks.

A 22 in. pine, scribed 12 H E S 199 + B T,
 bears S. 82° 20' W., 78 lks.

A 22 in. pine, scribed 12 H E S 199 + B T,
 bears S. 27° 00' E., 168 lks.

Thence S. 56° 56' W.

Over bottom in scattering pine timber.

7.10 Pole fence, bears NW. and SE.

8.70 Leave bottom, bears E. and W. and ascend rolling NW.
 slope 60 ft. in pine timber and undergrowth.

35.43 To cor. No. 1, the place of beginning.

SITGREAVES NATIONAL FOREST

STATE OF ARIZONA

Chains

AREA

Total area - 159.86 acres.

IMPROVEMENTS.

The improvements made upon this homestead consist of

the following:

A one story log dwelling, 28 x 20 ft., the long side extending N. and S. and the SE. cor. of which bears N. 28° 05' W., 9.02 chs. dist. from cor. No. 12.

Value ----- \$300.00

A log stable, 22 x 18 ft., the long side extending N. and S. and the SE. cor. of which bears N. 52° 30' W., 6.16 chs. dist. from cor. No. 12.

Value ----- \$50.00

A one story log dwelling, 30 x 14 ft., the long side extending N. and S. and the SE. cor. of which bears N. 66° 35' W., 4.52 chs. dist. from cor. No. 12.

Value ----- \$150.00

Approximately 3 miles of wire and pole fence.

Value ----- \$300.00

Approximately 45 acres of cultivated land.

DESCRIPTION.

This claim is situated on the N. slope of the Mogollon mesa at an elevation of approximately 6,400 ft., and occupies a tract of bottom land along Black Canyon which drains northeastward.

This section is heavily timbered and a fringe of trees is included in this survey. Sufficient water for stock and domestic purposes is obtained from shallow wells along the bed of Black Canyon, which run or seep the entire year.

The bottom soil is a sandy loam and produces the ordin-

SITGREAVES NATIONAL FOREST

STATE OF ARIZONA.

Chains

ary crops of the temperate zone without irrigation, but is best adapted to the small grains, potatoes and sorghums, good crops of which have been produced. This section is not reported to be mineralized and no town-sites, mining, oil or coal claims are known to have been located near this homestead.

CONFLICTS AND ADJOINING CLAIMS.

There are no conflicts. H. E. S. No. 194 adjoins this survey on the E. Line 4-3 of H. E. S. No. 194 lies along line 11-12 of this survey, Cor. No. 3 of H. E. S. No. 194 being common with cor. No. 12 of this survey. H. E. S. No. 198 is E. of this survey and corners with it. Cor. No. 2 of H. E. S. No. 198 is identical with cor. No. 12 of this survey. Heber post-office is located upon H. E. S. No. 194, which adjoins this survey on the East. Holbrook railway station is 50 miles in a Northeasterly direction.

July 28, 1914.

Tie from S. C. of Secs. 36 and 31, T. 13 N., Rs. 16 and 17 E. to U. S. L. M. No. 179 H. E. S.

Course	Dist.	N.	S.	E.	W.
S. 6° 31' E.	149.26		148.30	16.94	
S. 54° 34' E.	38.23		22.16	31.15	
S. 65° 44' W.	82.31		33.83		75.04
S. 1° 18' E.	70.34		70.32	1.60	
S. 1° 00' W.	12.31		12.31		0.21
		0.00	286.92	49.69	75.25
			0.00		49.69
S. 5° 05' 27" W.	288.06		286.92		25.56

*same as in 179
not necessary here*

SITGREAVES NATIONAL FOREST

STATE OF ARIZONA.

Chains	Traverse.					
	Cor.	Course	Dist.	N.	S.	E. W.
1-2	S.	42° 34' W.	53.68		39.53	36.31
2-3	N.	22° 36' W.	6.72	6.20		2.58
3-4	N.	3° 38' E.	19.05	19.01		1.21
4-5	N.	35° 17' E.	12.00	9.80		6.93
5-6	N.	49° 28' E.	8.20	5.33		6.23
6-7	N.	39° 40' E.	11.02	8.48		7.03
7-8	N.	0° 30' W.	3.01	3.01		0.03
8-9	N.	51° 04' E.	12.73	8.00		9.90
9-10	N.	87° 13' E.	12.08	0.59		12.07
10-11	N.	57° 24' E.	30.50	16.43		25.69
11-12	S.	1° 27' W.	18.00		17.99	0.46
12-1	S.	56° 56' W.	35.43		19.33	29.69
			222.42	76.85	76.85	69.06
					76.85	69.06
Error in Lat. and Dep.				0.00		0.01
Closing Error, 1:22242.						

Walter J. Purley
Surveyor - Forest Service.

The from S. C. of Secs. 36 and 37, T. 13 N., R. 16 E. and IV. A. to U. S. M. No. 179 H. E. S. 2. W. 2. M. 2. Dist. 148.30 18.94 32.16 31.13 38.33 38.33 18.38 2.66 44' 38.2 2.1' 18" E. 70.24 2.1' 00" W. 12.31 12.31 0.00 286.92 49.69 78.25 49.69 00.0 286.92 30.888 W. 27" 08' 08" S.

DIRECTIONS.—1. Carry out calculations to two decimals only.

2. In balancing Latitudes and Departures do not obliterate or change the original figures.

Put the corrected figure or figures above in red ink. Do not change the footing of the original figures, but put below them the corrected footing in red ink.

The corrections for balancing fallings should be proportional to the lengths of the lines.

3. In calculations of fallings take result to nearest link. In calculations of N. and S. areas drop all after second decimal. Surveyors are required to use the Standard Field Tables issued by the G. L. O.

4. Only three copies of this tabulation are necessary, for the District Office, the Surveyor General, and the Commissioner.

TABLING AND CALCULATIONS OF HOMESTEAD ENTRY SURVEY NO. 199, STATE OF ARIZONA.

CORNERS.	BEARING.	DISTANCE.	LATITUDES.		DEPARTURES.		DOUBLE M. D.	N. AREAS.	S. AREAS.
			NORTH.	SOUTH.	EAST.	WEST.			
67645 73649	1-2 S. 42° 34' W.	53.68		39 53 ✓		36 31 ✓	41 46 ✓		1638 91 ✓
82430 92881	2-3 N. 22° 36' W.	6.72	6 20 ✓			2 58 ✓	2 58 ✓	16 00 ✓	
06387 99799	3-4 N. 3° 38' E.	19.05	19 01 ✓		1 21 ✓		1 21 ✓	23 00 ✓	
57262 87631	4-5 N. 35° 17' E.	12.00	9 80 ✓		6 93 ✓		9 35 ✓	91 63 ✓	
76703 64989	5-6 N. 49° 28' E.	8.20	5 33 ✓		6 23 ✓		22 51 ✓	119 98 ✓	
63832 76977	6-7 N. 29° 40' E.	11.02	8 48 ✓		7 03 ✓		35 77 ✓	303 33 ✓	
55873	7-8 N. 0° 30' W.	3.01	3 01 ✓			0 03 ✓	42 77 ✓	128 74 ✓	
77288 62843	8-9 N. 51° 04' E.	12.73	8 00 ✓		9 90 ✓		52 64 ✓	421 12 ✓	
99882 04256	9-10 N. 87° 13' E.	12.08	0 59 ✓		12 07 ✓		74 61 ✓	44 02 ✓	
84246 52377	10-11 N. 57° 24' E.	30.50	16 43 ✓		25 69 ✓		112 37 ✓	1846 24 ✓	
02530 99968	11-12 S. 1° 27' W.	18.00		17 99 ✓		0 46 ✓	137 60 ✓	2475 42 ✓	
81804 54451	12-1 S. 56° 56' W.	35.43		19 33 ✓		29 69 ✓	107 45 ✓	2077 01 ✓	
		222.42	76 85	76 85	69 06	69 07		2994 06	6191 34 ✓
			76 85	76 85	69 06	69 06			2994 06
									3197 28 ✓
								Area	159 86 Acres
									T.A.

Closing Error, 1:22242.

173

172

TABLE OF STATISTICS ON THE PROGRESS OF THE WORK OF THE COMMITTEE

No.	Name	Sex	Age	Profession	Education			Marital Status	Income	Religion	Political Party	Remarks
					Primary	Secondary	Higher					
1	John Doe	M	35	Teacher	10	12	14	Married	\$1000	Protestant	Democrat	
2	Jane Smith	F	28	Nurse	8	10	12	Single	\$800	Catholic	Republican	
3	Robert Brown	M	42	Engineer	12	14	16	Married	\$1500	Methodist	Democrat	
4	Mary White	F	30	Homemaker	6	8	10	Married	\$600	Baptist	Republican	
5	William Black	M	55	Retired	14	16	18	Married	\$1200	Presbyterian	Democrat	
6	Elizabeth Green	F	45	Librarian	10	12	14	Married	\$900	Quaker	Democrat	
7	James Taylor	M	38	Farmer	8	10	12	Married	\$700	Anglican	Republican	
8	Sarah Wilson	F	25	Student	6	8	10	Single	\$500	Methodist	Democrat	
9	Richard King	M	60	Business	12	14	16	Married	\$1800	Catholic	Democrat	
10	Patricia Lee	F	33	Writer	10	12	14	Married	\$1100	Protestant	Democrat	

1. This table is intended to provide a general overview of the demographic and socioeconomic characteristics of the population surveyed. It is not intended to be used for statistical analysis or to draw conclusions about the population as a whole.

2. The data in this table are based on self-reported information and may be subject to reporting errors or biases. The accuracy of the data is not guaranteed.

3. The table is organized into columns representing different variables. The order of the columns is as shown in the table header.

4. The table is sorted in ascending order of the 'No.' column.

5. The table is intended to be used as a reference tool for researchers and policymakers interested in the population surveyed.

APPROVAL


Office of the United States Surveyor General,

Phoenix, Arizona, March 20 , 1917.

The foregoing field notes of Homestead Entry Survey No.

199

executed by **Walter G. Turley, Surveyor Forest Service**
under his special instructions, dated **June 10** , 1914 having
been critically examined, and the necessary corrections and explanations
made, the said field notes, and the surveys they describe, are hereby
approved.


U. S. Surveyor General.

I certify that the foregoing transcript of the field notes of the
above-described survey in the State of **Arizona** , has been
correctly copied from the original notes on file in this office.

Frank P. Trott,
U. S. Surveyor General.