

U. S. DEPARTMENT OF AGRICULTURE  
FOREST SERVICE

**FIELD NOTES**

OF

HOMESTEAD ENTRY SURVEY NO. 230

SITUATED IN THE

APACHE NATIONAL FOREST

ADMINISTRATIVE DISTRICT NO. 3

in

Section 36, un surveyed, Township 1 N., Range 29 E.

-----  
-----  
-----

of the

Gila and Salt River Base and Meridian.

ARIZONA

Survey executed by C. A. Long, Surveyor-Forest Service

Under special instructions dated August 6, 1914

Survey commenced November 19, 1914

Survey completed November 20, 1914

Under Acts of June 11, 1906 and June 30, 1914.

Applicant for listing John D. Patty,

Residence Clifton, Arizona.

Application No. 156, dated May 9, 1911

List No. 3-1359, dated June 24, 1911


Applicant for survey John D. Patty,

Residence Clifton, Arizona.

H. E. No. 016435, dated January 29, 1912.

Land district Phoenix, Arizona.

JUN 30 1915





194

OATH OF ASSISTANTS

We hereby certify that we assisted C. A. Long,  
Surveyor-Forest Service in surveying all those  
parts or portions of Homestead Entry Survey No. 230, in  
unsurveyed Section 36, Township 1 N., Range 29 E.,  
unsurveyed Section ---, Township ---, Range ---,  
-----  
of the G. & S.R.B. & meridian, State of Arizona, which  
are represented in the following field notes as having been  
surveyed by him and under his direction; and that said sur-  
vey has been in all respects, to the best of our knowledge  
and belief, well and faithfully surveyed, and the corner  
monuments established, according to the instructions fur-  
nished by the United States Surveyor General for Arizona.

Note: It would have been  
very expensive and incon-  
venient to appear before  
an officer to administer  
the oaths to Assistants;  
hence, they were taken by  
the Surveyor.

Wm. W. Wamer, Chainman.

Fred Furley, Chainman.

Subscribed and sworn to before me this 20th day of  
November, 1914.

C. A. Long

Surveyor-Forest Service.

OATH OF SURVEYOR

I, C. A. Long, Surveyor-Forest Service, do solemnly swear  
that, in strict conformity with the special instructions of  
the United States Surveyor General for Arizona, dated  
August 6, 1914, and the laws of the United States, I have  
well, faithfully, and truly, in my own proper person, sur-  
veyed a tract of land ~~upon the application of~~ embraced in  
List, No. 3-1359 dated June 24, 1911, for  
Patent, under the Act of June 11, 1906,  
the same to be known as Homestead Entry Survey No. 230,  
situated within the APACHE National Forest, in  
unsurveyed Section 36, Township 1 N., Range 29 E., and  
unsurveyed Section ---, Township ---, Range ---,  
-----  
of the G. & S.R.B. & meridian, Arizona, and the  
related retracements and resurveys and section subdivisions,  
which are represented in the following field notes as having  
been surveyed by me; and I further solemnly swear that all  
the corners of said survey have been established and perpet-  
uated in strict accordance with the stated special instruc-  
tions, and in the specific manner described in the field  
notes, and that the following are the original field notes  
of such survey.

C. A. Long

Surveyor-Forest Service.

Subscribed and sworn to before me this 23rd day of

April, 1915.

Elsie E. Meyers

Notary Public





## APACHE NATIONAL FOREST

STATE OF ARIZONA

Chains Applicant for listing, John D. Patty; Application No. 156, dated May 9, 1911; List No. 3-1359, dated June 24, 1911; H. E. No. 016435, made at Phoenix, Arizona, January 29, 1912.

Surveyed under special instructions from the Surveyor General for Arizona, dated August 6, 1914, and designated as Homestead Entry Survey No. 230.

Situated in what will probably be, when surveyed, Sec. 36, T. 1 N., R. 29 E., Gila and Salt River Base and Meridian, Apache National Forest, Arizona.

Surveyed under the Acts of June 11, 1906 and June 30, 1914.

Survey commenced November 19, 1914 and executed with a W. and L. E. Gurley light mountain transit, provided with a full vertical circle and a horizontal limb having two double verniers placed opposite each other and reading to single minutes of arc which is also the least reading of the vernier on the vertical circle.

I test the adjustments of my instrument and make necessary corrections.

All measurements were made on the slopes with a 500 link Lufkin steel tape, and the slope angles determined with a clinometer, the horizontal distances alone appearing in these notes.

November 19, 1914.

At cor. No. 1 of this survey, Lat.  $33^{\circ} 23' 30''$  N., Long.  $109^{\circ} 18'$  W., derived from the Surveyor General's instructions, at 3h. 36.6m., a.m., by my watch which is set for local mean time, I observe Polaris at Western elongation with the telescope both direct and reversed and mark points in the line of sight on a stake driven in the ground 5 chains N. of my station. The line of



Chains

sight as determined by the two observations differ by 1/4 inch. . I mark the mean of these two observations on the ground by driving a tack in the stake previously set.

November 19, 1914.

At cor. No. 1 of this survey, at 7:30 a.m., l.m.t., I lay off the azimuth of Polaris 1° 22' 16" to the East and mark a point in the line of sight on a stone 6 chs. N. of my station. The magnetic bearing of the true meridian at 8h. 15m. a.m., is N. 15° 15' W., the angle thus determined, corrected for diurnal change, gives the magnetic declination 15° 13' E. To the above stated meridian all the courses of this survey are referred.

November 19, 1914.

I begin at list cor. No. 8, which is a malpais stone, marked and witnessed as described by the Forest Service. Point for cor. falls on a sloping rock ledge showing 40 x 36 x 4 ins. above ground, I cut a cross (+) at exact point for cor. No. 1 of this survey and chiseled 1-HES230 on side facing claim. Pits and mounds impracticable, whence:

A black walnut 8 ins. in dia., blazed and scribed 1 H E S 230 B T, bears S. 65° 16' E., 23 lks. dist.

A cross (+) on a limestone ledge 40 x 50 ins., marked 1 H E S 230 B O bears S. 21° 30' W., 13 lks. dist.

Boundary Post No. 15 on the G. & S. R. B. L. which is an iron post in a mound of stones marked and witnessed as described by the Surveyor General



APACHE NATIONAL FOREST

STATE OF ARIZONA

Chains

bears S. 11° 31' E., 66.36 chs. by traverse, which appears at the end of these notes.  
I make a diligent search for the Cor. to Secs. 19, 24, 25 and 30 and the 1/4 cor. bet. Secs. 31 and 36, T. 1 N., Rs. 29 and 30 E., without finding any evidence of these corners. Therefore I tie this claim to Boundary Post #15 on the Base line.

I destroy list cor. and Forest Service Monument and the witnesses thereto.

Thence N. 74° 08' W.

Descend rock slope 30 ft.

1.40 Bottom of slope, board fence is 30 lks. N. of line.

1.50 Enter bed of Squaw Creek, 10 lks. wide, 1 ft. deep, course E.

6.50 Leave Squaw Creek bearing East. Ascend bank 5 ft. high, continue over level land.

7.10 Board fence runs SW. and NE.

7.81 To Cor. No. 2.

Identical with list cor. No. 7, which is a granite stone in place showing 40 x 28 x 22 ins. above ground, marked and witnessed as described by the Forest Service.

I destroy the marks on the stone that refer to the list survey and mark 2-HES230 on N. face and a cross (+) on top for cor. No. 2 of this survey. (Pits impracticable).

Raise a mound of stone 3 ft. base, 2 ft. high, 3-1/2 ft. dist. within the claim, whence,

A yellow pine 24 ins. dia., bears S. 08° 39' E., 48 lks. dist.

A post oak 8 ins. dia., bears S. 36° 38' W., 114 lks. dist.

Each blazed and marked 2 H E S 230 B T.

Thence S. 81° 17' W.

Over open level land.



APACHE NATIONAL FOREST

STATE OF ARIZONA

Chains

0.80 North bank of Squaw Creek, 10 lks. wide, 1 ft. deep,  
course S. 75° 00' E.

0.95 South bank of Squaw Creek.

4.00 Ascend 45 ft. through scattering pine reproduction.

7.46 Board fence, bears East and N. 42° 00' W.

8.36 To Cor. No. 3.

Identical with list cor. No. 6, which is a sandstone  
marked and witnessed as described by the Forest Service.

I destroy same and witnesses thereto.

Point falls on a lava stone in place showing 18 x 14 x  
12 ins. above ground. I mark a cross (+) at exact  
point for cor. and 3-HES230 on side facing claim for  
Cor. No. 3 of this survey. (Pits impracticable).

Raise a mound of stone 4 ft. base, 2 ft. high, within  
the claim, whence,

A black jack pine 6 ins. dia., bears S. 70° 00'  
E. 28 lks. dist.

A black jack pine 5 ins. dia., bears N. 53° 54'  
E. 54 lks. dist.

Each blazed and marked 3 H E S 230 B T.

Thence N. 40° 05' W.

Descend 40 ft. along hillside sloping to NE. through  
scattering pine and oak.

6.50 Board fence bears N. 42° 00' W. and S. 42° 00' E.

7.30 Board fence bears S. 78° 50' E. and N. 78° 50' W.

7.51 To Cor. No. 4.

Identical with list cor. No. 5, which is a sandstone  
marked and witnessed as described by the Forest Service.

I destroy same and witnesses thereto. Point falls on

Thence S. 81° 14' W.  
Over open level land.



APACHE NATIONAL FOREST

STATE OF ARIZONA

Chains

lava stone in place showing 36 x 20 x 6 ins. above ground, I mark a cross (+) on exact point for cor. and 4-HES230 on side facing claim for cor. No. 4 of this survey. (Pits impracticable). Raise a mound of stone 4 ft. base, 2 ft. high within the claim, whence,

A juniper 14 ins. dia., bears N. 74° 25' E. 170 lks. dist.

A black walnut 12 ins. dia. bears S. 27° 00' W. 7 lks. dist.

Each blazed and marked 4 H E S 230 B T.

Thence S. 78° 58' E.

Descend 10 ft. to creek, over open lands.

1.00 South bank of Squaw Creek, 20 lks. wide, 1 ft. deep, banks 3 ft. high, course S. 50° 00' E.

1.30 North bank of Squaw Creek. Continue over level land.

2.73 To Cor. No. 5.

Identical with list cor. No. 4, which is a granite stone, marked and witnessed as described by the Forest Service. I destroy same and witnesses thereto. Point

falls on a red granite stone in place showing 24 x 18 x 12 ins. above ground, I mark a cross (+) at exact point for cor. and 5-HES230 on side facing claim for cor. No. 5 of this survey. (Pits impracticable). Raise a mound of stone 4 ft. base, 2 ft. high within the claim, whence,

A juniper 14 ins. dia., marked 4 H E S 230 B T on NW. side and 5 H E S 230 B T on SE. side bears N. 46° 55' W. 144 lks. dist.

A black jack pine 8 ins. dia., blazed and marked 5 H E S 230 B T bears N. 31° 52' E. 127 lks. dist.



APACHE NATIONAL FOREST

STATE OF ARIZONA

Chains

November 20, 1914.

Thence S. 61° 31' E.

Over level land along edge of scattering scrub oak.

2.50 Board fence bears S. 70° 00' E. and N. 70° 00' W.

4.50 Board fence bears N. 46° 00' W. and S. 46° 00' E.

5.59 To Cor. No. 6.

Identical with list cor. No. 3, which is a malpais stone, marked and witnessed as described by the Forest Service. I destroy same and witnesses thereto. Point falls on a red volcanic ledge, showing 72 ins. E. and W., 40 ins. N. and S. and 24 ins. high. I mark a cross

(+) at exact point for cor. and 6-HES230 on side facing claim for cor. No. 6 of this survey. (Pits impracticable). Raise a mound of stone 4 ft. base, 2 ft. high within the claim, whence,

A black walnut 10 ins. dia., bears S. 88° 15' E., 191 lks. dist.

A black walnut 8 ins. dia., bears S. 26° 33' W. 53 lks. dist.

Each blazed and marked 6 H E S 230 B T.

Thence N. 87° 12' E.

Over level land along edge of scattering oak brush.

Fence is south 20 lks. and bears with line.

8.63 To Cor. No. 7.

Identical with list cor. No. 2, which is a malpais stone marked and witnessed as described by the Forest Service. I destroy same and witnesses thereto. Point falls on a lava stone, in place, showing 16 x 14 x 11 ins. above ground. I mark a cross (+) at exact point for cor. and 7-HES230 on side facing claim for cor. No. 7 of this survey. (Pits impracticable). Raise a mound



APACHE NATIONAL FOREST

STATE OF ARIZONA

|        |  |
|--------|--|
| Chains | of stone 4 ft. base, 2 ft. high within the claim,  |
|        | whence,  |
|        | A live oak 18 ins. dia., bears N. 69° 35' E.<br>14 lks. dist.  |
|        | A yellow pine 18 ins. dia., bears N. 64° 35'<br>W. 61 lks. dist.   |
|        | Each blazed and marked 7 H E S 230 B T.  |
|        | Thence N. 24° 41' E.   |
|        | Ascend rocky slope 25 ft. over open land.  |
| 3.40   | To Cor. No. 8.   |
|        | Identical with list cor. No. 1, which is a malpais<br>stone, marked and witnessed as described by the Forest<br>Service. I destroy same and witnesses thereto. Point<br>falls on a lava stone in place, showing 18 x 18 x 14<br>ins. above ground, I mark a cross (+) at exact point |
|        | for cor. and 8-HES230 on side facing claim for cor.<br>No. 8 of this survey. (Pits impracticable). Raise a<br>mound of stone 4 ft. base, 2 ft. high within claim,  |
|        | whence,  |
|        | A scrub oak 6 ins. dia., bears N. 43° 33' W.<br>28 lks. dist.  |
|        | A juniper 12 ins. dia. bears N. 44° 45' E.<br>36 lks. dist.  |
|        | Each blazed and marked 8 H E S 230 B T.  |
|        | Thence S. 56° 42' E.   |
|        | Descend 20 ft. over open land.   |
| 1.70   | Board fence bears N. 20° 00' E. and S. 20° 00' W.  |
| 2.25   | Wash, 20 lks. wide, banks 6 ft. high, course S. 40° 00'  |
|        | E.   |
| 2.50   | Board fence bears N. 46° 00' W. and S. 46° 00' E.  |



Chains

6.75

To Cor. No. 9.

Identical with list cor. No. 9, which is a granite stone, marked and witnessed as described by the Forest Service. I destroy same and witnesses thereto. Set a basalt stone 24 x 13 x 11 ins. 14 ins. in the ground, for cor. No. 9 of this survey, marked 9-HES230 on side facing claim and a cross (+) on top. Dig pits 24 x 24 x 12 ins. crosswise on this and the succeeding course 7 ft. dist. and raise a mound of earth and stone 4 ft. base, 2 ft. high within the claim, whence,

A live oak 9 ins. dia., bears S. 60° 14' E. 15 lks. dist.

A yellow pine 23 ins. dia., bears S. 22° 39' W. 25 lks. dist.

Each marked 9 H E S 230 B T.

Thence S. 39° 31' W.

Over open level land.

0.50

Wire fence, bears N. 46° 00' W. and S. 46° 00' E.

0.60

Enter bed of Squaw Creek, 10 lks. wide, 1 ft. deep, course N. 80° 00' E. and S. 39° 30' W.

3.20

Leave Squaw Creek, Ascend rocky bluff, 30 ft.

4.23

To Cor. No. 1, the place of beginning.

AREA

Area of H. E. S. No. 230

6.57 Acres.

CONFLICTS AND ADJOINING CLAIMS.

There are no conflicts or adjoining claims.



APACHE NATIONAL FOREST

STATE OF ARIZONA

| Chains | IMPROVEMENTS  | Value    |
|--------|---|----------|
|        | The improvements made upon and for the benefit of this claim and belonging to claimant, consist of the following:                               |          |
|        | A frame barn, 25 x 32 ft., course of long sides, E. and W. The NE. cor. of which bears from cor. No. 9 S. 63° 05' W. 2.27 chs. dist.            | \$150.00 |
|        | A frame chicken house, 8 x 10 ft. course of long sides E. and W. the NE. cor. of which bears from cor. No. 9 S. 86° 10' W. 2.42 chs. dist.      | \$25.00  |
|        | A frame bunk house, 16 x 16 ft., course of sides E. and W. the NE. cor. of which bears from cor. No. 9 N. 87° 10' W. 3.37 chs. dist.            | \$75.00  |
|        | A two room frame dwelling, 20 x 40 ft. course of long sides E. and W. the NE. cor. of which bears from cor. No. 9 N. 82° 12' W. 3.18 chs. dist. | \$500.00 |
|        | A frame store house, 12 x 15 ft. course of long sides E. and W., the NE. cor. of which bears from cor. No. 9 N. 74° 48' W. 4.14 chs. dist.      | \$50.00  |
|        | A frame toilet, 6 x 6 ft. course of sides E. and W. the NE. cor. of which bears from cor. No. 9 N. 73° 42' W. 2.92 chs. dist.                   | \$10.00  |
|        | A frame root cellar 10 x 10 ft. course of sides E. and W. the SE. cor. of which bears from cor. No. 9 N. 73° 05' W. 3.41 chs. dist.             | \$15.00  |



Chains

1/2 mile wire and slab fence

Value \$75.00

Total value of improvements \$900.00

DESCRIPTION

This claim is situated in a narrow valley along Squaw Creek at an elevation of 5,900 ft. above sea level.

The soil is a loose sandy loam, first rate, and produces good crops of grain and vegetables. About 5 acres have been cultivated heretofore.

Squaw Creek, a perennial stream of pure, clear water runs through the claim, furnishing ample water for irrigation and all domestic purposes.

There is no timber or precious minerals on the claim.

Clifton, the County seat of Greenlee County, on the A. & N. M. R. R. is the nearest post office and trading center about 45 miles distant in a southeasterly direction and is reached by a fair mountain trail.

Traverses from cor. No. 1 to Boundary Post No. 15 on the Gila and Salt River Base Line.

| Course        | Dist. | N.   | S.    | E.    | W.    |
|---------------|-------|------|-------|-------|-------|
| N. 39° 31' E. | 4.23  | 3.26 | 2.69  |       |       |
| S. 21° 52' E. | 9.91  |      | 9.20  | 3.69  |       |
| S. 55° 11' E. | 8.52  |      | 4.86  | 6.99  |       |
| S. 24° 02' E. | 9.27  |      | 8.47  | 3.78  |       |
| S. 33° 33' E. | 4.61  |      | 3.84  | 2.55  |       |
| S. 21° 47' W. | 7.44  |      | 6.91  |       | 2.76  |
| S. 42° 32' W. | 5.02  |      | 3.70  |       | 3.39  |
| S. 19° 51' W. | 15.62 |      | 14.69 |       | 5.30  |
| S. 11° 36' E. | 3.83  |      | 3.75  | 0.77  |       |
| S. 16° 15' W. | 4.71  |      | 4.52  |       | 1.32  |
| S. 05° 14' E. | 11.60 |      | 11.55 | 1.06  |       |
| N. 54° 20' E. | 5.51  | 3.21 |       | 4.48  |       |
|               | 66.36 | 6.47 | 71.49 | 26.01 | 12.77 |
|               |       |      | 6.47  | 12.77 |       |
|               |       |      | 65.02 | 13.24 |       |



205

APACHE NATIONAL FOREST

STATE OF ARIZONA

Chains

From the above traverse, I compute the bearing and distance to the Boundary Post as being S. 11° 31' E., 66.36 chs. dist. T.A.

Boundaries of H. E. S. No. 230.

| No.                    | Course        | Dist.        | N     | S            | E     | W            |
|------------------------|---------------|--------------|-------|--------------|-------|--------------|
| 1-2                    | N. 74° 08' W. | 7.81         | 2.14  |              |       | 7.51         |
| 2-3                    | S. 81° 17' W. | 8.36         |       | 1.27         |       | 8.26         |
| 3-4                    | N. 40° 05' W. | 7.51         | 5.75  |              |       | 4.84         |
| 4-5                    | S. 78° 58' E. | 2.73         |       | 0.52         | 2.68  |              |
| 5-6                    | S. 61° 31' E. | 5.59         |       | 2.66         | 4.91  |              |
| 6-7                    | N. 87° 12' E. | 8.63         | 0.42  |              | 8.62  |              |
| 7-8                    | N. 24° 41' E. | 3.40         | 3.09  |              | 1.42  |              |
| 8-9                    | S. 56° 42' E. | 6.75         |       | 3.71         | 5.64  |              |
| 9-1                    | S. 39° 31' W. | 4.23         |       | 3.26         |       | 2.69         |
|                        |               | <u>55.01</u> | 11.40 | 11.42        | 23.27 | 23.30        |
|                        |               |              |       | <u>11.40</u> |       | <u>23.27</u> |
| Error in Lat. and Dep. |               |              |       | <u>.02</u>   |       | <u>.03</u>   |

Error of Closure 1:1525.

Survey completed November 20, 1914.

*C. A. Long*  
Surveyor - Forest Service.



706

From the above traverse, I compute the bearing and distance to the Boundary Post as being S. 11° 31' E., 66.86 chs. dist.

Boundaries of H. E. S. No. 280.

| No. | Course        | Dist. | N     | S     | E     | W     |
|-----|---------------|-------|-------|-------|-------|-------|
| 1-2 | N. 74° 08' W. | 7.81  | 2.14  |       |       | 7.51  |
| 2-3 | S. 81° 17' W. | 8.36  |       | 1.27  |       | 8.36  |
| 3-4 | N. 40° 08' W. | 7.51  | 5.75  |       |       | 4.84  |
| 4-5 | S. 78° 58' E. | 8.78  |       | 0.53  | 8.68  |       |
| 5-6 | S. 61° 31' E. | 8.59  |       | 2.66  | 4.91  |       |
| 6-7 | N. 87° 13' E. | 8.63  | 0.48  |       | 8.63  |       |
| 7-8 | N. 24° 41' E. | 8.40  | 8.09  |       | 1.42  |       |
| 8-9 | S. 56° 42' E. | 8.76  |       | 3.71  | 5.64  |       |
| 9-1 | S. 39° 31' W. | 4.28  |       | 3.25  | 1.68  |       |
|     |               | 55.01 | 11.40 | 11.42 | 23.27 | 23.20 |
|     |               |       | 11.40 |       | 23.27 |       |
|     |               |       |       | 0.02  |       | 0.02  |

Error in Lat. and Dep.

Error of Closure 1:1525.

Survey completed November 20, 1914.

Surveyor - Forest Service.



DIRECTIONS.—1. Carry out calculations to two decimals only.

2. In balancing Latitudes and Departures do not obliterate or change the original figures.

Put the corrected figure or figures above in red ink. Do not change the footing of the original figures, but put below them the corrected footing in red ink.

The corrections for balancing fallings should be proportional to the lengths of the lines.

3. In calculations of fallings take result to nearest link. In calculations of N. and S. areas drop all after second decimal. Surveyors are required to use the Standard Field Tables issued by the G. L. O.

4. Only three copies of this tabulation are necessary, for the District Office, the Surveyor General, and the Commissioner.

John D. Patty - Apache

TABLING AND CALCULATIONS OF HOMESTEAD ENTRY SURVEY NO. 230, STATE OF ARIZONA.

| CORNERS.    | BEARING.      | DISTANCE. | LATITUDES. |        | DEPARTURES. |       | DOUBLE M. D. |            | N. AREAS.   | S. AREAS. |
|-------------|---------------|-----------|------------|--------|-------------|-------|--------------|------------|-------------|-----------|
|             |               |           | NORTH.     | SOUTH. | EAST.       | WEST. |              |            |             |           |
| Sec. 36-1-2 | N. 74° 08' W. | 7.81      | 2 14       |        |             | 7 51  | 33 68        | 72 08      |             |           |
| 2-3         | S. 81° 17' W. | 8.36      | 5 76       | 1 27   |             | 8 26  | 17 93        |            | 22 77       |           |
| 3-4         | N. 40° 05' W. | 7.51      | 5 75       |        |             | 4 84  | 4 84         | 27 88      |             |           |
| 4-5         | S. 78° 58' E. | 2.73      |            | 52     |             |       | 2 68         |            | 1 39        |           |
| 5-6         | S. 61° 31' E. | 5.59      |            | 2 66   |             |       | 10 27        |            | 27 32       |           |
| 6-7         | N. 87° 12' E. | 8.63      | 42         |        |             |       | 23 80        | 10 00      |             |           |
| 7-8         | N. 24° 41' E. | 3.40      | 3 09       | 3 76   |             | 1 42  | 33 84        | 104 57     |             |           |
| 8-9         | S. 56° 42' E. | 6.75      |            | 3 71   |             | 5 64  | 40 91        |            | 151 37      |           |
| 9-1         | S. 39° 31' W. | 4.23      |            | 3 26   |             |       | 43 97        |            | 143 01      |           |
|             |               | 55.01     | 11 40      | 11 42  |             | 23 27 | 23 30        | 214 53     | 345 86      |           |
|             |               |           | 11 41      | 11 41  |             | 23 28 | 23 28        |            | 214 53      |           |
|             |               |           |            |        |             |       |              | 20) 131 33 | 6.566 Acres |           |
|             |               |           |            |        |             |       |              |            | (6.57)      |           |

T.H.



(0.001)  
e. p. 001  
301 (08)

| CONVERTER | REVISED | DISCOUNT | PERCENTAGE |    |     | DEBIT |    |     | DEBIT | CREDIT | TOTAL | BALANCE | REMARKS |
|-----------|---------|----------|------------|----|-----|-------|----|-----|-------|--------|-------|---------|---------|
|           |         |          | DR         | CR | NET | DR    | CR | NET |       |        |       |         |         |
| 2-1       | 100.00  | 100.00   |            |    |     |       |    |     |       |        |       |         |         |
| 8-2       | 100.00  | 100.00   |            |    |     |       |    |     |       |        |       |         |         |
| 8-1       | 100.00  | 100.00   |            |    |     |       |    |     |       |        |       |         |         |
| 2-3       | 100.00  | 100.00   |            |    |     |       |    |     |       |        |       |         |         |
| 2-4       | 100.00  | 100.00   |            |    |     |       |    |     |       |        |       |         |         |
| 2-5       | 100.00  | 100.00   |            |    |     |       |    |     |       |        |       |         |         |
| 2-6       | 100.00  | 100.00   |            |    |     |       |    |     |       |        |       |         |         |
| 2-7       | 100.00  | 100.00   |            |    |     |       |    |     |       |        |       |         |         |
| 2-8       | 100.00  | 100.00   |            |    |     |       |    |     |       |        |       |         |         |
| 2-9       | 100.00  | 100.00   |            |    |     |       |    |     |       |        |       |         |         |
| 2-10      | 100.00  | 100.00   |            |    |     |       |    |     |       |        |       |         |         |
| 2-11      | 100.00  | 100.00   |            |    |     |       |    |     |       |        |       |         |         |
| 2-12      | 100.00  | 100.00   |            |    |     |       |    |     |       |        |       |         |         |
| 2-13      | 100.00  | 100.00   |            |    |     |       |    |     |       |        |       |         |         |
| 2-14      | 100.00  | 100.00   |            |    |     |       |    |     |       |        |       |         |         |
| 2-15      | 100.00  | 100.00   |            |    |     |       |    |     |       |        |       |         |         |
| 2-16      | 100.00  | 100.00   |            |    |     |       |    |     |       |        |       |         |         |
| 2-17      | 100.00  | 100.00   |            |    |     |       |    |     |       |        |       |         |         |
| 2-18      | 100.00  | 100.00   |            |    |     |       |    |     |       |        |       |         |         |
| 2-19      | 100.00  | 100.00   |            |    |     |       |    |     |       |        |       |         |         |
| 2-20      | 100.00  | 100.00   |            |    |     |       |    |     |       |        |       |         |         |
| 2-21      | 100.00  | 100.00   |            |    |     |       |    |     |       |        |       |         |         |
| 2-22      | 100.00  | 100.00   |            |    |     |       |    |     |       |        |       |         |         |
| 2-23      | 100.00  | 100.00   |            |    |     |       |    |     |       |        |       |         |         |
| 2-24      | 100.00  | 100.00   |            |    |     |       |    |     |       |        |       |         |         |
| 2-25      | 100.00  | 100.00   |            |    |     |       |    |     |       |        |       |         |         |
| 2-26      | 100.00  | 100.00   |            |    |     |       |    |     |       |        |       |         |         |
| 2-27      | 100.00  | 100.00   |            |    |     |       |    |     |       |        |       |         |         |
| 2-28      | 100.00  | 100.00   |            |    |     |       |    |     |       |        |       |         |         |
| 2-29      | 100.00  | 100.00   |            |    |     |       |    |     |       |        |       |         |         |
| 2-30      | 100.00  | 100.00   |            |    |     |       |    |     |       |        |       |         |         |

TABLE AND CALCULATIONS OF INVESTMENT FUND BALANCE IN 1950

JOHN D. BURRY - DIRECTOR

1. Copy these books to the appropriate and necessary for the Director Office the Director General and the Commissioner.  
 2. In calculations of interest and dividends, the date of maturity should be used for the purpose of computing the interest.  
 3. The conversion rate of dollars should be used for the purpose of computing the interest.  
 4. In computing the interest and dividends, the date of maturity should be used for the purpose of computing the interest.  
 5. In computing the interest and dividends, the date of maturity should be used for the purpose of computing the interest.



APPROVAL


Office of the United States Surveyor General,

Phoenix, Arizona, April 29, 1916 .

The foregoing field notes of Homestead Entry Survey No.

230

-----  
-----  
-----  
-----  
-----  
-----  
-----  
-----  
-----  
executed by C. A. Long, Surveyor-Forest Service  
under his special instructions, dated August 6, 1914,  
having been critically examined, and the necessary correc-  
tions and explanations made, the said field notes, and the  
surveys they describe, are hereby approved.

  
-----  
U. S. Surveyor General.

I certify that the foregoing transcript of the field  
notes of the above-described survey in Arizona,  
has been correctly copied from the original notes on file in  
this office.

Frank P. Trott  
-----  
U. S. Surveyor General.