

U. S. DEPARTMENT OF AGRICULTURE  
FOREST SERVICE

223-1910

**FIELD NOTES**

OF

HOMESTEAD ENTRY SURVEY NO. 247

SITUATED IN THE

TONTO NATIONAL FOREST

ADMINISTRATIVE DISTRICT NO. 3

in

Section 34, un surveyed, Township 5 N., Range 12 E.

-----  
-----  
-----

of the

Gila and Salt River Base and Meridian.

ARIZONA.

Survey executed by Walter G. Turley - Surveyor-Forest Service,  
Under special instructions dated August 28, 1914.  
Survey commenced October 9, 1914  
Survey completed October 10, 1914  
Under Acts of June 11, 1906 and June 30, 1914.

Applicant for listing John H. Baker,  
Residence Roosevelt, Arizona.  
Application No. 105 dated October 11, 1907,  
Application No. 448, dated February 9, 1914.  
List No. 441 dated May 27, 1908  
List No. 3-3151, dated May 4, 1914.

Applicant for survey John H. Baker,  
Residence Roosevelt, Arizona.  
H. E. No. 01813 dated December 4, 1908  
H. E. No. 026179, dated November 27, 1914.  
Land district Phoenix, Arizona.

OATH OF ASSISTANTS

We hereby certify that we assisted Walter G. Turley,  
Surveyor - Forest Service, in surveying all those  
parts or portions of Homestead Entry Survey No. 247, in  
un surveyed Section 34, Township 5 N., Range 12 E.,  
-- surveyed Section --, Township --, Range --,

of the G. & S.R.B. & meridian, State of Arizona, which  
are represented in the following field notes as having been  
surveyed by him and under his direction; and that said sur-  
vey has been in all respects, to the best of our knowledge  
and belief, well and faithfully surveyed, and the corner  
monuments established, according to the instructions fur-  
nished by the United States Surveyor General for Arizona.

Note: It would have been  
very expensive and incon-  
venient to appear before an  
officer to administer oaths  
to Assistants; hence, they  
were taken by the Surveyor.

Charles D. Hodson Chainman.

Charles W. Baecht Chainman.

Subscribed and sworn to before me this 12<sup>th</sup> day of  
November, 1914.

Walter G. Turley  
Surveyor - Forest Service.

OATH OF SURVEYOR

I, Walter G. Turley-Surveyor Forest Service, do solemnly swear  
that, in strict conformity with the special instructions of  
the United States Surveyor General for Arizona, dated  
August 28, 1914, and the laws of the United States, I have  
well, faithfully, and truly, in my own proper person, sur-  
veyed a tract of land ~~upon the application of embraced in~~  
Lists No. 441 & No. 3-3151, dated May 27, 1908 & May 4, 1914, for  
Patent, under the Act of June 11, 1906,  
the same to be known as Homestead Entry Survey No. 247,  
situated within the Tonto National Forest, in  
un surveyed Section 34, Township 5 N., Range 12 E., and  
-- surveyed Section --, Township --, Range --,


of the G. & S.R.B. & meridian, Arizona., and the  
related retracements and resurveys and section subdivisions,  
which are represented in the following field notes as having  
been surveyed by me; and I further solemnly swear that all  
the corners of said survey have been established and perpet-  
uated in strict accordance with the stated special instruc-  
tions, and in the specific manner described in the field  
notes, and that the following are the original field notes  
of such survey.

Walter Turley  
Surveyor - Forest Service.

Subscribed and sworn to before me this 16 day of  
November, 1914.

my commission expires April 6, 1915

R. B. Callie  
Notary Public



TONTO NATIONAL FOREST

STATE OF ARIZONA.

Chains

Applicant for listing John H. Baker; Applications Nos. 105 and 448, dated October 11, 1907 and February 9, 1914; Lists Nos. 441 and 3-3151, dated May 27, 1908 and May 4, 1914. Homestead Entry Nos. 01813 and 026179; made in the Phoenix Land Office on December 4, 1908 and November 27, 1914, by John H. Baker whose postoffice address is Roosevelt.

Surveyed under Acts of June 11, 1906 and June 30, 1914; and special instructions from the Surveyor General for Arizona, dated August 28, 1914, and designated as Homestead Entry Survey No. 247.

Situated in what will probably be when surveyed, sec. 34, T. 5 N., R. 12 E., G. & S. R. B. & M. within the Tonto National Forest, Arizona.

Survey commenced October 9, 1914, and executed with a W. & L. E. Gurley light mountain transit No. 12953 provided with prism eye piece, stadia wires, vertical

circle, and Burt solar attachment. The horizontal limb of the transit has two double verniers placed opposite to each other and graduated to single minutes of arc, which is also the graduation upon the verniers of the latitude and declination arcs.

I test the adjustments of the transit and solar attachment, and make necessary corrections. The stadia wire interval is adjusted to read 1:132.

All distances are horizontal; and were reduced from measurements made directly on the slope, with a standard

500 link steel tape graduated to links and tenths; and the slope angles determined with a clinometer the vernier of which reads to degrees; and a Philadelphia stadia rod, graduated to feet and hundredths, provided

HOMESTEAD ENTRY SURVEY NO. 247

TONTON NATIONAL FOREST

STATE OF ARIZONA.

Chains

with two targets the verniers of which read to  
thousandths of a foot.

October 9, 1914.

I set up my transit over standard cor. to secs. 34  
and 35, T. 5 N., R. 12 E. which is a basalt stone  
8 x 8 x 6 ins. above ground, marked and witnessed as  
described by the Surveyor General; and, with teles-  
cope direct, I observe Polaris in accordance with  
instructions at 7h. 48m. p.m., l.m.t.; and mark the  
direction thus determined with a tack in a stake set  
firmly in the ground 5.00 chs. N. of my station.

Astron. l.m.t.; obsn. Oct. 8, 1914 31h. 48.0m.

Astron. l.m.t., U.C. Pol. Oct. 8, 1914 12h. 21.5m.

Hour angle Pol. at obsn. 19h. 26.5m.

Time argument 23h. 56.1m.

4h. 29.6m.

Azimuth Pol. at obsn. 1° 16' 54" E.

With my transit set up over standard cor. to secs. 34  
and 35, T. 5 N., R. 12 E. heretofore described, and  
the telescope reversed in altitude and azimuth, at  
7h. 57m., p.m., l.m.t. on the same date, I again  
observe Polaris in accordance with instructions, and  
mark the direction thus determined with a tack in a  
stake set firmly in the ground 5.00 chs. N. of my  
station.

Astron. l.m.t.; obsn. Oct. 8, 1914 31h. 57.0m.

Astron. l.m.t., U.C. Pol. Oct. 8, 1914 12h. 21.5m.

Hour angle Pol. at obsn. 19h. 35.5m.

Time argument 23h. 56.1m.

4h. 20.6m.

Azimuth of Pol. at obsn. 1° 15' 42" E.

HOMESTEAD ENTRY SURVEY NO. 247

TONTONATIONAL FOREST

STATE OF ARIZONA.

Chains

October 10, 1914.

I turn off  $1^{\circ} 17'$ , the azimuth of Polaris, to the W. from her direction at 7h. 48m. p.m., l.m.t., October 9, 1914; and mark the line thus determined with a tack in a stake set firmly in the ground 5.00 chs. N. of my station.

I also turn off  $1^{\circ} 15\frac{1}{2}'$ , the azimuth of Polaris, to the W. from her direction at 7h. 57m., p.m., l.m.t.; and mark the line thus determined with a tack in a

stake set firmly in the ground 5.00 chs. N. of my station. This line falls  $0^{\circ} 00' 28''$  of measured

arc to the W. of the line previously established.

I mark the mean of these two lines with a tack in a

stake set firmly in the ground 5.00 chs. N. of my

station; and, from the corresponding meridian, all the

courses stated in these field notes were deflected and

referred by continuous sustained angulation.

Latitude  $33^{\circ} 43' 27''$  N., and longitude  $111^{\circ} 06' 13''$  W.

at cor. No. 1 of this survey, which is identical with

the standard cor. to secs. 34 and 35, T. 5 N., R. 12 E.,

taken from the special instructions of the Surveyor

General. It was not practicable to check the latitude

by direct observation.

My watch is set for standard 105th. meridian time with

which I compared it on October 9, 1914. I subtract

24 m. 24s. therefrom for l.m.t.

October 10, 1914 at 9h. 00m., a.m., l.m.t., I observe

the magnetic declination to be  $14^{\circ} 12'$  E. at cor. No.

1 of this survey which reduced gives a mean magnetic

declination of  $14^{\circ} 10'$  E.

Chains

RETRACEMENTS.

Thence West.

On a random line from standard cor. to secs. 34 and 35, T. 5 N., R. 12 E., which is a basalt stone 8 x 8 x 6 ins. above ground with mound of stone 2 ft. base, 1-1/2 ft. high N. of cor.

23.27 I fall 8 lks. S. of the C.C. to secs. 2 and 3, T. 4 N., R. 12 E., which is a granite stone 6 x 6 x 5 ins. above ground marked and witnessed as described by the Surveyor General.

40.06 I fall 14 lks. S. of the S.C. 1/4 S. 34 T. 5 N., R. 12 E. which is a granite stone 8 x 6 x 5 ins. above ground marked and witnessed as described by the Surveyor General.

Return course S. 89° 48' E.

BOUNDARIES.

Cor. No. 1.

Identical with S. C. to secs. 34 and 35, T. 5 N., R. 12 E., G. & S. R. B. & M. which is a basalt stone 8 x 8 x 6 ins. above ground, marked and witnessed as heretofore described. At a point 1 lk. N. of the true point for cor. No. 1 I set a W. C. I chisel + on a stone 4 x 3 x 2 ins. and deposit it 14 ins. in the ground over which I set a basalt stone 24 x 8 x 5 ins., 14 ins. in the ground chiseled + at the point W C - 1 - H E S 247 on the NW. face. A mound of stone 2 ft. base, 1-1/2 ft. high, stands N. of cor. from which:  
A 4 in. mesquite scribed W C 1 H E S 247 + B T bears S. 59° 50' W. 60 lks.

HOMESTEAD ENTRY SURVEY NO. 247

TONTO NATIONAL FOREST

STATE OF ARIZONA

Chains

Pits impracticable. No other witnesses available.  
Cor. H-1 which is a sandstone 6 x 4 x 5 ins. above  
ground marked and witnessed as described by  
the Forest Service bears South 29 lks. from cor.  
No. 1 of this survey. I destroy all trace of  
the list cor.

Thence N. 89° 48' W.

Along S. bdy. of sec. 34, T. 5 N., R. 12 E.

Descend W. slope of mesa 20 ft. in undergrowth.

1.79 Fence bears N. and S. Foot of slope bears N. and S.  
Continue over bottom in undergrowth.

8.91 Fence bears NW. and SE.

12.35 Enter Salome Creek bed, bank 2 ft. high, course SE. A  
small stream of water is flowing.

19.35 Leave Salome Creek bed, bank 2 ft. high, course SE.

20.03 To cor. No. 2.

And a C. C. on S. bdy. sec. 34, T. 5 N., R. 12 E., at

which point I chisel + on a stone 4 x 3 x 2 ins. and  
deposit it 14 ins. in the ground over which I set a

quartzite boulder 24 x 14 x 7 ins., 14 ins. in the  
ground, chiseled + at the point, C C on N., and

2 - H E S 247 on NE. faces, and raise a mound of stone

2 ft. base, 1-1/2 ft. high, N. of cor. from which:

A 10 in. sycamore, scribed 2 H E S 247 + B T,

bears S. 3° 00' W. 198 lks.

C. C. to secs. 2 and 3, T. 4 N., R. 12 E., here-

tofore described bears N. 89° 48' W. 3.24 chs.

dist.

Pits impracticable. No other witnesses available.

I destroy cor. H-10 of List 441 which is a sand-

stone 10 x 8 x 5 ins. above ground marked and

HOMESTEAD ENTRY SURVEY NO. 247

TONTO NATIONAL FOREST

STATE OF ARIZONA.

Chains  
witnessed as described by the Forest Service  
and bears S. 34 lks. dist. from cor. No. 2 of  
this survey.

Thence N. 0° 41' E.

Ascend over bottom in undergrowth 5 ft.

- 0.54 Right bank Salome Creek bed, bank 3 ft. high, course SE.
- 2.54 Left bank Salome Creek bed, bank 3 ft. high, course SE.
- 15.40 Fence bears NW. and SE.
- 19.63 To cor. No. 3.

Identical with Cor. H-9 of List 441, which is a  
sandstone 10 x 8 x 5 ins. above ground marked and  
witnessed as described by the Forest Service.

destroy Cor. H-9 and its witnesses; and, for Cor. No.  
3 of this survey, I chisel + on a stone 4 x 4 x 2  
ins., and deposit it 18 ins. in the ground; over which

I set a quartzite stone 28 x 9 x 7 ins., 18 ins. in  
the ground; chiseled + at the point and 3 - H E S 247  
on the NE. face and raise a mound of stone 2 ft. base,  
1-1/2 ft. high, NE. of cor. from which:

A 4 in. mesquite, scribed 3 H E S 247 + B T,  
bears S. 84° 00' W. 113 lks.

A 4 in. mesquite, scribed 3 H E S 247 + B T,  
bears S. 19° 00' W. 16 lks.

Thence S. 89° 48' W.

Over bottom in undergrowth.

- 1.87 Fence bears NW. and SE.
- 6.14 Left bank Salome Creek bed, bank 3 ft. high, course S.
- 9.26 Right bank Salome Creek bed, bank 3 ft. high, course S.



TONTO NATIONAL FOREST

STATE OF ARIZONA.

Chains

9.99 To cor. No. 4.

Identical with cor. H-8 of List 441, which is a sandstone 8 x 6 x 4 ins. above ground marked and witnessed as described by the Forest Service. I destroy cor. H-8 and its witnesses; and, for cor. No. 4 of this survey, I chisel + on a stone 4 x 3 x 2 ins., and deposit it 14 ins. in the ground; over which I set a quartzite stone 24 x 12 x 8 ins., 14 ins. in the ground; chiseled + at the point and 4 - H E S 247 on the NE. face and raise a mound of stone 2 ft. base, 1-1/2 ft. high, NE. of cor. from which:

A 9 in. mesquite, scribed 4 H E S 247 + B T,

bears S. 28° 00' W. 239 lks.

A 10 in. sycamore, scribed 4 H E S 247 + B T,

bears N. 52° 15' W. 266 lks.

Thence N. 0° 29' E.

Ascend 5 ft. over bottom in undergrowth.

1.87 Right bank Salome Creek bed, bank 3 ft. high, course SE.

4.77 Left bank Salome Creek bed, bank 3 ft. high, course SE.

9.97 To cor. No. 5.

Identical with cor. H-7 of List 441, which is a sandstone 6 x 4 x 5 ins. above ground marked and witnessed as described by the Forest Service. I destroy cor. H-7 and its witnesses; and, for cor. No. 5 of this survey, I chisel + on a stone 3 x 3 x 2 ins., and deposit it 16 ins. in the ground; over which I set a basalt stone 26 x 9 x 9 ins., 16 ins. in the ground; chiseled + at the point, and 5 - H E S 247 on the NE. face and raise a mound of stone 2 ft. base, 1-1/2 ft. high NE. of cor. from which:

Chains

A 10 in. sycamore, scribed 5 H E S 247 + B T,  
bears S. 58° 00' W. 333 lks.

A 4 in. mesquite, scribed 5 H E S 247 + B T,  
bears N. 51° 05' E. 53 lks.

Thence N. 89° 44' W.

Over bottom in undergrowth.

4.88 Left bank Salome Creek bed, bank 3 ft. high, course SE.

7.43 Right bank Salome Creek bed, bank 3 ft. high, course SE.

9.97 To cor. No. 6.

Identical with cor. H-6 of List 441, which is a sand-  
stone 10 x 7 x 6 ins. above ground, marked and witnessed  
as described by the Forest Service. I destroy cor.

H-6 and its witnesses; and, for cor. No. 6 of this

survey, I chisel + on a stone 4 x 4 x 2 ins., and

deposit it 18 ins. in the ground; over which I set a

basalt stone 28 x 10 x 7 ins., 18 ins. in the ground;

chiseled + at the point and 6 - H E S 247 on the NE.

face and raise a mound of stone 2 ft. base, 1-1/2 ft.

high NE. of cor. from which:

A 5 in. mesquite, scribed 6 H E S 247 + B T,

bears N. 2° 12' W. 74 lks.

A 5 in. mesquite, scribed 6 H E S 247 + B T,

bears S. 35° 30' W. 87 lks.

Thence N. 0° 14' E.

Ascend over bottom 10 ft. in undergrowth.

5.01 Right bank Salome Creek bed, bank 3 ft. high, course SE.

A small stream of water flows in the bed.

7.49 Left bank Salome Creek bed, bank 3 ft. high, course SE.

25.30 Wagon road bears E. and W.

30.01 To cor. No. 7.

TONTONATIONAL FOREST

STATE OF ARIZONA

Chains Identical with cor. H-5 of List 441, which is a sandstone 10 x 10 x 5 ins. above ground, marked and witnessed as described by the Forest Service. I destroy cor. H-5 and its witnesses; and, for cor. No. 7 of this survey, I chisel + on a stone 4 x 4 x 3 ins., and deposit it 16 ins. in the ground; over which I set a quartzite stone 26 x 14 x 8 ins., 16 ins. in the ground; chiseled + at the point and 7 - H E S 247 on the SE. face and raise a mound of stone 2 ft. base, 1-1/2 ft. high, SE. of cor., from which:

A 5 in. mesquite, scribed 7 H E S 247 + B T,  
bears N. 2° 37' W., 75 lks.

A 7 in. mesquite, scribed 7 H E S 247 + B T,  
bears S. 82° 10' W., 56 lks.

Thence East.

Over bottom in undergrowth:

- 4.75 Road bears N. and S. Leave bottom and ascend SW. slope of mesa 50 ft.
- 5.15 Irrigating ditch, 5 lks. wide, banks 1 ft. high, course SE.
- 6.69 Road, bears NW. and SE.
- 10.45 Road, bears NW. and SE.
- 11.55 Road, bears NW. and SE. Top of mesa, bears NW. and SE. Continue over mesa in undergrowth.
- 13.30 Road, bears NE. and SW.
- 17.60 Road, bears NW. and SE.
- 29.82 To cor. No. 8.

Identical with cor. H-4 of List 441, which is a sandstone 8 x 5 x 5 ins. above ground, marked and witnessed as described by the Forest Service. I destroy cor.

Chains H-4 and its witnesses; and, for cor. No. 8 of this survey, I chisel + on a stone 3 x 3 x 2 ins., and deposit it 16 ins. in the ground; over which I set a sandstone 26 x 9 x 8 ins., 16 ins. in the ground; chiseled + at the point and 8 - H E S 247 on the SW. face; and raise a mound of stone 2 ft. base, 1-1/2 ft. high, SW. of cor., from which:  
 A 4 in. palo verde, scribed 8 H E S 247 + B T,  
 bears N. 28° 00' W., 92 lks.  
 Pits impracticable. No other bearings available.

Thence S. 0° 06' W.  
 Descend over mesa 20 ft. in undergrowth.

11.20 Road, bears E. and W.  
 29.93 To cor. No. 9.

Identical with cor. H-3 of List 441, which is a sandstone 4 x 3 x 5 ins. above ground, marked and witnessed as described by the Forest Service. I destroy cor. H-3 and its witnesses; and, for cor. No. 9 of this survey, I chisel + on a stone 4 x 4 x 2 ins., and deposit it 18 ins. in the ground; over which I set a sandstone 28 x 9 x 8 ins., 18 ins. in the ground; chiseled + at the point and 9 - H E S 247 on the SW. face; and raise a mound of stone 2 ft. base, 1-1/2 ft. high, SW. of cor., from which:  
 A 4 in. palo verde, scribed 9 H E S 247 + B T,  
 bears N. 66° 00' E., 22 lks.  
 Pits impracticable. No other witnesses available.

Thence N. 89° 40' E.  
 Over mesa in undergrowth.

HOMESTEAD ENTRY SURVEY NO. 247

TONTO NATIONAL FOREST

STATE OF ARIZONA.

Chains

9.97 To cor. No. 10.

Identical with cor. H-2 of List 441, which is a sandstone 8 x 4 x 5 ins. above ground marked and witnessed as described by the Forest Service. I destroy cor. H-2 and its witnesses; and, for cor. No. 10 of this survey, I chisel + on a stone 4 x 4 x 2 ins., and deposit it 16 ins. in the ground; over which I set a quartzite stone 26 x 14 x 5 ins., 16 ins. in the ground; chiseled + at the point and 10 - H E S 247 on the SW. face and raise a mound of stone 2 ft. base, 1-1/2 ft. high SW. of cor. from which:

A 5 in. palo verde, scribed 10 H E S 247 + B T, bears N. 79° 00' E. 151 lks.

Pits impracticable. No other witnesses available.

Thence S. 0° 17' W.

Descend over mesa in undergrowth 10 ft.

25.00 Edge of mesa bears NW. and SE. Descend SW. slope 20 ft.

29.79 To cor. No. 1, the place of beginning.

AREA.

Total area-----158.72 acres.

IMPROVEMENTS.

The improvements made upon this homestead consist of the following:

A frame blacksmith shop 16 x 12 ft., the long side extending N. and S. and the NW. cor. of which bears S. 51° 00' E. 16.07 chs. from cor. No. 7 of this survey.

Estimated value-----\$75.00

Chains

A log dwelling 18 x 12 ft. the long side extending N. and S. and the NW. cor. of which bears S. 52° 00' E. 18.15 chs. from cor. No. 7 of this survey.

Estimated value-----\$100.00

A log dwelling 18 x 12 ft. the long side extending E. and W. and the NW. cor. of which bears S. 53° 00' E. 18.00 chs. from cor. No. 7 of this survey.

Estimated value-----\$100.00

Approximately 2 miles of fence

Estimated value-----\$175.00

Approximately 3/4 mile of irrigating ditch

Estimated value-----\$ 50.00

Approximately 25 acres of cultivated land.

DESCRIPTION.

This claim is situated on Salome Creek at an elevation of approximately 2300ft. and is chiefly valuable for stock raising.

There is no timber in this section. Sufficient water for all purposes is obtained from Salome Creek.

The soil is a sandy loam and produces the ordinary crops of the temperate zone with irrigation. Good crops of grain, sorghums, corn, alfalfa and garden have been raised.

This is not reported to be a mineralized section; and no townsites, mining or coal claims are known to have been located in this section. This section of country has been located for oil. A well has been drilled approximately 2 miles SW. of this claim but no oil had been found.

HOMESTEAD ENTRY SURVEY NO. 247

TONTON NATIONAL FOREST

STATE OF ARIZONA

Chains

Roosevelt postoffice is 5 miles in a southerly direction and is reached by wagon road and boat. Globe railway station is 45 miles by wagon road in an easterly direction.

There are no conflicts or adjoining claims.

TRAVERSE.

Cor.	Course.	Dist.	N.	S.	E.	W.
1-2	N. 89° 48' W.	20.03	0.07			20.03
2-3	N. 0° 41' E.	19.63	19.63		0.23	
3-4	S. 89° 48' W.	9.99		0.03		9.99
4-5	N. 0° 29' E.	9.97	9.97		0.08	
5-6	N. 89° 44' W.	9.97	0.05			9.97
6-7	N. 0° 14' E.	30.01	30.01		0.12	
7-8	East.	29.82		0.00	29.82	
8-9	S. 0° 06' W.	29.93		29.93		0.05
9-10	N. 89° 40' E.	9.97	0.06		9.97	
10-1	S. 0° 17' W.	29.79		29.79		0.15

	199.11	59.79	59.75	40.22	40.19
Error in lat. and dep.		<u>59.75</u>		<u>40.19</u>	
		0.04		0.03	

Closing error 1:13982

Survey completed October 10, 1914.

*Walter G. Purdy*  
Surveyor - Forest Service.

NATIONAL FOREST

STATE OF ARIZONA

Chains

There are no conflicts or adjoining claims.  
 direction.  
 station is 45 miles by wagon road in an easterly  
 and is reached by wagon road and post. Globe railway  
 Roosevelt postoffice is 5 miles in a southerly direction

THAVESH

Cor.	Course.	Dist.	N.	S.	E.	W.
1-2	N. 89° 48' W.	20.03	0.07			20.03
2-3	N. 0° 41' E.	12.63		0.23		
3-4	S. 89° 48' W.	2.22		0.02		2.22
4-5	N. 0° 29' E.	2.27			0.08	
5-6	N. 89° 44' W.	2.27	0.02			2.27
6-7	N. 0° 14' E.	30.01	30.01		0.12	
7-8	East.	22.82		0.00	22.82	
8-9	S. 0° 06' W.	22.22		22.22		0.02
9-10	N. 89° 40' E.	2.27	0.02			2.27
10-1	S. 0° 14' W.	22.22		22.22		0.12

122.11 22.72 22.72 40.22 40.12  
 22.72 0.02  
 Error in lat. and dep.

Closing error 1:13222  
 Survey completed October 10, 1914.

*[Handwritten signature]*  
 Surveyor - Forest Service.







APPROVAL


Office of the United States Surveyor General,

Phoenix, Arizona, May 4, 1917. , 191

The foregoing field notes of Homestead Entry Survey No.

247

executed by Walter G. Turley, Surveyor-Forest Service  
under his special instructions, dated August 28 , 1914, having  
been critically examined, and the necessary corrections and explanations  
made, the said field notes, and the surveys they describe, are hereby  
approved.

  
U. S. Surveyor General.

I certify that the foregoing transcript of the field notes of the  
above-described survey in the State of Arizona , has been  
correctly copied from the original notes on file in this office.

Frank P. Trott,  
U. S. Surveyor General.