

165  
JUN 2- 1916

U. S. DEPARTMENT OF AGRICULTURE  
FOREST SERVICE

DEC 5- 1917

**FIELD NOTES**

OF

HOMESTEAD ENTRY SURVEY NO. 265

SITUATED IN THE **CHIRICAHUA** NATIONAL FOREST

ADMINISTRATIVE DISTRICT NO. 3

In Section 19 , unsurveyed, Township 21 S., Range 29 E.

In Section 30 , unsurveyed, Township 21 S., Range 29 E.

of the

Gila and Salt River Base and Meridian.

State of

**ARIZONA**

Applicant for listing **Mrs. Mary E. Stanford,**

Residence **Douglas, Arizona.**

Application No. **100** ✓ , dated **November 29** , 19**12** ✓

List No. **3-2440** ✓ , dated **April 2** , 19**13** ✓

Applicant for survey **Mrs. Mary E. Stanford,**

Residence **Douglas, Arizona**

H. E. No. **023875** ✓ , dated **December 3** , 19**13** ✓

Land District **Phoenix, Arizona**

Survey executed by **C. A. Long,** Surveyor - Forest Service  
[Forest Service Title.]

Under special instructions dated **October 1** , 19**14**

Survey commenced **July 6** , 19**15**

Survey completed **July 7** , 19**15**

Under Acts of **June 11, 1906 and March 4, 1915** ✓

166

OATH OF ASSISTANTS

We hereby certify that we assisted  
**Surveyor - Forest Service**  
[Forest Service Title.]

**C. A. Long,**  
in surveying all those

parts or portions of Homestead Entry Survey No. **265**, in the State of **Arizona**, which are represented in the following field notes as having been surveyed by him and under his direction; and that said survey has been in all respects, to the best of our knowledge and belief, well and faithfully surveyed, and the corner monuments established, according to the instructions furnished by the United States Surveyor General for **Arizona**.

Note: It would have been very expensive and inconvenient to appear before an officer to administer oaths to Assistants; hence, they were taken by the Surveyor.

*Raymond*  
-----  
*Ray* *Chairman*  
-----  
*J. W. Lewis*  
-----  
*Head* *Chairman*  
-----

Subscribed and sworn to before me this **7th** day of **July**, 1915.

*C. A. Long*  
-----  
**Surveyor - Forest Service**

OATH OF SURVEYOR

I, **C. A. Long,** **Surveyor - Forest Service**  
[Forest Service Title.]

do solemnly swear that, in strict conformity with the special instructions of the United States Surveyor General for **Arizona**, dated **October 1**, 1914, and the laws of the United States, I have well, faithfully, and truly, in my own proper person, surveyed a tract of land **embraced in**

**List**, No. **3-2440**, dated **April 2**, 1913, for **Patent**, under the Act of **June 11**, 1906, the same to be known as Homestead Entry Survey No. **265**, situated within the **CHIRICAHUA** National Forest, in **unsurveyed Section 19**, Township **21 S.**, Range **29 E.**, and **unsurveyed Section 30**, Township **21 S.**, Range **29 E.**,

of the **G. and S. R. B. and** meridian, **Arizona**, and the related retracements and resurveys and section subdivisions, which are represented in the following field notes as having been surveyed by me; and I further solemnly swear that all the corners of said survey have been established and perpetuated in strict accordance with the stated special instructions, and in the specific manner described in the field notes, and that the following are the original field notes of such survey.

*C. A. Long*  
-----  
**Surveyor - Forest Service**  
[Forest Service Title.]

Subscribed and sworn to before me this **31st** day of **March**, 1916.

*Elise C. Meyer*  
-----  
*Notary Public*  
-----



## CHIRICAHUA NATIONAL FOREST

STATE OF ARIZONA

Chains

Applicant for listing, Mrs. Mary E. Stanford; Application No. 100, dated November 29, 1912; List No. 3-2440, dated April 2, 1913; H. E. 023875, made in the Phoenix Land Office on December 3, 1913 by Mrs. Mary E. Stanford.

Surveyed under special instructions from the Surveyor General for Arizona, dated October 1, 1914 and designated as Homestead Entry Survey No. 265.

Situated in what will probably be, when surveyed, secs. 19 and 30, T. 21 S., R. 29 E., Gila and Salt River Base and Meridian, Chiricahua National Forest, Arizona.

Surveyed under the Acts of June 11, 1906 and March 4, 1915.

Survey commenced July 6, 1915, and executed with a Buff and Buff transit No. 9699.

I test the adjustments of the transit and make necessary corrections.

The stadia is adjusted to read 1:132.

All measurements were made directly on the slope with a 500 link steel tape and the slope angles were determined with a clinometer.

July 6, 1915.

At the cor. to secs. 19, 24, 25 and 30, which is a sandstone 5 x 5 x 10 ins. above ground, firmly set, marked and witnessed as described by the Surveyor General,

Latitude  $31^{\circ} 35'$  N., Longitude  $109^{\circ} 26'$  W., as derived from the Surveyor General's special instructions, I

clamp the horizontal plate at zero and with telescope

direct I sight to a well defined point on a mountain

about 1 mile dist., and at 6h. 38.4m. p.m., l.m.t., I

unclamp the horizontal limb and turn to the East until

the vertical hair bisects Polaris, the resulting angle

Chains between Polaris and reference mark is  $26^{\circ} 04'$ .  
 Greenwich m.t. U.C. Pol., July 6, 1915, 6h. 36.4m.a.m.  
 Sidereal Correction, 01.2m.  
 6h. 35.2m.  
 Astron. l.m.t. U.C. Pol., July 5, 1915, 18h. 35.2m.  
 Astron. l.m.t. of obsn., July 5, 1915, 30h. 38.4m.  
 Hour angle, 12h. 03.2m. ✓  
 23h. 56.1m.  
 Time argument, 11h. 52.9m. ✓  
 Azimuth of Polaris at obsn.,  $180^{\circ} 01' 48''$  ✓  
 Subtract,  $26^{\circ} 04' 00''$   
 Azimuth of reference mark,  $153^{\circ} 57' 48''$ , or  
 a bearing of N.  $26^{\circ} 02' 12''$  W. ✓

(2)

At 6h. 43.6m. p.m., l.m.t., I again observe Polaris with telescope reversed, as heretofore described, and obtain an angle of  $26^{\circ} 06'$  between reference mark and Polaris.

Astron. l.m.t. U.C. Pol., July 5, 1915, 18h. 35.2m.  
 Astron. l.m.t. of obsn., July 5, 1915, 30h. 43.6m.  
 Hour angle, 12h. 08.4m.  
 23h. 56.1m.  
 Time argument, 11h. 47.7m.  
 Azimuth of Polaris at obsn.,  $180^{\circ} 03' 36''$  ✓  
 Subtract,  $26^{\circ} 06' 00''$   
 Azimuth of reference mark,  $153^{\circ} 57' 36''$ , or  
 a bearing of N.  $26^{\circ} 02' 24''$  W. ✓

Bearing of reference mark as determined by the mean of the two observations, is N.  $26^{\circ} 02' 18''$  W., and to the corresponding meridian all the courses of this survey are referred.

July 7, 1915.

RETRACEMENTS

I begin at cor. R-1 of the Big Bend administrative site, which is also cor. H-1 of this claim, a granitoid stone 20 x 24 x 28 ins., marked and witnessed as described

CHIRICAHUA NATIONAL FOREST

STATE OF ARIZONA

Chains by the Forest Service.  
 Thence S. 1° 17' W.  
 On a random line along the W. bdy. of the Big Bend administrative site, cor. R-2 being plainly visible.  
 46.00 Cor. R-2 of the Big Bend administrative site, which is a limestone boulder 8 x 18 x 30 ins., marked and witnessed as described by the Forest Service.  
 The boundaries of the road exception in this case were run so as to eliminate unnecessary corners and to simplify the claim lines. The change was made with the knowledge and approval of the claimant.

BOUNDARIES OF CLAIM

Tract A.  
 Beginning at point for cor. No. 1.  
 Deposit a sandstone 2 x 3 x 5 ins. marked with a +, 14 ins. in the ground, over which set a limestone 8 x 10 x 24 ins., chiseled + for the point and 1 - H E S 265 on NE. face. No bearing trees within limits, therefore dig pits 24 x 24 x 12 ins. on each line, 7 ft. dist.; and raise a mound of earth and stone 4 ft. base, 3 ft. high NE. of cor.  
 The cor. to secs. 19, 24, 25 and 30, T. 21 S., Rs. 28 and 29 E., which is a sandstone 5 x 5 x 10 ins. above ground, firmly set, marked and witnessed as described by the Surveyor General, bears N. 74° 45' W., 1.61 chs. dist., by direct measurement.  
 The observed magnetic declination at 10h. 00m. a.m., is 13° 45' E., which corrected for diurnal change gives a mean magnetic declination of 13° 44' E.  
 Latitude 31° 35' N. Longitude 109° 26' W., from special instructions from the Surveyor General.  
 Thence N. 0° 05' W.  
 Desc. 15 ft. over open land, through scattering mesquit.

CHIRICAHUA NATIONAL FOREST

STATE OF ARIZONA

Chains	
3.90	Road bears E. and W.
5.00	Bottom of descent; thence over level land.
15.11	To cor. No. 2.
	Identical with cor. H-3 of the list survey, which is a granitoid stone 14 x 24 x 30 ins. above ground, marked and witnessed as described by the Forest Service. I destroy all trace of this list cor. Deposit a limestone 2 x 3 x 3 ins. marked with a +, 15 ins. in the ground, over which set a porphyry stone 10 x 15 x 25 ins., chiseled + for the point and 2 - H E S 265 on SE. face; and raise a mound of stone 4 ft. base, 3 ft. high, SE. of cor., whence:  A nail in an ash, 20 ins. dia., blazed and scribed 2 H E S 265 B T, bears N. 33° 42' E., 366 lks. dist.  No other trees within limits. Pits impracticable.
	Thence S. 76° 00' E.
	Over open level bottom land.
5.00	Enter scattering mesquit and oak timber.
27.50	Big Bend Wash, 60 lks. wide, course N. 60° 00' W.
	Ascend 25 ft. Leave scattering oak.
32.50	Top of ascent; thence over rolling land to cor.
44.00	Arroyo, 50 lks. wide, 12 ft. deep, course S. 30° 00' W.
60.17	To cor. No. 3.
	Identical with cor. H-2 of the list survey, which is a granite stone 8 x 12 x 14 ins. above ground, marked and witnessed as described by the Forest Service. I destroy all trace of this list cor. Deposit a porphyry stone 2 x 3 x 4 ins. marked with a +, 16 ins. in the ground, over which set a porphyry stone 10 x 14 x 26 ins., chiseled + for the point

## CHIRICAHUA NATIONAL FOREST

STATE OF ARIZONA

Chains

and 3 - H E S 265 on S. face. No bearing trees within limits, therefore dig pits 24 x 24 x 12 ins. on each line 7 ft. dist.; and raise a mound of earth and stone 4 ft. base, 3 ft. high, S. of cor.

---

Thence S. 88° 58' E.

Ascend 15 ft. to cor. over open land, through scattering mesquit.

4.00 Arroyo, 20 lks. wide, 3 ft. deep, course SW.

7.70 Dim road, bears NW. and SE.

20.00 To cor. No. 4.

Identical with cor. H-1 of the list survey, which is a granitoid stone 20 x 24 x 28 ins. above ground, marked and witnessed as described by the Forest Service.

I destroy all trace of this list cor. Deposit a granite stone 3 x 3 x 6 ins. marked with a + 15 ins. in the ground, over which set a schist stone 8 x 15 x 25 ins. chiseled + for the point and 4 - H E S 265 on SW. face. No bearing trees within limits, therefore dig pits 24 x 24 x 12 ins. on each line 7 ft. dist.; and raise a mound of earth and stone 4 ft. base, 3 ft. high, SW. of cor.

Cor. No. 1, H. E. S. 273, a porphyry stone 12 x 16 x 10 ins. above ground, chiseled + at point and 1 - H E S 273 on SE. face, bears S. 62° 39' E., 43.47 chs. dist. by direct measurement.

Cor. No. 4 is set alongside of cor. R-1, Big Bend administrative site, heretofore described.

---

Chains. Thence S. 1° 17' W.  
 Along the W. bdy. of the Big Bend administrative site;  
 descend 15 ft. to cor. over gradual S. slope and open  
 land.  
 7.00 To cor. No. 5.  
 Deposit a schist stone 1 x 3 x 3 ins. marked with a +  
 14 ins. in the ground, over which set a limestone  
 8 x 12 x 22 ins. (no longer stone available), chiseled  
 + for the point and 5 - H E S 265 on NW. face. No  
 bearing trees within limits, therefore dig pits 24  
 x 24 x 12 ins. on each line 7 ft. dist.; and raise a  
 mound of earth and stone 4 ft. base, 3 ft. high, NW.  
 of cor.  
 Cor. R-2 of the Big Bend administrative site,  
 heretofore described, bears S. 1° 17' W.,  
 39.00 chs. dist.  
 Thence N. 85° 00' W.  
 Along N. side of road exception, descend 15 ft.  
 through scattering mesquit.  
 8.90 Dim road, bears NW. and SE.  
 20.00 Bottom of descent, thence over level bottom land  
 through scattering timber.  
 28.80 Big Bend Wash, 10 lks. wide, course NW.  
 42.50 Road, bears NW. and SE.  
 45.50 Wash, 20 lks. wide, course NW.  
 47.75 Wash, 30 lks. wide, course North. Leave creek bottom  
 and timber, thence over rolling open land.  
 78.50 To cor. No. 1, the place of beginning.



CHIRICAHUA NATIONAL FOREST

STATE OF ARIZONA

Chains

Tract B.

Beginning at point for cor. No. 6.

Deposit a sandstone 3 x 3 x 4 ins. marked with a + 12 ins. in the ground, over which set a sandstone 6 x 6 x 18 ins. (no longer stone available) chiseled + for the point and 6 - H E S 265 on SE. face. No bearing trees within limits, therefore dig pits 24 x 24 x 12 ins. on each line 7 ft. dist.; and raise a mound of stone and earth 4 ft. base, 3 ft. high, SE. of cor.

Cor. No. 1, heretofore described, bears

N. 0° 05' W., 46.3 lks. dist.

Thence S. 85° 00' E.

Along S. side of road exception, over open rolling land.

30.75 Wash, 30 lks. wide, course North. Enter scattering ash and oak timber, thence over level creek bottom.

33.00 Wash, 20 lks. wide, course NW.

36.20 Road, bears NW. and SE.

50.00 Big Bend Wash, 10 lks. wide, course NW.

59.50 Leave scattering timber. Ascend 15 ft. to cor.

70.00 Dim road, bears NW. and SE.

78.49 To cor. No. 7, on the W. bdy. of the Big Bend administrative site.

Deposit a granite stone 2 x 3 x 4 ins. marked with a + 14 ins. in the ground, over which set a sandstone 6 x 10 x 22 ins. (no longer stone available) chiseled + for the point and 7 - H E S 265 on SW. face; and raise a mound of stone 4 ft. base, 3 ft. high, SW. of cor., whence:

A nail in an ash, 12 ins. dia., blazed and

174

CHIRICAHUA NATIONAL FOREST

STATE OF ARIZONA

Chains	<p>scribed 7 H E S 265 BT, bears S. 16° 47' E., 230 lks. dist.</p> <p>No other trees within limits. Pits imprac- ticable.</p> <p>Cor. No. 5, heretofore described, bears N. 1° 17' E., 46 lks. dist.</p> <hr/> <p>Thence S. 1° 17' W.</p> <p>Along the W. bdy. of the Big Bend Administrative Site. Descend 20 ft. to wash, over open land.</p> <p>0.20 Road, bears E. and W.</p> <p>2.80 Big Bend Wash, 15 lks. wide, course S. 60° 00' W. Bottom of descent, enter scattering ash and oak timber, thence over level bottom land.</p> <p>6.30 Begin ascent of steep rocky N. slope. Ascend 75 ft. to cor.</p> <p>12.46 To cor. No. 8, on the W. bdy. of the Big Bend adminis- trative site.</p> <p>Deposit a limestone 2 x 3 x 3 ins. marked with a +, 14 ins. in the ground, over which set a porphyry stone 8 x 10 x 24 ins. chiseled + for the point, and 8 - H E S 265 on NW. face; and raise a mound of stone 4 ft. base, 3 ft. high, NW. of cor., whence:</p> <p>A nail in a black oak, 10 ins. dia., bears N. 64° 08' W., 116 lks. dist.</p> <p>A nail in a white oak, 18 ins. dia., bears S. 36° 28' W., 58 lks. dist.</p> <p>Each blazed and scribed 8 H E S 265 B T.</p> <p>Cor. R-2 of the Big Bend administrative site, heretofore described, bears S. 1° 17' W., 26.08 chs. dist.</p> <p>Cor. H-6 of the list survey, which is a</p>
--------	--

## TECHIRICAHUA NATIONAL FOREST

STATE OF ARIZONA

Chains

granite stone 8 x 20 x 28 ins. above ground,  
marked and witnessed as described by the  
Forest Service, bears East, 19 lks. dist.

I destroy all trace of this list cor.

Thence N. 89° 50' W.

Descend 50 ft. along gradual N. slope covered with  
large loose rock, through scattering undergrowth and  
oak timber.

7.00 Arroyo, 3 ft. deep, 30 lks. wide, course NW. Leave  
timber, undergrowth and rocky land, thence over open  
bottom land.

14.00 Bottom of descent. Ascend 15 ft. to cor. over gradual  
N. slope.

19.71 To cor. No. 9.

Identical with cor. H-5 of the list survey, which is a  
granite stone 18 x 12 x 28 ins. above ground, marked  
and witnessed as described by the Forest Service. I  
destroy all trace of this list cor. Deposit a por-  
phyry stone 1 x 2 x 2 ins. marked with a +, 14 ins. in  
the ground, over which set a porphyry stone 10 x 12 x  
22 ins. (no longer stone available) chiseled + for the  
point and 9 - H E S 265 on N. face; and raise a mound  
of stone 4 ft. base, 3 ft. high N. of cor., whence:

A nail in a white oak, 18 ins. dia., bears

S. 34° 07' E., 242 lks. dist.

A nail in a black oak, 16 ins. dia., bears

S. 18° 53' W., 207 lks. dist.

Each blazed and scribed 9 H E S 265 B T.

Thence N. 75° 55' W.

Ascend 12 ft. along gradual N. slope through scattering

CHIRICAHUA NATIONAL FOREST

STATE OF ARIZONA

Chains oak timber.

5.25 Highest point on N. slope. Descend 35 ft. over rolling land. Leave scattering oak timber.

16.50 Wash, 8 lks. wide, course NW. Bottom of descent. Ascend 30 ft. along gradual N. slope.

25.00 Top of ascent, continue over open gently rolling land, through scattering mesquit.

30.50 Wash, 5 lks. wide, course N. 30° 00' E.

59.98 To cor. No. 10.

Identical with cor. H-4 of the list survey, which is a syenite stone 6 x 6 x 16 ins. above ground, marked and witnessed as described by the Forest Service. I destroy all trace of this list cor. Deposit a porphyry stone 2 x 4 x 4 ins. marked with a +, 12 ins. in the ground, over which set a sandstone 8 x 12 x 18 ins. (no longer stone available), chiseled + for the point and 10 - H E S 265 on NE. face. No bearing trees within limits, therefore dig pits, 24 x 24 x 12 ins. on each line 7 ft. dist.; and raise a mound of earth and stone 4 ft. base, 3 ft. high, NE. of cor.

Thence N. 0° 05' W.

Over open level land.

4.53 To cor. No. 6, the place of beginning.

AREA

Area of Tract A, - - - - - 73.11 acres ✓  
 Area of Tract B, - - - - - 80.58 acres ✓  
 Total Area - - - - - 153.69 acres ✓

IMPROVEMENTS

The improvements made upon this claim, and belonging to

## CHIRICAHUA NATIONAL FOREST

STATE OF ARIZONA

Chains

the claimant herein, consist of the following:

A frame house, 18 x 20 ft., course of long sides N. and S., the SW. cor. of which bears S. 79° 03' E., 44.40 chs. dist. from cor. No. 1.

Value ----- \$250.00

A dug well, 15 ft. deep (now dry), the center of which bears S. 80° 07' E., 45.51 chs. dist. from cor. No. 1.

Value ----- \$ 25.00

Total value of improvements ----- \$275.00

## GENERAL DESCRIPTION

This claim lies along Big Bend Wash, on gently rolling open land. The hillsides along the S. side of the claim have a very scattering stand of black oak and a narrow strip along the banks of Big Bend Wash has a few scattering ash and oak trees. The remainder of the claim is covered with a scattering growth of mesquit brush.

The soil along the hillsides is a brown adobe, while that along the washes is sandy and full of boulders and gravel of very little agricultural value. None of the area has been cultivated and the house shows no signs of recent occupancy.

There is no water on the claim and it is also unfenced.

The rainfall is too scant to make farming a profitable venture in this locality and there is no water near the claim that could be used for irrigation.

I saw no indications of mineral upon the claim.

Douglas, on the El Paso and Southwestern Railroad, is the nearest post office and trading place. It is about 24 miles in a southerly direction and is reached

178

CHIRICAHUA NATIONAL FOREST

STATE OF ARIZONA

Chains by a fair wagon road.

CONFLICTS AND ADJOINING CLAIMS

There are no conflicts.

Big Bend administrative site joins this claim on the East. H. E. S. 273 lies about 40 chs. East of the East boundary of this claim.

TRAVERSE - TRACT A.

Cor.	Course	Dist.	N	S	E	W
1-2	N. 0° 05' W.	15.11	15.11			0.02
2-3	S. 76° 00' E.	60.17		14.56	58.38	
3-4	S. 88° 58' E.	20.00		0.56	20.00	
4-5	S. 1° 17' W.	7.00		7.00		0.16
5-1	N. 85° 00' W.	78.50	6.84			78.20
		180.78	21.95	21.92	78.38	78.38
			21.92		78.38	
Error in Lat. and Dep.			.03		.00	
Closing error 1:6026.						

TRACT B.

Cor.	Course	Dist.	N	S	E	W
6-7	S. 85° 00' E.	78.49		6.84	78.19	
7-8	S. 1° 17' W.	12.46		12.46		0.28
8-9	N. 89° 50' W.	19.71	0.06			19.71
9-10	N. 75° 55' W.	59.98	14.60			58.18
10-6	N. 0° 05' W.	4.53	4.53			0.01
		175.17	19.19	19.30	78.19	78.18
				19.19	78.18	
Error in Lat. and Dep.			1.11		.01	
Closing error 1:1586.						

Survey completed July 7, 1915.

W. A. Long  
Surveyor - Forest Service

DIRECTIONS.—1. Carry out calculations to two decimals only.

2. In balancing Latitudes and Departures do not obliterate or change the original figures.

Put the corrected figure or figures above in red ink. Do not change the footing of the original figures, but put below them the corrected footing in red ink.

The corrections for balancing fallings should be proportional to the lengths of the lines.

3. In calculations of fallings take result to nearest link. In calculations of N. and S. areas drop all after second decimal.

4. Only three copies of this tabulation are necessary, for the District Office, the Surveyor General, and the Commissioner.

Surveyors are required to use the Standard Field Tables issued by the G. L. O.

TABLING AND CALCULATIONS OF HOMESTEAD ENTRY SURVEY NO. 265, STATE OF ARIZONA.

CORNERS.	BEARING.	DISTANCE.	LATITUDES.		DEPARTURES.		DOUBLE M. D.	N. AREAS.	S. AREAS.
			NORTH.	SOUTH.	EAST.	WEST.			
Tract "A"									
1-2	N. 0° 05' W.	15.11	15 11			0 02	0 02	0 30	
2-3	S. 76° 00' E.	60.17		14 56	58 38	58 38	58 38	850 60	
3-4	S. 88° 58' E.	20.00		0 36	20 00		156 76	49 25	
4-5	S. 1° 17' W.	7.00		7 00			156 60	1096 20	
5-1	N. 85° 00' W.	78.50	6 84			78 20	78 24		
		180.78	21 95	21 92	78 38	78 38		533 90	1996 03
			21 93	21 93	78 38	78 38		533 90	533 90
Closing error	1:6026							1462 13	
								73 11	73 11 acres.
Tract B.									
6-7	S. 85° 00' E.	78.49		6 84	78 19		78 18		530 84
7-8	S. 1° 17' W.	12.46		12 46			156 08	1943 20	
8-9	N. 89° 50' W.	19.71	0 06			0 28	136 09	10 89	
9-10	N. 75° 55' W.	59.98	14 60			19 71	58 20	851 47	
10-6	N. 0° 05' W.	4.53	4 53			0 01	0 01	0 05	
		175.17	19 19	19 30	78 19	78 18		862 41	2474 04
			19 24	19 24	78 18	78 18		862 41	862 41
								1611 63	
								805-81	
Closing error	1:1586							80 58	80 58 acres.

179

180

60 88 80188

80 88 80188  
- 88-808  
88 88 80188  
88 88 80188

60 88 80188

CONTRACTS	DATE	BEARING		DISCOUNT	PAYABLE		RECEIVABLE		BALANCE		REMARKS
		AMOUNT	PERCENT		AMOUNT	PERCENT	AMOUNT	PERCENT			
1-1	1-1-20	100.00	100	100.00	100	100.00	100	100.00	100	100.00	1-1-20
1-2	1-2-20	100.00	100	100.00	100	100.00	100	100.00	100	100.00	1-2-20
1-3	1-3-20	100.00	100	100.00	100	100.00	100	100.00	100	100.00	1-3-20
1-4	1-4-20	100.00	100	100.00	100	100.00	100	100.00	100	100.00	1-4-20
1-5	1-5-20	100.00	100	100.00	100	100.00	100	100.00	100	100.00	1-5-20

LABORERS AND EMPLOYEES OF THE STATE

U. S. GOVERNMENT PRINTING OFFICE: 1918

THIS REPORT WAS PREPARED UNDER THE SUPERVISION OF THE COMMISSIONER OF LABOR AND INDUSTRY AND UNDER THE DIRECTION OF THE CHIEF CLERK OF THE BUREAU OF LABOR STATISTICS.

THE DATA FOR THIS REPORT WERE OBTAINED FROM THE BUREAU OF LABOR STATISTICS, WASHINGTON, D. C.



APPROVAL


Office of the United States Surveyor General,

Phoenix, Arizona, June 4, 1917.

The foregoing field notes of Homestead Entry Survey No.

265

executed by **C. A. Long, Surveyor Forest Service** [Forest Service Title.]  
under his special instructions, dated **October 1**, 1914, having  
been critically examined, and the necessary corrections and explanations  
made, the said field notes, and the surveys they describe, are hereby  
approved.

  
U. S. Surveyor General.

I certify that the foregoing transcript of the field notes of the  
above-described survey in the State of **Arizona**, has been  
correctly copied from the original notes on file in this office.

**Frank P. Trott,**  
U. S. Surveyor General.