

195 2774

U. S. DEPARTMENT OF AGRICULTURE  
FOREST SERVICE

AUG. 2-1916

**FIELD NOTES**

OF

HOMESTEAD ENTRY SURVEY NO. 268

SITUATED IN THE **CHIRICAHUA** NATIONAL FOREST

ADMINISTRATIVE DISTRICT NO. 3

In Section 4 , unsurveyed, Township 18 S., Range 31 E.

In Section 8 , unsurveyed, Township 18 S., Range 31 E.

In Section 9 , unsurveyed, Township 18 S., Range 31 E.

of the

Gila and Salt River Base and Meridian.

State of

ARIZONA

Applicant for listing **J. S. Sanders,**

Residence **Paradise, Arizona**

Application No. **58** , dated **March 11** , 1910

List No. **3-2609** , dated **March 17** , 1914

Applicant for survey **J. S. Sanders,**

Residence **Paradise, Arizona**

H. E. No. **025383** , dated **August 21** , 1914

Land District **Phoenix, Arizona**

Survey executed by **C. A. Long,**

**Surveyor - Forest Service**  
[Forest Service Title.]

Under special instructions dated **October 1** , 1914

Survey commenced **May 1** , 1915

Survey completed **May 4** , 1915

Under Acts of **June 11, 1906 and June 30, 1914**



196

OATH OF ASSISTANTS

We hereby certify that we assisted **C. A. Long,**  
**Surveyor - Forest Service** in surveying all those  
[Forest Service Title.]

parts or portions of Homestead Entry Survey No. **268**, in the State of **Arizona**, which are represented in the following field notes as having been surveyed by him and under his direction; and that said survey has been in all respects, to the best of our knowledge and belief, well and faithfully surveyed, and the corner monuments established, according to the instructions furnished by the United States Surveyor General for **Arizona**.

Note: It would have been very expensive and inconvenient to appear before an officer to administer oaths to Assistants; hence, they were taken by the Surveyor.

*C. A. Long*  
Rear Chairman  
*Chester A. Lee*  
Head Chairman

Subscribed and sworn to before me this **4th** day of **May**, 19 **15**.

*C. A. Long*  
Surveyor - Forest Service

OATH OF SURVEYOR

I, **C. A. Long,** **Surveyor - Forest Service**  
[Forest Service Title.]

do solemnly swear that, in strict conformity with the special instructions of the United States Surveyor General for **Arizona**, dated **October 1**, 19 **14**, and the laws of the United States, I have well, faithfully, and truly, in my own proper person, surveyed a tract of land embraced in

**List**, No. **3-2609**, dated **March 17**, 19 **14**, for **Patent**, under the Act of **June 11**, 19 **06**, the same to be known as Homestead Entry Survey No. **268**, situated within the **CHIRICAHUA** National Forest, in **unsurveyed Section 4**, Township **18 S.**, Range **31 E.**, and **unsurveyed Section 8**, Township **18 S.**, Range **31 E.**, and **unsurveyed Section 9**, Township **18 S.**, Range **31 E.**

of the **G. and S. R. B. and** meridian, **Arizona**, and the related retracements and resurveys and section subdivisions, which are represented in the following field notes as having been surveyed by me; and I further solemnly swear that all the corners of said survey have been established and perpetuated in strict accordance with the stated special instructions, and in the specific manner described in the field notes, and that the following are the original field notes of such survey.

*C. A. Long*  
Surveyor - Forest Service  
[Forest Service Title.]

Subscribed and sworn to before me this **31st** day of **March**, 19 **16**.

*Elsie C. Meyer*  
Notary Public





CHIRICAHUA NATIONAL FOREST

STATE OF ARIZONA

Chains

Applicant for listing, J. S. Sanders; Application No. 58, dated March 11, 1910; List No. 3-2609, dated March 17, 1914; H. E. 025383, made in the Phoenix Land Office on August 21, 1914, by J. S. Sanders.

Surveyed under special instructions from the Surveyor General for Arizona, dated October 1, 1914, and designated as Homestead Entry Survey No. 268.

Situated in what will probably be, when surveyed, secs. 4, 8 and 9, T. 18 S., R. 31 E., Gila and Salt River Base and Meridian, Arizona.

Surveyed under Acts of June 11, 1906 and June 30, 1914.

Survey commenced May 1, 1915, and executed with a Buff and Buff transit No. 9699, equipped with Smith solar attachment.

I test the adjustments of the transit and make necessary corrections.

The stadia is adjusted to read 1:132.

All measurements were made directly on the slope with a 500 link steel tape and the slope angles were determined with a clinometer, the horizontal distances alone appearing in these notes.

May 1, 1915.

At cor. No. 1 of this survey, at 6h. 15m. p.m., l.m.t., I observe Polaris with telescope direct and mark a point on the line of sight on a stake driven in the ground 5.00 chs. N. of my station.

Latitude 31° 54' N. Longitude 109° 10' 35" W.

Greenwich m.t. U.C. Polaris, May 1, 1915,	10h. 55m.a.m.
Sidereal Correction,	01.2m.
	<u>10h. 53.8m.</u>

Astron. l.m.t. U.C. Pol., April 30, 1915,	22h. 53.8m.
Astron. l.m.t. of obsn., April 30, 1915,	30h. 15.0m.

Hour angle,	7h. 21.2m.
-------------	------------



Chains

Bearing of star at obsn., N. 1° 15' 39" W.

At 6h. 30m. p.m., l.m.t., I again observe Polaris at the same station with telescope reversed, and mark a point in the line of sight on a stake driven in the ground 5.00 chs. N. of my station.

Greenwich m.t. U.C. Pol., May 1, 1915,	10h. 55.0m.a.m.
Sidereal Correction,	01.2m.
	<hr/>
	10h. 53.8m.

Astron. l.m.t. U.C. Pol., April 30, 1915,	22h. 53.8m.
Astron. l.m.t. of obsn.,	30h. 30.0m.
Hour angle,	<hr/>
	7h. 36.2m.

Bearing of star at obsn., N. 1° 13' 31" W.

May 2, 1915.

At 7h. 00m. a.m., l.m.t., I turn off the azimuth of

Polaris, 1° 15' 39" to the East of point set in line of sight of first observation of last night and mark the meridian on the ground by driving a tack in a stake set 5.00 chs. N. of my station.

I also turn off 1° 13' 31" to the East of point set in line of sight of second observation of last night and mark the meridian on the stake previously set. These agree within 20 seconds of arc, and I mark the mean on the stake previously set, and from the meridian thus determined all the courses of this survey were deflected. The solar was not used on this survey.

Upon claimant's request the survey was so made as to exclude the exempted roadway.

May 2, 1915.

Beginning at cor. No. 1.

Which is also cor. No. 14 of H. E. S. No. 45, Stephen B. Reed claimant, which is a sandstone showing 6 x 10 x 8 ins. above ground, marked with a cross on top and 14 H E S 45 on W. face; and witnessed by two bearing



CHIRICAHUA NATIONAL FOREST

STATE OF ARIZONA

Chains

trees and a mound of stone. I chisel 1 H E S 268 on the SE. face of the same stone for cor. No. 1 of this survey, and raise a mound of stone 3 ft. base, 2-1/2 ft. high, 3-1/2 ft. dist. within the claim, whence:

A nail in a sycamore, 16 ins. dia., bears N. 38° 25' E., 35 lks. dist.

A nail in a sycamore, 16 ins. dia., bears S. 17° 29' E., 40 lks. dist.

Each blazed and scribed 1 H E S 268 B T.

The cor. to secs. 31 and 32, on the S. bdy. of T. 17 S., R. 31 E., G. and S. R. B. and M.,

which is a stone firmly set, marked and witnessed as described by the Surveyor General,

bears N. 25° 18' W., 98.91 chs., by traverse which appears at the end of these notes. This

was the nearest identified cor. on the township line.

The observed magnetic declination at 8 a.m., was 14° 15' E., which corrected for diurnal change gives a mean mag. decl. of 14° 12' E.

Latitude 31° 54' N. Long. 109° 10' 35" W., from special instructions from the Surveyor General.

Thence N. 80° 33' E.

Along rocky bottom land subject to overflow from Cave Creek, through heavy stand of sycamore, walnut and ash.

7.00 Cave Creek, with running water, 10 lks. wide, 1 ft. deep, course East.

10.00 Leave bottom land and timber. Continue along foot of steep rocky mountain side, through dense undergrowth of scrub oak.

60.00 Leave foot of mountain side and scrub oak, thence over level bottom land through heavy stand of sycamore.

70.00 Cave Creek, with running water 10 lks. wide, 1 ft. deep,



CHIRICAHUA NATIONAL FOREST

STATE OF ARIZONA

Chains course NE.  
 72.67 To cor. No. 2.  
 Identical with cor. H-1 of the listing survey, which is a granite stone 7 x 10 x 15 ins. above ground, marked and witnessed as described by the Forest Service. I destroy it and all witnesses thereto, and set a schist stone 8 x 12 x 26 ins., 16 ins. in the ground, over a limestone 1 x 3 x 4 ins., marked with a cross, chiseled 2 H E S 268 on SW. face and a cross on top; and raise a mound of stone 3 ft. base, 2-1/2 ft. high, 3-1/2 ft. dist. within the claim, whence:  
 A nail in a post oak, 5 ins. dia., bears N. 86° 10' E., 14 lks. dist.  
 A nail in a wild cherry, 6 ins. dia., bears S. 26° 12' W., 12 lks. dist.  
 A nail in a sycamore, 12 ins. dia., bears S. 52° 45' W., 34 lks. dist.  
 Each blazed and scribed 2 H E S 268 B T. Forest Boundary Post No. 24, bears N. 68° 37' E., 25.26 chs. dist., by traverse which appears at the end of these notes.

Thence S. 22° 24' W.

Over level bottom land, through dense scrub oak, wild cherry and walnut.

2.76 Road, bears E. and W.

7.01 To cor. No. 3.

Identical with cor. H-2 of the listing survey, which is a granite stone 8 x 12 x 14 ins. above ground, marked and witnessed as described by the Forest Service. I destroy it and all witnesses thereto, and set a porphyry stone 6 x 15 x 32 ins., 20 ins. in the ground, over a limestone 2 x 3 x 3 ins., marked with a cross, chiseled 3 - H E S 268 on NW. face and a



CHIRICAHUA NATIONAL FOREST

STATE OF ARIZONA

Chains

cross on top; and raise a mound of stone 3 ft. base,  
2-1/2 ft. high, 3-1/2 ft. dist. within the claim,

whence:

A nail in a juniper, 5 ins. dia., bears

S. 73° 20' W., 100 lks. dist.

A nail in a scrub oak, 14 ins. dia., bears

N. 27° 36' W., 68 lks. dist.

A nail in a wild cherry, 12 ins. dia., bears

N. 17° 52' E., 65 lks. dist.

Each blazed and scribed 3 H E S 268 B T.

Thence S. 73° 24' W.

Over level bottom land, through dense scrub oak,  
wild cherry and undergrowth.

18.09 To cor. No. 4.

Identical with cor. H-3 of the listing survey, which

is a granite stone 8 x 12 x 14 ins. above ground, mark-  
ed and witnessed as described by the Forest Service.

I destroy it and all witnesses thereto, and set a sand-

stone 6 x 9 x 25 ins., 15 ins. in the ground, over a

sandstone 2 x 3 x 4 ins. marked with a cross, chiseled

4 - H E S 268 on N. face and a cross on top; and raise

a mound of stone 3 ft. base, 2-1/2 ft. high, 3-1/2 ft.

dist. within the claim, whence:

A nail in a white oak, 6 ins. dia., bears

S. 19° 50' E., 27 lks. dist.

A nail in a white oak, 8 ins. dia., bears

N. 32° 51' W., 11 lks. dist.

A nail in a white oak, 8 ins. dia., bears

S. 44° 28' W., 111 lks. dist.

Each blazed and scribed 4 H E S 268 B T.

May 2, 1915.



Chains May 3, 1915.

Thence S. 88° 02' W.

Over level bottom land, through dense scrub oak.

8.00 Road, bears N. 70° 00' E. and S. 70° 00' W.

10.00 Rail fence, bears N. 75° 00' E. and S. 75° 00' W.

16.50 Rail fence, bears N. 83° 00' W. and S. 83° 00' E.

18.95 To cor. No. 5.

Identical with cor. H-4 of the listing survey, which is a granite stone 9 x 12 x 14 ins. above ground, marked and witnessed as described by the Forest Service. I destroy it and all witnesses thereto, and set a schist stone 8 x 14 x 30 ins., 20 ins. in the ground, over a limestone 1-1/2 x 3 x 4 ins. marked with a cross, chiseled 5 - H E S 268 on N. face and a cross on top; and raise a mound of stone 3 ft. base, 2-1/2 ft. high, 3-1/2 ft. dist. within the claim, whence:

A nail in a post oak, 12 ins. dia., bears S. 36° 20' W., 35 lks. dist.

A nail in a wild cherry, 16 ins. dia., bears N. 45° 52' W., 59 lks. dist.

Each blazed and scribed 5 H E S 268 B T.

---

Thence N. 83° 04' W.

Over level bottom land, through scattering oak timber.

0.50 Enter road.

4.60 Leave road, bearing West.

4.85 To cor. No. 6.

A porphyry boulder in place, showing 38 x 40 x 60 ins. above ground. I cut a cross at the apex of this stone for true cor. point and chisel 6 - H E S 268 on N. face; and raise a mound of stone 3 ft. base, 2-1/2 ft. high, 3-1/2 ft. dist. within the claim, whence:

A nail in a walnut, 10 ins. dia., bears S. 32° 12' W., 40 lks. dist.



CHIRICAHUA NATIONAL FOREST

STATE OF ARIZONA

Chains

A nail in a walnut, 14 ins. dia., bears

N. 87° 23' E., 34 lks. dist.

Each blazed and scribed 6 H E S 268 B T.

Cor. H-5 of the listing survey, which is a

granite stone 12 x 18 x 18 ins. above ground,

marked and witnessed as described by the

Forest Service, bears West, 20 lks. dist.

I destroy it and all witnesses thereto.

Thence S. 89° 03' W.

Along foot of hill, through dense scrub oak and undergrowth. I eliminate the area of claim South of the excepted roadway, as it has no agricultural value and it meets with the approval of claimant.

3.50 Road, bears N. 60° 00' W. and S. 60° 00' E.

7.25 Road, bears N. 70° 00' E. and S. 70° 00' W.

18.71 To cor. No. 7.

Set a schist stone 8 x 12 x 24 ins., 14 ins. in the ground, over a limestone 2-1/2 x 3 x 5 ins., marked with a cross. Chisel 7 - H E S 268 on side facing the claim and a cross on top; and raise a mound of stone 3 ft. base, 2-1/2 ft. high, 3-1/2 ft. dist. within the claim, whence:

A nail in a sycamore, 16 ins. dia., bears  
N. 27° 45' E., 9 lks. dist.

A nail in a sycamore, 20 ins. dia., bears  
S. 75° 14' W., 46 lks. dist.

A walnut, 6 ins. dia., bears S. 33° 41' E.,  
44 lks. dist.

Each blazed and scribed 7 H E S 268 B T.



## CHIRICAHUA NATIONAL FOREST

STATE OF ARIZONA

Chains Thence S. 58° 21' W.

Along foot of hill, through willow and sycamore timber.

0.50 Center of road, bears S. 77° 00' W. and S. 87° 00' E.

4.39 To cor. No. 8.

Set a porphyry stone 8 x 14 x 32 ins., 20 ins. in the ground, over a porphyry stone 1 x 2-1/2 x 4 ins. marked with a cross, chiseled 8 - H E S 268 on NW. face; and a cross on top; and raise a mound of stone 3 ft. base, 2-1/2 ft. high, 3-1/2 ft. dist. within the claim, whence:

A nail in a box alder, 6 ins. dia., bears N. 56° 10' W., 26 lks. dist.

A nail in an ash, 14 ins. dia., bears N. 19° 30' E., 45 lks. dist.

A nail in a black walnut, 5 ins. dia., bears N. 88° 42' E., 29 lks. dist.

Each blazed and scribed 8 H E S 268 B T.

---

Thence S. 78° 35' W.

Along foot of hill, through dense willow and undergrowth.

5.44 To cor. No. 9.

Identical with cor. H-6 of the listing survey, which is also cor. No. 13 of H. E. S. 45, a quartzite stone showing 6 x 10 x 18 ins. above ground, firmly set, marked and witnessed as described by the Forest Service. (cor. not marked for listing survey). I cut a cross on the top of the same stone and chisel 9 - H E S 268 on the NE. face; and raise a mound of stone 3 ft. base, 2-1/2 ft. high, 3-1/2 ft. dist. within the claim, whence:



CHIRICAHUA NATIONAL FOREST

STATE OF ARIZONA

Chains

A nail in a black walnut, 8 ins. dia., bears

N. 67° 12' E., 72 lks. dist.

A nail in a black walnut, 10 ins. dia., bears

N. 72° 03' W., 36 lks. dist.

Each blazed and scribed 9 H E S 268 B T.

---

Thence N. 3° 02' W.

Over level bottom land, through scattering walnut  
timber and undergrowth. Along line 13-14 of H. E. S.  
No. 45, Stephen B. Reed claimant.

0.50 Dim road, bears S. 78° 00' W. and N. 78° 00' E.

3.53 To cor. No. 1, the place of beginning.

---

AREA

Total Area - - - - - 37.76 acres.

---

IMPROVEMENTS

The improvements made upon this claim and belonging  
to the claimant herein, consist of the following:

An "L" shaped frame house, 14 x 24 ft., course of long  
sides N. and S., the SE. cor. of which bears N. 26°  
24' E., 8.00 chs. from cor. No. 4.

Value ----- \$250.00

A log barn, 14 x 26 ft., course of long sides N. and S.,  
the NW. cor. of which bears N. 37° 51' E., 8.62  
chs. from cor. No. 4.

Value ----- \$ 75.00

About 1/2 mile of pole fence.

Value ----- \$ 50.00

Total value of improvements ----- \$375.00



CHIRICAHUA NATIONAL FOREST

STATE OF ARIZONA

Chains

GENERAL DESCRIPTION

This claim is located in a narrow canyon along Cave Creek. Solid porphyry bluffs, approximately 500 ft. high, rise abruptly north and south of the claim. The soil is a light sandy loam, admirably suited to fruit growing and truck gardening. About 5 acres are under cultivation, the remainder is covered with a dense undergrowth of oak brush and scattering oak, walnut, sycamore and wild cherry timber. Cave Creek, which runs through the claim, supplies sufficient water for all purposes.

There is no evidence of mineral deposits on the claim. Paradise, an abandoned mining camp, is the nearest post office, and is about 10 miles distant in a northerly direction and is reached by a fair wagon road. Rodeo, on the El Paso and Southwestern Railroad, is about 20 miles distant in a southeasterly direction and is reached by a good wagon road.

CONFLICTS, AND ADJOINING CLAIMS

There are no conflicts.

This claim is bounded on the West by H. E. S. No. 45, Stephen B. Reed claimant, line 9-1 of this claim being identical with line 13-14 of H. E. S. No. 45.



207

CHIRICAHUA NATIONAL FOREST

STATE OF ARIZONA

Chains

TRAVERSES

Tie from cor. No. 1 to the cor. of secs. 31 and 32  
on S. bdy. T. 17 S., R. 31 E., G. & S. R. B. and M.

Course	Dist.	N	S	E	W
S. 3° 02' E.	3.53		3.53	0.19	
N. 68° 58' W.	8.33	2.99			7.78
N. 67° 23' W.	8.47	3.26			7.82
N. 60° 12' W.	4.91	2.44			4.26
N. 82° 25' W.	12.31	1.62			12.20
S. 83° 41' W.	16.01		1.76		15.91
N. 34° 18' W.	5.92	4.89			3.34
N. 25° 40' W.	12.70	11.45			5.50
N. 20° 20' W.	4.90	4.59			1.70
N. 13° 05' E.	1.32	1.29		0.30	
N. 14° 13' E.	64.15	62.18		15.75	
		94.71	5.29	16.24	58.51
		5.29			16.24
N. 25° 18' W.	98.91	89.42			42.27

Tie from cor. No. 2 to Forest Boundary Post No. 24.

Course	Dist.	N	S	E	W
S. 31° 05' W.	2.76		2.36		1.42
N. 70° 26' E.	4.68	1.57		4.41	
S. 61° 24' E.	2.44		1.17	2.14	
N. 61° 15' E.	3.60	1.73		3.16	
N. 83° 28' E.	3.94	0.45		3.91	
N. 55° 06' E.	7.20	4.12		5.91	
N. 48° 03' E.	7.28	4.87		5.41	
		12.74	3.53	24.94	1.42
		3.53		1.42	
		9.21		23.52	

The resulting course and distance from cor. No. 2  
to Bdy. Post No. 24, is N. 68° 37' E., 25.26 chs.

Claim.

Cor.	Course	Dist.	N	S	E	W
1-2	N. 80° 33' E.	72.67	11.93		71.68	
2-3	S. 22° 24' W.	7.01		6.48		2.67
3-4	S. 73° 24' W.	18.09		5.17		17.34
4-5	S. 88° 02' W.	18.95		0.65		18.94
5-6	N. 83° 04' W.	4.85	0.59			4.81
6-7	S. 89° 03' W.	18.71		0.31		18.71
7-8	S. 58° 21' W.	4.39		2.30		3.74
8-9	S. 78° 35' W.	5.44		1.08		5.33
9-1	N. 3° 02' W.	3.53	3.53			0.19
		153.64	16.05	15.99	71.68	71.73
			15.99			71.68
	Error in Lat. and Dep.		.06			.05

Closing error 1:1967.

Survey completed May 4, 1915.

*C. A. Long*  
Surveyor - Forest Service



Chains

The from cor. No. 1 to the cor. of sec. 31 and 32 on S. 1/4 Sec. 14, T. 1 N., R. 3 E., S. 1 N. and M. 1

Course	Dist.	N	S	E	W
S. 82° 02' E.	3.53			3.53	
N. 88° 58' W.	3.33	3.33			
N. 67° 23' W.	3.47	3.47			
N. 50° 18' W.	4.91	4.91			
N. 28° 23' E.	12.31		12.31		
S. 83° 41' W.	12.01			12.01	
N. 34° 18' W.	3.93	3.93			
N. 23° 40' E.	12.75		12.75		
N. 20° 30' W.	4.90	4.90			
N. 13° 03' E.	1.33		1.33		
N. 14° 13' E.	34.13		34.13		
<hr/>					
	34.71		34.71		
	3.89		3.89		
	32.82		32.82		
<hr/>					
	32.82		32.82		

The from cor. No. 2 to Forest Boundary Post No. 21

Course	Dist.	N	S	E	W
S. 21° 05' W.	2.75			2.75	
N. 70° 24' E.	4.68	4.68			
S. 61° 24' E.	3.24		3.24		
N. 21° 15' E.	3.50		3.50		
N. 52° 28' E.	3.34	3.34			
N. 53° 08' E.	7.20	7.20			
N. 48° 03' E.	7.23	7.23			
<hr/>					
	12.74		12.74		
	3.53		3.53		
	1.42		1.42		
	23.63		23.63		

The resulting course and distance from cor. No. 2 to Bay Post No. 24, is N. 58° 37' E., 23.25 chs.

Chain

Course	Dist.	N	S	E	W
N. 50° 33' E.	73.67		73.67		
S. 23° 24' W.	7.01	7.01			
S. 73° 24' W.	18.09	18.09			
S. 53° 03' W.	18.75	18.75			
N. 83° 04' W.	4.85		4.85		
S. 50° 03' W.	18.71	18.71			
S. 58° 21' W.	4.82	4.82			
S. 78° 33' W.	3.44	3.44			
N. 3° 02' E.	3.53		3.53		
<hr/>					
	123.64		123.64		
	30.92		30.92		
	153.68		153.68		
<hr/>					
	153.68		153.68		

Survey completed May 4, 1915.  
Closing error 1:1967.  
Error in lat. and dep. .08

Surveyor - Forest Service

*[Handwritten signature]*

Surveyor - Forest Service



DIRECTIONS.—1. Carry out calculations to two decimals only.

2. In balancing Latitudes and Departures do not obliterate or change the original figures.

Put the corrected figure or figures above in red ink. Do not change the footing of the original figures, but put below them the corrected footing in red ink.

The corrections for balancing fallings should be proportional to the lengths of the lines.

3. In calculations of fallings take result to nearest link. In calculations of N. and S. areas drop all after second decimal. Surveyors are required to use the Standard Field Tables issued by the G. I. O.

4. Only three copies of this tabulation are necessary, for the District Office, the Surveyor General, and the Commissioner.

TABLING AND CALCULATIONS OF HOMESTEAD ENTRY SURVEY NO. 268, STATE OF ARIZONA.

CORNERS.	BEARING.	DISTANCE.	LATITUDES.		DEPARTURES.		DOUBLE M. D.		N. AREAS.	S. AREAS.
			NORTH.	SOUTH.	EAST.	WEST.				
1-2	N. 80° 33' E.	72.67	11 93		71 68		71 70	853 95		
2-3	S. 22° 24' W.	7.01		6 48		2 67	140 73		911 93	
3-4	S. 73° 24' W.	18.09		5 17		17 34	120 73		625 38	
4-5	S. 88° 02' W.	18.95		0 65		18 94	84 47		55 75	
5-6	N. 83° 04' W.	4.85	0 59			4 81	60 73	35 22		
6-7	S. 89° 03' W.	18.71		0 31		18 71	37 22		11 91	
7-8	S. 58° 21' W.	4.39		2 30		3 74	14 78		33 99	
8-9	S. 78° 35' W.	5.44		1 08		5 33	5 71		6 17	
9-1	N. 3° 02' W.	3.53	3 53			0 19	0 19	0 67		
		153.64	16 05	15 99	71 68	71 73		889 84	1645 13	
			16 02	16 02	71 70	71 70			889 84	
									755 29	
									37676	acres.
	Closing error 1:1967									

209

377H







APPROVAL


Office of the United States Surveyor General,

Phoenix, Arizona, June 4, 1917

The foregoing field notes of Homestead Entry Survey No.

268

executed by **C. A. Long, Surveyor - Forest Service** [Forest Service Title.]  
under his special instructions, dated **October 1**, 191**4** having  
been critically examined, and the necessary corrections and explanations  
made, the said field notes, and the surveys they describe, are hereby  
approved.

  
U. S. Surveyor General.

I certify that the foregoing transcript of the field notes of the  
above-described survey in the State of **Arizona**, has been  
correctly copied from the original notes on file in this office.

-----  
**Frank P. Trott,**  
U. S. Surveyor General.