

U. S. DEPARTMENT OF AGRICULTURE
FOREST SERVICE

35
SEP-2 1916

JUN 5-1917

DEC 5-1917

FIELD NOTES

OF

HOMESTEAD ENTRY SURVEY NO. 273

SITUATED IN THE **Chiricahua** NATIONAL FOREST

ADMINISTRATIVE DISTRICT NO. 3

In Section 28 , unsurveyed, Township 21 S., Range 29 E.
In Section 29 , unsurveyed, Township 21 S., Range 29 E.

of the

Gila and Salt River Base and Meridian.

State of
Arizona.

Applicant for listing **P. F. Stanford,**

Residence **Douglas, Arizona.**

Application No. **64** ✓ , dated **May 16** , 19 **10** ✓

List No. **3-1857** ✓ , dated **April 12** , 19 **12** ✓

Applicant for survey **Philip F. Stanford,**

Residence **Douglas, Arizona.**

H. E. No. **021558** ✓ , dated **March 7** , 19 **13** ✓

Office **Phoenix, Arizona.**
Land District

Survey executed by **C. A. Long,** Surveyor, Forest Service.
[Forest Service Title.]

Under special instructions dated **October 1** , 19 **14**

Survey commenced **July 3** , 19 **15**

Survey completed **July 6** , 19 **15**

Under Acts of **June 11 1906 and March 4 1915** ✓

OATH OF ASSISTANTS

We hereby certify that we assisted **C. A. Long,**
Surveyor, Forest Service [Forest Service Title.] in surveying all those
 parts or portions of Homestead Entry Survey No. **273**, in the State
 of **Arizona**, which are represented in the following field notes
 as having been surveyed by him and under his direction; and that said
 survey has been in all respects, to the best of our knowledge and
 belief, well and faithfully surveyed, and the corner monuments estab-
 lished, according to the instructions furnished by the United States
 Surveyor General for **Arizona**

Note: It would have been very
 expensive and inconvenient to
 appear before an officer to ad-
 minister the oaths to assistants;
 hence, they were taken by the Sur-
 veyor.

Accepted
Peer Chapman
J. W. Lewis
 Head Chairman

Subscribed and sworn to before me this **sixth** day of
July, 19 **15**.

C. A. Long
 Surveyor Forest Service

OATH OF SURVEYOR

I, **C. A. Long** **Surveyor, Forest Service**
 [Forest Service Title.]

do solemnly swear that, in strict conformity with the special instruc-
 tions of the United States Surveyor General for **Arizona**, dated
October 1, 19 **14**, and the laws of the United States, I have
 well, faithfully, and truly, in my own proper person, surveyed a tract
 of land embraced in

List, No. **3-1857**, dated **April 12**, 19 **12**, for
Patent, under the Act of **June 11**, 19 **06**,
 the same to be known as Homestead Entry Survey No. **273**,
 situated within the **Chiricahua** National Forest, in
unsurveyed Section 28, Township **21 S**, Range **29 E**, and
unsurveyed Section 29, Township **21 S**, Range **29 E**,

of the **G. & S. R. B.** and **meridian**, **Arizona**, and the
 related retracements and resurveys and section subdivisions, which are
 represented in the following field notes as having been surveyed by me;
 and I further solemnly swear that all the corners of said survey have been
 established and perpetuated in strict accordance with the stated special
 instructions, and in the specific manner described in the field notes,
 and that the following are the original field notes of such survey.

C. A. Long
 Surveyor Forest Service
 [Forest Service Title.]

Subscribed and sworn to before me this **31st** day of
March, 19 **16**.

Elsie C. Myers
 Notary Public



CHIRICAHUA NATIONAL FOREST

STATE OF ARIZONA

Chains Applicant for listing, P. F. Stanford; Application No. 64, dated May 16, 1910; List No. 3-1857, dated April 12, 1912; H. E. 021558 made in the Phoenix Land Office on March 7, 1913 by Philip F. Stanford.

Surveyed under special instructions from the Surveyor General for Arizona, dated October 1, 1914 and designated as Homestead Entry Survey No. 273.

Situated in what will probably be when surveyed secs. 28 and 29, T. 21 S., R. 29 E., Gila and Salt River Base and Meridian within the Chiricahua National Forest, Arizona.

Surveyed under the Acts of June 11, 1906 and March 4, 1915.

Survey commenced July 3, 1915 and executed with a Buff and Buff transit No. 9699 equipped with Smith solar attachment. Solar attachment not used.

I test the adjustments of the transit and make necessary corrections.

The stadia is adjusted to read 1:132.

All measurements were made directly on the slope with a 500 link steel tape and the slope angles were determined with a clinometer.

July 3, 1915.

At my camp in Lat. $31^{\circ} 34' 30''$ N., Long. $109^{\circ} 24'$ W. as derived from the Surveyor General's special instructions, at Oh. 53m. a.m. l.m.t. I observe Polaris at eastern elongation with telescope direct and reversed, and mark points in the lines of sight on a stake driven in the ground 5 chains from my station. The points in the lines of sight as determined by direct and reversed observations differ by $\frac{1}{4}$ of an inch. I mark the mean by driving a tack in the stake already set.

CHIRICAHUA NATIONAL FOREST

STATE OF ARIZONA

Chains At 7 a.m. I lay off the azimuth of Polaris $1^{\circ} 21'$ to the west and mark the meridian on the ground, and from the stated meridian all the courses of this survey are deflected.

July 3, 1915.

Retracements.

Beginning at cor. R-3 of the Big Bend Administrative Site, a limestone $8 \times 12 \times 14$ ins. above ground, marked and witnessed as described by the Forest Service.

Thence N. $0^{\circ} 12'$ E.

On a random line along the E. bdy. of Big Bend Administrative Site. Cor. R-4 is plainly visible.

40.03 Cor. R-4 of the Big Bend Administrative Site which is a porphyry stone $6 \times 12 \times 16$ ins. marked and witnessed as described by the Forest Service.

Boundaries of Claim.

July 3, 1915.

Tract A.

Beginning at cor. No. 1

Deposit a porphyry stone $1 \times 2 \times 3$ ins. marked with

a cross 15 ins. in the ground over which I set a

porphyry stone $12 \times 16 \times 25$ ins. chiseled cross at

the point and 1 - H E S 273 on SE. face and raise a

mound of stone 4 ft. base, 3 ft. high, SE. of cor.

whence

A nail in a willow 4 ins. dia. bears S. $66^{\circ} 05'$ W.

130 lks. dist.

A nail in a willow 5 ins. dia. bears S. $4^{\circ} 25'$ W.

111 lks. dist.

Each blazed and scribed 1 H E S 273 B T

Cor. R-4 of the Big Bend Administrative Site

CHIRICAHUA NATIONAL FOREST

STATE OF ARIZONA

Chains

heretofore described bears N. 0° 12' E.,
14.75 chs. dist.

Cor. No. 4 of H. E. S. 265 a schist stone 8 x
15 x 10 ins. above ground marked a cross on
top and 4 H E S 265 on SW. face with pits
24 x 24 x 12 ins. west and south 7 ft. dist.
and mound of earth and stone 4 ft. base, 3
ft. high, SW. of cor. bears N. 62° 39' W.,
43.47 chs. dist. by traverse which is at-
tached hereto.

Cor. to secs. 19, 24, 25, and 30, T. 21 S., Rs.
28 and 29 E., which is a sandstone 5 x 10 x 6
ins. above ground firmly set marked and wit-
nessed as described by the Surveyor General
bears N. 80° 19' W. 120.23 chs. dist. by
traverse which appears at the end of these notes.

Cor. H-1 of the list survey which is a granite
stone 8 x 12 x 20 ins. above ground marked
and witnessed as described by the Forest Ser-
vice, bears E. 128 lks. dist. I destroy all
trace of this list cor.

I made a careful search for the cor. to secs. 4, 5, 32,
and 33, on S. bdy. of T. 21 S., R. 29 E. without
finding any trace of this cor. Therefore I tied this
claim to the cor. to secs. 19, 24, 25, and 30.

Lat. 31° 34' 30" N., Long. 109° 24' W., from Special In-
structions from the Surveyor General, and verified by
a General Land Office map.

The observed magnetic declination at 8 a.m. is 13° 45' E.
which corrected for diurnal change gives a mean magnetic
declination of 13° 41' E.

Thence East.

Over open level land.

1.27 Wire fence bears N. and S.

5.00 Begin steep ascent of SW. slope

CHIRICAHUA NATIONAL FOREST

STATE OF ARIZONA

Chains

15.00 Top of hill 60 ft. high, descend 50 ft. to wash over gradual SE. slope.

22.60 Wash, 10 lks. wide, course S. 10° W. Bottom of descent thence over gently rolling land.

29.23 Wire fence bears N. and S.

29.97 Wire fence bears NE. and SW.

35.40 Oak Grove Wash, 25 lks. wide, course S. 10° W. Ascend 20 ft. to cor.

35.80 Wire fence bears N. and S.

41.19 To cor. No. 2.

Identical with cor. H-8 of the list survey which is a tufa stone 10 x 12 x 12 ins. above ground marked and witnessed as described by the Forest Service. I destroy all trace of this list cor. and deposit a white limestone 2 x 3 x 4 ins. marked with a cross 12 ins. in the ground over which I set a porphyry stone 12 x 14 x 18 ins. (no longer stone available) chiseled cross for the point and 2 - H E S 273 on SW. face, and raise a mound of stone 3 ft. base, 2½ ft. high, SW. of cor. from which

A nail in a black oak 6 ins. dia. bears N. 52° 06' W. 189 lks. dist. blazed and scribed
2 H E S 273 B T

A granite boulder showing 12 x 20 x 24 ins. above ground marked 2 H E S + 273 B R bears N. 28° 14' E. 79 lks. dist.

Thence South

Descend 5 ft. to cor. over open grass land.

2.50 To cor. No. 3.

Deposit a sandstone 2 x 2 x 4 ins. marked with a cross 18 ins. in the ground over which I set a porphyry stone 6 x 8 x 28 ins. chiseled cross for the point and 3 - H E S 273 on W. face.

CHIRICAHUA NATIONAL FOREST

STATE OF ARIZONA

Chains No bearing trees within limits, therefore dig pits
 24 x 24 x 12 ins. crosswise on this and the succeed-
 ing course 7 ft. dist. and raise a mound of earth
 3 ft. base, 2½ ft. high; 3½ ft. dist. within the claim.

Thence S. 53° 21' W.

Descend 15 ft. to cor. over gradual SW. slope through
 scattering mesquite along NW. side of road exception.

11.46 To cor. No. 4.

Deposit a sandstone 2 x 2 x 5 ins. marked with a cross
 14 ins. in the ground over which set a porphyry stone
 8 x 14 x 22 ins. (No longer stone available) chiseled
 cross for the point and 4 - H E S 273 on N. face; and
 raise a mound of stone 3 ft. base, 2½ ft. high, N. of
 cor. whence

A nail in a black oak 10 ins. dia. bears
 N. 21° 17' E., 255 lks. dist.

A nail in a white oak 6 ins. dia. bears
 S. 66° 13' E., 90 lks. dist.

Each blazed and scribed 4 H E S 273 B T

July 3, 1915.

July 5, 1915.

Thence S. 89° 00' W.

Over gently rolling land. Through scattering oak
 timber and undergrowth along N. side of road ex-
 ception.

6.50 Enter circular pole corral.

7.70 Leave corral

12.58 To cor. No. 5.

Deposit a granite stone 1 x 2 x 2 ins. marked with
 a cross 15 ins. in the ground over which I set a
 porphyry stone 6 x 7 x 25 ins. chiseled cross for
 the point and 5 - H E S 273 on N. face; and raise a

CHIRICAHUA NATIONAL FOREST

STATE OF ARIZONA

Chains mound of stone 3 ft. base, 2½ ft. high, N. of cor.
whence
A nail in a black oak 8 ins. dia. bears N. 26° 23' E.
116 lks. dist.
A nail in a black oak 12 ins. dia. bears N. 31°
30' W. 164 lks. dist.
Each blazed and scribed 5 H E S 273 B T

Thence N. 74° 44' W.

Over gently rolling land, through scattering under-
growth along N. side of road exception.
4.00 Wire fence bears E. and W.
8.75 Wash, 10 lks. wide, course SW.
9.00 Wire fence bears NW. and SE.
10.90 Road bears NW. and SE.
13.00 Big Bend wash 20 lks. wide, course NW.
19.90 Road bears S. 70° W. and N. 70° E.
20.12 To cor. No. 6 on E. bdy. of the Big Bend Administrative
Site.

Deposit a porphyry stone 2 x 3 x 6 ins. marked with
a cross 14 ins. in the ground over which set a lime-
stone 7 x 7 x 23 ins. (No longer stone available)
chiseled cross for the point and 6 - H E S 273 on NE.
face; and raise a mound of stone 3 ft. base, 2½ ft.
high, NE. of cor. whence

A nail in a black oak 10 ins. dia. bears
N. 81° 24' E., 132 lks. dist.

A nail in a black oak 5 ins. dia. bears
N. 41° 58' W., 154 lks. dist.

Each blazed and scribed 6 H E S 273 B T

Cor. R-4 of the Big Bend Administrative Site
bears N. 0° 12' E., 18.95 chs. dist.

CHIRICAHUA NATIONAL FOREST

STATE OF ARIZONA

Chains	Thence N. 0° 12' E. Along the east bdy. of the Big Bend Administrative Site. Over open level land.
3.20	Big Bend Wash, 25 lks. wide, course W.
4.20	To cor. No. 1 the place of beginning.
<hr/>	
	Tract B. Beginning at point for cor. No. 7. Deposit a sandstone 2 x 4 x 4 ins. marked with a cross 14 ins. in the ground over which set a porphyry stone 7 x 9 x 24 ins. chiseled cross for the point and 7 - H E S 273 on SE. face and raise a mound of stone 3 ft. base, 2½ ft. high, SE. of cor. whence A nail in a black oak 5 ins. dia. bears N. 35° 04' W., 194 lks. dist. A nail in a black oak 6 ins. dia. bears N. 73° 18' E., 112 lks. dist. Each blazed and scribed 7 H E S 273 B T Cor. No. 6 of this survey heretofore described bears N. 0° 12' E., 47.1 lks. dist. Cor. R-3 of the Big Bend Administrative Site heretofore described bears S. 0° 12' W. 20.61 chains dist. Thence S. 74° 44' E. Over gently rolling land along S. side of road exception through scattering undergrowth.
7.50	Big Bend Wash 25 lks. wide, course NW.
10.70	Wash 10 lks. wide, course SW.
20.06	To cor. No. 8. Deposit a granite stone 1 x 4 x 3 ins. marked with a cross 15 ins. in the ground over which set a porphyry stone 5 x 9 x 25 ins. chiseled cross for the point and 8 - H E S. 273 on S. face; no bearing trees within limits, therefore dig pits 24 x 24 x 12 ins. cross-

Chains

wise on this and the succeeding course 7 ft. dist.
and raise a mound of earth and stone 4 ft. base, 3
ft. high, $3\frac{1}{2}$ ft. dist. south of cor.

Thence N. $89^{\circ} 00'$ E.

Over gently rolling land through scattering mesquite
and oak timber along south side of road exception.

12.79

To cor. No. 9.

Deposit a limestone 2 x 2 x 4 ins. marked with a cross
14 ins. in the ground over which set a porphyry stone
7 x 8 x 24 ins. chiseled cross for the point and 9 -
H E S 273 on S. face; and raise a mound of stone 3
ft. base, $2\frac{1}{2}$ ft. high, S. of cor. whence

A nail in a black oak 5 ins. dia. blazed and
scribed 9 H E S 273 B T bears S. $3^{\circ} 42'$ W.,
18 lks. dist.

The SE. cor. of an unfinished adobe house bears
N. $78^{\circ} 26'$ W., 228 lks. dist.

No other bearings available.

Thence N. $53^{\circ} 21'$ E.

Ascend 15 ft. to cor. over gradual SW. slope over open
land. Along SE. side of road exception.

11.27

To cor. No. 10.

Deposit a porphyry stone 2 x 3 x 4 ins. marked with
a cross 14 ins. in the ground over which set a granite
stone 6 x 12 x 24 ins. chiseled cross for the point
and 10 - H E S 273 on SW. face. No bearing trees
in limits, therefore dig pits 24 x 24 x 12 ins. cross-
wise on this and the succeeding course 7 ft. dist.

and raise a mound of earth 3 ft. base, $2\frac{1}{2}$ ft. high,
 $3\frac{1}{2}$ ft. dist. SW. of cor.

Cor. No. 3 of this survey, heretefore described,

bears north $5\frac{1}{2}$ lks. dist.

CHIRICAHUA NATIONAL FOREST

STATE OF ARIZONA

Chains Thence South.

Descend 40 ft. over gradual S. slope over open land.

0.60 Wood road bears NE. and SW.

8.43 Big Bend Wash 25 lks. wide, course West. Bottom of descent. Ascend 20 ft. to cor. Enter scattering oak timber.

11.90 Wood road bears E. and W.

16.93 To cor. No. 11.

Identical with cor. H-7 of the list survey which is a porphyry stone 6 x 8 x 8 ins. above ground marked and witnessed as described by the Forest Service. I destroy all trace of this list cor. Deposit a porphyry stone 1 x 2 x 4 ins. marked with a cross 15 ins. in the ground over which set a sandstone 6 x 14 x 25 ins. chiseled cross for the point and 11 - H E S 273 on SW. face; and raise a mound of stone 4 ft. base, 3 ft. high, SW. of cor. from which

A nail in a black oak 5 ins. dia. bears S. 88° 45' W., 49 lks. dist.

A nail in a black oak 5 ins. dia. bears N. 23° 42' W., 97 lks. dist.

Each blazed and scribed 11 H E S 273 B T

July 5, 1915.

July 6, 1915.

Thence S. 89° 56' E.

Ascend 5 ft. over open land.

1.50 Top of ascent, thence over gently rolling land through scattering mesquite and oak timber.

7.50 Big Bend Wash 30 lks. wide, 15 ft. deep, course N. 20° W.

8.50 Wood road bears N. 20° W., and S. 20° E.

19.87 To cor. No. 12.

Identical with cor. H-6 of the list survey which is a porphyry stone 6 x 12 x 14 ins. above ground marked

CHIRICAHUA NATIONAL FOREST

STATE OF ARIZONA

Chains

and witnessed as described by the Forest Service.
I destroy all trace of this list cor. Deposit a schist stone 2 x 2 x 6 ins. marked with a cross 26 ins. in the ground over which set a limestone 10 x 16 x 36 ins. chiseled cross for the point and 12 - H E S 273 on SW. face; raise a mound of stone 4 ft. base, 3 ft. high, SW. of cor. from which
A nail in a forked black oak 16 ins. dia. bears S. 50° 16' W., 181 lks. dist.
A nail in a black oak 16 ins. dia. bears S. 42° 15' E., 296 lks. dist.
Each blazed and scribed 12 H E S 273 B T

Thence S. 0° 04' W.

Descend 15 ft. over gradual S. slope over open land.

- 0.50 Enter dense undergrowth and oak timber.
- 3.00 Big Bend Wash 15 lks. wide, course west. Bottom of descent. Ascend 70 ft. to cor. over N. slope.
- 5.00 Leave dense oak timber and continue through scattering oak and dense undergrowth. Brush corral 40 x 40 ft. bears west 150 lks. dist.
- 8.00 Arroyo 50 lks. wide, 12 ft. deep, course NW.
- 11.70 Wash 10 lks. wide, course NW.
- 12.20 Same wash, course NE.
- 14.90 Same wash, course N. 70° W.
- 19.90 To cor. No. 13.

Identical with cor. H-5 of the list survey which is a porphyry stone 4 x 4 x 12 ins. above ground marked and witnessed as described by the Forest Service. I destroy all trace of this list cor. Deposit a granite stone 2 x 3 x 5 ins. marked with a cross 15 ins. in the ground over which set a sandstone 8 x 18 x 25 ins. chiseled cross for the point and 13 - H E S 273 on NW. face; raise a

CHIRICAHUA NATIONAL FOREST

STATE OF ARIZONA

Chains mound of stone 4 ft. base, 3 ft. high, NW. of cor.
whence

A nail in a black oak 10 ins. dia. bears
N. 68° 55' W., 108 lks. dist.

A nail in a black oak 14 ins. dia. bears
N. 35° 30' E., 58 lks. dist.

Each blazed and scribed 13 H E S 273 B T.

Thence N. 89° 56' W.

Ascend 40 ft. through scattering oak timber.

7.00 Top of ascent. Leave timber thence over rolling mesa
land through dense mesquite.

29.08 Arroyo, 60 lks. wide, 12 ft. deep, course NW.

37.50 Arroyo 30 lks. wide, 25 ft. deep, course NW.

39.30 Arroyo, 20 lks. wide, 12 ft. deep, course north.

39.95 To cor. No. 14.

Identical with cor. H-4 of the list survey which is
a quartz stone .8 x 12 x .12 ins. above ground marked
and witnessed as described by the Forest Service. I
destroy all trace of this list cor. Deposit a por-
phyry stone 1 x 3 x 3 ins. marked with a cross 20
ins. in the ground over which set a sandstone 8 x 8
x 30 ins. chiseled cross for the point and 14 - H E S
273 on NE. face; raise a mound of stone 4 ft. base,
3 ft. high, NE. of cor. whence

A nail in a white oak 8 ins. dia. bears N. 67°
40' W., 167 lks. dist.

A nail in a black oak 6 ins. dia. bears N. 1°
50' E., 194 lks. dist.

Each blazed and scribed 14 H E S 273 B T

CHIRICAHUA NATIONAL FOREST

STATE OF ARIZONA

Chains Thence N. 0° 04' E.

1.00 Descend 50 ft. to cor. through scattering oak timber.

1.00 Bend in arroyo 30 lks. wide, 14 ft. deep, bears NE. from SE.

4.00 Bend in same arroyo bears NE. from SE.

19.50 Arroyo 50 lks. wide, 20 ft. deep, course NW.

19.99 To cor. No. 15.

Identical with cor. H-3 of the list survey which is a granite stone 4 x 10 x 12 ins. above ground marked and witnessed as described by the Forest Service. I destroy all trace of the list cor. Deposit a sandstone 2 x 5 x 8 ins. marked with a cross 14 ins. in the ground over which set a sandstone 6 x 8 x 24 ins. chiseled cross for the point and 15-H E S 273 on NE. face; raise a mound of stone 4 ft. base, 3 ft. high, NE. of cor. whence

A nail in a black oak 12 ins. dia. bears S. 41° 20' W., 83 lks. dist.

A nail in a black oak 12 ins. dia. bears S. 5° 17' E., 237 lks. dist.

Each blazed and scribed 15 H E S 273 B T

Thence N. 89° 56' W.

Over gently rolling land through scattering oak timber and mesquite brush.

0.75 Arroyo 50 lks. wide, 15 ft. deep, course N. 30° 00' W.

9.50 Wash, 20 lks. wide, course N. 10° W.

21.15 To cor. No. 16 on the E. bdy. of the Big Bend Administrative Site.

Deposit a porphyry stone 3 x 3 x 4 ins. marked with a cross 16 ins. in the ground over which set a limestone 6 x 14 x 26 ins. chiseled cross for the point and 16 - H E S 273 on NE. face. No bearing trees within limits, therefore dig pits 24 x 24 x 12 ins.

CHIRICAHUA NATIONAL FOREST

STATE OF ARIZONA

Chains crosswise on each line 7 ft. dist. and raise a mound of earth and stone 4 ft. base, 3 ft. high, NE. of cor. Cor. R-3 of the Big Bend Administrative Site heretofore described bears S. 0° 12' W., 5.48 chs. dist. Cor. H-2 of the list survey which is a quartz stone 8 x 10 x 10 ins. above ground marked and witnessed as described by the Forest Service bears E. 131 lks. dist. I destroy all trace of this list cor.

Thence N. 0° 12' E.

Along the E. bdy. of the Big Bend Administrative Site Descend 60 ft. to cor. over gradual N. slope through scattering mesquite.

15.13 To cor. No. 7 the place of beginning.

Area.

Tract A	30.63	acres
Tract B	<u>128.85</u>	"
Total	159.48	"

Improvements.

The improvements made upon this claim and belonging to the claimant herein consist of the following:

An uncompleted adobe house 22 x 28 ft. course of long sides N. and S. the SE. cor. of which bears N. 89° 42' W., 2.08 chs. dist. from cor. No. 4.

Value. \$150.00

A frame house 15 x 24 ft. course of long sides NW. and SE. the SE. cor. of which bears S. 72° 55' W., 3.71 chs. from cor. No. 4.

Value. \$250.00

CHIRICAHUA NATIONAL FOREST

STATE OF ARIZONA

Chains A frame store house 12 x 15 ft. course of long sides
NW. and SE. the SE. cor. of which bears S. 74° 38' W.
3.45 chs. dist. from cor. No. 4.
Value \$ 75.00

A windmill over a dug well 35 ft. deep, the center of
which bears N. 56° 22' W., 3.37 chs. dist. from cor.
No. 4.
Value \$250.00

About 1. mile of wire fencing.
Value \$100.00

Total value of improvements \$ 825.00

Description.

This claim is located along Big Bend Canyon and the
lateral draws leading into it. The claim in gen-
eral is rolling and slopes gradually to the west.
The soil is a brown adobe, second rate; about ten
acres are planted in corn, beans, and vegetables
which appear to be doing well. Farming in this
locality is a very uncertain occupation, as the
rainfall is barely sufficient to bring crops to
maturity and there is no water available for ir-
rigation.

There is some scattering oak timber along the arroyos
but not enough to be considered as a profitable
venture for a sawmill.
Water for domestic use and for watering a few head
of horses is obtained from a dug well near claimant's
house.

There is no evidence of mineral deposits on the claim.
Douglas on the El Paso and Southwestern railroad is
the nearest postoffice and trading place, and is
about 25 miles in a southerly direction and is
reached by a good wagon road.

CHIRICAHUA NATIONAL FOREST

STATE OF ARIZONA

Chains

CONFLICTS AND ADJOINING CLAIMS.

There are no conflicts. The Big Bend Administrative Site joins this claim on the west.

Tract A		Traverses.				
Cor.	Course	Dist.	N.	S.	E.	W.
1-2	East	41.19			41.19	
2-3	South	2.50		2.50		
3-4	S. 53° 21' W.	11.46		6.84		9.19
4-5	S. 89° 00' W.	12.58		.22		12.58
5-6	N. 74° 44' W.,	20.12	5.30			19.41
6-1	N. 0° 12' E.	<u>4.20</u>	<u>4.20</u>		<u>0.02</u>	
		92.05	9.50	9.56	41.21	41.18
				<u>9.50</u>	<u>41.18</u>	

Error in lat. and dep.

.06 .03

Closing error 1:1372

Tract B.

7-8	S. 74° 44' E.	20.06		5.27	19.35	
8-9	N. 89° 00' E.	12.79	.22		12.79	
9-10	N. 53° 21' E.	11.27	6.72		9.04	
10-11	South	16.93		16.93		
11-12	S. 89° 56' E.	19.87		0.02	19.87	
12-13	S. 0° 04' W.	19.90		19.90		0.02
13-14	N. 89° 56' W.	39.95	0.04			39.95
14-15	N. 0° 04' E.	19.99	19.99		.02	
15-16	N. 89° 56' W.	21.15	.02			21.15
16-7	N. 0° 12' E.	<u>15.13</u>	<u>15.13</u>		<u>.04</u>	
		197.04	42.12	42.12	61.11	61.12
				<u>42.12</u>		<u>61.11</u>

Error in lat. and dep.

.00

.01

Closing error 1:19704

Survey completed July 6, 1915.

Carlson
Surveyor Forest Service

Chains

There are no conflicts. The Big Bend Administrative Site joins this claim on the west.

Tract A

Course	Dist.	N.	S.	E.	W.
East	41.19				
South	2.50			2.50	
S. 83° 21' W.	11.46			2.84	2.19
S. 82° 00' W.	12.58			2.2	12.58
N. 74° 44' W.	20.12			5.50	18.41
N. 0° 12' W.	2.20			4.20	0.08
	22.05			2.50	41.18
				2.50	41.18

Error in lat. and dep. Closing error 1:1872

Tract B

S. 74° 44' E.	20.06			5.27	19.38
N. 89° 00' E.	12.78			2.2	12.78
N. 83° 21' E.	11.27			2.78	2.04
South	12.32			12.32	
S. 89° 56' E.	19.87			0.02	19.87
S. 0° 04' W.	19.90			19.90	0.08
N. 89° 56' W.	22.25			0.04	22.25
N. 0° 04' E.	19.92			19.92	0.02
N. 89° 56' W.	21.15			0.02	21.15
N. 0° 12' E.	15.12			15.12	0.02

197.02 42.12 42.12 81.11 81.12

Error in lat. and dep. Closing error 1:1974

Survey completed July 6, 1915.

Surveyor General Service

DIRECTIONS.—1. Carry out calculations to two decimals only.

2. In balancing Latitudes and Departures do not obliterate or change the original figures.

Put the corrected figure or figures above in red ink. Do not change the footing of the original figures, but put below them the corrected footing in red ink.

The corrections for balancing fallings should be proportional to the lengths of the lines.

3. In calculations of fallings take result to nearest link. In calculations of N. and S. areas drop all after second decimal. Surveyors are required to use the Standard Field Tables issued by the G. L. O.

4. Only three copies of this tabulation are necessary, for the District Office, the Surveyor General, and the Commissioner.

TABLE AND CALCULATIONS OF HOMESTEAD ENTRY SURVEY NO. 273, STATE OF ARIZONA

CORNERS.	BEARING.	DISTANCE.	LATITUDES.		DEPARTURES.		DOUBLE M. D.	N. AREAS.	S. AREAS.
			NORTH.	SOUTH.	EAST.	WEST.			
East	41.19								
South	2.50								
S. 53° 21' W.	11.46		49	2.50	41.19	9.19	41.22	205.18	
S. 89° 00' W.	12.58		5	6.84		2	73.21	500.02	
N. 74° 44' W.	20.12		20	.22			51.43	10.80	
N. 0° 12' E.	4.20		20	5.30			19.42	103.31	
				4.20			.02	.08	
				9.50			41.18	716.00	
				9.53			41.20	103.39	
								20	
								612.61	
								30.63	acres
	Closing error	1.1372							

53

273

185

BOYER 33.08

La. 31a Nos

STYL. I TORRE griedofo

TABLEAU AND CALCULATIONS OF HOMESTEAD CAPITALIZED VALUE SUBJECT TO STATE OF MISSISSIPPI

COMMENTS

DISTANCE

REMARKS

1/1000

2/1000

EVAS

DEBITABLES

DOUBLE P. D.

W. VALUE

S. VALUE

91.74

91.74

91.74

92.8

92.8

92.8

94.11

94.11

94.11

93.81

93.81

93.81

91.08

91.08

91.08

98.4

98.4

98.4

90.89

90.89

90.89

A TEST

91.74

91.74

91.74

92.8

92.8

92.8

94.11

94.11

94.11

93.81

93.81

93.81

91.08

91.08

91.08

98.4

98.4

98.4

90.89

90.89

90.89

91.74

91.74

91.74

94.88

94.88

94.88

94.11

94.11

94.11

94.91

94.91

94.91

90.

90.

90.

93.801

93.801

93.801

90.

90.

90.

93.801

93.801

93.801

90.

90.

90.

93.801

93.801

93.801

90.

90.

90.

91.74

91.74

91.74

94.88

94.88

94.88

94.11

94.11

94.11

94.91

94.91

94.91

90.

90.

90.

93.801

93.801

93.801

90.

90.

90.

93.801

93.801

93.801

90.

90.

90.

93.801

93.801

93.801

90.

90.

90.

1. One third value of this information is necessary for the District Office, for the purpose of determining the amount of the homestead exemption to be allowed on the property.

2. The value of the property is determined by the assessor of the county in which the property is located, and is subject to appeal to the Board of Equalization.

3. The value of the property is determined by the assessor of the county in which the property is located, and is subject to appeal to the Board of Equalization.

4. The value of the property is determined by the assessor of the county in which the property is located, and is subject to appeal to the Board of Equalization.

5. The value of the property is determined by the assessor of the county in which the property is located, and is subject to appeal to the Board of Equalization.

6. The value of the property is determined by the assessor of the county in which the property is located, and is subject to appeal to the Board of Equalization.

7. The value of the property is determined by the assessor of the county in which the property is located, and is subject to appeal to the Board of Equalization.

8. The value of the property is determined by the assessor of the county in which the property is located, and is subject to appeal to the Board of Equalization.

9. The value of the property is determined by the assessor of the county in which the property is located, and is subject to appeal to the Board of Equalization.

10. The value of the property is determined by the assessor of the county in which the property is located, and is subject to appeal to the Board of Equalization.

DIRECTIONS.—1. Carry out calculations to two decimals only.
 2. In balancing Latitudes and Departures do not obliterate or change the original figures. Do not change the footing of the original figures. Put the corrected figure or figures above in red ink. The corrections for balancing fallings should be proportional to the lengths of the lines.
 3. In calculations of fallings take result to nearest link. In calculations of N. and S. areas drop all after second decimal. Surveyors are required to use the Standard Field Tables issued by the G. L. O.
 4. Only three copies of this tabulation are necessary, for the District Office, the Surveyor General, and the Commissioner.

TABLING AND CALCULATIONS OF HOMESTEAD ENTRY SURVEY NO. 273, STATE OF Arizona

8-2349

CORNERS.	BEARING.	DISTANCE.	LATITUDES.		DEPARTURES.		DOUBLE M. D.	N. AREAS.	S. AREAS.
			NORTH.	SOUTH.	EAST.	WEST.			
	S. 74° 44' E.	20.06		5.27	Tract B 19.35	19.43		102.40	
	N. 89° 00' E.	12.79	.22		12.79	51.57	11.35		
	N. 53° 21' E.	11.27	6.72		9.04	73.40	493.25		
	South	16.93		16.93		82.44		1395.71	
	S. 89° 56' E.	19.87	.02	.02	19.87	102.31		2.05	
	S. 0° 04' W.	19.90	19.90			122.16		2430.98	
	N. 89° 56' W.	39.95	.04			82.20	3.29		
	N. 0° 04' E.	19.99	19.99		.02	42.28	845.18		
	N. 89° 56' W.	21.15	.02			21.15	.42		
	N. 0° 12' E.	15.13	15.13		.04	.04	.61		
		197.04	42.12	42.12	61.11	1354.10	1354.10	3931.14	
			<i>42.12</i>	<i>42.12</i>	<i>61.11</i>			<u>1354.10</u>	
	Closing error	1.19704		<i>42.12</i>	<i>61.11</i>			<u>20/2577.04</u>	128.85 acres

55
E.M.S.

08.831

01.4381
40.7783/08

01.1398

01.4381

40.

31.13

40.

31.13

31.13

40.701

31.13

31.13

30.

30.

30.

31.13

31.13

31.13

30.

30.

30.

31.13

31.13

31.13

30.

30.

30.

31.13

31.13

31.13

30.

30.

30.

31.13

31.13

31.13

30.

30.

30.

31.13

31.13

31.13

30.

30.

30.

31.13

31.13

31.13

30.

30.

30.

31.13

31.13

31.13

30.

30.

30.

31.13

31.13

31.13

30.

30.

30.

31.13

31.13

31.13

30.

30.

30.

31.13

31.13

31.13

30.

30.

30.

31.13

31.13

31.13

30.

30.

30.

31.13

31.13

31.13

30.

30.

30.

31.13

31.13

31.13

30.

30.

30.

31.13

31.13

31.13

30.

30.

30.

31.13

31.13

31.13

30.

30.

30.

31.13

31.13

31.13

30.

30.

30.

31.13

31.13

31.13

30.

30.

30.

31.13

31.13

31.13

30.

30.

30.

31.13

31.13

31.13

30.

30.

30.

31.13

31.13

31.13

30.

30.

30.

31.13

31.13

31.13

30.

30.

30.

31.13

31.13

31.13

30.

30.

30.

31.13

31.13

31.13

30.

30.

30.

31.13

31.13

31.13

30.

30.

30.

31.13

31.13

31.13

30.

30.

30.

31.13

31.13

31.13

30.

30.

30.

31.13

COPIES TO STATE, STS. ON YAVUUS YUVEY GAETREMEMON PO SIOTALLIUDIAO CIA SMITBAT

COPIES TO STATE, STS. ON YAVUUS YUVEY GAETREMEMON PO SIOTALLIUDIAO CIA SMITBAT

COPIES TO STATE, STS. ON YAVUUS YUVEY GAETREMEMON PO SIOTALLIUDIAO CIA SMITBAT

APPROVAL


Office of the United States Surveyor General,

Phoenix, Arizona, June 14 , 1917.

The foregoing field notes of Homestead Entry Survey No.

273

executed by C. A. Long, Surveyor Forest Service [Forest Service Title.]
under his special instructions, dated October 1 , 1914, having
been critically examined, and the necessary corrections and explanations
made, the said field notes, and the surveys they describe, are hereby
approved.


U. S. Surveyor General.

I certify that the foregoing transcript of the field notes of the
above-described survey in the State of Arizona , has been
correctly copied from the original notes on file in this office.

Frank P. Trott,
U. S. Surveyor General.