

U. S. DEPARTMENT OF AGRICULTURE
FOREST SERVICE

JUL 3-1916

FIELD NOTES

OF

HOMESTEAD ENTRY SURVEY NO. 282

SITUATED IN THE CHIRICAHUA NATIONAL FOREST

ADMINISTRATIVE DISTRICT NO. 3

In Section 10 , unsurveyed, Township 16 S., Range 30 E.

In Section 11 , unsurveyed, Township 16 S., Range 30 E.

In Section 14 , unsurveyed, Township 16 S., Range 30 E.

of the

Gila and Salt River Base and Meridian.

State of

ARIZONA

Applicant for listing Albert F. Noland,

Residence Paradise, Arizona.

Application No. 49 ✓ , dated February 26 , 1909 ✓

List No. 3-2241 ✓ , dated January 21 , 1913

Applicant for survey Albert F. Noland,

Residence Paradise, Arizona.

H. E. No. 022535 ✓ , dated May 26 , 1913 ✓

Land District Phoenix, Arizona

Survey executed by C. A. Long, Surveyor - Forest Service
[Forest Service Title.]

Under special instructions dated October 1 , 1914 ✓

Survey commenced May 11 , 1915

Survey completed May 14 , 1915

Under Acts of June 11, 1906 and June 30, 1914. ✓

OATH OF ASSISTANTS

We hereby certify that we assisted **C. A. Long,**
Surveyor - Forest Service in surveying all those
[Forest Service Title.]

parts or portions of Homestead Entry Survey No. **282**, in the State
of **Arizona**, which are represented in the following field notes
as having been surveyed by him and under his direction; and that said
survey has been in all respects, to the best of our knowledge and
belief, well and faithfully surveyed, and the corner monuments estab-
lished, according to the instructions furnished by the United States
Surveyor General for **Arizona**.

Note: It would have been
very expensive and incon-
venient to appear before an
officer to administer oaths
to Assistants; hence, they
were taken by the Surveyor.

C. A. Long

Pres. Chairman

Chester A. Lee

Head Chairman

Subscribed and sworn to before me this **14th** day of
May, 1915 .

C. A. Long

Surveyor - Forest Service

OATH OF SURVEYOR

I, **C. A. Long,** **Surveyor - Forest Service**
[Forest Service Title.]

do solemnly swear that, in strict conformity with the special instruc-
tions of the United States Surveyor General for **Arizona**, dated
October 1, 1914, and the laws of the United States, I have
well, faithfully, and truly, in my own proper person, surveyed a tract
of land embraced in

List Patent, No. **3-2241**, dated **January 21, 1913**, for
the same to be known as Homestead Entry Survey No. **282**,
situated within the **CHIRICAHUA** National Forest, in
unsurveyed Section 10, Township **16 S.**, Range **30 E.**, and
unsurveyed Section 11, Township **16 S.**, Range **30 E.**, and,
unsurveyed Section 14, Township **16 S.**, Range **30 E.**

of the **G. and S. R. B. and** meridian, **Arizona**, and the
related retracements and resurveys and section subdivisions, which are
represented in the following field notes as having been surveyed by me;
and I further solemnly swear that all the corners of said survey have been
established and perpetuated in strict accordance with the stated special
instructions, and in the specific manner described in the field notes,
and that the following are the original field notes of such survey.

C. A. Long

Surveyor - Forest Service
[Forest Service Title.]

Subscribed and sworn to before me this **31st** day of
March, 1916.

Elsie C. Myers

Notary Public



CHIRICAHUA NATIONAL FOREST

STATE OF ARIZONA

Chains Applicant for listing, Albert F. Noland; Application No. 49, dated February 26, 1909; List No. 3-2241, dated January 21, 1913; H. E. 022535, made in the Phoenix Land Office on May 26, 1913 by Albert F. Noland. Surveyed under special instructions from the Surveyor General for Arizona, dated October 1, 1914, and designated as Homestead Entry Survey No. 282. Situated in what will probably be, when surveyed, secs. 10, 11 and 14, T. 16 S., R. 30 E., Gila and Salt River Base and Meridian, Chiricahua National Forest, Arizona. Surveyed under the Acts of June 11, 1906 and June 30, 1914.

Survey commenced May 11, 1915, and executed with a Buff and Buff transit No. 9699, equipped with Smith solar attachment.

I test the adjustments of the transit and make necessary corrections.

The stadia is adjusted to read 1:132. All measurements were made directly on the slope with a 500 link steel tape and the slope angles were determined with a clinometer, the horizontal distances alone appearing in these notes.

May 11, 1915.

At cor. No. 1, at 7h. 26.5m. p.m., l.m.t., I observe Polaris with telescope direct and mark the line of sight on the ground by driving a tack in a stake 5.00 chs. North of my station.

Latitude of cor. No. 1, 32° 02' 44" N.

Longitude of cor. No. 1, 109° 14' 56" W., as derived from the Surveyor General's instructions.

Chains Greenwich m.t. U.C. Pol., May 11, 1915, 10h. 15.7m.a.m.
 - Sidereal correction, 01.2m.
 10h. 14.5m.
 Astron. l.m.t. U.C. Pol., May 10, 1915, 22h. 14.5m.
 Astron. l.m.t. of obsn., May 10, 1915, 31h. 26.5m.
 Hour angle, 9h. 12.0m.
 Bearing of Polaris at obsn., N. 0° 53' 27" W.
 At the same station at 7h. 39.5m. p.m., l.m.t., I again observe Polaris with telescope reversed and mark a point in the line of sight on a stake driven in the ground 5.00 chs. North of my station.
 Greenwich m.t. U.C. Pol., May 11, 1915, 10h. 15.7m.a.m.
 Sidereal correction, 01.2m.
 10h. 14.5m.

Astron. l.m.t. U.C. Pol., May 10, 1915, 22h. 14.5m.
 Astron. l.m.t. of obsn., May 10, 1915, 31h. 39.5m.
 Hour angle, 9h. 25.0m.
 Bearing of Polaris at obsn., N. 0° 49' 50" W.

May 12, 1915:

At 7h. 00m. a.m., I set off the azimuth of Polaris 53' 27" to the East of the point established in the first observation of last night and mark the meridian thus determined by driving a tack in a stake set in the ground 5.00 chs. North of my station. I also set off 49' 50" to the East of the second point established in last night's observation and mark the meridian thus determined on the stake previously set. The two observations define meridians that differ by 10 seconds of arc, and I mark the mean on the ground for use in testing my solar.

CHIRICAHUA NATIONAL FOREST

STATE OF ARIZONA

Chains

At 8h. 00m. a.m., l.m.t., I set off $17^{\circ} 58' 37''$ N. on the decl. arc, and $32^{\circ} 02' 44''$ on the lat arc, and determine a meridian with the solar at cor. No. 1 of this survey, and my line of sight falls 0.25 of an inch West of the meridian determined by Polaris observation.

At the same station at 3h. 30m. p.m., l.m.t., I set off $18^{\circ} 03' 17''$ N. on the decl. arc and $32^{\circ} 02' 44''$ on the lat. arc, and determine a meridian with the solar, and my line of sight falls 0.06 of an inch East of the meridian determined by Polaris observation.

The solar apparatus, by a.m. and p.m. observations, defines positions for meridians about $13''$ West and $3''$ East of the meridians established by Polaris observations. Therefore, I conclude that my solar is in satisfactory adjustment.

May 12, 1915.

Beginning at cor. No. 1.

Set a porphyry stone 6 x 12 x 36 ins., 26 ins. in the ground, over a sandstone 2-1/2 x 4 x 5 ins. marked with a cross, chiseled 1 - H E S 282 on SW. face and a cross on top; and raise a mound of stone 3 ft. base, 2-1/2 ft. high, 3-1/2 ft. dist. within the claim, whence:

A nail in a hackberry, 10 ins. dia., bears S. $19^{\circ} 33'$ W., 40 lks. dist.

A nail in an ash, 12 ins. dia., bears S. $80^{\circ} 20'$ W., 132 lks. dist.

Each blazed and scribed 1 H E S 282. B T.

The cor. to secs. 7, 12, 13 and 18, T. 16 S.,

on line between Rs. 30 and 31 E., of the Gila and Salt River Base and Meridian,

CHIRICAHUA NATIONAL FOREST

STATE OF ARIZONA

Chains which is a granite stone firmly set and showing 8 x 6 x 6 ins. above ground, marked with 4 notches on S. face and 2 notches on N. face, from which, Forest Service Boundary Post No. 38 bears South, 5 lks. dist., bears S. 88° 12' E., 119.25 chs. dist., by direct measurement, Cor. H-2 of the list survey, which is a granite stone showing 28 x 28 x 12 ins. above ground, marked and witnessed as described by the Forest Service, bears N. 0° 13' E., 2.18 chs. dist., which I destroy and all witnesses thereto.

The observed magnetic declination at 4:00 p.m. is 13° 45' E. and corrected for diurnal change, 13° 47' E. Lat. 32° 02' 44" N. Longitude 109° 14' 56" E.

Upon claimant's request, the claim was so surveyed as to leave the excepted roadway outside the claim. Thence S. 0° 13' W. Over level land, through scattering ash, hackberry and undergrowth, 2.00 Keating Creek (dry), 30 lks. wide, course SE. 2.50 Leave scattering timber and undergrowth and ascend 30 ft. to cor. over open rolling land. 4.30 Wire fence, bears SE. and NW. 14.20 Wash, 10 lks. wide, course N. 75° 00' E. 21.50 Wash, 10 lks. wide, course East. 24.00 Enter scattering hackberry and juniper. 25.00 South Fork of Keating Creek, 20 lks. wide, course NE. 31.05 To cor. No. 2.

CHIRICAHUA NATIONAL FOREST

STATE OF ARIZONA

Chains

Point falls on a limestone boulder in place, showing 16 x 36 x 48 ins. above ground. I cut a cross on the apex of the stone to mark exact point for cor. and chisel 2 - H. E. S 282 on side facing the claim; and raise a mound of stone 3 ft. base, 2-1/2 ft. high, 3-1/2 ft. dist. within the claim, whence:

A nail in a hackberry, 8 ins. dia., bears S. 42° 10' E., 75 lks. dist.

A nail in a hackberry, 5 ins. dia., bears N. 63° 15' E., 146 lks. dist.

Each blazed and scribed, 2 H E S 282 B T. Cor. H-1, of the listing survey, which is a granite stone showing 8 x 14 x 26 ins. above ground, marked and witnessed as de-

scribed by the Forest Service, bears N. 0° 13' E., 15 lks. dist. I destroy cor. H-1 and all witnesses thereto.

Thence N. 55° 05' W.

Ascend 20 ft. to cor., over open rolling land.

0.50 South Fork of Keating Creek, 20 lks. wide, course N. 20° 00' E.

7.50 Wash, 8 lks. wide, course NE.

15.00 Wash, 6 lks. wide, course N. 70° 00' E.

16.20 To cor. No. 3.

Point falls on a limestone boulder in place showing 18 x 48 x 54 ins. above ground. I cut a cross at the exact point for cor. and chisel 3 - H E S 282 on side facing the claim; and raise a mound of stone 3 ft. base, 2-1/2 ft. high, 3-1/2 ft. dist. within the claim, whence:

CHIRICAHUA NATIONAL FOREST

STATE OF ARIZONA

Chains

A nail in an old juniper stump, 30 ins. dia.,
blazed and scribed 3 H E S 282 B T, bears
S. 60° 55' W., 134 lks. dist.

No other bearings available. - Pits impracticable.

Cor. H-10 of the listing survey, which is a

granite stone showing 10 x 15 x 25 ins.

above ground, marked and witnessed as de-

scribed by the Forest Service, bears S. 36°

20' E., 2.50 chs. dist. I destroy cor. H-10

and all witnesses thereto.

At 11h. 56m. 15s. a.m., l.m.t. at cor. No. 3, set off
18° 00' 45" N. on the decl. arc, and obtain a reading
of 32° 02-1/2' on the lat. arc.

above ground, marked and witnessed as de-

At 2h. 00m. p.m., l.m.t., I set off 18° 02' 07" N. on
the decl. arc, and 32° 02-1/2" on the lat. arc, and
determine a meridian with the solar at cor. No. 3 of
this survey.

Thence N. 27° 22' W.

Ascend 40 ft. to cor. over open rolling land.

9.25 Wash, 10 lks. wide, course NE.

24.70 Wash, 8 lks. wide, course N. 70° 00' E.

41.23 To cor. No. 4.

Identical with cor. H-9 of the listing survey, which

is a granite stone showing 6 x 8 x 14 ins. above

ground, marked and witnessed as described by the For-

est Service. I destroy it and all witnesses thereto,

and set a porphyry stone 6 x 16 x 20 ins. (no longer

stone available), 14 ins. in the ground, over a granite

stone 1 x 3 x 5 ins. marked with a cross, chiseled

4 - H E S 282 on NE. face and a cross on top; and raise

29

CHIRICAHUA NATIONAL FOREST

STATE OF ARIZONA

Chains

a mound of stone 3 ft. base, 2-1/2 ft. high, 3-1/2 ft. dist. within the claim, whence:

A nail in a live oak, 16 ins. dia.,

bears S. 26° 32' W., 136 lks. dist.

A nail in a juniper, 18 ins. dia.,

bears N. 79° 00' W., 120 lks. dist.

Each blazed and scribed 4 H E S 282 B T.

Thence N. 49° 17' W.

Ascend 28 ft. to cor., through scattering scrub oak and mesquit.

8.75 Wash, 10 lks. wide, course N. 20° 00' E.

10.70 Wire fence, bears N. 10° 00' E. and S. 10° 00' W.

11.08 Wash, 8 lks. wide, course N. 30° 00' E.

18.32 To cor. No. 5.

Identical with cor. H-8 of the listing survey, which is a prominent granite boulder showing 7 x 7 x 8 ft. above ground, marked and witnessed as described by the Forest Service. I destroy the marks referring to the listing survey and witnesses thereto and cut a cross on the apex of the same stone to mark the exact point for cor. and chisel 5 - H E S 282 on side facing the claim; and raise a mound of stone 3 ft. base, 2-1/2 ft. high, 5 ft. dist. within the claim.

No bearing objects within limits. Pits impracticable.

May 12, 1915.

May 13, 1915.

At 7h. 00m. a.m., l.m.t., I set off 18° 13' 40" N. on the decl. arc and 32° 03' on the lat. arc, and determine a meridian with the solar at cor. No. 5 of this

CHIRICAHUA NATIONAL FOREST

STATE OF ARIZONA

Chains

survey.

Thence N. 28° 22' E.

Descend 5 ft. to cor. over open land.

4.01 To cor. No. 6.

Point falls on a porphyry boulder in place showing
3-1/2 x 5 x 10 ft. above ground. Cut a cross at

the apex of this stone for corner point and chisel

6 - H E S 282 on side facing the claim; and raise a

mound of stone 3 ft. base, 2-1/2 ft. high, 5 ft. dist.

within the claim, whence:

A nail in a live oak, 16 ins. dia.

bears S. 79° 41' W., 42 lks. dist.

A nail in a live oak, 12 ins. dia.

bears N. 1° 40' W., 106 lks. dist.

Each blazed and scribed 6 H E S 282 B T.

Cor. H-7 of the listing survey, which is a

granite boulder in place, showing 5 ft.

high and 15 ft. in dia., marked and wit-

nessed as described, by the Forest Service,

bears S. 20° 00' E., 25 lks. dist.

destroy the marks on this stone and all

witnesses thereto.

Thence S. 55° 32' E.

Descend 34 ft. to cor. along S. bank of Keating

Creek, through dense scrub oak.

9.50 Wash, 8 lks. wide, course NE.

10.00 Wire fence, bears N. 20° 00' E. and S. 20° 00' W.

12.71 To cor. No. 7.

Set a porphyry stone 7 x 15 x 25 ins., 15 ins. in

the ground, over a limestone 2 x 2-1/2 x 3 ins. marked

with a cross, chiseled 7 - H E S 282 on SW. face and

CHIRICAHUA NATIONAL FOREST

STATE OF ARIZONA

Chains

a cross on top; and, raise a mound of stone 3 ft. base,
2-1/2 ft. high, 3-1/2 ft. dist. within the claim,
whence:

A nail in a hackberry, 7 ins. dia.,
bears N. 80° 19' E., 25 lks. dist.

A nail in a sycamore, 6 ins. dia.,
bears N. 4° 26' W., 39-1/2 lks. dist.

Each blazed and scribed 7 H E S 282 B T.
Cor. H-6 of the listing survey, which is a
granite stone showing 24 x 8 x 8 ins. above
ground, marked and witnessed as described
by the Forest Service, bears N. 77° 30' W.,
1.00 ch. dist. I destroy cor. H-6 and its

witnesses.
Cor. H-5 of the listing survey, which is a
granite stone showing 6 x 14 x 18 ins. above
ground, marked and witnessed as described
by the Forest Service, bears S. 77° 30' E.,
75 lks. dist. I destroy cor. H-5 and its
witnesses.

Thence S. 43° 03' E.

Descend 7 ft. to cor. along South bank of Keating
Creek, through edge of dense scrub oak.

11.00

To cor. No. 8.

Point falls on a porphyry boulder in place, showing
1-1/2 x 3 x 4 ft. above ground. I cut a cross at
the apex of this stone for exact cor. point and chisel
8 - H E S 282 on side facing the claim; and raise a
mound of stone 3 ft. base, 2-1/2 ft. high, 3-1/2 ft.
dist. within the claim, whence:

CHIRICAHUA NATIONAL FOREST

STATE OF ARIZONA

Chains A nail in a live oak, 18 ins. dia.,
 bears N. 22° 37' W., 66 lks. dist.,
 blazed and scribed 8 H E S 282 B T.
 No other bearing objects within limits.
 Pits impracticable.
 Cor. H-4 of the listing survey, which is a
 granite stone showing 18 x 12 x 6 ins. above
 ground, marked and witnessed as described
 by the Forest Service, bears S. 43° 00' E.,
 67 lks. dist. I destroy cor. H-4 and all
 witnesses thereto.

Thence S. 54° 35' E. I
 Descend 60 ft. to cor. along South bank of Creek,
 through dense scrub oak.

15.59 To cor. No. 9.
 Point falls on a porphyry boulder in place, showing
 30 x 36 x 54 ins. above ground. I cut a cross at
 the apex of this stone for exact cor. point and chisel
 9 - H E S 282 on side facing the claim; and raise a
 mound of stone 3 ft. base, 2-1/2 ft. high, 3-1/2 ft.
 dist. within the claim, whence:

A nail in a hackberry, 5 ins. dia.,
 bears S. 43° 08' W., 39 lks. dist.

A nail in a hackberry, 10 ins. dia.,
 bears S. 78° 05' E., 79 lks. dist.

Each blazed and scribed 9 H E S 282 B T.

Cor. H-3 of the listing survey, which is a
 granite stone showing 8 x 8 x 20 ins. above
 ground, marked and witnessed as described
 by the Forest Service, bears S. 61° 00' W.,

CHIRICAHUA NATIONAL FOREST

STATE OF ARIZONA

Chains

75 lks. dist., which I destroy and all witnesses thereto.

Thence S. 66° 02' E.

Descend 40 ft. to cor., through dense scrub oak.

1.70 Wire fence, bears N. 85° 00' E. and S. 85° 00' W.

3.50 Dim road, bears S. 85° 00' W. and N. 85° 00' E.

4.28 Wire fence, bears S. 85° 00' W. and N. 85° 00' E.

Cor. of fence bears N. 85° 00' E., 2.00 chs. dist.

7.20 Wire fence, bears N. 20° 00' W. and S. 20° 00' E.

11.00 Keating Creek (dry), 30 lks. wide, course S. 35° 00' E.

14.90 To cor. No. 1, the place of beginning.

AREA

Total Area - - - - - 78.30 acres

IMPROVEMENTS

The improvements made upon this claim and belonging to the claimant herein, consist of the following:

A frame residence, 15 x 45 ft., course of long sides

N. and S., the NE. cor. of which bears S. 68° 25' W.,

3.94 chs. from cor. No. 9.

Value ----- \$500.00

A stone store house, 10 x 12 ft., course of long sides

N. and S., the NE. cor. of which bears S. 41° 15' W.,

57 lks. dist. from cor. No. 9.

Value ----- \$ 25.00

A windmill over a dug well, 65 ft. deep, the center

of which bears S. 42° 10' W., 2.80 chs. from cor.

No. 9.

Value ----- \$350.00

CHIRICAHUA NATIONAL FOREST

STATE OF ARIZONA

Chains

An earth tank, 100 x 150 ft., course of long sides N. and S., the NE. cor. of which bears S. 7° 30' E., 1.42 chs. from cor. No. 9.

Value ----- \$300.00

About 1 mile of barbed wire fencing.

Value ----- \$125.00

Total value of improvements ----- \$1300.00

GENERAL DESCRIPTION

This claim is located along Keating Creek, which is a dry water course most of the year. The mountains rise abruptly to the North and South and the drainage is to the SE.

The soil is a gravelly adobe, very permeable and difficult to irrigate.

A small amount of scrub oak, hackberry and sycamore is found along the North boundary of the claim, and the remainder of the claim is open and rolling land. I saw no evidence of any mineral deposits on the claim. None of the land is under cultivation.

A dug well near claimant's house supplies sufficient water for all domestic use and for watering about 100 head of stock.

Rodeo, Arizona, on the El Paso and Southwestern Railway, is about 35 miles in a southerly direction and is reached by a fair wagon road.

Paradise, the nearest post office, is about 10 miles distant in a southerly direction and is reached by trail.

CHIRICAHUA NATIONAL FOREST

STATE OF ARIZONA

Chains

CONFLICTS AND ADJOINING CLAIMS

There are no conflicts or adjoining claims.

TRAVERSE

Cor.	Course	Dist.	N	S	E	W
1-2	S. 0° 13' W.	31.05		31.05 ✓		0.12 ✓
2-3	N. 55° 03' W.	16.20	9.28 ✓			13.28 ✓
3-4	N. 27° 22' W.	41.23	36.62 ✓			18.96 ✓
4-5	N. 49° 17' W.	18.32	11.95 ✓			13.88 ✓
5-6	N. 28° 22' E.	4.01	3.53 ✓		1.91 ✓	
6-7	S. 55° 32' E.	12.71		7.19 ✓	10.48 ✓	
7-8	S. 43° 03' E.	11.00		8.04 ✓	7.51 ✓	
8-9	S. 54° 35' E.	15.59		9.04 ✓	12.71	
9-1	S. 66° 02' E.	14.90		6.05 ✓	13.62 ✓	
		<u>165.01</u>	<u>61.38</u>	<u>61.37</u>	<u>46.23</u>	<u>46.24</u>
			<u>61.37</u>			<u>46.23</u>

Error in Lat. and Dep. .01 .01

Closing error 1:11669. ✓

Survey completed May 14, 1915.

C. A. Long

Surveyor - Forest Service

Chains

There are no conflicts or adjoining claims.

TRAVELER

Cor.	Course	Dist.	N	S	E	W
1-2	S. 0° 13' W.	31.05		31.05		0.13
2-3	N. 55° 03' W.	16.30	9.38			13.28
3-4	N. 27° 23' W.	41.33	36.63			18.96
4-5	N. 43° 14' W.	18.33	11.95			13.88
5-6	N. 23° 23' E.	4.01	3.63		1.91	
6-7	S. 68° 33' E.	12.71		7.19	10.48	
7-8	S. 43° 03' E.	11.00		8.04	7.31	
8-9	S. 64° 36' E.	15.53		9.04	12.71	
9-1	S. 66° 02' E.	14.90		8.05	13.63	
		168.01	61.38	61.37	46.23	46.24
			61.37			46.23

Survey completed May 14, 1918.
 Closing error 1:11662.
 Error in lat. and Dep. .01

Surveyor - Forest Service

DIRECTIONS.—1. Carry out calculation to two decimals only.
2. In balancing Latitudes and Departures do not obliterate or change the original figures. Put the corrected figure or figures above in red ink. Do not change the footing of the original figures, but put below them the corrected footing in red ink.
3. In calculations for balancing fallings should be proportional to the lengths of the lines. In calculations of N. and S. areas drop all after second decimal. Surveyors are required to use the Standard Field Tables issued by the G. L. O.
4. Only three copies of this tabulation are necessary, for the District Office, the Surveyor General, and the Commissioner.

8-2349 **TABLING AND CALCULATIONS OF HOMESTEAD ENTRY SURVEY NO. 282, STATE OF Arizona, Chiricahua.**

CORNERS.	BEARING.	DISTANCE.	LATITUDES.		DEPARTURES.		DOUBLE M. D.		N. AREAS.		S. AREAS.	
			NORTH.	SOUTH.	EAST.	WEST.						
1-2	S. 0° 13' W.	31.05		31 05		0 12	92 34			2867 16 ✓		
2-3	N. 55° 03' W.	16.20	9 28			13 28	78 94	732 56 ✓				
3-4	N. 27° 22' W.	41.23	36 62			18 96	46 71	1710 05 ✓				
4-5	N. 49° 17' W.	18.32	11 95			13 88	13 88	165 87 ✓				
5-6	N. 28° 22' E.	4.01	3 53				1 91	6 74 ✓				
6-7	S. 55° 32' E.	12.71		7 19			14 30			102 82 ✓		
7-8	S. 43° 03' E.	11.00		8 04			32 29			259 61 ✓		
8-9	S. 54° 35' E.	15.59		9 04			52 51			474 69 ✓		
9-1	S. 66° 02' E.	14.90		6 05			78 84			476 98 ✓		
		165.01	61 38	61 37	46 23	46 24		2615 22		4181 26		
			61 37	61 37	46 23	46 23				2615 22		
										1566 04		
										78 30 acres.		
	Closing error, 1:11669											

APPROVAL


Office of the United States Surveyor General,

Phoenix, Arizona, June 4, 1917.

The foregoing field notes of Homestead Entry Survey No.

282

executed by **C. A. Long, Surveyor - Forest Service** [Forest Service Title.]
under his special instructions, dated **October 1**, 1914 having
been critically examined, and the necessary corrections and explanations
made, the said field notes, and the surveys they describe, are hereby
approved.



U. S. Surveyor General.

I certify that the foregoing transcript of the field notes of the
above-described survey in the State of **Arizona**, has been
correctly copied from the original notes on file in this office.

Frank P. Trott,
U. S. Surveyor General.