

ORIGINAL
U. S. DEPARTMENT OF AGRICULTURE
FOREST SERVICE

page 1 survey 133
1915-1916

IAN 10. 1920

FIELD NOTES

OF

HOMESTEAD ENTRY SURVEY NO. 350 ✓

SITUATED IN THE **PRESCOTT** NATIONAL FOREST

ADMINISTRATIVE DISTRICT NO. 3 ✓

In Section 25 , un surveyed, Township 17 N. , Range 5 W. ✓

In Section 30 , un surveyed, Township 17 N., Range 4 W.

of the

Gila and Salt River Base and Meridian.


State of

ARIZONA

Applicant for listing **S. S. Reed,** ✓
Residence **Simmons, Arizona.**
Application No. **93** ✓ , dated **January 6** , 19**11** ✓
List No. **3-1364** ✓ , dated **June 26** , 19**11** ✓

Applicant for survey **C. E. Stewart,** ✓
Residence **Simmons, Arizona.**
H. E. No. **024461** ✓ , dated **February 25** , 19**14** ✓
Land District **Phoenix, Arizona** ✓

Survey executed by **Charles D. Hodson,** Surveyor - Draftsman
[Forest Service Title.]
Under special instructions dated **April 20** , 19**15** ✓
Survey commenced **July 11** , 19**15**
Survey completed **July 16** , 19**15**
Under Acts of **June 11, 1906 and March 4, 1915.** ✓



134

OATH OF ASSISTANTS

We hereby certify that we assisted **Charles D. Hodson,**
Surveyor - Draftsman in surveying all those
[Forest Service Title.]

parts or portions of Homestead Entry Survey No. **350**, in the State
of **Arizona**, which are represented in the following field notes,
as having been surveyed by him and under his direction; and that said
survey has been in all respects, to the best of our knowledge and
belief, well and faithfully surveyed, and the corner monuments estab-
lished, according to the instructions furnished by the United States
Surveyor General for **Arizona**.

Note: It would have been very
expensive and inconvenient to
appear before an officer to ad-
minister oaths to Assistants;
hence, they were taken by the
Surveyor.

C. G. Baecht, Chairman

D. E. Meiste, Chairman

Subscribed and sworn to before me this **16th** day of

July, 1915 .

Charles D. Hodson

Surveyor - Draftsman

OATH OF SURVEYOR

I, **Charles D. Hodson,** **Surveyor - Draftsman**
[Forest Service Title.]

do solemnly swear that, in strict conformity with the special instruc-
tions of the United States Surveyor General for **Arizona**, dated
April 20, 1915, and the laws of the United States, I have
well, faithfully, and truly, in my own proper person, surveyed a tract
of land embraced in

List **Patent**, No. **3-1364** ✓, dated **June 26**, 1911 ✓, for
June 11, 1906 ✓,
the same to be known as Homestead Entry Survey No. **350**,
situated within the **Prescott** National Forest, in
un surveyed Section **25**, Township **17 N.**, Range **5 W.**, and
un surveyed Section **30**, Township **17 N.**, Range **4 W.**,

of the **G. and S. R. B.** and **meridian**, **Arizona**, and the
related retracements and resurveys and section subdivisions, which are
represented in the following field notes as having been surveyed by me;
and I further solemnly swear that all the corners of said survey have been
established and perpetuated in strict accordance with the stated special
instructions, and in the specific manner described in the field notes,
and that the following are the original field notes of such survey.

Charles D. Hodson

Surveyor - Draftsman

[Forest Service Title.]

Subscribed and sworn to before me this **eight** day of

October, 1915.

Else C. Myers

Notary Public



PRESCOTT NATIONAL FOREST

STATE OF ARIZONA

Chains Applicant for listing, S. S. Reed; Application No. 93, dated January 6, 1911; List No. 13-1364, dated June 26, 1911; H. E. 024461, made in the Phoenix Land Office on February 25, 1914 by C. E. Stewart. Surveyed under special instructions from the Surveyor General for Arizona, dated April 20, 1915, and designated as Homestead Entry Survey No. 350. Situated in Sec. 25, T. 17 N., R. 5 W., unsurveyed, and in Sec. 30, T. 17 N., R. 4 W., surveyed and accepted, Gila and Salt River Base and Meridian, Prescott National Forest, Arizona. Surveyed under the Acts of June 11, 1906 and March 4, 1915.

Survey commenced July 11, 1915 and executed with a Buff and Buff transit No. 10019, equipped with Smith solar attachment. I test the adjustments of the transit and make necessary corrections. All distances are horizontal and were reduced from measurements made directly on the slope with a 500 link steel tape. The slope angles were determined with a clinometer.

July 11, 1915. At 8h. 17m. 03s. p.m., l.m.t., I observe Polaris at my camp near cor. No. 1 of this survey. The reading on the reference object, a nail in a post 8.00 chs. N. of my station, is set at zero. My watch is set for local mean time. Lat. 34° 50' 37" N., Long. 112° 43' 40" W., from Special Instructions from the Surveyor General and later verified.

Position	l.m.t.	Horizontal Angle
Telescope		Left
Direct	8h. 16m. 37s.	0° 56' 30"
Reversed	8h. 17m. 30s.	0° 55' 00"
Mean	8h. 17m. 03s.	0° 55' 45"

Chains. Greenwich m.t. U.C. Pol., July 12, 1915, 6h. 13m. a.m.

Correction for Long., 1.2m

1.m.t. U. C. Pol., July 12, 1915, 6h. 11.8m. a.m.

12h. - 8h. 17m. 03s. 3h. 42.95m.

Time argument and Hour Angle, 9h. 54.75m.

Azimuth of Pol. at obsn., $0^{\circ} 42' 38''$ E.

$0^{\circ} 55' 45''$

Azimuth of Reference object, N. $1^{\circ} 38' 23''$ E.

Again observe Polaris at same station.

Position of Telescope	Time	Horizontal Angle
Direct	8h. 20m. 49s.	$0^{\circ} 55' 00''$
Reversed	8h. 21m. 33s.	$0^{\circ} 54' 00''$
Mean	8h. 21m. 11s.	$0^{\circ} 54' 30''$

Greenwich m.t. U.C. Pol., July 12, 1915, 6h. 13m. a.m.

Correction for Long. 1.2m.

1.m.t. U. C. Pol., July 12, 1915, 6h. 11.8m. a.m.

12h. - 8h. 21.2m. 3h. 38.8m.

Time Argument and Hour Angle, 9h. 50.6m.

Azimuth of Pol. at obsn., $0^{\circ} 44' 02''$ E.

$0^{\circ} 54' 30''$

Azimuth of Reference object, N. $1^{\circ} 38' 32''$ E.

July 11, 1915.

July 12, 1915.

At 9h. 30m. a.m., I lay off $1^{\circ} 38' 30''$ to the W. of the reference object used in last night's obsn. and established a meridian by driving a nail in a stake set firmly in the ground 10.00 chs. N. of my station, and from the meridian thus determined all courses of this survey are deflected.

At 8h. 0m. a.m., 1.m.t., with my instrument over the station from which the Polaris obsn. of last night was

PRESCOTT NATIONAL FOREST

STATE OF ARIZONA

Chains
 made, I lay off 34° 50' 30" N. on the lat. arc, 22° 05' N. on the decl. arc and determine a meridian with the solar. My line of sight falls 0° 00' 30" E. of the meridian established by me by obsn. on Pol.

At 12h. 00m., noon apparent time, set off 22° 03' 30" N. on the decl. arc and observe the sun on the meridian. The resultant latitude is 34° 50' 30" N.

At 3h. 00m. p.m., l.m.t., with my instrument on the station from which the Pol. obsn. of last night was made, I lay off 34° 50' 30" N. on the lat. arc, 22° 02' 30" N. on the decl. arc, and determine a meridian with the solar. My line of sight falls 0° 00' 30" W. of the meridian established by obsn. on Pol.

I therefore conclude that my instrument is in satisfactory adjustment.

July 12, 1915.

July 13, 1915. RETRACEMENT

At 8h. 00m. a.m., l.m.t., I set off 34° 49' N. on the lat. arc, 21° 57' N. on the decl. arc, and determine a meridian with the solar at the S. C. to secs. 31 and 36, T. 17 N., Rs. 4 and 5 W., a granite stone 10 x 7 x 10 ins. above ground, marked and witnessed as described by the Surveyor General.

Thence North. On a random line bet. secs. 31 and 36.

Through thick timber.

40.00 After careful and diligent search I am unable to find any evidence of the 1/4 sec. cor. bet. secs. 31 and 36.

80.00 After careful and diligent search I am unable to find

138

Chains any evidence of the cor. to secs. 25, 30, 31 and 36.

Set temporary point.

Thence North.

On a random line bet. secs. 25 and 30.

Continue through thick timber.

40.00 After careful and diligent search, I am unable to find any evidence of the 1/4 sec. cor. bet. secs. 25 and 30.

55.00 Leave timber.

75.00 Enter timber.

80.00 After careful and diligent search I am unable to find any evidence of the cor. to secs. 19, 24, 25 and 30.

Set temporary point.

Thence North.

On a random line bet. secs. 19 and 24.

Through thick timber.

40.00 After careful and diligent search, I am unable to find any evidence of the 1/4 sec. cor. bet. secs. 19 and 24.

80.00 After careful and diligent search, I am unable to find any trace of the cor. to secs. 13, 18, 19 and 24.

Thence North.

On a random line bet. secs. 13 and 18.

40.00 After careful and diligent search I am unable to find any evidence of the 1/4 sec. cor. bet. secs. 13 and 18.

80.00 After careful and diligent search I am unable to find any evidence of the cor. to secs. 7, 12, 13 and 18.

Clouds at noon. Obsn. for lat. impracticable.

July 13, 1915.

After careful and diligent search I am unable to find

PRESCOTT NATIONAL FOREST

STATE OF ARIZONA

Chains	July 14, 1915.
	At 7h. 30m. a.m., l.m.t., I set off 34° 51' N. on the lat. arc, 21° 48' 30" N. on the decl. arc, and determine a meridian with the solar at the temp. point set by me for cor. to secs. 19, 24, 25 and 30.
	Thence N. 89° 51' E.
	On a random line bet. secs. 19 and 30. Through thick timber.
40.00	After careful and diligent search I am unable to find any evidence of the 1/4 sec. cor. bet. secs. 19 and 30.
80.00	After careful and diligent search I am unable to find any trace of the cor. to secs. 19, 20, 29 and 30.
	Thence East.
	On a random line bet. secs. 20 and 29.
40.00	After careful and diligent search I am unable to find any evidence of the 1/4 sec. cor. bet. secs. 20 and 29.
80.00	After careful and diligent search I am unable to find any evidence of the cor. to secs. 20, 21, 28 and 29.
	At 12h. 00m., noon apparent time, I set off 21° 46' 30" N. on the decl. arc and observe the sun on the meridian. The resultant lat. is 34° 50' 30" N.
	Return to the temporary point set for the cor. to secs. 25, 30, 31 and 36.
	Thence S. 89° 57' E.
	On a random line bet. secs. 30 and 31. Through thick timber.
39.94	After careful and diligent search I am unable to find any evidence of the 1/4 sec. cor. bet. secs. 30 and 31.
79.94	After careful and diligent search I am unable to find any evidence of the cor. to secs. 29, 30, 31 and 32.

Chains

Set temporary point.

Thence North.

On a random line bet. secs. 29 and 30.

Through thick timber.

40.00 After careful and diligent search I am unable to find any trace of the 1/4 sec. cor. bet. secs. 29 and 30.

Return to the temporary point for cor. to secs. 29, 30, 31 and 32.

Thence South

On a random line bet. secs. 31 and 32.

40.00 After careful and diligent search I am unable to find any evidence of the 1/4 sec. cor. bet. secs. 31 and 32.

July 14, 1915.

July 15, 1915.

At 7h. 00m. a.m., l.m.t., I set off 34° 50' N. on the lat. arc, 21° 40' N. on the decl. arc and determine a meridian with the solar at the temp. point for cor. to secs. 29, 30, 31 and 32.

Thence East.

On a random line bet. secs. 29 and 32.

Through thick timber.

40.00 After careful and diligent search I am unable to find any evidence of the 1/4 sec. cor. bet. secs. 29 and 32.

80.00 After careful and diligent search I am unable to find any evidence of the cor. to secs. 28, 29, 32 and 33.

Thence North.

On a random line bet. secs. 28 and 29.

Through thick timber.

HOMESTEAD ENTRY SURVEY NO. 350

PRESCOTT NATIONAL FOREST

STATE OF ARIZONA

Chains.
40.00

After careful and diligent search I am unable to find any evidence of the 1/4 sec. cor. bet. Secs. 28 and 29.

BOUNDARIES OF CLAIM

Beginning at Cor. No. 1.

Set a granite stone 24 x 10 x 6 ins., 14 ins. in the ground, over a small stone marked with a cross. I

chisel a cross at the point and 1 - H E S 350 on the NW. face; and raise a mound of stone 2 ft. base, 1-1/2 ft. high, NW. of cor., whence:

A pinon 6 ins. dia., blazed and scribed

1 H E S 350 + B T, bears S. 15° 58' W.,

45 lks. dist.

A juniper, 6 ins. dia., blazed and scribed

1 H E S 350 + B T, bears S. 18° 01' E.,

149 lks. dist.

Cor. H-2 of the list survey, a granite stone

10 x 8 x 6 ins. above ground, marked and

witnessed as described by the Forest Service

bears S. 83° 20' E., 215 lks. dist. I de-

stroy all trace of this list cor.

The closing corner to secs. 1 and 6, T. 16 N.,

Rs. 4 and 5 W., a granite stone 10 x 7 x 6

ins. above ground, marked and witnessed as

described by the Surveyor General, bears

S. 18° 40' 21" W., 130.15 chs. dist., by

traverse which appears at the end of these

notes.

Search was made for the Standard 1/4 sec. cor. to sec.

31. Witness trees were found, but as I did not have

the description of this cor. its restoration could

not be made.

Latitude 34° 50' 37" N., Long. 112° 43' 40" W., taken

Chains from the Surveyor General's special instructions, and later verified.

Mag. decl. at 12h. 00m., 14° 53' E., mean mag. decl.,

14° 56' E.

At 12h. 00m., noon apparent time, I set off 21° 37' N.

on the decl. arc and observe the sun on the meridian.

The resultant lat. is 34° 54' 30" N.

At 2h. 00m. p.m., l.m.t., I set off 34° 50' 30" N. on

the lat. arc, 21° 37' N. on the decl. arc, and deter-

mine a meridian with the solar at cor. No. 1.

Thence N. 83° 20' W.

Over rolling N. slope.

13.00 Wash, 10 lks. wide, 2 ft. deep, course N.

33.80 Desc. 20 ft. over NW. slope.

36.00 Ravine, 30 lks. wide, 1 ft. deep, course N.

Asc. 20 ft. over E. slope.

40.00 Top of ridge, bears N. and S., desc. 20 ft. over NW. slope.

43.10 Enter level land.

46.25 Wash, 30 lks. wide, 2 ft. deep, course NE.

50.00 Asc. 30 ft. along N. slope.

80.52 To cor. No. 2.

Identical with Cor. H-1 of the list survey, a granite

stone 10 x 6 x 6 ins. above ground, marked and wit-

nessed as described by the Forest Service. I destroy

all trace of the list cor. and at this point I set a

juniper post, 42 x 6 x 6 ins., 30 ins. in the ground,

over a small stone marked with a cross, and broken

glass. I drive a nail at the point, scribe 2 - H E S

350 on the NE. face; and raise a mound of stone 2 ft.

base, 1-1/2 ft. high, NE. of cor., whence:

A pinon, 12 ins. dia., blazed and scribed

2 H E S 350 + B T, bears S. 5° 00' E.,

75 lks. dist.

PRESCOTT NATIONAL FOREST

STATE OF ARIZONA

Chains

A juniper, 10 ins. dia., blazed and scribed
2 H E S 350 + B T, bears S. 80° 49' E.,
39 lks. dist.

Thence N. 7° 27' E.

Desc. 20 ft. through juniper on N. slope.

3.45 Fence, bears E. and W., enter level bottom land.

7.85 Fence, bears E. and W., enter cultivated land.

12.25 Fence, bears E. and W., Leave cultivated land.

12.40 Hit wash, 185 lks. wide, banks 4 ft. high, course E.

14.25 Asc. 20 ft. over S. slope.

16.00 Road, bears E. and W. at top of sharp asc. Asc.

5 ft. through juniper on N. slope.

19.89 To Cor. No. 3.

Set a granite stone 24 x 14 x 8 ins., 14 ins. in the
ground, over a small stone marked with a cross. I
chisel a cross at the point and 3 - H E S 350 on the
SE. face; and raise a mound of stone 2 ft. base, 1-1/2
ft. high SE. of cor., whence:

A juniper 6 ins. dia., blazed and scribed

3 H E S 350 + B T, bears N. 15° 00' W.,

65 lks. dist.

A juniper, 24 ins. dia., blazed and scribed

3 H E S 350 + B T, bears N. 48° 00' E.,

36 lks. dist.

Cor. H-4 of the List survey, a granite stone 14

x 10 x 6 ins. above ground, marked and wit-

nessed as described by the Forest Service,

brs. N. 7° 27' E., 20 lks. dist. I destroy all

trace of this list cor.

July 15, 1915.

July 16, 1915.

Thence S. 83° 39' E.

Along gentle S. slope.

Chains	
3.55	Desc. 15 ft. over SE. slope.
5.10	Wash, 5 lks. wide, 1 ft. deep, course S. Asc. 15 ft. over SW. slope.
8.00	Top of asc., thence over rolling S. slope.
59.20	Desc. 30 ft. over SE. slope.
62.30	Foot of desc. Fence bears NE. and SW., enter cultivated land.
69.80	Fence, bears NW. and SE. Leave cultivated land. Asc. 30 ft. over SW. slope.
77.86	To Cor. No. 4.
	Set a granite stone 24 x 14 x 8 ins., 14 ins. in the ground, over a small stone marked with a cross. I chisel a cross at the point and 4 - H E S 350 on the SW. face; and raise a mound of stone 2 ft. base, 1-1/2 ft. high, SW. of cor., whence:
	A pinon 10 ins. dia., blazed and scribed 4 H E S 350 + B T, bears N. 9° 40' W., 98 lks. dist.
	A juniper 12 ins. dia., blazed and scribed 4 H E S 350 + B T, bears N. 51° 20' W., 87 lks. dist.
	Cor. H-3 of the list survey, a granite stone 10 x 6 x 8 ins. above ground, marked and witnessed as described by the Forest Service, bears S. 86° 20' E., 4.13 chs. dist. I destroy all trace of this list cor.
	Thence S. 0° 05' E. Desc. 40 ft. over SW. slope.
2.00	Foot of hill, bears NW. and SE.
3.10	Road, bears NW. and SE.
4.50	Enter Hit Wash, 2 ft. deep, course SE.
9.00	Leave Hit Wash, 2 ft. deep, course SE.

145

PRESCOTT NATIONAL FOREST

STATE OF ARIZONA

- Chains 9.10 Fence, bears NW. and SE., enter cultivated land.
- 11.90 Road, bears E. and W.
- 17.90 Fence, bears E. and W. Leave cultivated land.
Asc. 25 ft. over N. slope.
- 20.49 To cor. No. 1 and place of beginning.

July 16, 1915.

AREA

Total Area - - - - - 159.34 acres

IMPROVEMENTS

The improvements made upon and for the benefit of this claim consist of the following:

A frame garage, 24 x 10 ft., the long side extending N. and S. and the SE. cor. of which bears from cor. No. 1 N. 80° 30' W., 33.20 chs. dist.

Value ----- \$100.00

A frame shed 12 x 10 ft., the long side extending N. and S. and the SE. cor. of which bears from cor. No. 1 N. 80° 40' W., 34.00 chs. dist.

Value ----- \$ 75.00

A frame house, 40 x 26 ft., the long side extending E. and W. and the SE. cor. of which bears from cor. No. 1 N. 80° 35' W., 35.50 chs. dist.

Value ----- \$800.00

A timber cribbed well 4 ft. dia., 30 ft. deep, with 4 H.P. gasoline engine, windmill and pump over the well. at SW. cor. of house,

Value ----- \$300.00

A corrugated iron barn, 50 x 24 ft., the long side extending E. and W. and the SE. cor. of which bears from cor. No. 1, N. 81° 33' W., 37.45 chs. dist.

Value ----- \$300.00

Chains Approximately 3 miles of wire fence.

Value ----- \$300.00

DESCRIPTION

This claim is situated on Hit wash, an intermittent stream which traverses the claim from West to East. Approximately two-thirds of the claim is bottom land

of which about one-fourth is wash bed of sand. The remainder of the bottom land is a sandy loam except near cor. No. 2, where there is about three acres of clay loam in cienega.

Water for stock purposes is obtained from a spring in the cienega above mentioned, from place in Hit wash where it rises and from the well near the house. Water for domestic purposes and to irrigate a small garden near the house is obtained from the well.

Corn and grain hay are the principal crops and on account of the rich soil they are very abundant.

The timber on the claim consists of juniper and pinon. There are about 2000 posts of the former and 300 cords of the latter. On account of the distance to market this timber has no value except to the claimant.

This is not a mineralized section and I saw no indication of mineral on the claim.

CONFLICTS AND ADJOINING CLAIMS

There are no conflicts or adjoining claims.

The homestead claim of Joseph G. Estes lies about 1/2 mile west of this claim.

Simmons, the nearest postoffice, is 7 miles by good road in an easterly direction. Prescott, the nearest railroad point and market, is 30 miles in a southeasterly

PRESCOTT NATIONAL FOREST

STATE OF ARIZONA

Chains

direction and is reached by excelent wagon road.

TRAVERSE

Cor. No. 1 to C. C. to secs. 1 and 6, T. 16 N.,
Rs. 4 and 5 W.

Course	Dist.	N	S	E	W
N. 83° 20' W.	80.52	9.35			79.98 ✓
N. 7° 27' E.	20.09	19.92 ✓		2.60 ✓	
S. 36° 56' E.	4.71		3.76	2.83	
N. 39° 33' E.	3.27	2.52 ✓		2.08 ✓	
South	151.33		151.33		
East	<u>30.80</u>			<u>30.80</u>	
		31.79	155.09	38.31	79.98
			<u>31.79</u>		<u>38.31</u>
			123.30		41.67

Therefore C. C. to secs. 1 and 6 bears from cor. No. 1
S. 18° 40' 21" W., 130.15 chs. dist.

Course	Dist.	N	S	E	W
N. 83° 20' W.	80.52	9.35			79.98 ✓
N. 7° 27' E.	19.89	19.72		2.58	
S. 83° 39' E.	77.86		8.61	77.38 ✓	
S. 0° 05' E.	20.49		20.49	0.03 ✓	
	<u>198.76</u>	29.07	29.10	79.99	79.98
			<u>29.07</u>	<u>79.98</u>	
Error in Lat. and Dep.			.03	.01	

Closing error 1:6285.

Survey completed July 16, 1915.

Charles D. Hodson

Surveyor - Draftsman

148

NATIONAL FOREST

STATE OF ARIZONA

Chains direction and is reached by excellent wagon road. Chains

TRAVELER'S

Cor. No. 1 to C. G. to sec. 1 and 6, T. 16 N., R. 4 and 5 W.

Course	Dist.	N	S	E	W
N. 83° 30' W.	80.88	2.38			79.98
N. 7° 27' E.	20.09		19.98		2.60
S. 26° 56' E.	4.71			2.76	2.83
N. 39° 33' E.	3.27		2.52		2.08
South	151.33			151.33	
East	30.80			30.80	
<hr/>		21.76	155.09	88.31	79.98
<hr/>		31.76		38.31	
<hr/>		153.30			41.67

Therefore C. G. to sec. 1 and 6 bears from cor. No. 1 S. 18° 40' W., 150.15 chs. dist.

Course	Dist.	N	S	E	W
N. 83° 30' W.	80.88	2.38			79.98
N. 7° 27' E.	19.89		19.73		2.58
S. 23° 39' E.	7.88			8.61	7.88
S. 0° 05' E.	20.49		20.49		0.03
<hr/>		128.76	29.07	29.10	79.98
<hr/>		29.07			79.98
<hr/>			0.03		0.01

Error in lat. and dep.

Closing error 1:6288

Survey completed July 16, 1916.

Surveyor - Dr. J. M. ...

DIRECTIONS.—1. Carry out calculations to two decimals only.

2. In balancing Latitudes and Departures do not obliterate or change the original figures.

Put the corrected figure or figures above in red ink. Do not change the footing of the original figures, but put below them the corrected footing in red ink.

The corrections for balancing fallings should be proportional to the lengths of the lines.

3. In calculations of fallings take result to nearest link. In calculations of N. and S. areas drop all after second decimal. Surveyors are required to use the Standard Field Tables issued by the G. L. O.

4. Only three copies of this tabulation are necessary, for the District Office, the Surveyor General, and the Commissioner.

TABLING AND CALCULATIONS OF HOMESTEAD ENTRY SURVEY NO. 350, STATE OF ARIZONA, C. E. Stewart,

CORNERS.	BEARING.	DISTANCE.	LATITUDES.		DEPARTURES.		DOUBLE M. D.	N. AREAS.	S. AREAS.
			NORTH.	SOUTH.	EAST.	WEST.			
1 - 2	N. 83-20 W.	80.52	9 35			79 98	79 99	749 51	
2 - 3	N. 7-27 E.	19.89	19 72		2 58		2 58	50 88	
3 - 4	S. 83-39 E.	77.86		8 61	77 38		82 54	709 84	
4 - 1	S. 0-05 E.	20.49		20 49	03		159 95	3277 38	
		198.76	29 07	29 19	79 99	79 98		800 39	3987 22
			29 09	29 07	79 98	79 99		800 39	800 39
	Error in Lat. and Dep.			03	01			20/3186 83	159 34
	Closing Error, 1:6285.								

149

APPROVAL

Office of the United States Surveyor General,

Phoenix, Arizona, March 12, 1920

The foregoing field notes of Homestead Entry Survey No.

350

executed by *Charles D. Hodson, Surveyor-Draftsman*
[Forest Service Title.]
under his special instructions, dated *April 20*, 1915, having
been critically examined, and the necessary corrections and explanations
made, the said field notes, and the surveys they describe, are hereby
approved.

Frank P. Trott

U. S. Surveyor General.

I certify that the foregoing transcript of the field notes of the
above-described survey in the State of *Arizona*, has been
correctly copied from the original notes on file in this office.

FRANK P. TROTT

U. S. Surveyor General.