

U. S. DEPARTMENT OF AGRICULTURE  
FOREST SERVICE

MAY 7 - 1917

**FIELD NOTES**

OF

HOMESTEAD ENTRY SURVEY NO. 425

SITUATED IN THE **TONTO** NATIONAL FOREST

ADMINISTRATIVE DISTRICT NO. 3

In Section 24 , unsurveyed, Township 10 $\frac{1}{2}$  N., Range 12 E.

In Section 34 , unsurveyed, Townshio 11 N., Range 12 E.

of the

**Gila and Salt River Base & Meridian.**

State of

**ARIZONA**

Applicant for listing **R. B. Baker,**  
 Residence **Payson, Arizona.**  
 Application No. **323** , dated **July 2** , 1912 ✓  
 List No. **3-2044** , dated **September 5** , 1912 ✓

Applicant for survey **Thomas L. Haught,**  
 Residence **Payson, Arizona.**  
 H. E. No. **022456** , dated **May 17** , 1913 ✓  
 Office **Phoenix, Arizona**  
 Land ~~District~~

Survey executed by **R. P. A. Johnson,** Surveyor - Draftsman  
[Forest Service Title.]  
 Under special instructions dated **September 23** , 1915 ✓  
 Survey commenced **May 6** , 1916  
 Survey completed **May 8** , 1916  
 Under Acts of **June 11, 1906 and March 4, 1915.**

OATH OF ASSISTANTS

We hereby certify that we assisted R. P. A. Johnson  
Surveyor Draftsman [Forest Service Title.] in surveying all those parts or portions of Homestead Entry Survey No. 425, in the State of Arizona which are represented in the following field notes as having been surveyed by him and under his direction; and that said survey has been in all respects, to the best of our knowledge and belief, well and faithfully surveyed, and the corner monuments established, according to the instructions furnished by the United States Surveyor General for Arizona

Note: It would have been very expensive and inconvenient to appear before an officer to administer oaths to Assistants; hence, they were taken by the Surveyor.

Nelson F. Newman, Chairman

Chester A. Lee, Chairman

Subscribed and sworn to before me this twenty seventh day of May, 1916.

R. P. A. Johnson  
Surveyor Draftsman

OATH OF SURVEYOR

I, R. P. A. Johnson, Surveyor Draftsman [Forest Service Title.]

do solemnly swear that, in strict conformity with the special instructions of the United States Surveyor General for Arizona, dated September 23, 1915, and the laws of the United States, I have well, faithfully, and truly, in my own proper person, surveyed a tract of land embraced in

List Patent No. 3-2044, dated Sept. 5, 1912, for June 11, 1906, under the Act of June 11, 1906, the same to be known as Homestead Entry Survey No. 425, situated within the Tonto National Forest, in 17 surveyed Section 34, Township 11N, Range 12E, and 17 surveyed Section 24, Township 10 1/2 N, Range 12E,


of the Gila and Salt River Basins meridian, Arizona, and the related retracements and resurveys and section subdivisions, which are represented in the following field notes as having been surveyed by me; and I further solemnly swear that all the corners of said survey have been established and perpetuated in strict accordance with the stated special instructions, and in the specific manner described in the field notes, and that the following are the original field notes of such survey.

DISTRICT OF COLUMBIA  
CITY OF WASHINGTON

R. P. A. Johnson  
Surveyor Draftsman  
[Forest Service Title.]

Subscribed and sworn to before me this twelfth day of January, 1917.

Sylvester L. McLawrin  
NOTARY PUBLIC, D. C.



Commission expires June 20, 1918.

TONTO NATIONAL FOREST

STATE OF ARIZONA

Chains

Applicant for listing, R. B. Baker; Application No. 323, dated July 2, 1912; List No. 3-2044, dated September 5, 1912; H. E. 022456, made in the Phoenix Land Office on May 17, 1913 by Thomas L. Haught.

Surveyed under special instructions from the Surveyor General for Arizona, dated September 23, 1915 and designated as Homestead Entry Survey No. 425.

Situated in what will probably be, when surveyed, secs. 24 and 34, Ts. 10-1/2 and 11 N., R. 12 E., Gila and Salt River Base and Meridian, Tonto National Forest, Arizona.

Surveyed under the Acts of June 11, 1906 and March 4, 1915.

---

Survey commenced May 6, 1916 and executed with a Buff and Buff transit equipped with Smith solar attachment. I test the adjustments of the transit and make necessary corrections.

All distances are horizontal and were reduced from measurements made directly on the slope with a 500 link steel tape. The slope angles were determined with a clinometer.

---

May 6, 1916, p.m.

I observe Polaris for azimuth at cor. No. 1. The reading on the reference object East of star is set at zero. My watch is set for local mean time. Lat. 34° 17' 23" N., Long. 111° 03' 50" W., from the special instructions from the Surveyor General.

Telescope	Time	Horizontal Angle
Direct	5h. 57m. 00s.	13° 21' 00"

Chains  
 l.m.t. of obsn., May 6, 1916, p.m. 5h. 57.0m.  
 Greenwich m.t. U.C. Pol., May 6, 1916, 10h. 33.0m.  
 7h. 24.0m. ✓  
 Long. Correction, 01.2m. ✓  
 Hour angle Polaris at obsn., 7h. 25.8m.  
 Azimuth of Polaris, 1° 16' 42" W. 25.2  
 Bearing of reference object, N. 12° 04' 18" E. ✓

I again observe Polaris for azimuth at cor. No. 1. The reading on the reference object East of star is set at zero.

Telescope	Time	Horizontal Angle
Reversed	6h. 02.8m.	13° 20' 30"

l.m.t. obsn., May 6, 1916, p.m. 6h. 02.8m.

Greenwich m.t. U.C. Pol., May 6, 1916, a.m. 10h. 33.0m.

7h. 29.8m.

Long. Correction, 01.2m.

Hour angle Polaris at obsn., 7h. 31.0m.

Azimuth of Polaris, 1° 15' 48"

Bearing of reference object, N. 12° 04' 42" E.

The mean of the two observations is N. 12° 04' 30" E., and to the corresponding meridian all the courses of this survey are referred.

May 6, 1916. RETRACEMENT

From cor. for secs. 34 and 35, T. 11 N., R. 12 E., also Boundary Post No. 19 Black Mesa Forest Reserve, which is an iron post in mound rock marked and witnessed as described by the Surveyor General.

Thence West.

On random along S. bdy. sec. 34.

39.96 Fall 8 lks. South of 1/4 sec. cor. on S. bdy. of sec.

TONTO NATIONAL FOREST

STATE OF ARIZONA

Chains

34, which is a quartzite stone 12 x 8 x 8 ins. above ground, marked and witnessed as described by the Surveyor General.

Thence S. 89° 53' E.

On true line along South boundary Sec. 34.

39.96 Cor. for secs. 34 and 35, heretofore described.

May 6, 1916.

BOUNDARIES OF CLAIM

May 7, 1916.

Beginning at cor. No. 1 and C. C. on S. bdy. sec. 34.

Deposit broken glass 14 ins. in the ground, over which set a diorite stone 24 x 10 x 8 ins., chiseled + for the point, 1 - H E S 425 on W. face and C C on N. face; and raise a mound of stone 4 ft. base, 3 ft. high N. of cor., whence:

An oak, 18 ins. dia., bears N. 81° 45' W.,

.25 lks. dist., scribed 1 H E S 425 + B T.

An oak, 8 ins. dia., bears S. 18° W., 8 lks.

dist., scribed 1 H E S 425 + B T.

T.M.N. R. 12 E.

Cor. for secs. 34 and 35, heretofore described,

bears S. 89° 53' E., 3.51 chs. dist.

1/4 sec. cor. on South bdy. sec. 34, heretofore

described, bears N. 89° 53' W., 36.45 chs. dist.

Lat. 34° 17' 23" N., Long. 111° 03' 50" W., from special instructions from the Surveyor General.

Mag. var. at 3:00 p.m. 14° 30' E. Mean Mag. Var. 14°

32' E.

Thence S. 2° 03' E.

Ascend 60 ft. along steep West slope in brush and timber to cor.

19.77 To cor. No. 2.

Ident. with cor. H-1 of the list survey, which is a  
6 x 10 ins. above ground, marked and

Chains	<p>witnessed as described by the Forest Service. I de-</p> <p>stroy all trace of this cor. Deposit a granite stone</p> <p>4 x 4 x 4 ins. marked with a +, .14 ins. in the ground,</p> <p>over which set a granite stone 24 x 12 x 10 ins., chis-</p> <p>eled + for the point and 2 - H E S 425 on NW. face; and</p> <p>raise a mound of stone 3 ft. base, 2 ft. high, NW. of</p> <p>cor., whence:</p> <p style="padding-left: 40px;">An oak, 4 ins. dia., bears S. 17° 10' E.,</p> <p style="padding-left: 40px;">14 lks. dist., scribed 2 H ES 425 + B T.</p> <p style="padding-left: 40px;">An oak, 12 ins. dia., bears S. 67° 24' W.,</p> <p style="padding-left: 40px;">58 lks. dist., scribed 2 H E S 425 + B T.</p> <hr/> <p>Thence N. 89° 02' W.</p> <p>Descend steep West slope 110 ft. to creek, in brush</p> <p>and timber.</p> <p>2.70 Fence cor., fence bears NNE. and along line.</p> <p>3.50 Leave brush and descend gradually to creek.</p> <p>6.20 Fence cor., fence bears N. Leave fence.</p> <p>6.30 Trail bears N. and S.</p> <p>6.65 Left bank Tonto Creek, 4 ft. high, course S.</p> <p>7.73 Right bank Tonto Creek, 4 ft. high, course S. Ascend</p> <p style="padding-left: 40px;">steep East slope 60 ft. in timber to cor.</p> <p>9.80 Road bears NNE. and SSW.</p> <p>10.04 To cor. No. 3.</p> <p>Identical with cor. H-2 of the list survey, which is</p> <p>a granite stone 18 x 8 x 8 ins. set on top of a granite</p> <p>boulder 3 x 3 x 3 ft. above ground, marked and witnessed</p> <p>as described by the Forest Service. I destroy all</p> <p>trace of this list cor. Chisel a + on top of a granite</p> <p>boulder in place 3 x 3 x 3 ft. above ground, and 3 -</p> <p>H E S 425 on NE. face; and raise a mound of stone 4 ft.</p> <p>base, 3 ft. high, NE. of cor., whence:</p> <p style="padding-left: 40px;">An oak, 9 ins. dia., bears N. 12 lks.</p> <p style="padding-left: 40px;">dist., scribed 3 H E S</p>
--------	--

TONTON NATIONAL FOREST

STATE OF ARIZONA

Chains

34, which is a quartzite stone 12 x 8 x 8 ins. above ground, marked and witnessed as described by the Surveyor General.

Thence S. 89° 53' E.

On true line along South boundary Sec. 34.

39.96 Cor. for secs. 34 and 35, heretofore described.

May 6, 1916.

## BOUNDARIES OF CLAIM

May 7, 1916.

Beginning at cor. No. 1 and C. C. on S. bdy. sec. 34.

Deposit broken glass 14 ins. in the ground, over which set a diorite stone 24 x 10 x 8 ins., chiseled + for the point, 1 - H E S 425 on W. face and C C on N. face; and raise a mound of stone 4 ft. base, 3 ft. high N. of cor., whence:

An oak, 18 ins. dia., bears N. 81° 45' W.,

25 lks. dist., scribed 1 H E S 425 + B T.

An oak, 8 ins. dia., bears S. 18° W., 8 lks.

dist., scribed 1 H E S 425 + B T.

T.M. R. 12 E.

Cor. for secs. 34 and 35, heretofore described,

bears S. 89° 53' E., 3.51 chs. dist.

1/4 sec. cor. on South bdy. sec. 34, heretofore

described, bears N. 89° 53' W., 36.45 chs. dist.

Lat. 34° 17' 23" N., Long. 111° 03' 50" W., from special instructions from the Surveyor General.

Mag. var. at 3:00 p.m. 14° 30' E. Mean Mag. Var. 14° 32' E.

Thence S. 2° 03' E.

Ascend 60 ft. along steep West slope in brush and timber to cor.

19.77 To cor. No. 2.

Identical with cor. H-1 of the list survey, which is a granite stone 8 x 6 x 10 ins. above ground, marked and

Chains

witnessed as described by the Forest Service. I de-  
stroy all trace of this cor. Deposit a granite stone  
4 x 4 x 4 ins. marked with a +, 14 ins. in the ground,  
over which set a granite stone 24 x 12 x 10 ins., chis-  
eled + for the point and 2 - H E S 425 on NW. face; and  
raise a mound of stone 3 ft. base, 2 ft. high, NW. of  
cor., whence:

An oak, 4 ins. dia., bears S. 17° 10' E.,

14 lks. dist., scribed 2 H E S 425 + B T.

An oak, 12 ins. dia., bears S. 67° 24' W.,

58 lks. dist., scribed 2 H E S 425 + B T.

Thence N. 89° 02' W.

Descend steep West slope 110 ft. to creek, in brush  
and timber.

2.70 Fence cor., fence bears NNE. and along line.

3.50 Leave brush and descend gradually to creek.

6.20 Fence cor., fence bears N. Leave fence.

6.30 Trail bears N. and S.

6.65 Left bank Tonto Creek, 4 ft. high, course S.

7.73 Right bank Tonto Creek, 4 ft. high, course S. Ascend  
steep East slope 60 ft. in timber to cor.

9.80 Road bears NNE. and SSW.

10.04 To cor. No. 3.

Identical with cor. H-2 of the list survey, which is  
a granite stone 18 x 8 x 8 ins. set on top of a granite  
boulder 3 x 3 x 3 ft. above ground, marked and witnessed  
as described by the Forest Service. I destroy all  
trace of this list cor. Chisel a + on top of a granite  
boulder in place 3 x 3 x 3 ft. above ground, and 3 -  
H E S 425 on NE. face; and raise a mound of stone 4 ft.  
base, 3 ft. high, NE. of cor., whence:

An oak, 9 ins. dia., bears N. 72° E., 12 lks.

dist., scribed 3 H E S 425 + B T.



## TONTON NATIONAL FOREST

STATE OF ARIZONA

Chains	An oak, 5 ins. dia., bears N. 32° 15' E., 10 lks. dist., scribed 3 H E S 425 + B T.
	Thence N. 1° 54' W. Ascend 10 ft. to ridge in timber.
0.90	Top ascent. Descend 10 ft. along steep East slope, in brush and timber to cor.
1.00	Road bears NW. and SSE.
19.65	Cor. No. 4 and C. C. on S. bdy. sec. 34. Deposit broken glass 14 ins. in the ground, over which set a sandstone 24 x 10 x 8 ins., chiseled + for the point, 4 - H E S 425 on E. face, and CC on S. face; and raise a mound of stone 3 ft. base, 2 ft. high, S. of cor., whence: An oak, 6 ins. dia., bears N. 46° 15' W., 14 lks. dist., scribed 4 H ES 425 + BT. A pine, 20 ins. dia., bears S. 81° 00' E., 59 lks. dist., scribed 4 H E S 425 + B T. 1/4 sec. cor. on S. bdy. of sec. 34 brs. N. 89° 53' W. 26.48 chs.
	Thence N. 1° 54' W. Along steep East slope, descend 30 ft. to arroyo, in brush and timber.
46.50	Arroyo, 20 lks. wide, 1 ft. deep, course E. Thence along foot of East slope to cor.
60.21	To cor. No. 5. Identical with cor. H-3 of the list survey, which is a sandstone 10 x 4 x 3 ins. above ground, marked and witnessed as described by the Forest Service. I destroy all trace of this list cor. Deposit broken glass 14 ins. in the ground, over which set a diorite stone 24 x 14 x 6 ins., chiseled + for the point and 5 - H E S 425 on SE. face; and raise a mound of stone 4 ft. base, 3 ft. high SE. of cor., whence:

Chains	<p>An oak, 12 ins. dia., bears S. 84° 53' E., 17 lks. dist., scribed 5 H E S 425 + B T.</p> <p>An oak, 8 ins. dia., bears S. 11° 32' W., 34 lks. dist., scribed 5 H E S 425 + B T.</p> <p>May 7, 1916.</p> <hr/> <p>May 8, 1916.</p> <p>Thence S. 89° 46' E.</p> <p>Over level land in brush to creek.</p> <p>1.70 Right bank Tonto Creek, 20 ft. high, course SSW.</p> <p>3.45 Left bank Tonto Creek, 20 ft. high, course SSW. Ascend steep West slope 110 ft. in brush to cor.</p> <p>9.75 To cor. No. 6.</p> <p>Identical with cor. H-4 of the list survey, which is a granite stone 10 x 4 x 6 ins. above ground, marked and witnessed as described by the Forest Service. I destroy all trace of this list cor. Deposit broken glass 14 ins. in the ground, over which set a granite stone 24 x 8 x 6 ins., chiseled + for the point and 6 - H E S 425 on SW. face; and raise a mound of stone 3 ft. base, 2 ft. high SW. of cor., whence:</p> <p>An oak, 6 ins. dia., bears N. 83° 09' W., 44 lks. dist., scribed 6 H E S 425 + B T.</p> <p>A juniper, 10 ins. dia., bears N. 42° W., 39 lks. dist., scribed 6 H E S 425 + B T.</p> <hr/> <p>Thence S. 2° 03' E.</p> <p>Descend 30 ft. to ravine in brush.</p> <p>1.35 Ravine, course W. Ascend 20 ft. along West slope.</p> <p>5.70 Top ascent. Descend 100 ft. along steep brushy West slope to arroyo.</p> <p>59.00 Arroyo, 20 lks. wide, 1 ft. deep, course SW. Ascend 30 ft. to cor. in brush and timber.</p>
--------	--

87

TONTO NATIONAL FOREST  
STATE OF ARIZONA

Chains  
60.18 To cor. No. 1, the place of beginning.

-----AREA-----

Area in Sec. 24	-----	19.70 acres
Area in Sec. 34	-----	<u>59.28</u> acres
Total Area	-----	78.98 acres

IMPROVEMENTS

The improvements made upon and for the benefit of this claim, and belonging to the claimant, consist of the following:

A frame house, 26 x 26 ft., sides extending in cardinal directions, the SW. cor. of which bears N. 13° 38' W., 17.27 chs. dist. from cor. No. 2.

Value ----- \$300.00

A frame barn, 40 x 16 ft., the long sides of which bear NE. and SW. and the W. cor. of which bears N. 14° W., 19.06 chs. dist. from cor. No. 2.

Value ----- \$ 75.00

A frame smoke house, 10 x 6 ft., the long side of which bears N. and S., and the SW. cor. of which bears N. 14° 34' W., 18.21 chs. dist. from cor. No. 2.

Value ----- \$ 25.00

A frame tool house, 12 x 6 ft., the long sides of which bear E. and W. and the SW. cor. of which bears N. 13° 29' W., 18.05 chs. dist. from cor. No. 2.

Value ----- \$ 25.00

A frame outhouse, 18 x 6 ft., the long sides of which bear N. and S. and the SW. cor. of which bears N. 12° W., 18.10 chs. dist. from cor. No. 2.

Value ----- \$ 25.00

HOMESTEAD ENTRY SURVEY NO. 425

TONTO NATIONAL FOREST

STATE OF ARIZONA

Chains A frame chicken house, 12 x 6 ft., the long sides of which bear E. and W. and the SE. cor. of which bears N. 12° 23' W., 16.37 chs. dist. from cor. No. 2.

Value ----- \$ 25.00

There is approximately 1-mile of fence.

Value ----- \$150.00

DESCRIPTION

This claim is situated in bottom of 100 ft. canyon on Tonto Creek. It consists of three small patches of level bench land along the creek, rough rocky creek bottom, and steep timbered East and West slopes.

The timber consists of pine, pinon, juniper and oak, covering the entire tract except three cleared areas on bench and creek bed. Only a small per cent is pine, and the remainder has commercial value only as fire wood and posts.

The bench land, 30 to 50 ft. above creek, is a black loam soil, which in Southern portion is mixed with small gravel. It is fertile and is producing good crops. The soil on the remainder of the area is rocky, shallow and non-agricultural.

Water for irrigation and domestic use is supplied by Tonto Creek.

There are approximately 10 acres in cultivation.

I saw no indication of mineral upon the claim.

CONFLICTS AND ADJOINING CLAIMS

There are no conflicting or adjoining claims.

Payson, Arizona, the nearest post office and commercial center, is 25 miles to West, and is reached by fair wagon road.

T2280 TONTO NATIONAL FOREST

STATE OF ARIZONA

Chains

TRAVERSE

Sec. 24, T. 10-1/2 N., R. 12 E.

Cor.	Course	Dist.	N	S	E	W
1-2	S. 2° 03' E.	19.77		19.76	0.71	
2-3	N. 89° 02' W.	10.04	0.17			10.04
3-4	N. 1° 54' W.	19.65	19.64			0.65
4-1	S. 89° 53' E.	9.97		0.02	9.97	
		<u>59.43</u>	<u>19.81</u>	<u>19.78</u>	<u>10.68</u>	<u>10.69</u>
Error in Lat. and Dep.			<u>19.78</u>			<u>10.68</u>
			.03			.01

Closing error, 1:1879.

Sec. 34, T. 11 N., R. 12 E.

Cor.	Course	Dist.	N	S	E	W
1-4	N. 89° 53' W.	9.97	0.02			9.97
4-5	N. 1° 54' W.	60.21	60.18			2.00
5-6	S. 89° 46' E.	9.75		0.04	9.75	
6-1	S. 2° 03' E.	60.18		60.14	2.15	
		<u>140.11</u>	<u>60.20</u>	<u>60.18</u>	<u>11.90</u>	<u>11.97</u>
Error in Lat. and Dep.			<u>60.18</u>			<u>11.90</u>
			.02			.07

Closing error, 1:1924.

Survey completed May 8, 1916.

*P. P. A. Johnson*  
Surveyor - Draftsman

HOMESTEAD ENTRY SURVEY NO. 7

NATIONAL FOREST

STATE OF

Chains

Chains	1-2	2-3	3-4	4-1	1-2	2-3	3-4	4-1
10.04	19.75	10.04	19.88	19.97	19.97	19.97	19.97	19.97
83.0	83.0	83.0	83.0	83.0	83.0	83.0	83.0	83.0
10.04	19.75	10.04	19.88	19.97	19.97	19.97	19.97	19.97
83.0	83.0	83.0	83.0	83.0	83.0	83.0	83.0	83.0
10.04	19.75	10.04	19.88	19.97	19.97	19.97	19.97	19.97
83.0	83.0	83.0	83.0	83.0	83.0	83.0	83.0	83.0

Survey completed May 5, 1916.

Glenn error, 1:1984.

Error in lat. and Dep. 60.78

6-1 2 2° 08' E. 60.78

6-2 2 89° 48' E. 2.78

6-3 2 12° 34' W. 60.21

6-4 2 89° 55' W. 2.97

Cor. Course Dist. N 3 2 3

Sec. 24, T. 10-N, R. 12-E.

- DIRECTIONS.**—1. Carry out calculations to two decimals only.  
 2. In balancing Latitudes and Departures do not obliterate or change the original figures. Put the corrected figure or figures above in red ink. Do not change the footing of the original figures, but put below them the corrected footing in red ink.  
 3. In calculations for balancing fallings should be proportional to the lengths of the lines.  
 4. Only three copies of this tabulation are necessary, for the District Office, the Surveyor General, and the Commissioner.

**TABLING AND CALCULATIONS OF HOMESTEAD ENTRY SURVEY NO. 425, STATE OF Arizona.**

CORNERS.	BEARING.	DISTANCE.	LATITUDES.			DEPARTURES.			DOUBLE M. D.	N. AREAS.	S. AREAS.
			NORTH.	SOUTH.	WEST.	EAST.	WEST.	EAST.			
1-2	S. 2° 03' E.	19.77	0 17	19 76	0 71	10 04	20 66				
2-3	N. 89° 02' W.	10.04	19 64			0 65	11 34	1 81	408 45		
3-4	N. 1° 54' W.	19.65					0 65	12 76			
4-1	S. 89° 53' E.	9.97					9 97			0 20	
		59.43	19 81	19 78	10 68	10 69		14 57	408 65		
			19 79	19 79	10 69	10 69			14 57	394 08	
										19 70 Acres.	
1-4	N. 89° 53' W.	9.97	0 02				9 97				
4-5	N. 1° 54' W.	60.21	60 18				13 90	0 28			
5-6	S. 89° 46' E.	9.75					1 97	118 53			
6-1	S. 2° 03' E.	60.18					9 75			0 39	
		140.11	60 20	60 18	11 90	11 97	21 68		1304 05		
			60 19	60 19	11 93	11 93			1304 44		
									118 81		
									1185 63		
										59 28 Acres.	

FMH

16

APPROVAL


Office of the United States Surveyor General,

Phoenix, Arizona, June 19 , 1917.

The foregoing field notes of Homestead Entry Survey No.

425

executed by **R.P.A. Johnson, Surveyor-Draftsman** [Forest Service Title.]  
under his special instructions, dated **September 23**, 1915, having  
been critically examined, and the necessary corrections and explanations  
made, the said field notes, and the surveys they describe, are hereby  
approved.

  
-----  
U. S. Surveyor General.

I certify that the foregoing transcript of the field notes of the  
above-described survey in the State of **Arizona** , has been  
correctly copied from the original notes on file in this office.

**Frank P. Trott**  
-----  
U. S. Surveyor General.