

114

OATH OF ASSISTANTS

We hereby certify that we assisted R.P.A. Johnson
Surveyor Draftsman in surveying all those
[Forest Service Title.]
parts or portions of Homestead Entry Survey No. 427, in the State
of Arizona, which are represented in the following field notes
as having been surveyed by him and under his direction; and that said
survey has been in all respects, to the best of our knowledge and
belief, well and faithfully surveyed, and the corner monuments estab-
lished, according to the instructions furnished by the United States
Surveyor General for Arizona

Note: It would have been
very expensive and incon-
venient to appear before an
officer to administer oaths
to Assistants; hence, they
were taken by the Surveyor.

W.B. Baecht, Chairman
Douglas E. Meister,
Chairman

Subscribed and sworn to before me this fifteenth day of
December, 1915.

R.P.A. Johnson
Surveyor Draftsman

OATH OF SURVEYOR

I, R.P.A. Johnson Surveyor Draftsman
[Forest Service Title.]

do solemnly swear that, in strict conformity with the special instruc-
tions of the United States Surveyor General for Arizona, dated
September 23, 1915, and the laws of the United States, I have
well, faithfully, and truly, in my own proper person, surveyed a tract
of land embraced in Dist No 3-860 dated
November 14, 1910 and a tract of land
from the application of J. Poesle


Application No. 204, dated February 21, 1910, for
patent, under the Act of June 11, 1906,
the same to be known as Homestead Entry Survey No. 427,
situated within the Tonto National Forest, in
unsurveyed Section 20, Township 11 1/2 N, Range 9 E, and
surveyed Section -----, Township -----, Range -----,

of the Gila and Salt River Base and meridian, Arizona, and the
related retracements and resurveys and section subdivisions, which are
represented in the following field notes as having been surveyed by me;
and I further solemnly swear that all the corners of said survey have been
established and perpetuated in strict accordance with the stated special
instructions, and in the specific manner described in the field notes,
and that the following are the original field notes of such survey.

R.P.A. Johnson
Surveyor Draftsman
[Forest Service Title.]

Subscribed and sworn to before me this 25th day of
March, 1916

Elsie C. Myers
Nation Public



8-2349

TONTON NATIONAL FOREST

STATE OF ARIZONA.

Chains Applicant for listing, T. Roessle; Application No. 204, dated February 21, 1910; List No. 3-860, dated November 14, 1910; H. E. 014644, made in the Phoenix Land Office on June 29, 1911 by T. Roessle.

Also a tract of unlisted land adjoining claimant's entry was included in this survey; the land is agricultural in character, was desired by entryman and will be listed as a basis for amendment of his entry No. 014644.

Surveyed under special instructions from the Surveyor General for Arizona, dated September 23, 1915, and designated as Homestead Entry Survey No. 427.

Situated in unsurveyed T. 11-1/2 N., R. 9 E., in what will probably be, when surveyed, sec. 20, Gila and Salt River Base and Meridian, Tonto National Forest, Arizona.

Surveyed under the Acts of June 11, 1906 and March 4, 1915.

Survey commenced November 29, 1915, and executed with a Buff and Buff transit No. 9700-6.

I test the adjustments of the transit and make necessary corrections.

All measurements were made directly on the slope with a 500 link steel tape. The slope angles were determined with a clinometer. Horizontal distances only appear in these notes.

November 29, 1915.

At 8h. 22.8m. a.m., l.m.t., I observe the altitude of the sun for azimuth at cor. No. 1 of this survey. The reading on the reference object is set at zero and the sun was observed in the lower left and upper right quad-

Chains

rants of the field. My watch is set for local mean time. Latitude $34^{\circ} 22' 36''$ N., Long. $111^{\circ} 26' 55''$ W., from special instructions from the Surveyor General.

| Telescope | Time | Horizontal Angle | Vertical Angle |
|-----------|---------------|-----------------------|-----------------------|
| Direct | 8h. 22m. 21s. | $47^{\circ} 57' 00''$ | $17^{\circ} 01' 30''$ |
| Reversed | 8h. 23m. 13s. | $48^{\circ} 20' 00''$ | $16^{\circ} 40' 00''$ |

Bearing of reference object, N. $0^{\circ} 03' 03''$ E.

At 8h. 25.5m. a.m., l.m.t., I again observe the altitude of the sun for azimuth at cor. No. 1. The reading on the reference object is set at zero and the sun was observed in the lower left and upper right quadrants of the field.

| Telescope | Time | Horizontal Angle | Vertical Angle |
|-----------|---------------|-----------------------|-----------------------|
| Direct | 8h. 25m. 00s. | $47^{\circ} 27' 30''$ | $17^{\circ} 25' 00''$ |
| Reversed | 8h. 26m. 00s. | $47^{\circ} 50' 00''$ | $17^{\circ} 05' 00''$ |

Bearing of reference object, N. $0^{\circ} 02' 25''$ E.

The mean of these is N. $0^{\circ} 02' 44''$ E., and to the corresponding meridian all the courses of this survey are referred.

RETRACEMENT

From cor. for secs. 36 and 31, T. 12 N., Rs. 8 and 9 E., which is a two inch iron pipe, marked and witnessed as described by the Surveyor General.

Thence West.

On a random line along South bdy. sec. 36.

40.12 Fall 2 lks. N. of $1/4$ sec. cor. on S. bdy. sec. 36, which is a sandstone $12 \times 8 \times 12$ ins. above ground, marked with + on top, MW 1 and $1/4$ on N. face, witnessed as described by the Surveyor General.

TONTON NATIONAL FOREST

STATE OF ARIZONA

Chains Thence N. 89° 58' E.
On true line along South bdy. sec. 36.

40.12 Cor. for secs. 36 and 31, heretofore described.

Beginning at cor. No. 1 and C. C. on S. line of sec. 36.
Identical with cor. H-1 of the list survey, which is
a sandstone 10 x 8 x 8 ins. above ground, marked and
witnessed as described by the Forest Service. I de-
stroy all trace of this list cor. Deposit broken
glass, 14 ins. in the ground, over which set a sand-
stone 24 x 10 x 4 ins. chiseled + for the point, C C
on SSE. face and 1 - H E S 427 on SW. face; and raise
a mound of stone 3 ft. base, 2 ft. high, SSE. of cor.,
whence:

A yellow pine, 8 ins. dia., bears S. 56°
26' W., 88 lks. dist., blazed and
scribed 1 H E S 427 + B T.

A yellow pine, 6 ins. dia., bears S. 3°
49' E., 84 lks. dist., blazed and
scribed 1 H E S 427 + B T.

Cor. for secs. 31 and 36, heretofore described,
bears N. 89° 58' E., 5.00 chs. dist.
1/4 cor. on S. bdy. of sec. 36, heretofore
described, bears S. 89° 58' W., 35.12
chs. dist.

Latitude 34° 22' 36" N., Long. 111° 26' 55" W., from
special instructions from the Surveyor General, and
later verified.
Mag. Va. at 8 a.m., 14° 30' E. Mean mag. va., 14° 27' E.

Thence S. 4° 54' E.

In timber, over level land. Leave listed and enter
unlisted land.

HOMESTEAD ENTRY SURVEY NO. 427

TONTON NATIONAL FOREST

STATE OF ARIZONA

Chains

8.00 Leave timber, bears NNW. and SSE.

8.50 Pine - Payson road, bears NNW. and SSE.

14.15 Fence, bears NW. and SE.

19.16 To cor. No. 2.

Deposit broken glass 14 ins. in the ground, over which set a sandstone 24 x 8 x 6 ins. chiseled + for the point and 2 - H E S 427 on W. face; and raise a mound of stone 3 ft. base, 2 ft. high W. of cor., whence:

A yellow pine, 10 ins. dia., bears S. 44° 46' W., 90 lks. dist., blazed and scribed 2 H E S 427 + B T.

A yellow pine, 10 ins. dia., bears N. 38° 14' W., 48 lks. dist., blazed and scribed 2 H E S 427 + B T.

Cor. H-2 of the list survey, which is a 14 inch yellow pine, marked and witnessed as described by the Forest Service, bears S. 60° 15' W., 1.90 chs. dist. I destroy all trace of this list cor.

Thence S. 56° 18' W.

In timber, over level land.

2.00 Leave timber, bears NE. and SW.

6.66 Enter wash, 4 ft. deep, course SW.

8.20 Leave wash.

8.46 To cor. No. 3.

Deposit broken glass 14 ins. in the ground, over which set a limestone 24 x 14 x 4 ins. chiseled + for the point and 3 - H E S 427 on NE. face; and raise a mound of stone 3 ft. base, 2 ft. high NE. of cor., whence:

TONTON NATIONAL FOREST

STATE OF ARIZONA

| | |
|--------|--|
| Chains | <p>A yellow pine, 10 ins. dia., bears N. 51° 07' E., 108 lks. dist., blazed and scribed 3 H E S 427 + B T.</p> <p>A yellow pine, 8 ins. dia., bears S. 49° 30' E., 151 lks. dist., blazed and, scribed, 3 H E S 427, + B T.</p> <hr/> <p>Thence North.</p> <p>In open, over level land.</p> <p>2.60 Fence, bears NE. and SW. East bank Pine Creek, 8 ft. deep. Enter wash.</p> <p>3.80 Point for cor. H-3, which has been washed away. Leave unlisted and enter listed land.</p> <p>7.00 East bank Pine Creek. Leave wash.</p> <p>8.60 East bank Pine Creek. Enter wash.</p> <p>11.00 East bank Pine Creek. Leave wash.</p> <p>11.10 Fence, bears NW. and SE.</p> <p>13.80 To cor. No. 4.</p> <p>Identical with cor. H-4 of the list survey, which is a limestone 13 x 10 x 9 ins. above ground, marked and witnessed as described by the Forest Service. I de- stroy all trace of this list cor. Deposit a stone 4 x 2 x 2 ins. marked with a + 14 ins. in the ground, over which set a sandstone 24 x 12 x 6 ins. chiseled + for the point and 4 - H E S 427 on NE. face; raise a mound of stone 3 ft. base, 2 ft. high, NE. of cor., whence:</p> <p>A yellow pine, 12 ins. dia., bears S. 25° 28' W., 57 lks. dist., blazed and scribed 4 H E S 427 + B T.</p> <p>A cottonwood, 18 ins. dia., bears N. 61° 47' W., 149 lks. dist., blazed and</p> |
|--------|--|

Chains

scribed 4 H E S 427 + B T.

Thence N. 89° 24' W.

In open, over level land.

0.85 Fence, bears NW. and SSE.

1.00 East bank Pine Creek, 4 ft. high, course South.

6.00 West bank Pine Creek, 3 ft. high. Ascend 75 ft. to

cor.

6.20 Enter timber, bears NW. and SE.

10.16 To cor. No. 5.

Identical with cor. H-5 of the list survey, which is a red granite stone 18 x 12 x 12 ins. in mound of stone, marked and witnessed as described by the Forest Service. I destroy all trace of this list cor. Deposit a stone 5 x 3 x 3 ins. marked with a + 5 ins. in the ground; over which set a granite stone 24 x 8 x 4 ins. chiseled + for the point and 5 - H E S 427 on the NE. face; and raise a mound of stone 3 ft. base, 2 ft. high around cor. to protect it, whence:

An oak, 6 ins. dia., bears N. 52° 17' E.,

26 lks. dist., blazed and scribed

5 H E S 427 + B T.

A yellow pine, 6 ins. dia.; bears N. 79°

22' W., 25 lks. dist., blazed and

scribed 5 H E S 427 + B T.

Note: It was impracticable to set cor. stone deeper in ground.

Thence N. 2° 47' E.

Descend steep NE. slope 75 ft. in timber to arroyo.

4.13 Leave timber, enter arroyo, banks 4 ft. high, course E.

GRAND TONTO NATIONAL FOREST

STATE OF ARIZONA

| | |
|----------------|--|
| Chains 6.20 | Leave arroyo, banks 4 ft. high, course S. |
| 8.28 | Road, bears NNE. and SW. |
| 8.63 | Cor. fence, fence bears SW. and N. 2° 47' E. |
| 9.83 | To cor. No. 6 and C. C. on S. line sec. 36. |
| | Identical with cor. H-6 of the list survey, which is a limestone 14 x 10 x 10 ins. above ground, marked and witnessed as described by the Forest Service. I destroy all trace of this list cor. Deposit a stone 4 x 4 x 4 ins. marked with a + 14 ins. in the ground, over which set a sandstone 24 x 8 x 4 ins. chiseled + for the point, C C on the S. face and 6 - H E S 427 on the SE. face; and raise a mound of stone 3 ft. base, 2 ft. high S. of cor., whence; |
| | A yellow pine, 10 ins. dia., bears N. 37° 30' E., 58 lks. dist., blazed and scribed 6 H E S 427 + B T. |
| | A yellow pine, 9 ins. dia., bears N. 68° 45' E., 108 lks. dist., blazed and scribed 6 H E S 427 + B T. |
| | 1/4 Cor. on S. bdy. sec. 36 heretofore described, bears S. 89° 58' W., 20.05 chs. |
| | Cor. to secs. 31 and 36 heretofore described, bears N. 89° 58' E., 20.07 chs. |
| | <u>Thence N. 89° 58' E.</u> |
| | Along S. line sec. 36, in open. Over level land. Fence on line. |
| 0.50 | Road, bears N. and S. |
| 1.40 | West bank Pine Creek, 2 ft. high, course S. |
| 3.00 | East bank Pine Creek, 7 ft. high, course S. |
| 3.10 | Cor. fence, fence bears SSW. Continue along fence. |
| 9.80 | Cor. fence, fence bears S. Continue along fence. |
| 12.00 | Irrigation ditch, 5 lks. wide, course SSE. |
| 12.84 | Cor. fence, fence bears SE. Leave fence. |
| 13.15 | Pine - Payson wagon road, bears NW. and SE. |

TONTONAOIT NATIONAL FOREST

STATE OF ARIZONA

Chains

13.25

Enter timber, bears NW: and SE.

15.07

To cor. No. 1, the place of beginning.

AREA

Area of listed land - - - - - 20.00 acres.

Area of unlisted land - - - - - 3.32 acres.

Total area - - - - - 23.32 acres

IMPROVEMENTS

The improvements made upon and for the benefit of this claim and belonging to the claimant, consist of the following:

A frame dwelling, 12 ft. square, the NE. cor. of which bears S. 82° 20' W., 4.15 chs. dist. from cor. No. 1.
Value \$50.00

A stone and canvas dwelling, 10 x 8 ft., the long side of which bears E. and W. and the SE. cor. of which bears N. 45° W., 15 lks. dist. from cor. No. 2.
Value \$25.00

There is approximately one mile of wire fence.
Value \$100.00

DESCRIPTION

This claim is situated in S. end of an open flat on Pine Creek, 3 miles South and 2 miles East of Mogollon Rim. The general slope is to South with slight East slope to creek.

There are two small bodies of pine timber on tract; one in NE., and one on steep slope on W., covering a total of approximately 2 acres.

The soil in the bottom land is sandy loam, weathering

TONTO NATIONAL FOREST

STATE OF ARIZONA

Chains

product of limestone and sandstone. It is deep, fertile, and produces good crops. The soil on the steep slope on West is rocky and non-tillable.

Water for domestic use can be obtained from Pine Creek.

There is no water for irrigation and none is necessary.

There is approximately 15 acres in cultivation.

I saw no indications of mineral upon this claim.

CONFLICTS AND ADJOINING CLAIMS

This claim is joined on the N. by H. E. No. 816 of James L. Patterson. There are no conflicts.

Pine, the nearest post office, is one-half mile North.

The nearest railroad point is Flagstaff, about 90 miles to North and reached by a good wagon road.

TRAVERSE

| Cor. | Course | Dist. | N | S | E | W | |
|------------------------|---------------|-------|--------|---------|---------|--------|-------|
| 1-2 | S. 4° 54' E. | 19.16 | | 19.09 ✓ | 1.64 ✓ | | |
| 2-3 | S. 56° 18' W. | 8.46 | | 4.69 ✓ | | 7.04 ✓ | |
| 3-4 | North | 13.80 | 13.80 | | | | |
| 4-5 | N. 89° 24' W. | 10.16 | 0.11 ✓ | | | 10.16 | |
| 5-6 | N. 2° 47' E. | 9.83 | 9.82 ✓ | | 0.48 ✓ | | |
| 6-1 | N. 89° 58' E. | 15.07 | 0.01 ✓ | | 15.07 ✓ | | |
| | | | 76.48 | 23.74 | 23.78 | 17.19 | 17.20 |
| | | | | 23.74 | | 17.19 | |
| Error in Lat. and Dep. | | | | .04 | | .01 | |

Closing error, 1:1856.

Survey completed November 29, 1915.

R. P. Johnson

Surveyor - Draftsman

124

HOMESTEAD ENTRY SURVEY NO. 124

NATIONAL FOREST

STATE OF CALIFORNIA

Chains
 product of limestone and sandstone. It is deep
 fertile, and produces good crops. The soil on the
 steep slope on West is rocky and non-fertile.
 Water for domestic use can be obtained from the creek.
 There is no water for irrigation and none is necessary.
 There is approximately 15 acres in cultivation.
 I saw no indications of minerals upon this claim.

CONTIGUOUS AND ADJOINING CLAIMS
 This claim is joined on the E. by H. B. No. 816 of James
 L. Patterson. There are no contiguous
 claims, the nearest post office, is one-half mile North.
 The nearest railroad point is Flagstaff, about 30 miles
 to North and reached by a good wagon road.

THRESH

| Cor. | Course | Dist. | N | S | E | W |
|------|---------------|-------|-------|-------|-------|-------|
| 1-2 | S. 4° 34' E. | 12.16 | | 12.09 | 1.84 | |
| 2-3 | S. 33° 18' W. | 8.46 | | 4.69 | | 7.04 |
| 3-4 | North | 13.80 | | 13.80 | | |
| 4-5 | N. 89° 24' W. | 10.16 | 0.11 | | | 10.16 |
| 5-6 | N. 82° 47' E. | 2.83 | 2.82 | | 0.48 | |
| 6-1 | N. 82° 38' E. | 16.07 | 0.01 | 16.04 | | |
| | | 56.48 | 23.74 | 23.78 | 17.19 | 17.19 |
| | | | 23.74 | | | 17.19 |
| | | | | 10.4 | | 10.4 |

Error in Int. and Dep.
 Closing error, 1:1855.
 Survey completed November 29, 1915.

Surveyor - Buchanan

Chains

Direct Solar, November 29, 1915, at cor. No. 1.

Lat. 34° 22' 36" N. Long. 111° 26' 55" W. Elev. 5500 ft.

| Telescope | Time | Horizontal Angle | Vertical Angle | Pos. Sun |
|-----------|---------------|------------------|----------------|----------------|
| Direct | 8h. 22m. 21s. | 47° 57' 00" | 17° 01' 30" | o ⁺ |
| Reversed | 8h. 23m. 13s. | 48° 20' 00" | 16° 40' 00" | + ^o |
| Mean | 8h. 22m. 47s. | 48° 08' 30" | 16° 50' 45" | |
| | 4h. 34m. 12s. | ref. cor. | 02' 37" | |
| | 3h. 48m. 35s. | | 16° 48' 08" | |

Decl. 21° 22' 43" S.

$$\text{Cos. Q.} = \frac{\text{Sin. } 21^\circ 22' 43'' \text{ S.}}{\text{Cos. } 34^\circ 22' 36'' \times \text{cos. } 16^\circ 48' 08'' - \text{tan. } 34^\circ 22' 36'' \times \text{tan. } 16^\circ 48' 08''}$$

log. sin. 21° 22' 43" = 9.561732
 log. cos. 34° 22' 36" = 9.916635
 log. cos. 16° 48' 08" = 9.981052
 $\frac{9.664045}{9.835130} = \text{log. } .46137$
 log. tan. 34° 22' 36" = 9.835130
 log. tan. 16° 48' 08" = 9.479950
 $\frac{9.315080}{9.315080} = \text{log. } .20658$

Cos. Q. = .66795
 Q. = 48° 05' 27"

Bearing of reference object, N. 0° 03' 03" E.

Direct Solar November 29, 1915, at cor. No. 1.

| Telescope | Time | Horizontal Angle | Vertical Angle | Pos. Sun |
|-----------|---------------|------------------|----------------|----------------|
| Direct | 8h. 25m. 00s. | 47° 27' 30" | 17° 25' 00" | o ⁺ |
| Reversed | 8h. 26m. 00s. | 47° 50' | 17° 05' 00" | + |
| | 8h. 25m. 30s. | 47° 38' 45" | 17° 15' 00" | |
| | | | 02' 33" | |
| | | | 17° 12' 27" | |

Decl. 21° 22' 43" S.

$$\text{Cos. Q.} = \frac{\text{Sin. } 21^\circ 22' 43'' \text{ S.}}{\text{Cos. } 34^\circ 22' 36'' \times \text{cos. } 17^\circ 12' 27'' - \text{tan. } 34^\circ 22' 36'' \times \text{tan. } 17^\circ 12' 27''}$$

log. sin. 21° 22' 43" = 9.561732
 log. cos. 34° 22' 36" = 9.916635
 log. cos. 17° 12' 27" = 9.980112
 $\frac{9.664985}{9.664985} = \text{log. } .46236$
 log. tan. 34° 22' 36" = 9.835130
 log. tan. 17° 12' 27" = 9.490934
 $\frac{9.326064}{9.326064} = \text{log. } .21187$

Cos. Q. = .67423
 Q. = 47° 36' 20"

Bearing of reference object, N. 0° 02' 25" E.

DIRECTIONS.—1. Carry out calculations to two decimals only.

2. In balancing Latitudes and Departures do not obliterate or change the original figures.

Put the corrected figure or figures above in red ink. Do not change the footing of the original figures, but put below them the corrected footing in red ink.

The corrections for balancing fallings should be proportional to the lengths of the lines.

3. In calculations of fallings take result to nearest link. In calculations of N. and S. areas drop all after second decimal. Surveyors are required to use the Standard Field Tables issued by the G. I. O.

4. Only three copies of this tabulation are necessary, for the District Office, the Surveyor General, and the Commissioner.

TABLING AND CALCULATIONS OF HOMESTEAD ENTRY SURVEY NO. 427, STATE OF ARIZONA.

| CORNERS. | BEARING. | DISTANCE. | LATITUDES. | | DEPARTURES. | | DOUBLE M. D. | | N. AREAS. | S. AREAS. |
|----------|-----------------------|-----------|---------------------|---------------------|--------------------|-------|--------------|---------------------|---------------------------|-----------|
| | | | NORTH. | SOUTH. | EAST. | WEST. | | | | |
| 1-2 | S. 4° 54' E. | 19.16 | | 19 09 ⁰⁸ | 1 64 ⁶⁵ | | 32 75 | | 624 87 [✓] | |
| 2-3 | S. 56° 16' W. | 8.46 | | 4 69 | | 7 04 | 27 36 | | 128 32 [✓] | |
| 3-4 | North | 13.80 | 13 80 ⁸¹ | | | | 20 32 | 280 62 [✓] | | |
| 4-5 | N. 89° 24' W. | 10.16 | 0 11 ¹² | | | 10 16 | 10 16 | 1 22 [✓] | | |
| 5-6 | N. 2° 47' E. | 9.83 | 9 82 | | 0 48 | | 0 48 | 4 71 [✓] | | |
| 6-1 | N. 89° 58' E. | 15.07 | 0 01 ⁰² | | 15 07 | | 16 03 | 0 32 [✓] | | |
| | | 76.48 | 23 74 | 23 78 | 17 19 | 17 20 | | 286 87 | 753 19 | |
| | | | 23 77 | 23 77 | 17 20 | 17 20 | | | 286 87 | |
| | | | | | | | | | 466 32 | |
| | | | | | | | | | 23 32 [✓] Acres. | |
| | Closing error, 1:1856 | | | | | | | | | |

127

11

EMH

APPROVAL


Office of the United States Surveyor General,

Phoenix, Arizona, March 16 , 1918.

The foregoing field notes of Homestead Entry Survey No.

427

executed by R.P.A. Johnson, Surveyor-Draftsman [Forest Service Title.]
under his special instructions, dated September 23, 1915, having
been critically examined, and the necessary corrections and explanations
made, the said field notes, and the surveys they describe, are hereby
approved.


U. S. Surveyor General.

I certify that the foregoing transcript of the field notes of the
above-described survey in the State of Arizona , has been
correctly copied from the original notes on file in this office.

Frank P. Trott
U. S. Surveyor General.

APPROVAL

Office of the United States Surveyor General,

Phoenix, Arizona, March 10, 1911.

The foregoing field notes of Homestead Entry Survey No.

executed by [Name], Surveyor-General, under his special instructions, dated [Date], and having been critically examined, and the necessary corrections and explanations made, the said field notes, and the surveys they describe, are hereby approved.

U. S. Surveyor General.

I certify that the foregoing transcript of the field notes of the above-described survey in the State of [State] has been correctly copied from the original notes on file in this office.

U. S. Surveyor General.