

HES

0

0

5

7

2

ORIGINAL

165 MAY 17, 1919

Form 85
Sheet No. 1
(Revised July 1, 1914.)

JAN 28, 1920
MAR 11, 1920

U. S. DEPARTMENT OF AGRICULTURE
FOREST SERVICE

FIELD NOTES

OF

HOMESTEAD ENTRY SURVEY NO. 572

SITUATED IN THE CROOK NATIONAL FOREST

ADMINISTRATIVE DISTRICT NO. 3

In Section 15 , un surveyed, Township 3 N. , Range 16 E.

And establishment of U.S.L.M. 572 H.E.S.

of the

GILA AND SALT RIVER BASE & Meridian.

State of

ARIZONA

Applicant for listing C. M. Winter,
 Residence Globe, Arizona.
 Application No. 250 , dated May 29 , 19 13
 List No. 3-2895 , dated November 7 , 19 13

Applicant for survey Archie F. Sanders
 Residence Globe, Arizona.
 H. E. No. 031833 , dated February 20 , 19 17
 Office
 Land District- Phoenix, Arizona.

Survey executed by F. L. Kirby, Forest Ranger, Forest Service,
[Forest Service Title]
 Under special instructions dated April 13 , 19 18
 Survey commenced February 13 , 19 19
 Survey completed February 14 , 19 19.
 Under Acts of June 11, 1906 and October 1, 1918.
[OVER]

OATH OF ASSISTANTS

We hereby certify that we assisted **F. L. Kirby**
Forest Ranger - Forest Service in surveying all those
[Forest Service Title.]

parts or portions of Homestead Entry Survey No. **572**, in the State
of **Arizona** which are represented in the following field notes
as having been surveyed by him and under his direction; and that said
survey has been in all respects, to the best of our knowledge and
belief, well and faithfully surveyed, and the corner monuments estab-
lished, according to the instructions furnished by the United States
Surveyor General for **ARIZONA**

Note: It would have
been very inconvenient
and expensive to appear
before an officer to admin-
ister oaths to Assistants;
hence, they were taken by the
Forest Ranger.

Ezra Teel

Chainman

Subscribed and sworn to before me this *nineteenth* day of
April, 1919.

F. L. Kirby

Forest Ranger-Forest Service,

OATH OF SURVEYOR

I, **F. L. Kirby,** **Forest Ranger,- Forest Service,**
[Forest Service Title.]

do solemnly swear that, in strict conformity with the special instruc-
tions of the United States Surveyor General for **Arizona**, dated
April 13, 1918, and the laws of the United States, I have
well, faithfully, and truly, in my own proper person, surveyed a tract
of land embraced in

List , No. **3-2895**, dated **Nov. 7**, 1913, for
Patent , under the Act of **June 11**, 1906,
the same to be known as Homestead Entry Survey No. **572**,
situated within the **Crook** National Forest, in
un surveyed Section **15**, Township **3 N.**, Range **16 E.**, and
un surveyed Section , Township , Range ,

of the **Gila & Salt River Base & meridian,** **ARIZONA**, and the
related retracements and resurveys and section subdivisions, which are
represented in the following field notes as having been surveyed by me;
and I further solemnly swear that all the corners of said survey have
been established and perpetuated in strict accordance with the stated
special instructions, and in the specific manner described in the field
notes, and that the following are the original field notes of such
survey.

F. L. Kirby

Forest Ranger - Forest Service,
[Forest Service Title.]

Subscribed and sworn to before me this *19* day of
April, 1919.

Stemmen Thomas

Notary Public

My commission expires Feb. 21. 1920



CROOK NATIONAL FOREST

STATE OF ARIZONA

Chains Applicant for listing C. M. Winter; application No. 250, dated May 29, 1913; List No. 3-2895, dated November 7, 1913; H.E. 031833 made in the Phoenix Land Office on February 20, 1917, by Archie F. Sanders.

The changes made in this survey are in accordance with the desires of the entryman and meet with the approval of the Forest Service. The survey includes all agricultural lands occupied by the claimant and which were intended to be embraced in the original listing while excluding forest land. No attempt was made to conform this survey to the lines of the original listing. This is therefore in the nature of a cooperative survey and will be used as a basis for substitute list and amendment of entry. All cors. of the list survey were destroyed.

Copy of a signed statement by the entryman agreeing to the changes made and also agreeing to amend his entry to conform to this survey is attached at the end of these notes.

Surveyed under special instructions from the Surveyor General for Arizona dated April 13, 1918, and designated as Homestead Entry Survey No. 572.

Situated in what will probably be when surveyed Sec. 15 ~~and 22~~, T. 3 N., R. 16 E., Gila and Salt River Base and Meridian, Crook National Forest, Arizona.

Surveyed under the Acts of June 11, 1906 and October 1, 1918.

Survey commenced February 13, 1919, and executed with an A. Lietz Mining transit No. 6384 with full vertical circle and Saegmuller solar attachment, the horizontal limb having two double verniers placed opposite and reading to thirty seconds of arc; the vertical circle has a double vernier reading to single minutes.

HOMESTEAD ENTRY SURVEY NO. 572

CROOK NATIONAL FOREST

STATE OF ARIZONA

Chains I test the adjustments of the transit and make all necessary corrections.

All distances are horizontal and were reduced from measurements made directly on the slope with a 400 link steel tape. The slope angles were determined with a clinometer.

February 13, 1919.
At my station which is approximately 36.00 chs. northwardly from Cor. No. 1 in Lat. $33^{\circ} 36' 03''$ N., Longitude $110^{\circ} 39' 20''$ W. from Forest Service Base Map, I observe Polaris at Western elongation at 9h. 52.1m. p.m.

1.m.t. telescope direct reading an angle of $48^{\circ} 35'$ from star to reference mark about 9 chs. dist. Star East of mark.

At same station at 9h. 53.1m. p.m. 1.m.t. I again observe Polaris at Western elongation with telescope reversed reading an angle of $48^{\circ} 36' 30''$ to same reference mark.

Mean angle star to reference mark N. $48^{\circ} 35' 45''$ W.

Azimuth of Polaris at obsn. $1^{\circ} 21' 00''$ E.

Bearing of reference mark N. $49^{\circ} 56' 45''$ W.

From the meridian thus determined all the courses of this survey were deflected by sustained angulation.

February 13, 1919.

ESTABLISHMENT OF U.S.L.M. No. 572

February 14, 1919.
There being no corner of this public land survey or U. S. Location Monument within two miles of the claim, I establish U. S. L. M. No. 572 H.E.S. as follows:

At the eastern summit of a long high ridge, which is the most prominent point in the vicinity, I set a red

CROOK MOUNTAIN NATIONAL FOREST

STATE OF ARIZONA

Chains

sandstone 12 x 12 x 22 ins. (no longer stone available)
14 ins. in the ground, chiseled + on top for the point
and U S L M 572 H E S. on North face; and raise a mound
of stone 6 ft. base, 5 ft. high, 2 ft. West of U.S.L.M.

whence from U.S.L.M.:

A mesquite 4 ins. diam. blazed and scribed

U.S.L.M. 572 H E S + B T, bears N. 49°

30' E., 99 lks. dist.

No other witnesses available.

Haystack Butte bears N. 6° 19' E.

Jackson Peak bears N. 46° 36' E.

Chrome Butte bears S. 20° 13' W.

Apache Peak bears S. 50° 51' W.

BOUNDARIES OF CLAIM

Beginning at Cor. No. 1.

Deposit a sandstone 2 x 3 x 6 ins. marked with a cross,
22 ins. in the ground, over which set an iron post 2 ins.
diam. 36 ins. long with brass cap, marked 1919 on S. rim
and 1 H E S 572 in quadrant facing claim; raise a mound
of stone 4 ft. base, 2-1/2 ft. high North of cor.,
whence:

A black willow, 14 ins. diam. bears

N. 80° 00' E., 195 lks. dist.;

blazed and scribed 1 H E S 572 + B T.

No other witnesses available.

U.S.L.M. 572 H.E.S. heretofore described bears S.

30° 36' E., 34.94 chs. dist. by direct measurement.

Lat. 35° 35' 40" N., Long. 110° 39' 20" W., from Forest

Service Base Map.

The observed Magnetic declination at 8 A.M. is 14° 40' E.

which corrected for diurnal change gives a mean Magnetic

Chains: declination of 14° 39' E.
 Thence N. 21° 00' W. side
 Along gradual NE. slope.
 34.60 Begin descent, 15 ft.
 35.40 Small ravine course NE. Ascend gradual E. slope 45 ft.
 44.49 To cor. No. 2.
 Deposit a red sandstone 4 x 5 x 8 ins., marked with a
 * 16 ins. in the ground, over which set a red sandstone
 10 x 14 x 26 ins. chiseled for the point and 2 H E S
 572 on E. face; raise a mound of stone 3-1/2 ft. base,
 2-1/2 ft. high East of cor., whence:
 * on an imbedded red sandstone showing
 20 x 22 x 10 ins. above ground, chiseled
 * 2 H E S 572 B R, bears N. 1° 15' W.,
 95 lks. dist.
 A catclaw tree 4 ins. diam. blazed and
 described 2 H E S 572 B T, bears S. 49° 30' E.,
 230 lks. dist.
 Thence N. 49° 00' E.
 Descend gradual E. slope 45 ft.
 4.00 Bottom of descent, thence over level land.
 6.40 W. bank Seven Mile Wash, (dry) 80 lks. wide, course south.
 7.40 E. bank Seven Mile Wash.
 8.90 Wire fence, bears NW. and SE.
 9.72 To Cor. No. 3.
 Deposit a red sandstone 4 x 4 x 6 ins., marked with a
 * 24 ins. in the ground, over which set an iron post
 2 ins. diam. 36 ins. long with brass cap, marked 1919
 on S. rim and 3 H E S 572 in quadrant facing claim;
 raise a mound of stone 3-1/2 ft. base, 2-1/2 ft. high,
 south of cor., whence:

CROOK NATIONAL FOREST

STATE OF ARIZONA

Chains ... CA sycamore 12 ins. diam. bears S. 84° 00' W.,
188 lks. dist.

... A white oak 4 ins. diam. bears N. 77° 30' W.,
93 lks. dist.
Each blazed and scribed 3 H E S 572 + B T

Thence S. 39° 32' E.

1.15 Old road, bears N. and S.
5.50 Middle sand wash, course S.
20.24 To Cor. No. 4.

Deposit a red sandstone 4 x 5 x 6 ins. marked with a
+ 16 ins. in the ground, over which set a white dacite
stone 8 x 16 x 24 ins. chiseled + for the point and 4
H E S 572 on SW. face; raise a mound of stone 3-1/2 ft.

base 2-1/2 ft. high SW. of cor., whence:

A catclaw tree 6 ins. diam. bears S. 81° 15' W.,
168 lks. dist.

A catclaw tree 6 ins. diam. bears S. 53° 00' W.,
84 lks. dist.

Each blazed and scribed 4 H E S 572 + B T.

Thence S. 3° 56' E.

3.10 Road, bears NW. and SE.
8.20 Cor. fence, fence bears NW. and S. 3° 56' E., along line.
29.13 To cor. No. 5.

Deposit a red sandstone 3 x 4 x 6 ins. marked with a +
14 ins. in the ground, over which set a white sandstone
10 x 16 x 24 ins. chiseled + for the point and 5 H E S
572 on W. face; raise a mound of stone 3-1/2 ft. base
2-1/2 ft. high W. of cor., whence:

on a white dacite boulder in place showing

18 x 20 x 10 ins. above ground chiseled +

CROOK MOUNTAIN NATIONAL FOREST

STATE OF ARIZONA.

Chains 100 5 H E S. 572 B.R., bears N. 56° 20' E., 40
 lks. dist.
 A catclaw tree 4 ins. diam. blazed and scribed
 5 H E S 572 + B T, bears N. 80° 30' W.,
 30 lks. dist.

Thence S. 62° 43' W.

1.60 East bank Seven Mile Wash, (dry) 140 lks. wide, banks
 7 ft. high, course SE.

3.00 West bank Seven Mile Wash.

4.20 Begin ascent of 65 ft. over NE. slope.

7.08 To cor. No. 1, the place of beginning.

Total Area = 53.95 Acres.

IMPROVEMENTS.

The improvements made upon this claim by the claimant and belonging to him, consist of the following:

A four-room lumber house 24 x 26 ft., the long side extending N. 24° W., and S. 24° E., the east corner of which bears S. 13° E., 7.05 chs. from Cor. No. 3.

Value \$750.00

A shed made of corrugated iron roofing 14 x 36 ft. divided into compartments for blacksmith shop, wagon shed, garage, etc., the long side extending E. and W., and the NW. cor. of which bears S. 22° 30' E., 6.65 chs. from cor. No. 3.

Value \$200.00

A storehouse of corrugated iron roofing and with concrete floor 10 x 18 ft., the long side of which is N. and S., and the NW. cor. of it bears S. 19° 40' E., 6.50 chs. from Cor. No. 3.

CROOK NATIONAL FOREST

STATE OF ARIZONA

Chains

Value - - - - - \$100.00

A concrete storage tank 20 x 30 x 2-1/2 ft. deep, inside measurements, the long side extending N. 24° W. and S. 24° E., and the north corner of which bears S. 8° 30' E., 3.85 chs. from Cor. No. 3. Also 2200 feet of 1-1/4 inch pipe line extending from a spring in Seven Mile Wash to the tank;

Value of tank and pipeline \$450.00

A well 30 ft. deep, which is used as a domestic water supply, bears S. 15° 15' W., 3.90 chs. from Cor. No. 3.

Value - - - - - \$30.00

A picket roundup corral 125 x 200 ft., the long side extending NE. and SW., and the north corner of which bears S. 49° W., 1.85 chs. from Cor. No. 4.

Value - - - - - \$200.00

There is approximately 7/8 miles of wire fence on the claim.

Value - - - - - \$350.00

GENERAL DESCRIPTION

The claim is situated on Seven Mile Wash, a tributary to the San Carlos River, and is surrounded by low, rolling hills. The elevation is approximately 3,650 feet. The agricultural portion is flat and level and a rich, sandy loam and is capable of very intensive cultivation if water can be procured for it. Its main value at present is for a headquarters cattle ranch. There is no merchantable timber on the claim. There are no indications of any mineral upon the claim.

CONFLICTS AND ADJOINING CLAIMS

There are no conflicts or adjoining claims. HES No. 556 lies about 1-3/4 miles to south and HES 165 lies about 3-1/2 miles distant to NE.

174

HOMESTEAD ENTRY SURVEY NO. 572

CROOK NATIONAL FOREST

STATE OF ARIZONA

Chains
Globe, Arizona, the nearest postoffice, trading point and
Railway Station, is 26 miles in a southwesterly direc-
tion.

TRAVERSE

Course	Dist.	N.	S.	E.	W.
N. 21° 00' W.	44.49	41.54			15.94
N. 49° 00' E.	9.72	6.38		7.34	
S. 39° 32' E.	20.24		15.61	12.88	
S. 3° 56' E.	29.13		29.06	2.00	
S. 62° 43' W.	7.08		3.25		6.29
	110.66	47.92	47.92	22.22	22.23
			47.92		22.22
Error in Lat. and Dep.			.00		.01

Closing Error 1:11066

Survey completed February 14, 1919.

F. L. Kirby

Forest Ranger, Forest Service.

The claim is situated on Seven Mile Wash, a tributary to
the San Carlos River, and is surrounded by low, rolling
hills. The elevation is approximately 3,500 feet.
The surrounding portion is flat and level and a rich
sandy loam and is capable of very intensive cultivation.
The water can be procured for it. Its main value is
present in for a headquarters cattle ranch.
There is no merchantable timber on the claim.
There are no indications of any minerals upon the claim.

COMMENTS AND ADJOINING CLAIMS

There are no conflicts or adjoining claims.
The claim is situated on Seven Mile Wash, a tributary to
the San Carlos River, and is surrounded by low, rolling
hills. The elevation is approximately 3,500 feet.

(Copy)

April 12, 1919.

I, Arch F. Sanders hereby agree to
 the survey of my homestead, number 572 as made on
fourteenth day of February 1919, by Forest
 Service Surveyor F. L. Kirby
 and further agree that when notified that the survey
 has been approved and before attempting to make final
 proof on my entry, I will apply for amendment of the
 same to conform with said survey.

The changes made by the surveyor are the
elimination of a portion of the northwest end of
the List Survey and the addition of other land at
the southeast end of the List Survey.

F. L. Kirby
 Witness

Arch F. Sanders
 Claimant.

APPROVAL


Office of the United States Surveyor General,

Phoenix, Arizona, March 21, 1922.

The foregoing field notes of Homestead Entry Survey No.

572

executed by *F. L. Kirby, Forest Ranger* [Forest Service Title.]
under his special instructions, dated *April 13*, 1918, having
been critically examined, and the necessary corrections and explanations
made, the said field notes, and the surveys they describe, are hereby
approved.


U. S. Surveyor General.

I certify that the foregoing transcript of the field notes of the
above-described survey in the State of *Arizona*, has been
correctly copied from the original notes on file in this office.

FRANK P. TROTT
U. S. Surveyor General.

REVISED

Office of the United States District Judge

1901

The following is a list of the names of the

names of the persons who have been appointed to the office of the United States District Judge for the District of Columbia, and who have taken the oath of office and qualification.

The following is a list of the names of the persons who have been appointed to the office of the United States District Judge for the District of Columbia, and who have taken the oath of office and qualification.

The following is a list of the names of the persons who have been appointed to the office of the United States District Judge for the District of Columbia, and who have taken the oath of office and qualification.