

HMS

0

0

5

8

6

ORIGINAL

97

U. S. DEPARTMENT OF AGRICULTURE
FOREST SERVICE

DEC-8 1919

FIELD NOTES

OF

HOMESTEAD ENTRY SURVEY NO. 586

SITUATED IN THE **TONTO** NATIONAL FOREST

ADMINISTRATIVE DISTRICT NO. 3

In Section 26 , unsurveyed, Township 10 N., Range 13 E. ✓
In Section 27 , unsurveyed, Township 10 N., Range 13 E.

of the

GILA AND SALT RIVER BASE & Meridian.

State of

ARIZONA

Applicant for listing **W. B. Huestis,**

Residence **Young, Arizona.**

Application No. 514 , dated **September 1, 1914.** ✓
List No. 3-3853 , dated **August 4, 1916, and**
List No. 3-4114 , dated **May 28, 1917.** ✓

Applicant for survey **George F. Spurlock,** ✓

Residence **Young, Arizona.**

H. E. No. 042054 , dated **February 26, 1920** ✓

Land ~~Office~~ Office, **Phoenix, Arizona.**

Survey executed by **Frank D. Yost, Surveyor - Forest Service,**
[Forest Service Title.]

Under special instructions dated ✓ **March 12, 1919**

Survey commenced **June 11, 1919**

Survey completed **June 13, 1919.**

Under Acts of **June 11, 1906, and October 1, 1918.**

OATH OF ASSISTANTS

We hereby certify that we assisted **Frank D. Yost,**
Surveyor - Forest Service, in surveying all those
[Forest Service Title.]

parts or portions of Homestead Entry Survey No. 586, in the State of ARIZONA which are represented in the following field notes as having been surveyed by him and under his direction; and that said survey has been in all respects, to the best of our knowledge and belief, well and faithfully surveyed, and the corner monuments established, according to the instructions furnished by the United States Surveyor General for ARIZONA

Note: It would have been very expensive and inconvenient to appear before an officer to administer oaths to Assistants; hence, they were taken by the Surveyor.

H. E. Brandebury

Chainman

H. H. Longfellow

Chainman

Subscribed and sworn to before me this sixth day of August, 1919.

Frank D. Yost

Surveyor - Forest Service.

OATH OF SURVEYOR

I, **Frank D. Yost,** Surveyor - Forest Service,
[Forest Service Title.]

do solemnly swear that, in strict conformity with the special instructions of the United States Surveyor General for ARIZONA, dated March 12, 1919, and the laws of the United States, I have well, faithfully, and truly, in my own proper person, surveyed a tract of land embraced in List 3-3853 and 3-4114, dated August 4, 1916 and May 28, 1917, and a tract of unlisted land upon the application of W.B. Huestis,

Application, No. 514, dated Sept. 1, 1914, for Listing and Patent, under the Act of June 11, 1906, the same to be known as Homestead Entry Survey No. 586, situated within the TONTO National Forest, in unsurveyed Section 26, Township 10 N., Range 13 E., and unsurveyed Section 27, Township 10 N., Range 13 E.,

of the GILA AND SALT RIVER BASE & meridian, ARIZONA, and the related retracements and resurveys and section subdivisions, which are represented in the following field notes as having been surveyed by me; and I further solemnly swear that all the corners of said survey have been established and perpetuated in strict accordance with the stated special instructions, and in the specific manner described in the field notes, and that the following are the original field notes of such survey.

Frank D. Yost

Surveyor - Forest Service,
[Forest Service Title.]

Subscribed and sworn to before me this Fifth day of November, 1919.

Echel G. Myers

Notary Public.



8-2349

My commission expires March 17, 1921.

TONTO NATIONAL FOREST

STATE OF ARIZONA

Chains Applicant for listing, W. B. Huestis; Application No. 514, dated September 1, 1914; List No. 3-3853 and 3-4114, dated August 4, 1916 and May 28, 1917. H. E. No. 042054, made in the Phoenix Land Office on Feb. 26, 1920, by George F. Spurlock.

Also a tract of adjoining unlisted land was included in this survey. The land is similar in character to that embraced in the original listing. This is therefore a composite survey.

The changes made in this survey were for the purpose of simplifying the claim lines and to eliminate unnecessary corners. This survey includes all possible agricultural land intended to be embraced in the original listing, while excluding forest land. Copy of a signed statement from the claimant agreeing to the changes made is attached at the end of these notes.

Surveyed under Special Instructions from the Surveyor General for Arizona, dated March 12, 1919, and designated as Homestead Entry Survey No. 586.

Situated in what will probably be when surveyed Secs. 26 and 27, T. 10 N., R. 13 E., Gila and Salt River Base and Meridian, Tonto National Forest, Arizona.

Surveyed under the Acts of June 11, 1906 and October 1, 1918.

Survey commenced June 11, 1919, and executed with a Buff and Buff transit No. 10019, equipped with Smith solar attachment.

I test the adjustments of the transit and make necessary corrections.

All distances are horizontal, and were reduced from measurements made directly on the slope with a 500 link steel tape. The slope angles were determined with a clinometer.

HOMESTEAD ENTRY SURVEY NO. 586

TONTO NATIONAL FOREST

STATE OF ARIZONA

Chains

All the courses of this survey were deflected from the meridian established by me at Cor. No. 5 of H.E.S. 584, by direct solar obsn. on June 11, 1919, in connection with the survey of H. E. S. 584.

BOUNDARIES OF CLAIM

June 11, 1919.
Beginning at Cor. No. 1, which is also Cor. No. 8, of H. E. S. 584.

Deposit a sandstone 3 x 2 x 1 ins. marked with a + 18 ins. in the ground, on solid rock, over which set an iron post 36 ins. long, 2 ins. dia., with brass cap mkd. 1919 on S. rim, 1 H E S 586 in NE. quadrant and 8 H E S 584 in NW. quadrant, surrounded by a mound of stone 4 ft. base, 18 ins. high, whence:

- An oak 8 ins. dia., brs. S. 42° 02' E., 67 lks. dist.
- ✓ An oak 8 ins. dia., brs. N. 27° 57' E., 32 lks. dist.

Each blazed and scribed 1 H E S 586 8 H E S 584 + B T.

No other witnesses available.

The 1/4 Sec. Cor. on the N. bdy. of Sec. 3, T. 9 N., R. 13 E., a quartz stone 10 x 10

x 7 ins. above ground, mkd. and witnessed as described by the Surveyor General, brs.

✓ S. 13° 58' 54" W., 88.90 chs. dist. by tra-

verse which appears at the end of these notes.

Diligent search was made for the corner of Secs. 2 and 3, on the North boundary of T. 9 N., R. 13 E., but no evidence of same was found.

TONTON NATIONAL FOREST

STATE OF ARIZONA

Chains Lat. $34^{\circ} 10' 31''$ N., Long. $111^{\circ} 00' 05''$ W., from
 Special Instructions from the Surveyor General and
 later verified.
 Magnetic declination at 8 a.m. is $14^{\circ} 30'$ E.
 Mean Magnetic declination is $14^{\circ} 26'$ E.
 Thence N. $0^{\circ} 24'$ E.
 Along line 8-7 of H. E. S. 584.
 Over level grassy mesa, over unlisted land.
 5.00 To Cor. No. 2, which is also Cor. No. 7 of H. E. S. 584.
 Identical with Cor. H-3 of List 3-3845, which is a
 sandstone 6 x 3 x 3 ins. above ground, marked and wit-
 nessed as described by the Forest Service. I destroy
 all trace of this list cor.
 Deposit a sandstone 3 x 2 x 2 ins. marked with a + 18
 ins. in the ground, on solid rock, over which set an
 iron post 36 ins. long, 2 ins. dia., with brass cap
 marked 1919 on S. rim, 2 H E S 586 in SE. quadrant, and
 7 H E S 586 in portion of circle facing that claim,
 surrounded by a mound of stone 4 ft. base, 18 ins. high,
 whence:
 An oak 6 ins. dia., brs. N. $76^{\circ} 50'$ E., 528 lks.
 dist.
 An oak 8 ins. dia., brs. S. $21^{\circ} 07'$ E.,
 155 lks. dist.
 Each blazed and scribed 2 H E S 586-7 H E S
 584 + B T
 No other witnesses available.
 Thence S. $89^{\circ} 19'$ E.
 Along line 7-6 of H.E.S. 584.
 Across level grassy mesa.
 4.99 To Corner No. 3, which is also Cor. No. 6, of H.E.S. 584.

Chains ✓ Identical with Cor. H-4 of List 3-4114 and Cor. H-2
of List 3-3845, which is a sandstone 12 x 10 x 5 ins.
above ground, marked and witnessed as described by the
Forest Service. . . I destroy all trace of this list cor.
Deposit a sandstone 5 x 4 x 1 ins. marked with a + 16
ins. in the ground, over which set a sandstone 24 x 8
x 8 ins. chiseled + for the point, 3 H E S 586 on SE.
face, and 6 H E S 584 on NW. face; raise mounds of
stone 3 ft. base, 2 ft high, SE. and NW. of cor., whence:
A juniper 14 ins. dia., brs. N. 28° 10' W.,
69 lks. dist. . .
An oak 14 ins. dia., brs. N. 73° 55' E.,
162 lks. dist. . .
Each blazed and scribed 3 H E S 586 -6 H E S
584 + B T . . .
No other witnesses available. . .
Leave unlisted and enter listed land. . .

Thence N. 0° 22' E. . .
Along line 6-5 of H.E.S. 584. . .
Asc. 15' ft. over rocky SW. slope, thru juniper and oak.
3.88 Cor. of wire fence brs. West, 8 lks. dist., from which
fences bear N. 0° 22' E. along line, and West. Top
of ascent, thence over level grassy mesa.
4.98 Cor. H-7 of List 3-3853, which is also Cor. H-5 of List
3-4114, a sandstone 10 x 6 x 3 ins. above ground, mkd.
and witnessed as described by the Forest Service. I
destroy all trace of this list cor.
8.11 Wire fence bears E. and W. . . Cor. of fence bears West,
8 lks. dist. from which fences bear N. 0° 22' E.,
S. 0° 22' W. along line and East. Cultivated land
on East. . .
17.22 Cor. wire fence, bears West, 8 lks. dist. from which

TONTO NATIONAL FOREST

STATE OF ARIZONA

Chains	fences bear N. 0° 22' E., S. 0° 22' W. along line and West. Cultivated land on West.
31.31	Wire fence bears East and West. Cor. of fence bears West 8 lks. dist. from which fences bear N. 0° 22' E., S. 0° 22' W. along line and East. Leave cultivated land on East.
40.09	To Cor. No. 4, which is also Cor. No. 5 of H.E.S. 584 and Cor. No. 1 of H.E.S. 585.
	Identical with Cor. H-8 of List 3-3853; and Cor. H-1 of List 3-3845, which is a quartzite stone 10 x 8 x 3 ins. above ground, marked and witnessed as described by the Forest Service. Do not destroy all trace of this list cor. Deposit a granite stone 4 x 3 x 2 ins. marked with a + 18 ins. in the ground, over which set a granite stone 26 x 14 x 8 ins. chiseled + for the point and 4 H E S 586 on SE. face, 1 H E S 585 on N. face, and 5 H E S 584 on SW. face, dig pits 24 x 18 x 12 ins., S. 89° 29' W., S. 0° 22' W. and S. 89° 19' E. 3 ft. dist. and raise mounds of earth and stone SE. SW. and N. of the corner, whence:
	A juniper 12 ins. dia., brs. N. 69° 01' E., 377 lks. dist.
	A juniper 28 ins. dia., brs. N. 36° 19' W., 313 lks. dist.
	Each blazed and scribed 4 H E S 586 + B T
	A juniper 18 ins. dia., brs. N. 74° 27' W., 534 lks. dist.
	A juniper 14 ins. dia., brs. N. 37° 14' W., 380 lks. dist.
	Each blazed and scribed 5 H E S 584 + B T
	A juniper 24 ins. dia., brs. N. 55° 52' W., 596 lks. dist.
	A juniper 20 ins. dia., brs. N. 53° 26' W.,

Chains

389 lks. dist. Each blazed and scribed 1 H.E.S. 585 + B T
Fence corner bears S. 45° W., 4 lks. dist. June 11, 1919.

June 12, 1919.
Thence S. 88° 19' E.

4.97 To Cor. No. 5, which is also Cor. No. 6, of H.E.S. 585.
Identical with Cor. H-1 of List 3-3853, and also with
Cor. H-1 of List 3-3816, which is a sandstone 9 x 8 x 1
ins. above ground, marked and witnessed as described by
the Forest Service. I destroy all trace of this list
cor. Deposit a sandstone 2 x 2 x 2 ins. marked with
a + 26 ins. in the ground, over which set an iron post
36 ins. long, 2 ins. dia., with brass cap marked 1919
on the south rim, 5 H.E.S. 586 in portion of circle fac-
ing claim and 6 H.E.S. 585 in NW. quadrant; raise mounds
of stone 3 ft. base, 2 ft. high, SW. and NW. of cor.,
whence:

A juniper 12 ins. dia., brs. N. 69° 01' E.,
611 lks. dist.

A juniper 28 ins. dia., brs. N. 36° 19' W.,
313 lks. dist.

Each blazed and scribed 5 H.E.S. 586, 6 H.E.S.
585 + B T

No other witnesses available
Leave listed and enter unlisted land.
June 12, 1919.

June 13, 1919.
Thence S. 43° 30' E.

6.90 Over rolling grassy NE. slope.
Cor. H-2 of List 3-3853, which is a sandstone 8 x 8 x 3
ins. above ground, marked and witnessed as described by
the Forest Service, brs. S. 89° 20' W., 4.76 chs. dist.
I destroy all trace of this list cor.

TONTON NATIONAL FOREST

STATE OF ARIZONA

Chains

Cor. H-3 of List 3-3853, which is a quartzite stone 10 x 8 x 3 ins. above ground, marked and witnessed as described by the Forest Service, brs. N. 89° 20' E., 5.26 chs. dist. I destroy all trace of this list cor. Leave unlisted and enter listed land.

14.37

Identical with Cor. H-4 of List 3-3853, which is a sandstone 8 x 4 x 1 ins. above ground, marked and witnessed as described by the Forest Service, I destroy all trace of this list cor.

Cor. H-5 of List 3-3853, which is also Cor. H-1 of List 3-4114, a sandstone 10 x 6 x 3 ins. above ground, mkd. and witnessed as described by the Forest Service, brs. S. 89° 41' E., 5.03 chs. dist. I destroy all trace of this list cor.

Cor. H-2 of List 3-4114, which is a sandstone 12 x 6 x 4 ins. above ground, marked and witnessed as described by the Forest Service, brs. S. 89° 37' E., 10.13 chs. dist. I destroy all trace of this list cor.

28.70

To Cor. No. 6.

Deposit a sandstone 2 x 2 x 1 ins. marked with a + 18 ins. in the ground, over which set a sandstone 24 x 10 x 5 ins. chiseled + for the point and 6 H E S 586 on SW. face; raise a mound of stone 3 ft. base, 2 ft. high, SW. of cor., whence:

An oak 8 ins. dia., brs. N. 35° 02' W.,
333 lks. dist.

An oak 4 ins. dia., brs. N. 36° 05' E.,
130 lks. dist.

Each blazed and scribed 6 H E S 586 + B T

Thence S. 2° 59' E. ✓

Over rolling rocky East slope, thru oak and juniper, over unlisted land.

Chains
19.96

To Cor. No. 7.

Deposit a sandstone 4 x 3 x 2 ins. marked with a + 16 ins. in the ground, over which set a sandstone 24 x 8 x 6 ins. chiseled + for the point and 7 H E S 586 on NW. face; raise a mound of stone 3 ft. base, 2 ft. high, NW. of cor., whence:

An oak 15 ins. dia., brs. N. 10° 07' E.,
161 lks. dist.

A juniper 30 ins. dia., brs. N. 79° 47' W.,
168 lks. dist.

Each blazed and scribed 7 H E S 586 + B T

Cor. H-3 of List 3-4114, which is a sandstone

12 x 6 x 4 ins. above ground, marked and wit-

nessed as described by the Forest Service,

brs. S. 87° 41' W., 2.20 chs. dist. I

destroy all trace of this list cor.

Cor. H-6 of List 3-3853, which is also Cor.

H-6 of List 3-4114, a sandstone 12 x 6 x 4

ins. above ground, marked and witnessed as

described by the Forest Service, brs. N. 56° 07' W.,

8.42 chs. dist. I destroy all trace of this

list cor.

Thence S. 82° 22' W.

Over steep rocky south slope, thru oak and pinon.

31.36

To Cor. No. 1, the place of beginning.

AREA

Listed Area, - - - - - 78.52 Acres.

Unlisted Area, - - - - - 10.17 Acres.

Total Area - - - - - 88.69 Acres.

TERRITORY NATIONAL FOREST

STATE OF ARIZONA

Chains

IMPROVEMENTS

The improvements made upon and for the benefit of this claim consist of the following:

A shake barn 26 x 17 ft., the long sides extending E. and W., the NW. cor. of which bears S. 26° 30' E., 156 lks. dist. from Cor. No. 4.

Value - - - - - \$ 50.00

Approximately 1 mile of wire fence,

Value - - - - - \$ 100.00

Note: The claimant lives in the canyon, about 1/8 mile south of this claim, and under special use permit has erected there a log house, corral, log store house, and constructed about 1/2 mile of fence; dug two springs for domestic water supply.

DESCRIPTION

Claim consist mainly of a high level mesa, and includes some rocky slopes along the boundaries. The soil is a light sandy loam, somewhat rocky in places, but in general of fair depth, and adapted for agricultural purposes. There is no water on the claim and dry farming methods must be depended upon to grow crops. Approximately 75 percent of the area can be cultivated of which about 30 acres were under cultivation at time of survey. There is no timber of commercial value on the claim. I saw no indications of mineral on the claim.

CONFLICTS AND ADJOINING CLAIMS

There are no conflicts. H.E.S. 584 adjoins on the west; lines 8-7, 7-6 and 6-5 thereof being identical with lines 1-2, 2-3 and 3-4 respectively, of this sur-

HOMESTEAD ENTRY SURVEY NO. 586

TONTO NATIONAL FOREST

STATE OF ARIZONA

Chains

vey. H. E. S. 585 adjoins on the N. Lines 1-6 thereof being identical with line 4-5 of this survey. Young, Arizona, the nearest settlement and postoffice, lies about 8 miles distant in a southeasterly direction.

TRAVERSES

Course	Dist.	N.	S.	E.	W.
N. 0° 24' E. ✓	5.00	5.00		.03	
S. 89° 19' E. ✓	4.99		.06	4.99	
N. 0° 22' E. ✓	40.09	40.09		.26	
S. 88° 19' E. ✓	4.97		.15	4.97	
S. 43° 30' E. ✓	28.70		20.82	19.76	
S. 2° 59' E. ✓	19.96		19.93	1.04	
S. 82° 22' W. ✓	31.36		4.17		31.08
	135.07	45.09	45.13	31.05	31.08
			45.09		31.05
Error in Lat. and Dep.			.04		.03

Closing Error, 1:2701

TIELINE FROM COR. NO. 1, H.E.S. 586 TO THE 1/4 SEC. COR. BETWEEN SECS. 3 AND 34, TS. 9 AND 10 N., R. 13 E.

Course	Dist.	N.	S.	E.	W.
S. 29° 53' E. ✓	10.23		8.87	5.10	
S. 43° 51' E. ✓	2.91		2.10	2.02	
S. 43° 56' E. ✓	18.34		13.21	12.72	
S. 2° 50' W. ✓	3.65		3.65		.18
S. 47° 12' E. ✓	2.61		1.77	1.92	
S. 10° 03' E. ✓	2.33		2.29	.41	
S. 35° 00' W. ✓	3.92		3.21		2.25
S. 1° 35' E. ✓	5.21		5.21	.14	
S. 10° 40' E. ✓	5.86		5.76	1.08	
S. 69° 18' W. ✓	13.40		4.74		12.54
S. 5° 37' W. ✓	29.77		29.63		2.91
S. 25° 55' W. ✓	3.56		3.20		1.56
S. 74° 09' W. ✓	3.55		.97		3.42
S. 85° 41' W. ✓	22.07		1.66		22.01
			86.27	23.39	44.87
			0.00		23.39
			86.27		21.48

Resultant course, S. 13° 58' 54" W., 88.90 chs.

Survey completed June 13, 1919.

Frank J. ...

Surveyor - Forest Service,

- DIRECTIONS.—1. Carry out calculations to two decimals only.
 2. In balancing Latitudes and Departures do not obliterate or change the original figures.
 Put the corrected figure or figures above in red ink. Do not change the footing of the original figures, but put below them the corrected footing in red ink.
 The corrections for balancing fallings should be proportional to the lengths of the lines.
 3. In calculations of fallings take result to nearest link. In calculations of N. and S. areas drop all after second decimal. Surveyors are required to use the Standard Field Tables issued by the G. L. O.
 4. Only three copies of this tabulation are necessary, for the District Office, the Surveyor General, and the Commissioner.

TABLING AND CALCULATIONS OF HOMESTEAD ENTRY SURVEY NO. 586, STATE OF ARIZONA

8-2349

CORNERS.	BEARING.	DISTANCE.	LATITUDES.		DEPARTURES.		DOUBLE M. D.	N. AREAS.		S. AREAS.	
			NORTH.	SOUTH.	EAST.	WEST.					
1 - 2	N. 0-24 E.	5.00	5 00			03			15		
2 - 3	S. 89-19 E.	4.99		06	4 99		5 05				30
3 - 4	N. 0-22 E.	40.09	40 09		27	26	10 31	413 43			
4 - 5	S. 88-19 E.	4.97		15	4 97		15 55				2 33
5 - 6	S. 43-30 E.	28.70		20 82	19 78		40 29				838 43
6 - 7	S. 2-59 E.	19.96		19 93	1 04		61 10				1217 11
7 - 1	S. 82-22 W.	31.36		4 17		31 08	31 07				129 25
		135.07	45 09	45 13	31 05	31 08		413 58			2187 42
			45 10	45 10	31 07	31 07					413 58
				45 09		31 05					20/1773 84
	Error in Lat. and Dep.			04		03					88 69
	Closing Error, 1:2701										Acres.
											295

601

DIRECTIONS.—1. Carry out calculations to two decimals only.

2. In balancing Latitudes and Departures do not obliterate or change the original figures.

Put the corrected figure or figures above in red ink. Do not change the footing of the original figures, but put below them the corrected footing in red ink.

The corrections for balancing fallings should be proportional to the lengths of the lines.

3. In calculations of fallings take result to nearest link. In calculations of N. and S. areas drop all after second decimal. Surveyors are required to use the Standard Field Tables issued by the G. L. O.

4. Only three copies of this tabulation are necessary, for the District Office, the Surveyor General, and the Commissioner.

5-2349

TABLING AND CALCULATIONS OF HOMESTEAD ENTRY SURVEY NO. 586, STATE OF ARIZONA

CORNERS.	BEARING.	DISTANCE.	LATITUDES.		DEPARTURES.		DOUBLE M. D.		N. AREAS.		S. AREAS.	
			NORTH.	SOUTH.	EAST.	WEST.						
TRAVERSE OF LISTED AREA												
	N. 0-27 E.	20.02	20 02 ✓		16 ✓		49 80		997 00 ✓			
	N. 43-30 W. ✓	21.80	15 81 ✓			15 01 ✓	34 95		552 56 ✓			
	S. 89-20 W. ✓	4.76		06 ✓		4 76 ✓	15 18				91	
	N. 0-12 E.	5.02	5 02 ✓		02 ✓		10 44		52 41 ✓			
	N. 88-19 W. ✓	4.97	15 ✓			4 97 ✓	5 49		82 ✓			
	S. 0-22 W. ✓	40.09		40 09 ✓		26 ✓	26				10 42	
	S. 88-02 E.	24.83		85 ✓	24 82 ✓		24 82				21 10	
			41 00 ✓	41 00 ✓	25 00 ✓	25 00 ✓			1602 79 ✓		32 43 ✓	
			41 00		25 00				32 43 ✓			
									20/1570 36 ✓			
									78 52 ✓	Acres.		

d.f.s

November 3, 1919.

I, George Spurlock , hereby agree to the survey of my homestead, number 586, as made on the 13th day of June, 1919, by Forest Service Surveyor Frank D. Yost, and further agree that when notified that the survey has been approved and before attempting to make final proof on my entry, I will apply for amendment of the same to conform with said survey.

The changes made by the Surveyor make minor exclusions of listed land along the north and east and include a little unlisted land on the south but make no attempt to include the Cane Springs or improvements in its vicinity. All changes have been made to simplify the homestead lines and the net total is a slight increase in area.

(Sgd.) J.A.Frieborn,

(Sgd.) George Spurlock,

Witness.

Claimant

APPROVAL


Office of the United States Surveyor General,

Phoenix, Arizona, April 23, 1920

The foregoing field notes of Homestead Entry Survey No.

586

executed by *Frank D. Gost, Surveyor,* [Forest Service Title.]
under his special instructions, dated *March 12*, 1919, having
been critically examined, and the necessary corrections and explanations
made, the said field notes, and the surveys they describe, are hereby
approved.


U. S. Surveyor General.

I certify that the foregoing transcript of the field notes of the
above-described survey in the State of *Arizona*, has been
correctly copied from the original notes on file in this office.

FRANK P. TROTT
U. S. Surveyor General.