

HES

0

0

6

0

1

ORIGINAL

Form 85
Sheet No. 1
(Revised July 1, 1914.)

13
APR. 23. 1920
MAY 13 1920
MAY 9 1920

U. S. DEPARTMENT OF AGRICULTURE
FOREST SERVICE

FIELD NOTES

OF

HOMESTEAD ENTRY SURVEY NO. 601

SITUATED IN THE COCONINO NATIONAL FOREST

ADMINISTRATIVE DISTRICT NO. 3

In Section 36 , un surveyed, Township 14 N., Range 9 E.

of the

GILA AND SALT RIVER BASE & Meridian.

State of

ARIZONA

Applicant for listing	Granville Fain,
Residence	Camp Verde, Arizona.
Application No. 71	, dated July 28 , 19 08
List No. 3-1098	, dated February 3 , 19 11

Applicant for survey	Leroy Burkett,
Residence	Camp Verde, Arizona.
H. E. No. 034010	, dated April 7 , 19 17
Land District Office,	Phoenix, Arizona.

Survey executed by	A. W. Hendrix, Surveyor - Draftsman, Forest Service,
	[Forest Service Title.]
Under special instructions dated	May 7 15, , 19 19
Survey commenced	May 21 , 19 19
Survey completed	May 23 , 19 19
Under Acts of	June 11, 1906 and October 1, 1918.



OATH OF ASSISTANTS

We hereby certify that we assisted **A. W. Hendrix,**
Surveyor - Draftsman, - Forest Service, in surveying all those
[Forest Service Title.]

parts or portions of Homestead Entry Survey No. **601**, in the State
of **ARIZONA** which are represented in the following field notes
as having been surveyed by him and under his direction; and that said
survey has been in all respects, to the best of our knowledge and
belief, well and faithfully surveyed, and the corner monuments estab-
lished, according to the instructions furnished by the United States
Surveyor General for **ARIZONA**.

Note: It would have been
very expensive and incon-
venient to appear before an
officer to administer oaths
to Assistant; hence, they
was taken by the Surveyor.

Larnald E. Harrison

Chairman

Subscribed and sworn to before me this **23rd** day of
May, 19 **19**.

Edward [unclear]

Surveyor-Draftsman, Forest Service

OATH OF SURVEYOR

I, **A. W. Hendrix, Surveyor - Draftsman, Forest Service,**
[Forest Service Title.]

do solemnly swear that, in strict conformity with the special instruc-
tions of the United States Surveyor General for **ARIZONA**, dated
May 15, 19 **19**, and the laws of the United States, I have
well, faithfully, and truly, in my own proper person, surveyed a tract
of land embraced in

List, No. **3-1098**, dated **Feb. 3**, 19 **11**, for
Patent, under the Act of **June 11**, 1906,
the same to be known as Homestead Entry Survey No. **601**,
situated within the **COCONINO** National Forest, in
unsurveyed Section 36, Township **14 N.**, Range **9 E.**, and
surveyed Section **---**, Township **---**, Range **---**,

&
of the **GILA AND SALT RIVER BASE** meridian, **ARIZONA**, and the
related retracements and resurveys and section subdivisions, which are
represented in the following field notes as having been surveyed by me;
and I further solemnly swear that all the corners of said survey have
been established and perpetuated in strict accordance with the stated
special instructions, and in the specific manner described in the field
notes, and that the following are the original field notes of such
survey.

Edward [unclear]

Surveyor-Draftsman, Forest Service
[Forest Service Title.]

Subscribed and sworn to before me this **21st** day of
Feb, 19 **20**.

My com expires
Feb 11, 1923
Law. R. Holdeman

Notary Public



COCONINO NATIONAL FOREST

STATE OF ARIZONA.

Chains Applicant for listing, Granville Fain; Application No. 71, dated July 28, 1908; List No. 3-1098, dated February 3, 1911; H. E. No. 034010, made in the Phoenix Land Office on April 7, 1917, by Leroy Burkett.

Surveyed under special instructions from the Surveyor General for Arizona, dated May 15, 1919, and designated as Homestead Entry Survey No. 601.

Situated in what will probably be when surveyed Sec. 36, T. 14 N., R. 9 E., Gila and Salt River Base and Meridian, Coconino National Forest, Arizona.

Surveyed under the Acts of June 11, 1906 and October 1, 1918.

Survey commenced May 21, 1919, and executed with a Buff and Buff transit No. 10530, equipped with Smith solar attachment. I test the adjustments of the transit and find them to be correct.

All distances are horizontal, and were reduced from measurements made directly on the slope with a 400 link steel tape. The slope angles were determined with a clinometer.

May 21, 1919.

At Cor. No. 1 of claim hereinafter described, in latitude $34^{\circ} 33' 20''$ N., Longitude $111^{\circ} 20' 36''$ W. from Forest Service Base Map. At 6h. 42.6m. p.m., l.m.t., I observe Polaris with telescope direct reading an angle of $1^{\circ} 35' 30''$ from star to left to reference mark about 1-1/2 miles dist. Greenwich m.t. U.C. Polaris

May 21, 1919, 9h. 38.9m. a.m.

Correction for Longitude, 1.2m.

l.m.t. U.C. Polaris, May 21, 1919, 9h. 37.7m. a.m.

l.m.t. obsn. Polaris May 21, 1919, 6h. 42.6m. p.m.

Hour angle, 9h. 04.9m.

Azimuth of Polaris at observation, $0^{\circ} 55' 54''$ W.

HOMESTEAD ENTRY SURVEY NO. 601

COCONINO NATIONAL FOREST

STATE OF ARIZONA.

Chains

Bearing of reference mark, N. 2° 31' 24" W.

At the same station at 6h. 49.5m. p.m., l.m.t. I again observe Polaris with telescope reversed, reading an angle of 1° 37' from star to left to same reference mark.

l.m.t. U.C. Polaris May 21, 1919, 9h. 37.7m. a.m.

l.m.t. obsn. Polaris May 21, 1919, 6h. 49.5m. p.m.

Hour angle, 9h. 11.8m.

Azimuth of star at obsn., N. 0° 54' W.

Bearing of reference mark, N. 2° 31' W.

Mean bearing of reference mark as determined from the two observations is N. 2° 31' 12" W. I accept bearing

of reference mark as N. 2° 31' W. and to the meridian

thus determined all courses of the survey were referred by sustained angulation.

May 21, 1919.

May 23, 1919. RETRACEMENT

Beginning at the cor. of secs. 25, 30, 31 and 36, T. 14 N.

Rs. 9 and 10 E., which is a post 3 ins. dia. 3 ft.

long set loosely in mound of stone, marked and witnessed

as described by the Surveyor General. As old post

is badly decayed I destroy all trace of same and in

same place set a limestone 10x14x20 ins. in mound of

stone, marked with 5 notches on N. and 1 notch on S.

face.

Thence south,

Retracing along range line bet Secs. 31 and 36, N/2.

40.05 Intersect the 1/4 cor. bet. secs. 31 and 36, which is a

post 3 in. dia. 2-1/2 ft. long, loosely set in mound

of stone, marked and witnessed as described by the

Surveyor General. As old post is badly decayed I

destroy all trace of same and in same place set a

limestone 8x10x30 ins. in mound of stone, marked 1/4

on west face.

May 23, 1919.

COCONINO NATIONAL FOREST

STATE OF ARIZONA.

Chains

BOUNDARIES OF CLAIM

May 22, 1919.

Beginning at Cor. No. 1,

Identical with Cor. H/10 of the list survey, which is a limestone marked and witnessed as described by the Forest Service. I destroy all trace of this list cor. Deposit a limestone 4x5x6 ins. marked with a + 20 ins. in the ground, over which set a limestone 5x14x30 ins. chiseled + on top and 1 H E S 601 on NW face; raise a mound of stone 2 ft. base, 1-1/2 ft. high NW. of cor., whence:

A pine 20 ins. dia. bears S. 72° 50' E. 50 lks. dist

A pine 20 ins. dia. bears S. 53° W. 68 lks. dist.

Each blazed and scribed 1 H E S + 601 B T.

T. 14 N., Rs. 9 & 10E.
The 1/4 cor. bet. Secs. 31 and 36, heretofore

described, bears S. 72° 32' 09" E. 18.29 chs.

dist. by traverse which appears at the end of

these notes. (Since this cor. of the claim

is the nearest to an established Public Land

cor., I make it No. 1 of the survey, rather

than the cor. nearest the cor. of Secs. 25,

30, 31 and 36, as instructed by the Surveyor

General).

Lat. 34° 33' 20" N., Long. 111° 20' 36" W. from Forest

Service base map.

Mag. decl. at 8 a.m. 14° 45' E. Mean mag. decl. 14° 42' E.

Thence S. 89° 41' W.

Descend 6 ft. over open land.

0.70 Fence bears S. 75° W. and N. 75° E.

1.70 Wash; 8 lks. wide, course N. 20° E., bottom of descent,
ascend 4 ft. to cor.

4.12 Fence bears E. and W.

4.25 To Cor. No. 2.

Chains

Identical with Cor. H/9 of the list survey, which is a limestone 8x4x7 ins. above ground, marked and witnessed as described by the Forest Service. I destroy all trace of this list cor. Deposit a limestone 2x4x5 ins. marked with a + 17 ins. in the ground, over which set a limestone 6x8x23 ins. (No larger stone available) chiseled + on top and 2 H E S 601 on NE face; raise a mound of stone 2 ft. base, 1-1/2 ft. high NE of Cor., whence:

A pine 28 ins. dia. bears S. 16° 30' W.

52 lks. dist.

A pine 20 ins. dia. bears N. 50° 30' W.

211 lks. dist.

Each blazed and scribed 2 H E S + 601 B T.

Thence N. 24° 45' E.

Descend 6 ft. to cor. over gently rolling land along outside of fence, through scattering pine timber.

11.35 To Cor. No. 3,

Identical with Cor. H/8 of the list survey, which is a limestone 8x3x10 ins. above ground, marked and witnessed as described by the Forest Service. I destroy all trace of this list cor. Deposit a limestone 3x6x7 ins. marked with a + 19 ins. in the ground, over which set a limestone 4x14x26 ins. chiseled + on top and 3 H E S 601 on E. face; raise a mound of stone 2 ft. base, 1-1/2 ft. high E. of cor., whence:

A pine 25 ins. dia. bears S. 60° 15' W.

86 lks. dist.

A pine 20 ins. dia. bears N. 20° 30' W.

178 lkd. dist.

Each blazed and scribed 3 H E S + 601 B T.

Thence N. 25° 26' W.

Descend 8 ft. to cor. over gently rolling land along

COCONINO NATIONAL FOREST

STATE OF ARIZONA.

Chains outside of fence through scattering timber.

1.00 Fence, bears N. 30° W. and S. 30° E.

6.95 Fence, bears NE. and SW.

7.12 To Cor. No. 4.

Identical with Cor. H/7 of the list survey, which is a limestone 10x4x8 ins. above ground, marked and witnessed as described by the Forest Service. I destroy all trace of this list cor.

Deposit a limestone 2x3x3 ins. marked with a + 18 ins. in the ground, over which set a sandstone 5x12x25 ins. chiseled + on top and 4 H E S 601 on NE face; raise a mound of stone 2 ft. base, 1-1/2 ft. high NE. of cor., whence:

A pine 16 ins. dia. bears N. 53° 30' W.
68 lks. dist.

A pine 16 ins. dia. bears S. 35° 45' W.
59 lks. dist.

Each blazed and scribed 4 H E S 601 B T.

Thence N. 60° 34' W.

Descend 4 ft. to cor. over gently rolling land through scattered timber.

6.75 Fence bears N. 60° E. and S. 60° W.

7.91 To Cor. No. 5,

Identical with Cor. H/6 of the list survey, which is a limestone 6x3x7 ins. above ground, marked and witnessed as described by the Forest Service. I destroy all trace of this list cor.

Deposit a limestone 3x4x4 ins. marked with a + 19 ins. in the ground, over which set a limestone 8x16x26 ins. chiseled + on top and 5 H E S 601 on N. face; raise a mound of stone 2 ft. base, 1-1/2 ft. high N. of Cor., whence:

A pine 26 ins. dia. bears S. 67° 30' E.

HOMESTEAD ENTRY SURVEY NO. 601

COCONINO NATIONAL FOREST

STATE OF ARIZONA.

Chains

32 lks. dist.

A pine 30 ins. dia. bears S. 12° 40' W.

64 lks. dist.

Each blazed and scribed 5 H E S + 601 B T.

Thence S. 48° 37' W.

Ascend 6 ft. to cor. over gently rolling land along edge of plowed field.

3.75 Fence bears N. 60° E. and S. 60° W. Cor. of fence bears S. 60° W. 100 lks. dist. Fence bears N. 60° W. from cor. End of cultivated land at fence.

7.13 To Cor. No. 6,
Identical with Cor. H/5 of the list survey, which is a limestone boulder in place, 20x20x36 ins. above ground, marked and witnessed as described by the Forest Service. I destroy all marks pertaining to the list survey, together with its witnesses, and chisel same boulder + for point for cor. and 6 H E S 601 on N. face; raise a mound of stone 2 ft. base, 1-1/2 ft. high N. of cor., whence:

A pine 26 ins. dia. bears S. 18° 15' W.

151 lks. dist.

A pine 24 ins. dia. bears N. 50° 20' W.

58 lks. dist.

Each blazed and scribed 6 H E S + 601 B T.

May 22, 1919.

May 23, 1919.

Thence N. 33° 55' W.

Descend 5 ft. over gently rolling land through scattered timber.

.40 Wash 15 lks. wide, course N. 15° E., bottom of descent. Ascend 5 ft. to cor.

2.49 To Cor. No. 7,
Identical with Cor. H/4 of the list survey, which is

COCONINO NATIONAL FOREST

STATE OF ARIZONA.

Chains

a limestone 12x7x8 ins. above ground, marked and witnessed as described by the Forest Service. I destroy all trace of this list cor.

Deposit a limestone 2x6x7 ins. marked with a + 18 ins. in the ground, over which set a limestone 6x12x24 ins. chiseled + on top and 7 H E S 601 on E. face; raise a mound of stone 2 ft. base, 1-1/2 ft. high E. of cor., whence:

A pine 16 ins. dia. bears N. 71° W.

97 lks. dist.

A pine 30 ins. dia. bears S. 36° 45' E.

54 lks. dist.

Each blazed and scribed 7 H E S 601 B T.

Thence N. 40° 18' E.

Descend 10 ft. over gently rolling land through scattering timber.

1.65 Fence bears N. 60° W. and S. 60° E. Cor. of fence bears No. 60° W. 150 lks. dist. Fence bears N. 30° E. from cor. Enter cultivated land. Leave Timber.

6.00 Wash 10 lks. wide, course N.

6.30 Same wash, course N. 70° E. Leave cultivated land and enter dense reproduction.

10.00 Leave reproduction.

10.70 Wash 10 lks. wide, course north, bottom of descent. Ascend 6 ft. to cor. over cultivated land.

12.36 To cor. No. 8,

Identical with Cor. H/3 of the list survey, which is a limestone 10x6x10 ins. above ground, marked and witnessed as described by the Forest Service. I destroy all trace of this list cor.

Deposit a limestone 4x4x7 ins. marked with a + 18 ins. in the ground, over which set a limestone 8x10x24 ins. chiseled + on top and 8 H E S 601 on S. face; raise a

HOMESTEAD ENTRY SURVEY NO. 601

COCONINO NATIONAL FOREST

STATE OF ARIZONA.

Chains

mound of stone 2 ft. base, 1-1/2 ft. high S. of cor.,
whence:

A pine 24 ins. dia. bears S. 80° 15' E.

107 lks. dist.

A pine 26 ins. dia. bears N. 35° 30' E.

10 lks. dist.

Each blazed and scribed 8 H E S + 601 B T.

Thence S. 47° 52' E.

Ascend 20 ft. over gently rolling land, along edge of
cultivated field on inside of fence.

1.60 Road bears E. and W.

3.50 Fence bears S. 55° E. and N. 55° W. Leave edge of

cultivated land, thence ascend over rocky point through
scattered timber.

6.60 Top of ascent. Rocky point bears SW. Descend 5 ft. to
cor.

8.45 To Cor. No. 9,

Point for cor. falls on a limestone boulder in place
6x12x12 ins. above ground. I chisel boulder + for
the point and 9 H E S 601 on SW face and raise a mound
of stone 2 ft. base, 1-1/2 ft. high SW of cor. whence:

A pine 30 ins. dia. bears N. 26° 45' W.

15 lks. dist.

A pine 24 ins. dia. bears N. 86° 10' E.

32 lks. dist.

Each blazed and scribed 9 H E S + 601 B T.

T. 14 N., Rs. 9 and 10 E.
The cor. of Secs. 25, 30, 31 and 36 heretofore

described bears N. 56° 23' 06" E. 23.28 chs.

dist. by traverse which appears at the end of
these notes.

Point for Cor. H/2 of the list survey determin-
ed from call of the witnesses as recorded in
the field notes of the list survey bears S.

COCONINO NATIONAL FOREST

STATE OF ARIZONA.

23

Chains

50° W. 50 lks. dist. Point for cor. is under water of tank. I destroy marks on the witness trees pertaining to the list survey.

Thence S. 32° 05' E.

Descend 5 ft. over rocky point to water in tank.

0.40 Edge of water bears E. and W.

2.90 Edge of water bears N and S. Ascend 6 ft. to cor. over level land.

3.00 Fence bears NE. and SW. Cor. bears NE. 20 lks. dist. Fence bears S. 30° E. from cor.

12.00 Fence bears N. 30° W. and S. 30° E.

12.49 To Cor. No. 10,

Identical with Cor. H/1 of the list survey, which is a limestone 8x7x10 ins. above ground marked and witnessed as described by the Forest Service. I destroy all trace of this list cor.

Deposit a limestone 2x3x3 ins. marked with a + 18 ins. in the ground, over which set a limestone 7x12x24 ins. chiseled + on top and 10 H E S 601 on W. face; raise a mound of stone 2 ft. base, 1-1/2 ft. high W. of cor., whence:

A pine 30 ins. dia. bears S. 18° E.

107 lks. dist.

A pine 26 ins. dia. bears S. 75° W.

129 lks. dist.

Each blazed and scribed 10 H E S 601 B T.

Thence S. 22° 51' W.

Ascend 5 ft. over gently rolling land to cor.

0.04 Fence bears N. 60° W. and S. 60° E. Cor. of fence bears S. 60° E. 20 lks. dist. Fence bears S. 25° W. from cor.

12.00 Fence bears S. 25° W. and N. 25° E. Cor. of fence bears

Chains

12.08 S. 25° W. 5 lks. dist. Fence bears S. 75° W. from cor. To Cor. No. 1 and place of beginning.

AREA

Area-----15.11 A.

IMPROVEMENTS

The improvements made on this claim and belonging to the claimant herein consist of the following:

A pole barn 14 x 18 ft., the long sides of which extend E. and W., the SE. cor. of which bears N. 21° E. 114 lks. dist. from Cor. No. 5.

Value-----\$60.00

A log house 14x30 ft., the long sides extending N. and S. the NW. cor. of which bears S. 23° 40' W. 249 lks. dist. from Cor. No. 8.

Value-----\$400.00

A dug well about 20 ft. deep, 6 ft. diam., the center of which bears S. 15° 30' W., 222 lks. dist. from cor. No. 8.

Value-----\$200.00

A dirt tank which holds water the year long, dam about 12 ft. high and 200 ft. long extending NE. and SW., the NE end of which bears N. 59° W. 280 lks. dist. from cor. No. 9.

Value-----\$400.00

About 1 mile of wire fencing.

Value-----\$150.00

DESCRIPTION.

The claim is located in two open draws surrounded by low timbered hills, The soil in the flat is a rich black loam, very fertile, producing good crops of small grain and potatoes.

There is no permanent water on claim for irrigation, nor

COCONINO NATIONAL FOREST

STATE OF ARIZONA.

Chains

is it needed, rainfall alone being sufficient to raise crops. About 7 acres were in cultivation at the time of survey.

Water for domestic purposes is obtained from the well on the claim.

No indications of mineral were observed on the claim. There is no timber of commercial value on the claim.

CONFLICTS AND ADJOINING CLAIMS

There are no conflicts or adjoining claims.

Camp Verde, Arizona, is the nearest postoffice and trading point, and is about 30 miles in a westerly direction over very poor roads which are impassable after the snows fall.

TRAVERSES

Course	Dist.	N	S	E	W
S.89° 41' W.	4.25		.02		4.25
N.24° 45' E.	11.35	10.31		4.75	
N.25° 26' W.	7.12	6.43			3.06
N.60° 34' W.	7.91	3.89			6.89
S.48° 37' W.	7.13		4.71		5.35
N.33° 55' W.	2.49	2.07			1.39
N.40° 18' E.	12.36	9.43		7.99	
S.47° 52' E.	8.45		5.67	6.27	
S.32° 05' E.	12.49		10.58	6.63	
S.22° 51' W.	12.08		11.13		4.69
	<u>85.63</u>	<u>32.13</u>	<u>32.11</u>	<u>25.64</u>	<u>25.63</u>
		<u>32.11</u>		<u>25.63</u>	
Error in Lat. & Dep.		.02		.01	

Closing error 1:3830

TIE FROM COR. NO. 1 OF CLAIM TO 1/4 COR. BET. SECS. 31 AND 36.

S.57° 45' E.	16.10		8.59	13.62	
N.51° 00' E.	4.93	3.10		3.83	
		<u>3.10</u>	8.59	<u>17.45</u>	
			<u>3.10</u>		
			5.49	17.45	

Resultant course S. 72° 32' 09" E. 18.29

TIE FROM COR. NO. 9 OF CLAIM TO COR. OF SECS. 25, 30, 31 and 36

N.73° 05' E.	19.18	5.58		18.35	
N. 8° 05' E.	7.38	7.31		1.04	
		<u>12.89</u>		<u>19.39</u>	

Resultant course N. 56° 23' 06" E. 23.28

HOMESTEAD ENTRY SURVEY NO. 601

COCONINO NATIONAL FOREST

STATE OF ARIZONA.

Chains

Survey completed May 23, 1919.

Dr. J. H. ...

Surveyor - Draftsman
Forest Service

Station	Angle	Distance	Bearing	Remarks
1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32
33
34
35
36
37
38
39
40
41
42
43
44
45
46
47
48
49
50
51
52
53
54
55
56
57
58
59
60
61
62
63
64
65
66
67
68
69
70
71
72
73
74
75
76
77
78
79
80
81
82
83
84
85
86
87
88
89
90
91
92
93
94
95
96
97
98
99
100

- DIRECTIONS.—1. Carry out calculations to two decimals only.
 2. In balancing Latitudes and Departures do not obliterate or change the original figures.
 Put the corrected figure or figures above in red ink. Do not change the footing of the original figures, but put below them the corrected footing in red ink.
 The corrections for balancing fallings should be proportional to the lengths of the lines.
 3. In calculations of fallings take result to nearest link. In calculations of N. and S. areas drop all after second decimal. Surveyors are required to use the Standard Field Tables issued by the G. L. O.
 4. Only three copies of this tabulation are necessary, for the District Office, the Surveyor General, and the Commissioner.

TABLING AND CALCULATIONS OF HOMESTEAD ENTRY SURVEY NO. 601, STATE OF ARIZONA

S-2349

CORNERS.	BEARING.	DISTANCE.	LATITUDES.		DEPARTURES.		DOUBLE M. D.	N. AREAS.		S. AREAS.	
			NORTH.	SOUTH.	EAST.	WEST.					
1-2	S.89° 41' W.	4.25 ✓		02 ✓		4 25 ✓	28 13 ✓				56 ✓
2-3	N.24° 45' E.	11.35 ✓	10 31 ✓		4 75 ✓		28 63 ✓	295 18 ✓			
3-4	N.25° 26' W.	7.12 ✓	6 43 ✓			3 06 ✓	30 32 ✓	194 96 ✓			
4-5	N.60° 34' W.	7.91 ✓	3 89 ✓			6 89 ✓	20 37 ✓	79 24 ✓			
5-6	S.48° 37' W.	7.13 ✓		4 71 ✓		5 35 ✓	8 13 ✓			38 29 ✓	
6-7	N.33° 55' W.	2.49 ✓	2 07 ✓			1 39 ✓	1 39 ✓	2 88 ✓			
7-8	N.40° 18' E.	12.36 ✓	9 ⁴² 43 ✓		7 99 ✓		7 99 ✓	75 27 ✓			
8-9	S.47° 52' E.	8.45 ✓		5 67 ✓	6 27 ✓		22 25 ✓			126 16 ✓	
9-10	S.32° 05' E.	12.49 ✓		10 ⁵⁹ 58 ✓	6 ⁶² 63 ✓		35 14 ✓			372 13 ✓	
10-1	S.22° 51' W.	12.08 ✓		11 13 ✓		4 69 ✓	37 07 ✓			412 59 ✓	
		85.63 ✓	32 13 ✓ _{32 12}	32 11 ✓ _{32 12}	25 64 ✓ _{25 63}	25 63 ✓ _{25 63}		647 53 ✓		949 73 ✓	
			32 11 ✓		25 63 ✓					647 53 ✓	
	Error in Lat. and Dep.		02 ✓		01 ✓					20/302 20 ✓	
	Closing error - 1:3830									15 11 Acres	

949.73
 647.53
 20/302.20
 15.11
 E

27

APPROVAL

Office of the United States Surveyor General,

Phoenix, Arizona, May 18, 1920

The foregoing field notes of Homestead Entry Survey No.

601

executed by A. H. Hendrix, Surveyor
under his special instructions, dated May 15, 1919, having
been critically examined, and the necessary corrections and explanations
made, the said field notes, and the surveys they describe, are hereby
approved.

[Forest Service Title.]



U. S. Surveyor General.

I certify that the foregoing transcript of the field notes of the
above-described survey in the State of Arizona, has been
correctly copied from the original notes on file in this office.

FRANK P. TROTT

U. S. Surveyor General.