

HESS

00663

Jan. 21, 1939

U. S. DEPARTMENT OF AGRICULTURE
FOREST SERVICE

Original

FIELD NOTES

OF

EXCHANGE
~~XXXXXXXXXXXXXXXXXXXX~~ SURVEY NO. 663

SITUATED IN THE COCONINO NATIONAL FOREST
ADMINISTRATIVE DISTRICT NO.

In Section 19 , surveyed, Township 21 N., Range 10 E.
Retracement N/2 E. Bdy. Sec. 19, T. 21 N., R. 10 E.
Retracement N/2 E. Bdy. Sec. 24, T. 21 N., R. 9, E.
Establishment 1/4 Cor. W. Bdy. Sec. 19, T. 21 N., R. 10 E.

of the

Gila and Salt River Base and Meridian.

State of
Arizona

Exchange

Applicant for ~~XXXXXX~~ Babbitt Bros. Lands, Inc.

Residence

Application No. , dated , 19

List No. , dated , 19

Applicant for survey

Residence

H. E. No. , dated , 19

Land Office

Survey executed by Thomas F. Myers, Associate C. E. Inspector. [Forest Service Title.]

Under special instructions dated June 30 and November 3, 1938

Survey commenced November 7 , 1938

Survey completed November 11, , 1938

Under Acts of March 20, 1922 and June 16, 1938.



OATH OF ASSISTANTS

We hereby certify that we assisted **Thomas F. Myers,**
Associate C. E. Inspector, Forest Service, in surveying all those
[Forest Service Title.]
parts or portions of ~~Homestead Entry~~ ^{Exchange} Survey No. 663, in the State
of **Arizona** which are represented in the following field notes
as having been surveyed by him and under his direction; and that said
survey has been in all respects, to the best of our knowledge and
belief, well and faithfully surveyed, and the corner monuments estab-
lished, according to the instructions furnished by the United States
Surveyor General for

Note: It would have been very
expensive and inconvenient to
appear before an officer to ad-
monister oaths to assistants.
Hence, they were taken by the Assoc.
C. E. Inspector.

Edward M. Courard
Alfred S. Frank

Subscribed and sworn to before me this 11th day of
November, 1938

Thomas F. Myers

Associate C. E. Inspector

OATH OF SURVEYOR

I, **Thomas F. Myers, Associate C. E. Inspector,**
[Forest Service Title.]

do solemnly swear that, in strict conformity with the special instruc-
tions of the ~~Office of Public Surveys~~ ^{Office of Public Surveys} for **Arizona**, dated June 30 and
November 3, 1938, and the laws of the United States, I have
well, faithfully, and truly, in my own proper person, surveyed a tract
of land

, No. _____, dated _____, 19____, for
_____, under the Act of _____, 19____,
the same to be known as, ~~Homestead Entry~~ ^{Exchange} Survey No. 663
situated within the **Coconino** National Forest, in
surveyed Section **19**, Township **21 N.**, Range **10 E.**, and
surveyed Section _____, Township _____, Range _____

of the **Gila and Salt River Base & meridian,** **Arizona**, and the
related retracements and resurveys and section subdivisions, which are
represented in the following field notes as having been surveyed by me;
and I further solemnly swear that all the corners of said survey have
been established and perpetuated in strict accordance with the stated
special instructions, and in the specific manner described in the field
notes, and that the following are the original field notes of such
survey.

Thomas F. Myers

Associate C. E. Inspector.
[Forest Service Title.]

Subscribed and sworn to before me this twenty-first day of
November, 1938

Duncan R. C. Buyer
Notary Public



MY COMMISSION EXPIRES JULY 2, 1939

EXCHANGE
HOMESTEAD ENTRY SURVEY NO. 663

COCONINO NATIONAL FOREST

STATE OF ARIZONA

Chains

The tract of land embraced in this survey is in private ownership and was surveyed for acquisition by the United States under the Acts of March 20, 1922 and June 16, 1938.

Surveyed under special instructions from the Office of Public Surveys for Arizona, dated June 30, 1938, and Supplemental Special

Instructions, dated November 3, 1938.
Applicant for Exchange Babbitt Bros. Lands, Inc.
This survey is designated as Exchange Survey No. 663.

Situated in Sec. 19, T. 21 N., R. 10 E., surveyed and accepted, Gila and Salt River Base and Meridian, Arizona.

Survey commenced November 7, 1938 and executed with a Buff and Buff transit No. 10019.

Before beginning the survey, I test all the adjustments of the transit and make necessary corrections.

All distances are horizontal and were reduced from measurements made directly on the slope with a 400 link steel tape. The slope angles were measured with a clinometer.

November 7, 1938.

At my station which is about 40.00 chs. East and 8.00 chs. North of 1/4 cor. on W. bdy. of Sec. 19, T. 21 N., R. 10 E., hereinafter described, in latitude 35° 11' 35" N., longitude 111° 22' 21" W. from the Forest Service Base Map, Coconino National Forest, I observe Polaris as follows:

Telescope	Watch Time	Angle Ref. Mark to Star E. of Mark
Direct	5 h. 13 m. 45 s.	1° 10'
Reversed	5 h. 15 m. 37 s.	1° 10'
Mean	5 h. 14 m. 41 s.	1° 10'
Corr. to l.m.t.	25 m. 30 s.	
l.m.t. obsn.	4 h. 49 m. 11 s.	
Greenwich m.t. U. C. Polaris November 7, 1938	10 h. 37.6 m. pm	
Corr. for long.	1.2 m.	
l.m.t. U. C. Polaris November 7, 1938	10 h. 36.4 m.	
l.m.t. obsn. Polaris November 7, 1938	4 h. 49.2 m. pm	
Hour Angle	5 h. 47.2 m.	
Azimuth of Polaris	1° 15.2' E.	
Bearing of Ref. Mark	N. 0° 05.2' E.	

EXCHANGE
HOMESTEAD SURVEY NO. 665

COCONINO NATIONAL FOREST

STATE OF ARIZONA

Chains	Telescope	Watch Time	Angle Ref. Mark to Star. Star E. of Mark
	Direct	5 h. 17 m. 27 s.	1° 10'
	Reversed	<u>5 h. 18 m. 35 s.</u>	<u>1° 10'</u>
	Mean	5 h. 18 m. 01 s.	1° 10'
	Corr. to l.m.t.	<u>25 m. 30 s.</u>	
	l.m.t. obsn.	4 h. 52 m. 31 s.	
	l.m.t. U. C. Polaris November 7, 1938		10 h. 36.4 m. pm
	l.m.t. obsn. Polaris November 7, 1938		<u>4 h. 52.5 m. pm</u>
	Hour Angle		5 h. 43.9 m.
	Azimuth of Polaris		1° 15.2' E.
	Bearing of Ref. Mark		N. 0° 05.2' E.
	The mean bearing of reference mark is N. 0° 05.2' E. I accept bearing of reference mark as N. 0° 05' E. and from the corresponding meridian all courses of this survey were deflected by sustained angulation.		

	Retracement N/2 E. Bdy. Sec. 19, T. 21 N., R. 10 E.		
	November 7, 1938.		
	Beginning at the 1/4 cor. bet. Sec's 19 and 20, T. 21 N., R. 10 E., an iron post 1 in. in dia. 10 ins. above ground, with brass cap marked and witnessed as described by Office of Public Surveys.		
	Thence N. 0° 05' W.		
	Retracing line bet. Sec's 19 and 20 N/2		
40.07	Fall 8 lks. east of cor. Sec's 17, 18, 19 and 20, an iron post 2 ins. in dia. 12 ins. above ground, with brass cap marked and witnessed as described by Office of Public Surveys.		
	Thence S. 0° 10' E.		
	On true line bet. Sec's 19 and 20 N/2.		
	Over rolling land through dense pinon and juniper.		
27.47	A.T. & S.F. Ry. right-of-way fence, parallel with track.		
28.79	A.T. & S.F. Ry. North main line or East bound track bears N. 89° 34' W. and S. 89° 34' E.		
29.015	A.T. & S.F. Ry. South main line or West bound track and center line of right-of-way bears N. 89° 34' W. and S. 89° 34' E.		
30.53	A.T. & S.F. Ry. right-of-way fence parallel with tracks.		
40.07	1/4 cor. bet. Sec's 19 and 20 previously described		

EXCHANGE
HOMESTEAD ENTRY SURVEY NO. 663

COCONINO NATIONAL FOREST

STATE OF ARIZONA

Chains

(Record distance 40.00 chs.)

November 7, 1938.

Retracement N/2 E. Bdy. Sec. 24, T. 21 N., R. 9 E.

and establishment 1/4 sec. cor. W. bdy. Sec. 19

T. 21 N., R. 10 E.

November 8, 1938.

From the closing cor. of Sec. 19 and 30 on the W. bdy. of

T. 21 N., R. 10 E., an iron post 2 ins. in dia. 16 ins. above

ground, with brass cap marked and witnessed as described by the

Office of Public Surveys.

Thence N. 0° 03' E. (Record Course)

For measurement only, on line bet. Sec's 19 and 24, T. 21 N.,

Rs. 9 and 10 E. Fence along line.

14.03 The 1/4 cor. of Sec. 24 a limestone 5x12x10 ins. above ground,
marked and witnessed as described by the Office of Public Surveys.

Thence N. 0° 05' E.

Retracing line bet. Sec's 19 and 24 for flag on cor. Sec's 13 and
24, T. 21 N., R. 9 E., which is plainly visible.

26.03 Midpoint in latitude on W. bdy. of Sec. 19, set temp. point for
1/4 cor.

29.97 Set temp. point for Cor. No. 2 of this survey.

31.415 A.T. & S.F. Ry. South main line or West bound track.

31.485 Center A.T. & S.F. Ry. right-of-way determined from record furnished
by Division Engineers Office of A.T. & S.F. Ry. at Winslow, Arizona.

31.615 A.T. & S.F. Ry. North main line or East bound track.

39.98 Cor. Sec's 13 and 24 a malpais stone 10x10x10 ins. above ground
marked and witnessed as described by the Office of Public Surveys.

(Record North 40.00 chs.)

Thence N. 0° 09' W. (Record Course)

For measurement only, on line bet. Sec's 13 and 19, T. 21 N.,

Rs. 9 and 10 E.

26.11 The closing cor. of Sec's 18 and 19, T. 21 N., R. 10 E., an iron
post 2 ins. in dia. 12 ins. above ground marked and witnessed as

EXCHANGE
~~HOMESTEAD ENTRY~~ SURVEY NO. 663

COCONINO NATIONAL FOREST

STATE OF ARIZONA

Chains described by Office of Public Surveys. (80.12 chs. in northing
from CC Sec's 19 and 30, T. 21 N., R. 10 E.)

November 8, 1938.

November 9, 1938.

Return to temp. pt. for 1/4 cor. of Sec. 19 on W. bdy. of T. 21 N.,
R. 10 E., previously determined. Set a limestone 30x6x16 ins. 18 ins.
in ground, marked + on top for the point and 1/4 on E. face. Whence
a pinon 8 ins. in dia. bears S. 50° E. 50 lks. dist. blazed
and scribed 1/4 S. 19 + BT
a pinon 14 ins. in dia. bears N. 26° 30' E. 159 lks. dist.
blazed and scribed 1/4 S. 19 + BT

Thence East

On mean latitudinal line through center of Sec. 19 over rolling
land through pinon and cedar.

100.95 Fall 9 lks. North of 1/4 cor. bet. Sec's 19 and 20 previously
described. True line is N. 89° 57' W. 100.95 chs.

November 9, 1938

Boundaries of Survey

November 10, 1938.

Beginning at Cor. No. 1

Identical with 1/4 cor. on W. bdy. of Sec. 19 previously described.
I adopt this cor. for Cor. No. 1 of this survey and alongside to
South set a limestone 26x6x12 ins. 16 ins. in ground marked
1 ES 663 on E. face. Whence

a pinon 8 ins. in dia. marked 1/4 S. 19 + BT bears S. 50° E.
50 lks. dist. I add 1 ES 663.

a pinon 14 ins. in dia. marked 1/4 S. 19 + BT bears N. 26° 30'
E. 159 lks. dist. I add 1 ES 663.

1/4 cor. on E. bdy. of Sec. 24, T. 21 N., R. 9 E. previously des-
cribed bears S. 0° 05' W. 26.03 chs. dist.

Cor. of Sec's 13 and 24 on E. bdy. of T. 21 N., R. 9 E. previously
described bears N. 0° 05' E. 13.95 chs. dist.

Closing
/Cor. Sec's 19 and 30 on W. bdy. T. 21 N., R. 10 E. previously

EXCHANGE
~~HOMESTEAD ENTRY~~ SURVEY NO. 663

COCONINO NATIONAL FOREST

STATE OF ARIZONA

Chains.

described is southerly 40.06 chs. dist.
Cor. Sec's 18 and 19 on W. bdy. of T. 21 N., R. 10 E. previously
described is northerly 40.06 chs. dist.
Lat. 35° 11' 30" N. Long. 111° 22' 50" W. from Forest Service Base
Map of Coconino National Forest.
Mag. decl. at 8:00 am 14° 48' E. Mean mag. decl. 14° 45.4' E.
Thence N. 0° 05' E.

Along line bet. Sec's 19 and 24.

3.94 To Cor. No. 2 and closing cor. on line bet. Sec's 19 and 24.
Deposit a limestone 2x3x5 ins. 16 ins. in ground marked with a +
over which set a limestone 26x6x14 ins. marked + on top for exact
point CC on E. and 2 ES 663 on SE face. No stone available for
mound. Whence from cor.

a juniper 14 ins. in dia. bears S. 62° 15' E. 40 lks. dist.

blazed and scribed CC 2 ES 663 + BT

a juniper 6 ins. in dia. bears S. 27° 30' E. 73 lks. dist.

blazed and scribed CC 2 ES 663 + BT

Center line A.T.& S.F. Ry. right-of-way is N. 0° 05' E. 100 ft. dist.
Cor. Sec's 13 and 24 T. 21 N., R. 9 E. previously described bears
N. 0° 05' E. 10.01 chs. dist.

1/4 cor. on W. bdy. of Sec. 19 T. 21 N., R. 10 E. previously
described bears S. 0° 05' W. 3.94 chs. dist.

1/4 of Sec. 24 on E. bdy. of T. 21 N., R. 9 E. previously described
bears S. 0° 05' W. 29.97 chs. dist.

A.T.& S.F. Ry. right-of-way fence is South of line 3 lks. dist.

Thence by the following traverse along the South bdy. of A.T.& S.F.
Ry. right-of-way:

S. 89° 04' E. 1.43 chs. set temp. stake

N. 89° 00' E. 1.57 chs. set temp. stake

N. 88° 00' E. 55.56 chs. set temp. stake

N. 87° 01' E. 1.56 chs. set temp. stake

N. 84° 14' E. 1.46 chs. set temp. stake

N. 80° 26' E. 1.62 chs. set temp. stake

N. 76° 26' E. 1.62 chs. set temp. stake

N. 73° 26' E. 1.57 chs. set temp. stake

N. 72° 22' E. 1.50 chs. set temp. stake

95 ft
107
2666
100
97
107
107
100
100

November 10, 1938.

EXCHANGE
HOMESTEAD ENTRY SURVEY NO. 663

COCONINO NATIONAL FOREST

STATE OF ARIZONA

Chains November 11, 1938

Thence by following traverse along South bdy. of an area added to the original right-of-way to accommodate reduction of curvature of main line:

N. 82° 37' E. 11.58 chs. set temp. stake

N. 83° 41' E. 1.47 chs. set temp. stake

N. 85° 11' E. 1.48 chs. set temp. stake

N. 86° 41' E. 1.47 chs. set temp. stake

N. 88° 11' E. 1.48 chs. set temp. stake

N. 89° 41' E. 1.47 chs. set temp. stake

Thence along South bdy. of original right-of-way:

S. 89° 34' E. 14.45 chs. to Cor. No. 3 and closing

cor. on line bet. Sec's 19 and 20.

Deposit a limestone 1-1/2 x 4 x 5 ins. marked with a + 14 ins. in ground, over which set a limestone 24x6x10 ins. marked + on top for exact point CC on W. face and 3 ES 663 on SW face. No stone available for mound. Whence from cor.:

a juniper 7 ins. in dia. bears S. 84° W. 316 lks. dist.

blazed and scribed CC 3 ES 663 + BT

a juniper 6 ins. in dia. bears S. 53° W. 278 lks. dist.

blazed and scribed CC 3 ES 663 + BT

The 1/4 cor. bet. Sec's 19 and 20 previously described bears

S. 0° 10' E. 9.54 chs. dist.

The cor. of Sec's 17, 18, 19 and 20 previously described bears

N. 0° 10' W. 30.53 chs. dist.

Center A.T. & S.F. Ry. South main line, or West bound track and center line of right-of-way bears N. 0° 10' W. 100 ft. dist.

Thence S. 0° 10' E.

On line bet. Sec's 19 and 20

9.54 To Cor. No. 4

Identical with the 1/4 cor. bet. Sec's 19 and 20 previously described.

I adopt this cor. for Cor. No. 4 of this survey and alongside

COCONINO NATIONAL FOREST
STATE OF ARIZONA

Chains to West set a limestone 30x6x10 ins. 18 ins. in ground, marked
4 ES 663 on W. face. Whence from cor.
a juniper 10 ins. in dia. bears S. 36° 30' W. 12 lks. dist.
blazed and scribed 4 ES 663 + BT
a juniper 8 ins. in dia. bears N. 50° 30' W. 102 lks. dist.
blazed and scribed 4 ES 663 + BT

Thence N. 89° 57' W.

Along latitudinal 1/4 sec. line through center Sec. 19 over gently
rolling land through pinon and juniper.

100.95 To Cor. No. 1 the place of beginning.

At a point approximately 42.00 chs. West and 6.00 chs. North of the
1/4 cor. bet. Sec's 19 and 20, T. 21 N., R. 10 E. in lat. 35° 11' 34"
N., long. 111° 22' 06" W. from Forest Service Base Map, I observe
Polaris as follows:

Telescope	Watch Time	Angle Ref. Mark to Star. Star East of Mark
Direct	5 h. 09 m. 40 s.	93° 15'
Reversed	5 h. 11 m. 47 s.	93° 15'
Mean	5 h. 10 m. 43 s.	93° 15'
Corr. to l.m.t.	25 m. 28 s.	
l.m.t. obsn.	4 h. 45 m. 15 s.	
Greenwich mt. U. C. Polaris November 11, 1938		10 h. 21.9 m. pm
Corr. for long.		1.2 m.
l.m.t. U. C. Polaris November 11, 1938		10 h. 20.7 m. pm
l.m.t. obsn. Polaris November 11, 1938		4 h. 45.2 m. pm
Hour Angle		5 h. 35.5 m.
Azimuth of Polaris		1° 15' E.
Bearing of Ref. Mark		S. 88° 00' W.

Telescope	Watch Time	Angle from Mark to Star
Direct	5 h. 13 m. 27 s.	93° 15'
Reversed	5 h. 14 m. 45 s.	93° 15'
Mean	5 h. 14 m. 06 s.	93° 15'
Corr. to l.m.t.	25 m. 28 s.	
l.m.t. obsn.	4 h. 48 m. 38 s.	
l.m.t. U. C. Polaris November 11, 1938		10 h. 20.7 m. pm
l.m.t. obsn. Polaris November 11, 1938		4 h. 48.6 m.
Hour Angle		5 h. 32.1 m. pm

EXCHANGE
HOMESTEAD ENTRY SURVEY NO. 663

COCONINO NATIONAL FOREST

STATE OF ARIZONA

Chains

Azimuth of Polaris 1° 15' E.

Bearing of Ref. Mark S. 88° 00' W.

The mean bearing of reference mark is S. 88° 00' W., which checks the azimuth as brought forward from the meridian determined on November 7, 1938 previously recorded.

November 11, 1938.

Area

Total Area 65.16 acres

Survey completed November 11, 1938.

Thomas F. Myers

Thomas F. Myers,
Associate C. E. Inspector.

Account of the ...

Year	Month	Day	Hour	Temperature	Wind	Direction	Remarks
1850	Jan	1	11	31	SE	11	Clear
1850	Jan	2	11	31	SE	11	Clear
1850	Jan	3	11	31	SE	11	Clear
1850	Jan	4	11	31	SE	11	Clear
1850	Jan	5	11	31	SE	11	Clear
1850	Jan	6	11	31	SE	11	Clear
1850	Jan	7	11	31	SE	11	Clear
1850	Jan	8	11	31	SE	11	Clear
1850	Jan	9	11	31	SE	11	Clear
1850	Jan	10	11	31	SE	11	Clear
1850	Jan	11	11	31	SE	11	Clear
1850	Jan	12	11	31	SE	11	Clear
1850	Jan	13	11	31	SE	11	Clear
1850	Jan	14	11	31	SE	11	Clear
1850	Jan	15	11	31	SE	11	Clear
1850	Jan	16	11	31	SE	11	Clear
1850	Jan	17	11	31	SE	11	Clear
1850	Jan	18	11	31	SE	11	Clear
1850	Jan	19	11	31	SE	11	Clear
1850	Jan	20	11	31	SE	11	Clear
1850	Jan	21	11	31	SE	11	Clear
1850	Jan	22	11	31	SE	11	Clear
1850	Jan	23	11	31	SE	11	Clear
1850	Jan	24	11	31	SE	11	Clear
1850	Jan	25	11	31	SE	11	Clear
1850	Jan	26	11	31	SE	11	Clear
1850	Jan	27	11	31	SE	11	Clear
1850	Jan	28	11	31	SE	11	Clear
1850	Jan	29	11	31	SE	11	Clear
1850	Jan	30	11	31	SE	11	Clear
1850	Jan	31	11	31	SE	11	Clear

DIRECTIONS.—1. Carry out calculations to two decimals only.

2. In balancing Latitudes and Departures do not obliterate or change the original figures.

Put the corrected figure or figures above in red ink. Do not change the footing of the original figures, but put below them the corrected footing in red ink.

The corrections for balancing fallings should be proportional to the lengths of the lines.

3. In calculations of fallings take result to nearest link. In calculations of N. and S. areas drop all after second decimal. Surveyors are required to use the Standard Field Tables issued by the G. L. O.

4. Only three copies of this tabulation are necessary, for the District Office, the Surveyor General, and the Commissioner.

TABLING AND CALCULATIONS OF ~~HOMESTEAD ENTRY~~ SURVEY NO. 663, STATE OF ARIZONA

8-2349

CORNERS.	BEARING.	DISTANCE.	LATITUDES.		DEPARTURES.		DOUBLE M. D.	N. AREAS.	S. AREAS.
			NORTH.	SOUTH.	EAST.	WEST.			
Closure N/2	Sec. 19 -								
	N. 0° 05' E.	13.95	13 95		02				
Record Course	N. 0° 09' W.	26.11	26 11			07			
Record	East	101.08			101 08				
	S. 0° 10' E.	40.07		40 07	12				
	N. 89 57' W.	<u>100.95</u>	<u>09</u>			<u>100 95</u>			
		282.16	40 15	40 07	101 22	101 02			
			<u>40 07</u>		<u>101 02</u>				
			08		20				
	Closing error 1/1310								

13



Official Record

1908
 1909
 1910
 1911
 1912
 1913
 1914
 1915
 1916
 1917
 1918
 1919
 1920
 1921
 1922
 1923
 1924
 1925
 1926
 1927
 1928
 1929
 1930
 1931
 1932
 1933
 1934
 1935
 1936
 1937
 1938
 1939
 1940
 1941
 1942
 1943
 1944
 1945
 1946
 1947
 1948
 1949
 1950
 1951
 1952
 1953
 1954
 1955
 1956
 1957
 1958
 1959
 1960
 1961
 1962
 1963
 1964
 1965
 1966
 1967
 1968
 1969
 1970
 1971
 1972
 1973
 1974
 1975
 1976
 1977
 1978
 1979
 1980
 1981
 1982
 1983
 1984
 1985
 1986
 1987
 1988
 1989
 1990
 1991
 1992
 1993
 1994
 1995
 1996
 1997
 1998
 1999
 2000
 2001
 2002
 2003
 2004
 2005
 2006
 2007
 2008
 2009
 2010
 2011
 2012
 2013
 2014
 2015
 2016
 2017
 2018
 2019
 2020
 2021
 2022
 2023
 2024
 2025
 2026
 2027
 2028
 2029
 2030
 2031
 2032
 2033
 2034
 2035
 2036
 2037
 2038
 2039
 2040
 2041
 2042
 2043
 2044
 2045
 2046
 2047
 2048
 2049
 2050

1908
 1909
 1910
 1911
 1912
 1913
 1914
 1915
 1916
 1917
 1918
 1919
 1920
 1921
 1922
 1923
 1924
 1925
 1926
 1927
 1928
 1929
 1930
 1931
 1932
 1933
 1934
 1935
 1936
 1937
 1938
 1939
 1940
 1941
 1942
 1943
 1944
 1945
 1946
 1947
 1948
 1949
 1950
 1951
 1952
 1953
 1954
 1955
 1956
 1957
 1958
 1959
 1960
 1961
 1962
 1963
 1964
 1965
 1966
 1967
 1968
 1969
 1970
 1971
 1972
 1973
 1974
 1975
 1976
 1977
 1978
 1979
 1980
 1981
 1982
 1983
 1984
 1985
 1986
 1987
 1988
 1989
 1990
 1991
 1992
 1993
 1994
 1995
 1996
 1997
 1998
 1999
 2000
 2001
 2002
 2003
 2004
 2005
 2006
 2007
 2008
 2009
 2010
 2011
 2012
 2013
 2014
 2015
 2016
 2017
 2018
 2019
 2020
 2021
 2022
 2023
 2024
 2025
 2026
 2027
 2028
 2029
 2030
 2031
 2032
 2033
 2034
 2035
 2036
 2037
 2038
 2039
 2040
 2041
 2042
 2043
 2044
 2045
 2046
 2047
 2048
 2049
 2050

1908
 1909
 1910
 1911
 1912
 1913
 1914
 1915
 1916
 1917
 1918
 1919
 1920
 1921
 1922
 1923
 1924
 1925
 1926
 1927
 1928
 1929
 1930
 1931
 1932
 1933
 1934
 1935
 1936
 1937
 1938
 1939
 1940
 1941
 1942
 1943
 1944
 1945
 1946
 1947
 1948
 1949
 1950
 1951
 1952
 1953
 1954
 1955
 1956
 1957
 1958
 1959
 1960
 1961
 1962
 1963
 1964
 1965
 1966
 1967
 1968
 1969
 1970
 1971
 1972
 1973
 1974
 1975
 1976
 1977
 1978
 1979
 1980
 1981
 1982
 1983
 1984
 1985
 1986
 1987
 1988
 1989
 1990
 1991
 1992
 1993
 1994
 1995
 1996
 1997
 1998
 1999
 2000
 2001
 2002
 2003
 2004
 2005
 2006
 2007
 2008
 2009
 2010
 2011
 2012
 2013
 2014
 2015
 2016
 2017
 2018
 2019
 2020
 2021
 2022
 2023
 2024
 2025
 2026
 2027
 2028
 2029
 2030
 2031
 2032
 2033
 2034
 2035
 2036
 2037
 2038
 2039
 2040
 2041
 2042
 2043
 2044
 2045
 2046
 2047
 2048
 2049
 2050

APPROVAL

PUBLIC SURVEY OFFICE

Phoenix, Arizona, January 24, 1939

The foregoing field notes of

EXCHANGE SURVEY NO. 663,

executed by Thomas F. Myers, Associate C.E. Inspector, Forest Service, under his special instructions, dated June 30 and November 3, 1938, having been critically examined and the necessary corrections and explanations made, the said field notes and the surveys they describe, are hereby approved.

Sherman C. Fiske
Office Cadastral Engineer.

I certify that the foregoing transcript of the field notes of the above-described survey in the State of Arizona, has been correctly copied from the original notes on file in this office.

Sherman C. Fiske

Office Cadastral Engineer

Faint, illegible text at the top of the page, possibly a header or title.

Second block of faint, illegible text in the upper middle section.

Third block of faint, illegible text in the lower middle section.

Fourth block of faint, illegible text in the lower section.

Fifth block of faint, illegible text at the bottom of the page.