

M

S

.

G

N

0

0

0

0

8

6

LOT NO. 38

Field Notes

of the survey of the

Silver Prince
Mining Claim

Situate in the Peck mining district,

County of Yavapai and in Sec. _____, Tp. _____,

Range _____, of the Gila and Salt River Meridian,

ARIZONA.

Claimed by Andrew Curtin
and D. H. Houghtelin

Survey executed by E. D. Thomas D. S.,

Under instructions dated January 1st 1874

Survey commenced January 9th 1874

Survey completed January 9th 1874

PRELIMINARY OATHS FOR SURVEYS OF MINING CLAIMS AND MILL-SITES.

WE Robert Smith and Emil Eckhoff
do solemnly swear that we will faithfully execute the duties of Chain Carriers;
that we will level the chain upon uneven ground, and plumb the tally pins,
whether by sticking or dropping the same; that we will report the true distance
to all notable objects, and the true length of all lines that we assist in measur-
ing, to the best of our skill and ability.

Robert Smith

Emil Eckhoff

Sworn to and subscribed before me this Seventh day

of January, 1877

Geo. Dough
Notary Public

I, Refus Allison
do solemnly swear that I will well and truly perform the duties of
Appraiser according
to instructions given me, and to the best of my skill and ability.

Refus R Allison

Sworn to and subscribed before me this Seventh day

of January, 1877

Geo. Dough
Notary Public

Silver-Prince-Mining-Claim.

feet	inch.	
		Beginning at Centre of Ledge at Surface - at Centre monument on northern boundary of Claim where notice of Location is posted
300	-	<p>From South $44^{\circ}15'$ East, along northern boundary line of Claim; Variation $14^{\circ}15'$ East (as per observation of polaris)</p> <p>to North-East-Corner of Claim, where I deposited Stone marked "X" in bottom of a pit and set two-thirds in the ground a brown quartz rock 27 inches by 17 inches by 7 inches marked S. P. No I and built monument of Stones 3 feet high. - No Trees.</p> <p>From this Corner a rocky Ledge on Curtis-Butte 15 feet high, 10 feet long and 6 feet wide, marked on Centre of Westface with X 6 inch. by 6 inches - bears South $70^{\circ}28'$ East 218 feet distant</p> <p>Thence:</p> <p>South $46^{\circ}20'$ West along eastern boundary line of Claim,</p> <p>a Tunnel 70 feet long 6 by 4 feet wide bears westerly at right angles to line 187 feet and 8 inches distant from this point.</p> <p>Also a Out 15 feet long, 5 feet wide, and 10 feet deep bears westerly at right angle to line, 239 feet and 4 inches distant from this point.</p>
400		a shaft not timbered, 30 feet deep 4 by 4 feet square, bears westerly at right angles to line 194 feet distant from this point. -
1000		Mainshaft with Windlass and slide not timbered 114 feet deep 5 by 6 feet wide bears westerly at right angle to line 228 feet 8 inches distant from this point
1010		a Out 20 feet long, 15 feet deep, 6 feet wide bears westerly at right angle to line 238 feet distant from this point
1450		To South-East-Corner of Claim, where I deposited a stone marked X, in bottom

4

2

53-35

Silver-Prince-Mining-Claim.

Feet
inch.

of pit and set two-thirds in the ground a plate stone 18 inches by 9 inches by 5 inches and marked "S. P. No. II", and build monument of stones 3 feet high. From this corner the rocky ledge on Curtius Butte establishing locus of monument No I, bears North ⁵ ~~63~~ ^{Edward's} 35' East distant 1564 feet.

Thence:

North 44° 15' West along south boundary line of Claim,

150

Trail from "Silver-Prince" to "Black Warrior", first south extension of Silver-Prince ledge - bears S. E. and N. W. -

600

to South-West corner of Claim, where I deposited stone marked X, in bottom of a pit and set two-thirds in the ground a Quartz rock 17 inch. by 12 inch. by 6 inch. marked "S. P. No. III" and built monument of stones 3 feet high. - No Trees. -

From this corner a prominent Granite boulder 15 feet long 12 feet high and 10 feet wide - on Alexander Peak marked on Centre of East face with X 12 by 12 inches bears North 45° 06' East distant 1437 feet. - No Trees

Thence:

North 46° 20' East along western boundary line of Claim

105

a shaft 30 feet deep, 7 by 4 feet wide not timbered bears easterly at right angle to line 60 feet distant from this point

450

a shaft, 15 feet deep, 6 by 5 feet in width with windlass and slide, bears easterly at right angle to line 137 feet distant from this point.

465

a shaft 100 feet deep, 7 by 6 feet wide windlass and slide, slopes and drifts averaging 12 1/2 feet from centre of shaft bears easterly at right angle to line

7 feet. inch. Silver-Prince-Mining-Claim.

224 feet distant from this point.

Also a Tunnel 10 feet long 6 by 5 feet wide bears easterly at right angles to line 229 feet distant from this point. Trail from Peck-Mine to Silver-Prince bears from S.E. to N.W.

To North-West Corner of Claim, where I deposited stone marked X in bottom of a pit and set two-thirds in the ground a granite stone 16 inch. by 12 inch. by 8 inches marked J. P. No. II and build a monument of stones 3 feet high. From this corner a prominent Granite boulder 15 feet long 12 feet high, 10 feet wide on Alexanders peak, marked on centre of East-face with X 12 by 12 inches bears North $67^{\circ}56'$ ^{West (Edwards)} East, distant 24 feet and West 6 inches. No trees. - From same point (corner) North peak of Maxatzal Mountains bears South $69^{\circ}54'$ East

Thence:

South $44^{\circ}15'$ East along North boundary of Claim

to monument on centre of Ledge on surface and place of beginning, comprising 20 acres. -

General Description

This mining claim is situated on the southeastern slope of Alexanders peak, Bradshaw Mountains, Peck Mining District, County of Yavapai, Territory of Arizona, on unsurveyed land and about a half mile S.E. of the Peck-Mine and Alexanders City. - The trail from Peck-Mine to Hackberry-and Turkey-Creek flat crosses claim about its centre. This ledge is located both North and South of discovery-location. First

690

1450

300

Silver Prince Mining Claim.

4

North extension is called the Curtin Mine owned by Houghtelin and Co.

First extension south known as "Black-Warrior" is owned by Smith and Co.

The vein averaging in all cuts and tunnels 3 feet is of silver-bearing ore being worked for silver exclusively.

A portion of this ore has been shipped to San Francisco and paid extremely well, also a small amount worked in Sutherland Mill with very fair results.

The predominating country rock is Granite and slate. - No trees near this Mine; hills and slopes covered with a dense undergrowth of oak Manzanita and cacti.

Water brought from Peck mine on Peck's Wood packed from "crazy basin"

The work performed on this mine by the applicant or their grantors consists of (5) five shafts, (2) two tunnels and (2) two cuts as indicated by the foregoing field notes amounting in the aggregate to over 5000 ⁰⁰/₁₀₀ Dollars

Only 1450 feet taken in length the end monuments fall short by 50 feet.

D. A. Francis
U. S. Deputy Surveyor.

FINAL OATHS FOR SURVEYS OF MINING CLAIMS AND MILL-SITES.

A list of the names of individuals employed to assist in running, measuring, or marking the lines and corners described in the foregoing field-notes of the survey of The Silver Prince Mine

located in "Beck" mining district, Yavapai County, Arizona, showing the respective capacities in which they acted.

Robert Smith Chainman.
Emil Eckhoff Chainman.
Rufus Allison Axeman.
_____ Flagman.

We hereby certify that we assisted E. D. Thomas U. S. Deputy surveyor, in surveying The Silver Prince Mine

claimed by Andrew Curtin located in "Beck" mining district, Yavapai County, and in Township No. _____ Range No. _____ of the Gila and Salt River base and meridian, Arizona, and that said Survey has been in all respects, to the best of our knowledge and belief, well and faithfully executed, and the boundary monuments planted according to the instructions furnished by the Surveyor-General.

Robert Smith Chainman.
Emil Eckhoff Chainman.
Rufus Allison Axeman.
_____ Flagman.

SWORN to and subscribed before me this 12th day of January 1877

Geo. D. Smith
Notary Public

I, E. D. Thomas U. S. Deputy Surveyor do solemnly swear that, in pursuance of instructions from John Wasson, U. S. Surveyor-General for Arizona, bearing date the 1st day of January 1877 I have well, faithfully and truly, in my own proper person, and in strict conformity with the instructions furnished by the Surveyor-General and the laws of the United States, surveyed all those portions of

The Silver Prince Mine claimed by Andrew Curtin located in "Beck" mining district, Yavapai County, and in Township No. _____ Range No. _____ of the Gila and Salt River base and meridian, Arizona, as are represented in the foregoing field-notes as having been surveyed under my directions; and I do further solemnly swear that all the corners of said surveys have been established and perpetuated in strict accordance with the instructions furnished me, and that the foregoing are the true and original field-notes of such surveys.

E. D. Thomas
Deputy Surveyor.

SWORN to and subscribed before me this 12th day of January 1877

Geo. D. Smith
Notary Public



AFFIDAVIT OF FIVE HUNDRED DOLLARS IMPROVEMENTS.

We, *Robert Smith* and *Emil Eckhoff*
 of lawful age, being first duly sworn according to law, depose and say that we are acquainted with
 the *The Silver Prince*
 mining claim, situate in
 "*Peck*" Mining District, *Yavapai* County, Arizona
 Territory, for which *Andrew Curtis* and
 has made application for survey prior to application for patent under the provisions of the Act of
 Congress approved May 10, 1872, and that the labor done and improvements made thereon by the
 applicant ~~and grantor~~ exceed Five Hundred Dollars in value, and further that we are
 not personally interested in said mine.

Robert Smith
Emil Eckhoff

TERRITORY OF ARIZONA. }
 County of *Yavapai* } SS.

SWORN AND SUBSCRIBED before me this *12th*

day of *January*, 187*7*

Geo. Couper
 Notary Public



Silver Prince Lode -

Notice of Location of the Silver Prince Ledge or Claim containing mineral and located as a Silver mine.

I the undersigned claim for mining purposes Fifteen Hundred (1500) feet of this Quartz Ledge, in length along the Ledge or vein and Three Hundred (300) feet on each of the middle of the vein, at the surface together with all dips spurs and angles, and all valuable Mineral Deposits contained therein and all timber growing within the limits of said Claim and all water, and water privileges thereon or appurtenant thereto, under and according to the provisions of an act of Congress approved May 10th 1872, Entitled "An Act to promote the development of the Mining Resources of the United States".

This Notice is posted on a monument in the Center of the Claim, the said Claim running South westerly Seven Hundred fifty (750) feet to a monument on the Ledge, and North easterly Seven Hundred fifty (750) feet to a monument on the Ledge or vein,

This Claim may be more generally described as situated about Three Hundred (300) yards East from the Evening Star Cut and about 1/2 mile South of the Peck Mine, This Claim shall be known as the Silver Prince.

Dated this Twenty second day of August 1875.

A. Curtin

Yavapai County Arizona Ter.

Filed for record August 25th 1875 at 9 o'clock

A.M. at the request of A. Curtin and duly recorded in
Book 6, 3, of Mines Records of Yavapai County Ar.
at folios 339 & 340

William Wilkerson
County Recorder

Territory of Arizona }
County of Yavapai } S.S.

11

I, William Wilkerson, County Recorder in and for said County of Yavapai County A.T. and Custodian of the Records thereof do hereby certify the above to be a full, true and correct copy of the record of location notice of the Silver Prince Mining Claim, original location as appears upon the record in Book C 3 pages 339 & 340 Mining Records of Yavapai County now in my office.


In witness whereof I have hereunto set my hand and affixed my official seal, at my office in Prescott A.T. on this 17th day of January A.D. 1877

William Wilkerson

County Recorder

By W. C. Foster Deputy

membership of the
Board of Education of
Silver Spring State



U.S. Surveyor General's Office
Tucson A.T. January 25th 1874

The foregoing field-notes of the survey of the Silver Prince Mining Claim, situate in the Pecos Mining District County of Yavapai Arizona claimed by Andrew Curtin and R. K. Houghtelin, survey executed by E. D. Thomas Deputy Surveyor under instruction from this Office dated January 1st. 1874, having been critically examined and the necessary corrections and alterations made, the said Field-Notes and the Survey they describe are hereby approved -

John Masson.
Surveyor General