

**M
S**

**-
G
N**

0

0

1

2

8

1
1
LOT NO. 38.

Field Notes

of the survey of the

Dayton
Mining claim.

Situate in Tyndall mining district,

County of Pima and in Sec. _____, Tp. _____,

Range _____, of the Gila and Salt River Meridian,

ARIZONA.

Claimed by John E. Magee,

Survey executed by Salmon M. Allis, D. S.,

Under instructions dated April 21, 1879,

Survey commenced April 23, 1879.

Survey completed April 23, 1879.

PRELIMINARY OATHS FOR SURVEYS OF MINING CLAIMS AND MILL-SITES.

WE, John Mansfield and Phillip Arment do solemnly swear that we will faithfully execute the duties of Chain Carriers; that we will level the chain upon uneven ground, and plumb the tally pins, whether by sticking or dropping the same; that we will report the true distance to all notable objects, and the true length of all lines that we assist in measuring, to the best of our skill and ability.

John Mansfield
Phillip Arment

SWORN AND SUBSCRIBED before me this Twentythird day of April 1879.

Solow M. Allis
U. S. Deputy Mineral Surveyor
Notary Public
Pima Co Arizona Ter

I, Thomas Davis

do solemnly swear that I will well and truly perform the duties of Flagman

according to instructions given me, and to the best of my skill and ability.

Thomas Davis

SWORN AND SUBSCRIBED before me this Twentythird day of April 1879.

Solow M. Allis
U. S. Deputy Mineral Surveyor
Notary Public
Pima Co A. T.



3

Field Notes of the Survey of Dayton Mining

3

Claim, Lyndall District, Prina County, A.D.

Survey of Lode =

to commencing at a post 4 ft high 4 inches in diam
marked Dayton 1 set in a Monument of stones

2 1/2 ft high and in the center of the claim -
From which a shaft bears S 83° E 36 links dist.

U. S. Mineral Monument bears S 8° 44' W

32 chains 60 links dist

Thence

N. 65° 50' E

9.09 To bottom of ravine and end of cropping.

11.36 1/4 To E center Monument of claim - marked
"Dayton 2". This is a post 4 inches in diam
4 ft long set in a monument of stones 2 1/2 ft
high - from which a white oak blazed on side
facing post - and 12 inches in diam, bears
N 17° 37' E and 2 1/2 links distant

A white oak 10 inches in diam blazed on side
next post bears N 11° W - 5 1/4 links dist.

U. S. Mineral Monument bears S 22° 30' W.

General Description

This lode is in two prominent veins about
9 feet apart. Upon the Northern one the
monument first above described is placed -
while the shaft is sunk upon the southern one -
From the shaft and cent. Monument they run
nearly parallel several hundred feet and
then approach each other joining at about
4 chains 54 links East of shaft.

These two lodes show about 3 chains west
of center monument and disappear.

A parallel vein is shown by prominent
croppings 9 feet wide in some places -
commencing 1 chain 60 links south of
a point 3 chains and 77 links West of
N. E. Cor - on North boundary, running
westerly nearly parallel with center lode - which
after passing the center monument gradually
bends southwards to a point near the
west end. center monument of claim where
it disappears.

Var 12° 30' E
As per description of
Palanis.

Survey of Lode

of "Dayton" continued -

Above this north spur is located a shaft 7x5 ft. and 30 feet deep - bearing from a post marked "Dayton No 5" being the West end center Monument. N. 40° 30' E. and 3 ch 75 links distant -

The Main shaft at center of claim is 7x5 ft. and 56 feet deep with a crosscut at bottom extending 40 feet in length North reaching the Northern lode -

The two Lodes in center of claim dip about 28° North - The Northern spur dips about 20° N. -

Ores mostly chlorides. Assay from 40 to 30 per ton. - Work performed ^{with claim} _{in aggregate value of} Claimant or his grantors exceeds the sum of \$500. -

April 23. 1879.

Solow McAllis

U.S. Deputy Mineral Surveyor -

N.B. Certificate placed at end of manuscript.

Courses

Chains

Survey of Exterior -

Commencing at a post 4 ft high and 4 inches in dia marked Dayton 2 set in a monument of stones at center of east end of claim ^{across Survey of Lade} from which a white oak, blazed on side facing post - and 12 inches in diam, bears $N 17^{\circ} 37' E$ 22 1/2 Links distant.

A white oak 10 inches in diameter blazed on side next post - bears $N 11^{\circ} W$ - 54 1/4 Links distant.

U.S. Meirval Monument bears $S 22^{\circ} 30' W$ -
Thence ^{By Observation on Polaris}

Along Eastern ^{end} boundary of claim.

Var $12^{\circ} 30' E$

$S 24^{\circ} 10' E$ 4.54 1/2

To S.E. cor where I set a post 3 feet high 4 inches in diam marked Dayton 3 and built a monument of stones 2 1/2 feet high From which

A white oak 10 inches in diam bears $S 2^{\circ} 03' W$ 15 1/4 Links distant - Blazed side facing post and cut three notches.

A white oak 18 inches in diam bears $N 52^{\circ} 30' W$ distant 1 chain 21 Links -

A white oak 10 inches in diam bears $N 11^{\circ} W$ 54 1/4 links distant

Thence

^{side}

Along Southern Boundary to S.W. cor where I set up a post 4 ft high 3 inches in dia marked Dayton 4 and built a monument of stones 2 1/2 feet high from which ground slopes rapidly south to a deep gully 1 chain 54 Links dis-

Var. $12^{\circ} 30' E$

$S 65^{\circ} 50' W$ 22.72 1/2

Also rises rapidly north to foot of steep bluff 1 chain 15 Links on Western boundary line -

At 13 chain 63 Links on southern boundary line top of high ridge quite steep on west side

At 20 chain 48 1/4 Links bottom of deep gully.

Thence ^{side} Along Western Boundary -

Var. $12^{\circ} 30' E$

$N 24^{\circ} 10' W$ 4.54 1/2

To West end center of claim where I set up a post 4 ft high and 3 inches

Survey of Exterior
Continued

in diam marked Dayton 5" and a
monument of stones 2 1/2 ft high
from which

U.S. Mineral Monument bears S 11° E

Thence Along ^{Same} Western Boundary

N 34° 10' W 4.54 1/2 To N.W. cor of claim to a post 4 ft high 3 inches
in diam marked "Dayton 6" set in a
monument of stones 2 1/2 ft high
from which

U.S. Monument bears S 13° E

An oak 10 inches in dia bears N 19° 40' W

28 links distant. Mt Baldy bears N 23° 30' E

Thence Along northern ^{side} boundary

N 65° 50' E 23° 7 1/2 To N.E. cor of claim and ^{at} post 4 ft high 3 inches
in dia marked "Dayton 7" set in a monument of stones
2 1/2 feet high From which Mt Allen bears S 1° 42' E

U.S. Monument bears S 18° 03' W

At 12 chains 12 1/2 links deep gully

At 20 chains 45 links bottom of Ravine

Thence Along Eastern ^{side} Boundary Va. 12° 30' E

S 24° 10' E 4.54 1/2 To Place of beginning

This claim contains 20.66 Acres. Has no claims
adjoining

Soloubb Allen U.S. Dep Min Surveyor.

7
7

Affidavit of Five Hundred Dollars Improve- ments.

Territory of Arizona } ss.
County of Pima }

The John Mansfield and
Mark Ezekiel of lawful age, being first duly sworn accord-
ing to law, depose and say that they are acquainted with the
Dayton mining claims in Tyndall
mining district, county and Territory Arizona aforesaid for
which John E. Magee has made
application for patent under the provisions of the Act of Congress approved May 10,
1872, and that the labor done and improvements made thereon by the applicant and his
grantors exceed five hundred dollars in value.

John Mansfield Mark Ezekiel

Subscribed and sworn to before me, this Twenty fourth day of
April A. D. 1879

Solou M. Allis
Notary Public -
Pima Co Arizona

Form I.

U. S. Mining Act, May 10, 1872.

**Affidavit of Five Hundred Dol-
lars Improvements.**

Handwritten notes, possibly a list of names or locations, written vertically in the left margin.



FINAL OATHS FOR SURVEYS OF MINING CLAIMS AND MILL-SITES.

A list of the names of individuals employed to assist in running, measuring, or marking the lines and corners described in the foregoing field-notes of the survey of the Dayton Mine

located in Tyndall mining district
Pima County, Arizona, showing the respective capacities in which they acted.

John Mansfield Chainman.
Phillip Arment Chainman.
Axeman.
Thomas Davis Flagman.


We hereby certify that we assisted Solon M. Allis
U. S. Deputy surveyor, in surveying the Dayton Mine

claimed by John E. Magee
located in Tyndall mining district,
Pima County, and in Township No. _____ Range No. _____
of the Gila and Salt River base and meridian, Arizona, and that said Survey has been in all respects, to the best of our knowledge and belief, well and faithfully executed, and the boundary monuments planted according to the instructions furnished by the Surveyor-General.

John Mansfield Chainman.
Philip Arment Chainman.
Axeman.
Thomas Davis Flagman

SWORN to and subscribed before me this 24th day
of April 1879

Solon M. Allis
U. S. Dep Surveyor & Notary Public
Pima Co Arizona




I, Solon M. Allis U. S. Deputy Surveyor do solemnly swear that, in pursuance of instructions from John Wasson, U. S. Surveyor-General for Arizona, bearing date the 21 day of April 1879 I have well, faithfully and truly, in my own proper person, and in strict conformity with the instructions furnished by the Surveyor-General and the laws of the United States, surveyed all those portions of the Dayton Mine

claimed by John E. Magee
located in Tyndall mining district,
Pima County, and in Township No. _____ Range No. _____
of the Gila and Salt River base and meridian, Arizona, as are represented in the foregoing field-notes as having been surveyed under my directions; and I do further solemnly swear that all the corners of said surveys have been established and perpetuated in strict accordance with the instructions furnished me, and that the foregoing are the true and original field-notes of such surveys.

Solon M. Allis
Deputy Surveyor.

SWORN to and subscribed before me this 3^d day
of May 1879

James Bull
Notary Public
Pima Co Arizona



Notice

Is hereby given that the undersigned having complied with the requirements of Chapter Six of Title thirty two of the Revised Statutes of the United States and the local laws customs and regulations has this sixteenth day of February 1878 located Fifteen hundred linear feet on this the Dayton lode situated in Tyndall Mining District Santa Rita mountains Pima County Territory of Arizona and described as follows — commencing at a stone monument placed on the ledge on which is a copy of this notice and running Easterly and westerly Seven hundred and Fifty feet each way claiming three hundred feet on each side from the center of the claim the whole length. Said claim lies about 500 yards South of the Bonanza Mine on the Wellington lode about one mile South from Tom Radcliff's camp near the Josephine Mine and I name it the Dayton Mine.

John E. Magee
Locater

Dayton Mine
Feb 16. 1878

Filed and Recorded at
request of John Maguire
March 4th 1878 at
9 o'clock a.m. in
Book to Record of
Mines page 200

S. W. Carpenter
County Recorder

maguire

U. S. Surveyor General's Office
Tucson, Arizona May 17, 1879.

The foregoing field notes of the survey of the Dayton mining claim, situated in the Lyndall mining district, Pima County, Arizona, claimed by John E. Magee; survey executed by Solomon M. Ellis, D.S., under instructions from this office, having been critically examined and the necessary corrections and alterations made, the said field notes and the survey they describe are hereby approved.

John Masson.
Surveyor General.