

**MS - GN
00176**

LOT NO. 39

Field Notes

of the survey of the

Senator

Mining claim.

Situate in Massayampa mining district.

County of Yavapai and in Sec. _____, Tp. 12 N,

Range 2 W, of the Gila and Salt River Meridian,

ARIZONA.

Claimed by The Senator Gold
Mining Company.

Survey executed by C. Dexter Foster D. S.,

Under instructions dated May 10, 1880.

Survey commenced May 14, 1880

Survey completed May 14, 1880.

PRELIMINARY OATHS FOR SURVEYS OF MINING CLAIMS AND MILL-SITES.

WE, J. F. Joyner and John Moore
do solemnly swear that we will faithfully execute the duties of Chain Carriers; that we will level the chain upon uneven ground, and plumb the tally pins, whether by sticking or dropping the same; that we will report the true distance to all notable objects, and the true length of all lines that we assist in measuring, to the best of our skill and ability.

J. F. Joyner
John Moore

SWORN AND SUBSCRIBED before me this 14th
day of May 1880

L. B. Foster
Deputy Clerk District Court
3^d Judicial Dist
Arizona

I, B. C. Dan
do solemnly swear that I will well and truly perform the duties of Assessor

according to instructions given me, and to the best of my skill and ability.

B. C. Dan

SWORN AND SUBSCRIBED before me this 14th
day of May 1880

L. B. Foster
Deputy Clerk District Court
3^d Judicial Dist
Arizona



Field Notes of the Survey of the Senator Mining Claim

Nassayampa District
Yorupai County MS

Feet

Begin at Location Monument at
Center of S End of claim which
is also location Monument of
South Extension of Senator Lode
Shence

S 45° 45' E

along S boundary of claim

Var 14° 2' East

as per Gurley's Solar Transit
16 line crosses N edge of shaft
80 ft deep by 6x4 with levels
and stakes projected both ways

96 Road bears NE and S 77

250 Road bears E 16 and S 77

300 To SE cor of claim where I

set 2/3 in the ground a slate
stone 14x14x4 ins. Marked on NE
side S N° I. (this stone is also
NE cor of Senator South Extension
Claim) and on SE side build
mound of stone 2 1/2 ft high, from
which cor

A Pine 14 ins dia bears S 58° W 25 ft dist

An oak 6 " " " N 72° E 32 " "

From this cor the old Mineral
Monument N° I Nassayampa
District established in 1877

bears N 59° 50' E 58.20 chains dist

Thence

N 44° 15' E

along E boundary of claim

Var 14° 2' East

160 Road to Senator Mill bears
NE and S 77

490 Road bears N 77 and S E

1500 To NE cor of claim where I
set 3/4 in the ground a slate rock
20x16x5 ins. Marked S N° II and
and on SE side build mound

Field Notes of Survey of the Senator Mining Claim

Fact

Assay and District
 Varabain County Ariz.
 of Stone $2\frac{1}{2}$ ft high from which
 Cor An oak 5 ins dia bears East 7 ft dist
 A Pine 16 " " " North 56 " "
 From this Cor the junction of
 Maple and Palmetto Gulches
 where the same is crossed
 by the Prescott and Bradshaw
 Road bears $N 55^{\circ} 35' E$
 600 ft dist

Thence

$N 45^{\circ} 45' W$

Along N boundary of claim

$N 14^{\circ} 2' East$

300 Monument of Stone at Center
 of N boundary of Claim

600 To N W Cor of claim where I
 set $\frac{3}{8}$ in the ground a granite
 Stone $14 \times 12 \times 12$ ins Marked S
 No 111 and on N W side build
 Mound of Stone $2\frac{1}{2}$ ft high

from which Cor
 An oak 6 ins dia bears $N 42^{\circ} E$ 26 ft dist
 " " 6 " " " $N 40^{\circ} W 45$ " "

Thence

$S 44^{\circ} 15' W$

Along W boundary of claim

$N 14^{\circ} 2' East$

1500 To S W Cor of claim which is
 also N W Cor of Senator South
 Extension Claim where I set $\frac{3}{4}$
 in the ground a granite Stone $20 \times$
 16×12 ins Marked on N Side S 11° W
 and on N W side build mound of
 Stone $2\frac{1}{2}$ ft high from which Cor
 An oak 10 ins dia bears $N 60^{\circ} E$ 24 ft dist

" " 12 " " " $S 87^{\circ} W 29$ " "

Thence

$S 45^{\circ} 45' E$

along S boundary of claim

$N 14^{\circ} 2' East$

Field Notes of Survey of the Senator Mining Claim

- Hassayampa District
 Jaropai County AZ
- 250 Frame House 16x12 ft square
 bears N 6 45 ft dist
- 300 To location Monument and place of
 beginning containing $20 \frac{66}{100}$ acres
 To ascertain locus of work
 and improvements on claim I
 begin at location monument
 and run a line through center
 of claim to Center Monument
 on N boundary
- 60 Shaft 30 ft deep by 6x4 ft bears
 S 6 10 ft dist
- 200 line crosses shaft 45 ft deep by 6x4
 with levels and stakes projected
 N and S the lower level connect-
 ing with main shaft on Senator
 lanch extension
- 450 West edge of open cut projected
 N 6 along line 30 ft by 4x4 ft
- 500 E end of boarding house bears
 N 77 36 ft dist. a frame
 building 40 ft long by 15 ft wide
- 580 Road bears N 77 and S 6
- 650 West edge of cut projected
 along line 20 ft by 4x4 ft
- 880 Shaft 16 ft deep by 6x4 bears
 S 6 30 ft dist
- 900 Open cut 12 ft long by 6 ft deep
 by 4 ft wide bears S 6 20 ft dist
- 1280 Shaft 16 ft deep by 6x4 ft bears
 N 77 10 ft dist
- 1500 Monument at center of N boundary of claim

General Description

This Claim has been considerably mined
 and the ore worked at the Senator Mill a
 ten Stamp Gold Mill situated on
 Hassayampa Creek distant
 from the mine about $\frac{3}{4}$ of a
 mile in a N E easterly direction
 The improvements as afore

Field Notes of the Survey of the Senator Mining Claim

Hassayampa District

For Apache County AZ
 Located by the foregoing field
 notes and accompanying
 plat amounts in value
 to several thousands of
 dollars and was performed
 by the Senator Gold Mining
 Company the present owner
 or their grantors.

May 14th 1880

W. Burton Foster
 Deputy Surveyor
 U.S. Mineral Lands.

AFFIDAVIT OF FIVE HUNDRED DOLLARS IMPROVEMENTS.

We, B. L. Bunn and John Moore

of lawful age, being first duly sworn according to law, depose and say that we are acquainted with the Senator

_____ mining claim, situate in Assayampa Mining District, Yavapai County, Arizona Territory,

for which Hugo Richards ~~and~~ President of the Senator Gold Mining Company has made application for survey prior to application for patent under the provisions of the Act of Congress approved May 10, 1872, and that the labor done and improvements made thereon by the applicant and his grantors exceed Five Hundred Dollars in value, and further that we are not personally interested in said mine.

B. L. Bunn
John Moore

TERRITORY OF ARIZONA, }
County of Yavapai } SS.

SWORN AND SUBSCRIBED before me this 14th day of May 1880

W. B. Foster
Deputy Clerk District Court
3^d Judicial District
Arizona



FINAL OATHS FOR SURVEYS OF MINING CLAIMS AND MILL-SITES.

A list of the names of individuals employed to assist in running, measuring, or marking the lines and corners described in the foregoing field-notes of the survey of The Senator Mining

Claim

located in Assayampa mining district,

Yavapai County, Arizona, showing the respective capacities in which they acted.

J. F. Joyner Chainman.
John Moore Chainman.
D. C. Dane Axeman.
_____ Flagman.

We hereby certify that we assisted W. Burton Foster

U. S. Deputy surveyor, in surveying The Senator Mining

Claim

claimed by The Senator Gold Mining Co. Hugo Richards
President located in Assayampa mining

district, Yavapai County, and in Township No. _____ Range No. _____

of the Gila and Salt River base and meridian, Arizona, and that said Survey has been in all respects, to the best of our knowledge and belief, well and faithfully executed, and the boundary monuments planted according to the instructions furnished by the Surveyor-General.

_____ Chainman.
_____ Chainman.
_____ Axeman.
_____ Flagman.

SWORN to and subscribed before me this 11th day

of May 1880

W. C. Foster
Deputy Clerk District Court
3rd Judicial District
Arizona

I, W. Burton Foster U. S. Deputy Surveyor do solemnly swear that, in pursuance of instruc-

tions from John Wasson, U. S. Surveyor-General for Arizona, bearing date the 10th day of May 1880

I have well, faithfully and truly, in my own proper person, and in strict conformity with the instructions furnished by the Surveyor-

General and the laws of the United States, surveyed all those portions of The Senator

Mining Claim

claimed by The Senator Gold Mining Co. Hugo Richards Presd

located in Assayampa mining

district, Yavapai County, and in Township No. _____ Range No. _____
on unencumbered land

of the Gila and Salt River base and meridian, Arizona, as are represented in the foregoing field-notes as having been surveyed under my directions; and I do further solemnly swear that all the corners of said surveys have been established and perpetuated in strict accordance with the instructions furnished me, and that the foregoing are the true and original field-notes of such surveys.

W. C. Foster
Deputy Surveyor.

SWORN to and subscribed before me this 22nd day

of May A.D. 1880

W. C. Foster
Notary Public



NOTICE OF LOCATION.

Know all Men by these Presents:

That.....the undersigned, have this day Located Fifteen Hundred (1500) linear feet of this vein or lode, bearing precious metals, with all dips, spurs, angles and variations, with surface ground Three Hundred (300) feet on each side of the centre of vein, with all Mineral Deposits contained therein, and all Timber growing within the limits of said claim, and all Water and Water Privileges thereon or appurtenant thereto, under and according to the provisions of the Mining Laws of the United States, under which it is Located.

This claim commences at this Monument and Notice placed upon the ledge, and runs Fifteen Hundred (1500) feet in a Northerly direction along the ledge.

The exterior boundaries are as follows, viz:

Commencing at this Monument and Notice, and running Three Hundred (300) feet in an easterly direction to monument at S. E. corner of claim; thence in a northerly direction parallel with the ledge Fifteen Hundred (1500) feet to monument at N. E. corner of claim; thence in a westerly direction at right angles across the ledge Six Hundred (600) feet to monument at N. W. corner of claim; thence parallel with the lode in a southerly direction Fifteen Hundred (1500) feet to monument at the S. W. corner of claim; thence at right angles across the ledge in an easterly direction Three Hundred (300) feet to monument upon the ledge and place of beginning.

This ledge may be more generally described as situated *about one fourth* of a mile south of the junction of *Hassayampa Creek with Maple Gulch* and about *three fourths* of a mile in a south westerly direction from the *U.S. Mineral Monument to Hassayampa Mining District* and about *twelve miles* in a southerly direction from the *town of Prescott*

in *Hassayampa* Mining District,
Yavapai County,

ARIZONA TERRITORY,

and shall be known as the *Senator*
Mining Claim.

DATED ON THE GROUND, this *thirtieth* day of

April 1880

Hugo Richards

Senator
Hugo Robinson

Filed for record at the
request of Geo. W. Bowers
April 30th 1880 at 12.50
o'clock P.M. and duly
recorded in Book 8. 9
of Mines Records of
Yavapai County. -
Pages at pages 203-
204-205-
William Wilkerson
County Recorder

Territory of Arizona, }
County of Yavapai } ss
I, William Wilkerson,
County Recorder of Yavapai County in the
Territory of Arizona, certify the foregoing
to be a full, true and correct copy of the
Notice of Location of the Senator claim,
as recorded in Book 8. 9 of Mines, Rec-
ords of said County, at pages 203, 204
& 205.

Witness my hand and official seal
this 1st day of May, A.D. 1880.

William Wilkerson
County Recorder
By J. J. Floyd Deputy

U. S. Surveyor General's Office,
Tucson, Arizona.
June 4, 1880.

The foregoing field notes of the survey of the Senator Mining claim, situated in Hassayampa district, Gila County, Arizona, claimed by the Senator Gold Mining Company; survey executed by C. Benton Foster, U.S. under instructions from this office, having been examined and approved, the said field notes and the survey they describe are hereby approved.

John H. Mason,
Surveyor General.