

M
S

G
N

0

0

2

2

8

LOT NO. 63

Field Notes

of the survey of the

Lucky Hit
Mining Claim

Situate in Tombstone mining district.

County of Pima and in Sec. 11, Tp. 258,

Range 22E, of the Gila and Salt River Meridian,

ARIZONA.

Claimed by John Doling, C. L. Brown
H. A. Thompson & Godfrey Tribble

Survey executed by H. G. Howe D. S.,

Under instructions dated November 16, 1880

Survey commenced November 20, 1880

Survey completed November 23, 1880

PRELIMINARY OATHS FOR SURVEYS OF MINING CLAIMS AND MILL SITES.

WE, M. Kelleher and John B. Gouzy
do solemnly swear that we will faithfully execute the duties of Chain Carriers, that we will level the chain upon uneven ground, and plumb the tally pins, whether by sticking or dropping the same; that we will report the true distance to all notable objects, and the true lengths, of all lines that we assist in measuring, to the best of our skill and ability.

M. Kelleher
John B. Gouzy

SWORN AND SUBSCRIBED before me this Twentieth
day of November 1880.

A. G. Howe,
Notary Public, Pima Co., A. T.

I, Henry G. Howe, U.S. Deputy Mineral Surveyor
do solemnly swear that I will well and truly perform the duties of Surveyor
according to instructions given me, and
to the best of my skill and ability.

Henry G. Howe,

SWORN AND SUBSCRIBED before me this Twentieth
day of November 1880.

B. Atkinson
Notary Public

Diebold Nov. 26, 1880
10 am

Field Notes of Survey of the

"Lucky Hit" Mining Claim,
Tombstone, Mining District,
by A. G. Howe,

U.S. Deputy Surveyor of
Mineral Lands,
November 20th to 23rd, 1880,

M. Kelleher, } Chainmen,
John B. Gowzy. }

Bear 11° 30' E by Good Plans:-

I set a Post 3x4 inches, 5 ft long against south side of
shaft. (which is planked up), for initial mon-
ument. Post Marked. I. H. M. C. No. 1,
from which U. S. M. M. No. 1. bears.

S 54° 0' E 482.3 feet. I then run. Bear 11° 30' East.

S 52° 45' E 267 1/2 ft. to a Round Pine Post 7 inches diameter, planted in
the ground, 4 ft above ground, and on the S.W. side
marked Vizina ^{Lot No. 59} on the S.E. side, N.E. cor Good-
enough;

300 ft. This is the South East corner of the Lucky Hit Mining
Claim, coming in the public Street. I mark the point
and marked 3x4 inch post 2' 8 inches long, dug trench
and buried post 6 inches under ground. And
made the Post at N.E. corner of Good enough Mining
Claim a Witness corner, its bearing being N 52° 45' W
32 ft 6 inches distant. The buried Post Marked with
marking Iron, I. H. M. C. No. 11.

thence I run, Bear 11° 30' E.

N 37° 15' E 1500 feet, and set Post 3x4 inches long, in monument of
Stone conical in form, 3 ft 6 inches at base 3 ft high,
Post Marked. I. H. M. C. No. III N.E. cor.

I then run, Bear 11° 30' E.

N 52° 45' W 300 ft. to the North east center end of Claim, and set 3x4 inch
Post 5 ft 4 inches long, in monument of Stone 3 1/2 ft at
base 3 ft high, conical in form, Stake or Post. Marked
I. H. M. C. No. IIII.

I then run, Bear 11° 30' E

N 52° 45' W 300 ft. to the N.W corner of claim, and set Post 3x4 inches

5 ft 4 inches long, in monument of stone
3 1/2 ft at base, 3 ft high. Stake marked, L.H. M.C. No.
V. - from this post, An adobe School House (the
South East corner) bears N 1/2° E 239 ft. distant.

Then from Post to V. Run, Var 11° 30' E.

37° 15' W 1500. ft. to a point within a wooden building which is
situated on lot 5 block 3 Tombstone, ^{Townsite} said point
being the S.W. corner of claim and from which
I set a 3x4 inch post, 2 ft 8 inches long firmly in the
ground, on the line between lots 5 and 6 in Block 3.
and distant 8 ft southerly along said division line from
Allen Street.

Then Run, Var 11° 30' E

52° 45' E 4 ft. set post firmly in ground, just outside of wooden building
for Witness Corner, Stake Marked L.H. M.C. No VI.

Then run, Var 11° 30' E

52° 45' E 296. ft. to the point of beginning, Stake No. 1.

The Shaft is situated 3 feet North 37° 15' E from
the initial monument, or stake No 1. Shaft.

4x6 ft. and 68 ft deep;

The S.W. corner of Tombstone Townsite, stake No 4, bears from initial
monument,

79° W 1236 ft. distant,

General Description.

The Lucky Hit Mining Claim, Tombstone Mining
District Pima County, A.T. This Mining Claim
underlies the townsite of Tombstone, and all of its
lines are inside the townsite limits. The improve-
ments upon this claim made by ^{the} mine owners
consist of adobe buildings, and situated on the
following lots and blocks, Lots 2nd & 3. Block 4 lots
fronting on Allen Street. Doing & tubs & improvements \$6000.
Lots 21, 22, 23, of Block 18, all have good adobe houses,
valued at \$7000, owned by G.R. Brown.

The lots fronting on Fremont ^{street} are mostly occupied
with buildings, some of wood a few good adobe
buildings. All of lots in blocks north of Fremont St
are built upon, most of them neat 1 story houses
and valued at from \$2. to \$600 dollars, the total
value of improvements outside of those made by the

claimants I will give as follows, the approximate values:

Block 4, lots 10, 9, 8, 7, 6, average, improvements adobe Buildings, at \$1,000 dollars per lot,

Block 19, lots 21, 22, 23, 24, 1, 2, 3, 4, at \$500, dollars per lot,

Block 18, lots, 11, 12, 14, 15, 16, 17, 18, 19, 20, ~~24~~, 1, 2, 3, 4, 5 at an average of \$1,000, dollars per lot, lots 6, 7, 8, 9, 10, in same block, small houses valued at 500 dollars per lot,

Block 17, lots 15, 14, 13, 12, 11 a value of \$2,000, dollars per lot, lots 9 and 10, improvements valued at \$300, dollars per lot,

Block 32, lots, 13, 14, 15, 16, improvements valued at \$300, dollars, per lot, lots 17, 18, 19, 20, 21, 22, and the balance of the lots in this block are valued at \$200, dollars per lot,

I send herewith a large map, map drawn to a scale of 60ft to the inch, which shows the position of mining Claim underlying the Tombstone Townsite, with this I send samples of ore taken from the ore dump at shaft, The shaft is sunk to the depth of 68 ft, and at a valuation of \$12.00 per foot = \$816.00 dollars expended on this shaft.

Very Respectfully,

A. G. Howe,

U. S. Deputy Surveyor of
Mineral Lands.

FINAL OATHS FOR SURVEYS OF MINING CLAIMS ~~AND~~ MILL SITES.

A LIST of the names of individuals employed to assist in running, measuring, or marking the lines and corners described in the foregoing field-notes of the survey of

The Lucky Hit Mining Claim, located in Tombstone, Mining District, Pima, County, Arizona, showing the respective capacities in which they acted.

M. Kelleher, Chainman. John B. Gouzy, Chainman. Axeman. Flagman.

WE hereby certify that we assisted H. G. Howe, U. S. Deputy Surveyor, in surveying the Lucky Hit Mining Claim, claimed by John Doling, C. R. Brown, A. A. Thompson and Godfrey Tibbels, located in Tombstone, Mining District, Pima, County, and in Township No. Range No. of the Gila and Salt River base and meridian, Arizona, and that said Survey has been in all respects, to the best of our knowledge and belief, well and faithfully executed, and the boundary monuments planted according to the instructions furnished by the Surveyor General.

M. Kelleher, Chainman. John B. Gouzy, Chainman. Axeman. Flagman.

SWORN TO AND SUBSCRIBED before me this 24th day of November 1880,

H. G. Howe, U. S. Deputy Mineral Surveyor and Notary Public.

I, Henry G. Howe, U. S. Deputy Surveyor, do solemnly swear that, in pursuance of instructions from John Wasson, U. S. Surveyor-General for Arizona, bearing date the 16th day of November, 1880, I have well, faithfully and truly, in my own proper person, and in strict conformity with the instructions furnished by the Surveyor-General and the laws of the United States, surveyed all those portions of the Lucky Hit Mining Claim:

claimed by John Doling, C. R. Brown, A. A. Thompson and Godfrey Tibbels, located in Tombstone, Mining District, Pima County, Arizona, as are represented in the foregoing field-notes as having been surveyed under my directions; and I do further solemnly swear that all the corners of said surveys have been established and perpetuated in strict accordance with the instructions furnished me, and that the foregoing are the true and original field notes of such surveys.

H. G. Howe Deputy Surveyor.

SWORN TO AND SUBSCRIBED before me this 24th day of November 1880,

W. A. Harwood Notary Public

AFFIDAVIT OF FIVE HUNDRED DOLLARS IMPROVEMENTS.

We, Frank C. Wright, and Wm. Lane,
of lawful age, being first duly sworn according to law, depose and say that we are acquainted with
the Work done on the Lucky Hit Mining Claim,
_____ mining claim, situate in Tombstone
_____ Mining District, Pima County, Arizona
Territory, for which John Doling, C. K. Brown, H. A. Thompson and Godfrey Tibbels,
have made application for survey prior to application for patent under the provisions of the Act of
Congress approved May 10, 1872, and that the labor done and improvements made thereon by the
applicants and grantor exceed Five Hundred Dollars in value, and further that we are
not personally interested in said mine.

Frank C. Wright
Wm. Lane

TERRITORY OF ARIZONA, }
County of Pima, } SS.

SWORN AND SUBSCRIBED before me this 24
day of Nov 1880

B. A. Fickas,
Notary Public.

Location Notice.

Notice is hereby given that the undersigned, in compliance with the requirements of the Mining Act of Congress, approved May 10th 1872. Have this day located and claim (1500) Fifteen hundred feet along the course of this lead, lode or vein of mineral bearing quartz, and three hundred feet (300) ft. in width on each side of the middle of said, lead, lode or vein, situate in the Tombstone Mining District, County of Pima, Arizona, and more particularly described as follows, to wit: Commencing at this the Discovery Shaft, situated at the south west end of claim on the south west side center of shaft as the initial monument, from which, U. S. M. M. No 1 Bears. (Tan $11^{\circ} 30'$) $54^{\circ} E$ 1 mile distant, Smoke Stack on Soughnut Hoisting Works No 1 bears $89\frac{1}{2}^{\circ} E$. $\frac{1}{2}$ mile distant, U. S. M. M. No 2, bears $523^{\circ} W$. $\frac{1}{3}$ miles distant. — from this the initial monument, Iron. $552^{\circ} 45' E$ (300) ft three hundred feet to stake in monument of stone stake marked S.E. cor Lucky Hit M. Co. — thence $N 37^{\circ} 15' E$ Fifteen hundred feet (1500) ft. to stake in monument of stone. stake marked north east corner of Lucky Hit M. Co. thence $N 52^{\circ} 45' W$. three hundred (300) feet to the North east

center end monument a stake marked,
 N. E center end Lucky Hit M. C. thence $N 52^{\circ} 45' W$
 Three hundred (300) feet, to stake in monum-
 ent of stones, stake marked N.W. corner Lucky
 Hit M. C., thence $S 37^{\circ} 15' W$ Fifteen Hundred
 (1500) feet, to stake in monument of stones,
 stake marked S.W. cor Lucky Hit M. C. thence
 $S 52^{\circ} 45' E$ Three Hundred (300) feet to the place
 of beginning.

We also claim all dips, spurs and angles,
 that maybe found under the surface
 lime capping, contained within the
 lines of this claim, and the right to follow
 all edges dipping, and running outside
 of the side lines, between well defined walls where
 the ledge is discovered on this claim.

This Claim shall be known as the
 "Lucky Hit" Mine.

Located on the ground this 12th day
 of November, A.D. 1880.

Witnesses:

Filed by W. S. DeWitt, Clerk Nov. 23,
 1880. John W. Mason, Secy.

locators
 H. A. Thompson
 John Collins
 Godfrey Tribolet
 C. R. Brown

Entered and recorded
 in request of

J. Salicy
 Nov 15th A.D. 1880

at S. A. No. 16 in
 Book O Ore Mines
 Pages 723-24

W. M. Campbell

J. W. Howard
 Secy

U. S. Surveyor General's Office,
Tucson, A. T. Dec 4, 1880

The foregoing field notes of the survey of the Lucky Hit Mining Claim, situated in Tombstone Mining District, Pima County, Arizona, claimed by John Doling, C. R. Brown, H. A. Thompson, and Godfrey Tribbley, survey executed by H. H. Hows U. S. under instructions from this office, having been critically examined, and the necessary alterations and corrections made, the said field notes and the survey therein described, are hereby approved.

John Wasson,
Surveyor General.

Copper Quarries
 Notice of Location. By virtue of
 the mining laws of the United
 States and Territory of Arizona. We the
 undersigned do this day locate and
 claim 1500 feet along this lode or
 vein or deposit of mineral bearing
 ore with a uniform width of
 600 feet, together with all dips
 spurs angles and all other valuable
 mineral deposits. Contained
 therein. This claim was formally
 known as the Halero Mine and
 located by H. J. Jones H. W. Coy
 J. Halero on the 14th day of Dec
 ember and is situated in the
 Miller Pass Mountains, about
 300 yards South East of Pea &
 Harrow settling works, County
 of Pima Territory of Arizona and
 bounded as follows. Commencing
 at a monument of stone on ^{South}
 West end of claim thence running
 southeasterly 300 feet to a like
 monument as S. E. corner. Thence
 northeasterly 1500 feet to a like
 monument as N. E. cor. Thence
 northwesterly 600 feet to a like

monument as S. N. Cor. Thence
 Southwesterly 1500 feet to a mon-
 ument as S. N. Corner, Thence
 South easterly to place of beginning
 is more generally described as
 situated on the south side of
 mineral creek in Blue Mountain
 acid about 300 yds south east
 of Red acid Harrens smelting
 works Pima County Ariz. and
 relocated on this 15th day of
 December A. D. 1878. and shall
 hereafter be known as the Copper
 Queen Mine, Locators.

Geo. H. Edelman
 Witness W. A. Herring
 Geo. Harren

Filed and Recorded at request of
 J. A. Brown Dec 31st at 1 o'clock P. M.
 1878

J. H. Carpenter County Recorder
 By H. A. McDermott Deputy

Territory of Arizona }
 County of Pima } ss
 I Sidney H. Carpenter

Notice of Location

The undersigned do hereby locate and claim, under the law of Congress, approved May 10, 1872, 1500 feet in length on this vein or lode carrying valuable mineral and 300 ft in width on each side of the middle of said vein or lode, together with all its dips, spur and angles; situated in the Mule Pass Mountains, Pima County Arizona; and more fully described as follows, to wit: Commencing at the Centre on the west end of claim, which is marked by a monument of stones and where this notice is posted, running thence E. of S. 300 ft. to a monument of stones marking the S. W. Cor. of claim, thence N. of E. 1500 ft. to monument of stones marking S. E. cor. of claim; thence W. of N. 300 ft to monument of stones on centre of E. end of claim, thence continuing W. of N. 300 ft to monument of stones marking N. E. cor. of claim; thence S. of W. 1500 ft. to monument of stones marking the N. W. cor. of claim, thence E. of S. 300 ft. to place of beginning.

This claim adjoins the Copper King Mine to the West; the Atlanta Mine to the South. The centre monument

on the E. end of claim is $S79^{\circ}40'W$. 2.86 Chs. from
 the S. face of the highest rock on top of a large mass
 of iron rock, standing 25 ft. high above its north
 base; which mass of iron rock is 75 ft. long on its
 west base and about 20 ft wide on its north base,
 and is the most marked and prominent natural
 object in the vicinity of the claim, and is situated
 near the west end of the Rucker Mining Claim, im-
 mediately north of the gulch along which the road
 from Bisbee to Charleston runs and down in the bottom
 of which gulch said road runs at this point. This
 mass of iron rock is situated about 12.00 Chs $S68\frac{1}{2}^{\circ}E$.
 from the stack of the Copper Queen Co.'s smelting works,
 and is the first large mass of iron rock along the above
 mentioned gulch below said smelting works and below
 the village of Bisbee in the Mule Pass Mountains
 Pima County, Arizona. This is a relocation
 of the ground covered by a location made by
 Geo. H. Eddleman, and M. A. Herring on the 15th day
 of December 1878, under the name of The Copper
 Queen Mine, and recorded on the 31st day of Decem-
 ber 1878 in Book D. page 574 of Mining Records
 Pima County Arizona, to which reference is hereby

County Recorder in and for the
 County of Pima do hereby certify
 that the above and foregoing is a
 full true and correct copy of
 what purports to be the original
 location notice of the Copper
 Queen Mine as appears of
 Record now in my office in
 Book D, page 574 Record of
 Mines. In witness whereof I have
 hereunto set my hand and
 affixed my official seal this
 10th day of Sept. A. D. 1880

S. H. Carpenter
 County Recorder

By E. A. Justice Deputy

111
111
1201

On base of iron duct
3 1/2 high x 2.8 x 3 1/2
1.5 yd above base em.
m. head 1/2 W. wide

Base of the whole
Mass is 2 3/4 thick
in W. and 1 1/2 in
W. and 1/2 in S. and

Base of iron duct
1 1/2 high x 1 1/2 x 1 1/2
1 1/2 high x 1 1/2 x 1 1/2

Gal. 310 1/2

1/2 2
1/2 2
1/2 2
Richard Kelly
John Ballard
No. H. Martin