

**M**  
**S**

**-**  
**G**  
**N**

**0**

**0**

**2**

**4**

**3**



LOT NO. 37

Field Notes.

of the survey of the

Pomoso

Mining Claim

Situate in Gucson mining district

County of Pima and in Sec. \_\_\_\_\_, Tp. 135

Range 12E, of the Gila and Salt River Meridian.

Arizona.

Claimed by \_\_\_\_\_

L. M. Jacobs. & Co

Survey executed by L. H. Chilson D. S.

Under instructions dated February 2<sup>nd</sup> 1881

Survey commenced February 7, 1881

Survey completed February 8, 1881



PRELIMINARY OATHS FOR SURVEYS OF MINING CLAIMS AND MILL SITES.

WE, A. Chamberlain and W. L. Campbee

do solemnly swear that we will faithfully execute the duties of Chain Carriers, that we will level the chain upon uneven ground, and plumb the tally pins, whether by sticking or dropping the same; that we will report the true distance to all notable objects, and the true lengths, of all lines that we assist in measuring, to the best of our skill and ability.

A. Chamberlain  
W. L. Campbee



SWORN AND SUBSCRIBED before me this 7<sup>th</sup> day of February 1881

J. D. Chillson  
Natary Public

I, Lindell M. Jacobs

do solemnly swear that I will well and truly perform the duties of Flagman and axeman according to instructions given me, and to the best of my skill and ability.

Lindell M. Jacobs

SWORN AND SUBSCRIBED before me this 7<sup>th</sup> day of February 1881



J. D. Chillson  
Natary Public



Field Notes

Official Survey of the Plomoso Mine,

Tucson Mining District,

Yuma County, Arizona Territory,

Authorized by the U. S. Surveyor General,

Feb, 2<sup>nd</sup> 1881,

Survey commenced

Feb, 7<sup>th</sup> 1881

Survey completed

Feb, 8<sup>th</sup> 1881

"Magnetic Variation"

Ascertained by observation on Spolaris at a point  $\frac{1}{2}$  mile south from the Plomoso mine. Angle of departure at greatest elongation west =  $14^{\circ} 11' 00''$  - Az.,  $-1^{\circ} 34' 20''$  =  $12^{\circ} 36' 40''$  true variation.

"U. S. M. M. No 1"

Variation  $12^{\circ} 37' E.$

Is located on a high and conspicuous ridge - general course of which bears  $S. 61^{\circ} 37' E.$  - centrally located in the mineral belt situated  $\frac{3}{4}$  mile northerly from where the road to the Iron ore beds departs from the cañon. At the apex of said ridge, a rock of hard granite  $2\frac{1}{2}$  ft thick, 5 ft long, rising  $3\frac{1}{2}$  ft above ground, and being permanent in place, I selected for the monument, and on the south face of same, engraved the letters U. S. M. M. - NO 1. On the top surface, an E. & W. and N. & S. line, place of intersection being the initial point, from which a white oak tree  $12^{\text{in}}$  dia., bears  $N. 28^{\circ} 52' E.$  66 ft dist., marked same U. S. M. M. B. T.



Feet

Field Notes  
Official Survey of the Alamosa Mine.

Variation 12° 37' E.

A granite rock permanent in place 3 ft x 4 ft in size rising 4 feet above ground, bears N. 41° 30' W. 40 ft dist., on side of same facing the monument, I engraved the letters U.S. W.M. At side of rock selected for the monument, set a white oak post 5 ft high, tierced 5<sup>in</sup> square, marked on north side U.S.M.M. NO 1. On E. side T.M.D. on S. side U.S.M.M. on W. side F.E.B., Y. 1881. Built monument of granite rock against same 4 ft at base, 4 ft high.

Feb, 8<sup>th</sup> 1881

North-easterly end of Claim.

Variation 12° 37' E.

Local attraction 1/2° E.

Begin at the original location monument being the center of the north-easterly end of claim, and upon which the notice of location is posted. The same being situate on north-eastern slope of hill at a point from which U.S.M.M. NO 1. bears N. 41° 37' W. 119 1/2 feet dist., and run, S. 27° 30' E. Var. 12° 37' E.

300

Set a cottonwood post 3 ft high 4<sup>in</sup> dia, marked P.M. - S.E.C. in monument of stone for S.E. cor, of claim, from which the open cut to an old tunnel, bears S. 28° 30' W. 386 ft dist.

On southerly line of claim.

Variation 12° 37' E.

Local attraction 1/2° E.

S. 62° 30' W.

600

Local attraction ceases

1500

Set a white oak post 4 ft high 4<sup>in</sup> dia, marked P.M. - S.W.C. in monument of stone



Feet

Field Notes

Official Survey of the Splamaso Mine.

Variation  $12^{\circ} 37' E.$

for S. W. Cor. of Claim.

Southwesterly end of claim

Variation  $12^{\circ} 37' E.$

N.  $27^{\circ} 30' W.$

300 Location end center monument. Set a white oak post in same  $4\frac{1}{2}$  ft high  $4\frac{1}{2}$  in dia, marked P.M. - S. W. E. C. M. from which a white oak tree  $18\frac{1}{2}$  in dia, bears S.  $60^{\circ} 15'$  E.  $57\frac{1}{2}$  ft dist., marked same P.M. B.T.

600 To a monument of stones, set a white oak post  $4\frac{1}{2}$  ft high  $4\frac{1}{2}$  in square in same marked P.M. N. W. C. for North west corner of claim.

Northerly line of claim.

Variation  $12^{\circ} 37' E.$

N.  $62^{\circ} 30' E.$

800 Local attraction  $1/2^{\circ} E.$

1500 To a monument of stones, set a white oak post  $3\frac{1}{2}$  ft high  $3\frac{1}{2}$  in dia, in same, marked P.M. - N. E. C. for N. E. cor. of claim.

North-easterly end of Claim

Variation  $12^{\circ} 37' E.$

Local attraction  $1/2^{\circ} E.$

S.  $27^{\circ} 30' E.$

300 Original location monument the place of beginning; containing 20,657 acres. Set a white oak post  $4\frac{1}{2}$  ft high  $4\frac{1}{2}$  in square marked P.M. - N. E. E. C. in the said original location monument the more fully to perpetuate the same. A white oak tree  $12\frac{1}{2}$  in dia, bears N.  $1^{\circ} 37' W.$   $18\frac{1}{2}$  ft dist., marked same P.M. C. - B.T.



1  
6

## Field Notes

### Official Survey of the Alamosa Mine.

Variation  $12^{\circ} 37' E.$

Local attraction  $1/2^{\circ} N.$

### Improvements

From center monument - North-easterly end of claim - open cut to tunnel bears  $N. 51^{\circ} W.$   $34^{\text{th}}$  dist.; said tunnel is  $6\text{ft} \times 6\text{ft}$  in size and bears  $S. 58^{\circ} 45' W.$   $86\text{ft}$  dist.; At a point in the tunnel  $66\text{ft}$  from entrance, is a shaft  $6 \times 6\text{ft}$  in size, and  $22\text{ft}$  deep.

Said works is all in the gangue or vein matter of the lode, and cost probably  $\$2000.00$ . Old tunnel referred to in these field notes - S. E. end - entrance of which is closed, was run to develop this mine and is supposed to be  $80\text{ft}$  in depth; cost probably  $\$1000.00$

I. D. Clifton

U. S. Dpy, M. M. Sur.



FINAL OATHS FOR SURVEYS OF MINING CLAIMS ~~AND~~ MILL SITES.

A LIST of the names of individuals employed to assist in running, measuring, or marking the lines and corners described in the foregoing field-notes of the survey of the Planasa Silver mine

located in Tucson Mining District, Pima County, Arizona, showing the respective capacities in which they acted.

<u>E. A. Chamberlain</u>	Chainman.
<u>W. L. Campbell</u>	Chainman.
<u>L. M. Jacobs</u>	Axeman.
<u>J</u>	Flagman.

WE hereby certify that we assisted L. D. Chillson U. S. Deputy Surveyor, in surveying the Planasa Silver Mine

claimed by L. M. Jacobs & Co located in Tucson Mining District, Pima County, and in Township No \_\_\_\_\_ Range No \_\_\_\_\_ of the Gila and Salt River base and meridian, Arizona, and that said Survey has been in all respects, to the best of our knowledge and belief, well and faithfully executed, and the boundary monuments planted according to the instructions furnished by the Surveyor General.

<u>E. A. Chamberlain</u>	Chainman.
<u>W. L. Campbell</u>	Chainman.
<u>L. M. Jacobs</u>	Axeman.
<u>J</u>	Flagman.

SWORN TO AND SUBSCRIBED before me this 8<sup>th</sup> day of February 1881

L. D. Chillson  
Notary Public

I, L. D. Chillson U. S. Deputy Surveyor, do solemnly swear that, in pursuance of instructions from John Wasson, U. S. Surveyor-General for Arizona, bearing date the 2<sup>nd</sup> day of February 1881, I have well, faithfully and truly, in my own proper person, and in strict conformity with the instructions furnished by the Surveyor-General and the laws of the United States, surveyed all those portions of the Planasa Silver Mine

claimed by L. M. Jacobs & Co located in Tucson Mining District, Pima County, Arizona, as are represented in the foregoing field-notes as having been surveyed under my directions; and I do further solemnly swear that all the corners of said surveys have been established and perpetuated in strict accordance with the instructions furnished me, and that the foregoing are the true and original field notes of such surveys.

L. D. Chillson Deputy Surveyor.

SWORN TO AND SUBSCRIBED before me this Eleventh day of February 1881

William J. Robson  
Notary Public





AFFIDAVIT OF FIVE HUNDRED DOLLARS IMPROVEMENTS.

We, F. A. Chamberlain and W. J. Campbell  
of lawful age, being first duly sworn according to law, depose and say that we are acquainted with  
the Platina Silver  
\_\_\_\_\_ mining claim, situate in Tucson  
\_\_\_\_\_ Mining District, Pima County, Arizona  
Territory, for which J. M. Jacobs & Co. and \_\_\_\_\_  
have made application for survey prior to application for patent under the provisions of the Act of  
Congress approved May 10, 1872, and that the labor done and improvements made thereon by the  
applicants and \_\_\_\_\_ grantors exceed Five Hundred Dollars in value, and further that we are  
not personally interested in said mine.

F. A. Chamberlain  
W. J. Campbell

TERRITORY OF ARIZONA, }  
County of Pima } SS.

SWORN AND SUBSCRIBED before me this 8<sup>th</sup>  
day of February 1882

J. D. Hillson  
Notary Public



# Location Notice.

Notice Is Hereby Given, That the undersigned, in compliance with the requirements of the Mining Act of Congress, approved May 10, 1872, *has* this day located and claimed *1500.* hundred linear feet along the course of this lead, lode or vein of mineral bearing quartz and *300.* feet in width on each side of the middle of said lead, lode, or vein, situate in the *Mesa* Mining District, County of *Pima* Arizona, and more particularly described as follows, to-wit:

Commencing at this monument of stones, being the center of the *North Easterly end* of claim, and upon which this notice is posted; thence *Running South Easterly 300.* feet to a monument of stones; thence *South Westerly 1500.* feet to a monument of stones; thence *North Westerly 300.* feet to a monument of stones, being the center of *South Westerly* end of claim; thence *North Westerly 300* feet to a monument of stones; thence *North Easterly 1500.* feet to a monument of stones; thence *South Easterly 300* feet to place of beginning.

THIS CLAIM is situated on the western slope of the *Patagonia Mountains* and lies about six miles east of the *Santa Cruz River* and about 400 yards north of the trail leading from the *Patagonia Mine* to the *Santa Cruz River*.

and shall be known as the *Honoro.* Mine.

Located *May 17<sup>th</sup> 1878.*

*A. C. Benedict*

Filed and recorded at the sign of *A. C. Benedict* Pima 15<sup>th</sup> 1878. at 9 o'clock A.M.

Printed and for sale at the Citizen Office. Tucson.

To further conform to the requirements of Section 2324. United States Revised Statutes the above notice is hereby amended as follows. VIZ. The original location monument upon which this notice is posted is situated on the North Easterly slope of a high ridge at a point from which the U.S. M. M. N<sup>o</sup> 1. bears N 41°, W. 114 1/2° distant.

Dated *Feby 7<sup>th</sup> 1881.*

*Leh. Jacobs & Co*  
*Treas. Corners.*



U. S. Surveyor General's Office.

Tucson, Arizona, February 19, 1881.

The foregoing field notes of the survey of the Plomoso  
Mining Claim situate in  
the Tucson Mining District, Pima  
County, Arizona, claimed by L. M. Jacobs & Co.  
survey executed by L. O. Chilson Deputy  
Surveyor, under instructions from this office, having been critically examined  
and the necessary corrections and alterations made, the said field notes and  
the survey they describe are hereby approved

John Merson.

Surveyor General.



