

**M  
S**

**-  
G  
N**

**0**

**0**

**2**

**5**

**4**

LOT NO. 70

**Field Notes.**

of the survey of the

Cincinnati  
Mining Claim.

Situate in Tombstone mining district

County of Cochise and in Sec. 12, T<sup>p</sup> 208

Range 22E, of the Gila and Salt River Meridian.

Arizona.

Claimed by the Cincinnati Gold and  
Silver Mining Company

Survey executed by Theodore F. White, D. S.

Under instructions dated February 10, 1884.

Survey commenced February 19, 1884.

Survey completed February 19, 1884.

PRELIMINARY OATHS FOR SURVEYS OF MINING CLAIMS AND MILL SITES.

WE, John O'Donnell and Henry Dieckhoff  
do solemnly swear that we will faithfully execute the duties of Chain Carriers; that we will level the chain upon uneven ground, and plumb the tally pins, whether by sticking or dropping the same; that we will report the true distance to all notable objects, and the true lengths of all lines that we assist in measuring, to the best of our skill and ability.

Henry Dieckhoff  
John O'Donnell

SWORN AND SUBSCRIBED before me this 17<sup>th</sup>  
day of February 1881.

John R. Tanell  
Notary Public

I, James Collins  
do solemnly swear that I will well and truly perform the duties of Axeman  
and Flagman according to instructions given me, and to the best of my skill and ability.

James Collins

SWORN AND SUBSCRIBED before me this 17<sup>th</sup>  
day of February 1881.

John R. Tanell  
Notary Public

THE BUREAU OF LANDS FOR SURVEYS OF MINING CLAIMS  
AND MILL SITES

San Pedro  
Petalum  
Feb. 19



1211

1211

1211

# Cincennatti Mining Claim

3

Tombstone Mining District

Cochise County, Arizona

Survey of Exterior Lines

Before commencing the survey of the exterior lines of this claim, I compare the meridian determined by my instrument — a Solar Compass, made by Young & Sons of Philadelphia — with the U. S. Standard Meridian established in the District. I set my instrument over the point at the north end of said meridian, marked by a brass point, set in a stone block and witnessed by a post marked "U. S. S. M." etc. as per notes of the establishment of said meridian. I took an observation for latitude and at a proper hour set off the declination and found the meridian described by my instrument to coincide exactly with the U. S. Standard Meridian. The variation of the needle of my instrument as it stood was  $12^{\circ}15'$  East. The variation of the needle of the instrument used in establishing the meridian was  $11^{\circ}53'$  East a difference of  $22'$  which adopting  $11^{\circ}53'$  East as the standard meridian, must in my instrument, be called "instrumental error" and allowance made for it in the following survey.

I examine the corners of the Cincennatti Mining Claim, referring to a copy of the location

## Cincinnati Mining Claim

Tombstone Mining District A.S.

notice for guidance. I find the corners well marked by monuments and the ground located essentially as indicated in said location-notice

Ch's.

Commencing at the S. E. cor. of the claim which I make the initial-point of survey marked by a stake and mound of stones I more permanently mark it by setting a post 5 ft. long 4x4 in. sq. marked "C. M. C. No. 1" 1 ft in the ground and build around it a mound of stones 2 1/2 ft high.

Thence along the S. E. side of claim

N. 32° 47' E      Var. 11° 53' East

Descending

2.40 Wash 15 lks. wide running N. W.

Ascend gently

8.00 Top of ascent and descend gently

9.90 Main road from the east into Tombstone, bearing at this point nearly N & S.

22.96 = 1515.36 ft to the N. E. cor. of claim marked by a stake and mound of stones. At this point there is also a post marked "C. M. C. No. 2" for a cor. of the Cocopah Mining Claim. I set a post 5 ft. long 4x4 in. sq. marked "C. M. C. No. 11" 1 ft in the ground and build around it a mound of stones 2 1/2 ft high

Note: Owing to the S. W. end of claim being much shorter in length than the N. E. end, the E. side line is a diagonal line and although longer than 1500 ft., yet

# Cincinnati Mining Claim

Tombstone Mining District N.T.

Chs.

the claim does not exceed that limit in length, as will be seen further on

From the cor. just established, I run along N. E. end N.  $65^{\circ}42'W$ . Same variation Ascending slightly.

6.78 Main road from the east into Tombstone, bearing at this point W of N.

9.08  $\frac{1}{2}$  = 597.61 ft To the N. W. cor. of claim marked by a stake and mound of stones, marked also for S. W. cor. of Cocopah, I set a post 5 ft long 4x4 in. sq. marked 'Ci M. Co. No. 111. 1 ft in the ground and build around it a mound of stones 2  $\frac{1}{2}$  ft high. Thence along W. boundary of claim

S.  $24^{\circ}53'W$ . Same variation Flat.

2.50 Descend

4.78  $\frac{1}{2}$  = 315.81 ft To a cor. of claim, also a corner of the Content Claim Lot No. 69 I set a post 5 ft long 4x4 in. sq. marked 'Ci M. Co. No 1 V 1 ft in the ground and build around it a mound of stones 2  $\frac{1}{2}$  ft. high, for a cor. of the Cincinnati Mining Claim.

Note: The Content Mining Claim covers ground originally intended to be located by the Content location - (see location notice of Content) - This explanation is necessary because the location-notice of the Cincinnati calls for the first portion of the west boundary to run

# Cincinnati Mining Claim

Tombstone Mining District N.Y.

Chs.

to N.E. cor. of the Continent  
Claim Lot No 68.

From the last established  
corner on the west boundary of  
claim, I continue along west  
boundary and along E. line of  
Continent Claim Lot No. 69  
S. 24° 24' W. Same variation

Descend

0.60 Wash 20 lbs wide runs N. W.  
Ascend

3.40 Top of ascent & descend

10.10 Gully 10 lbs. wide, running W of  
N. & ascend

11.70 Road bearing N. W. and S. E

12.87½ = 849.75 ft. To a cor. of claim, also a  
cor. of the Continent Claim <sup>Lot No 69</sup>, also a  
cor. of the Continent Claim. <sup>Lot No 37</sup> For  
this it is marked by a post in  
a mound of stones, the post mark-  
ed "C. M. C. No. 2". Immediately  
alongside of this I set a post  
5 ft long 4x4 in sq. marked "Ci  
M. C. No. V." 1 ft in the ground and  
build around it a mound of  
stones 2½ ft high for a cor. of  
the Cincinnati Mining Claim  
<sup>thence</sup> S. 24° 20' W. Same variation.

Ascending gently

1.10 Road to mines bears N. E. & S. W.

2.05½ = 333.63 ft To S. W. cor. of claim,  
marked by a stake and mound of  
stones. There is also a post at  
this point marked "N. Y. M. C. No. 5"  
for S. W. cor. of New York Claim. I  
set a post 5 ft long 4x4 in. sq.  
marked "Ci. M. C. No V" 1 ft in the  
ground and build around it a  
mound of stones 2½ ft high for



Cincinnati Mining Claim

Tombstone Mining District A.T.

Chs.

a cor. of the Cincinnati Mining Claim. Thence along S. W. end of claim

S.  $65^{\circ}42'E$  Same variation

Descending gently

$5.71\frac{1}{2} = 377.19$  ft To the place of beginning

The Claim contains  $16\frac{786}{1,000}$  acres

From the S. W. cor. where the post is marked "Ci M. Co. No. VI" U. S. Mineral Monument No. 1 bears S.  $50^{\circ}16'W$  and is 36.15 chs. distant from said corner.

Description of work done on Claim

From a point on W. boundary of claim 2.20 chs. N.  $24^{\circ}20'E$  from cor. No VI a shaft bears east 25 chs. distant. This shaft is  $5 \times 6$  ft in dimension and 30 ft deep

From cor. No. 1 a shaft bears N.  $12^{\circ}14'E$  5.92 chs distant. This shaft is a double compartment  $4 \times 4$  ft. 95 ft deep and timbered

From same cor. No. 1 another shaft on claim bears N.  $46^{\circ}W$  3.69 chs. distant. This is a double  $4 \times 4$  ft. shaft 150 ft deep and from it, levels are run aggregating 400 ft. about, in length

Note: From cors. No. 5 to No 6, the line coincides with E. line of Contention Claim <sup>Lot No. 311</sup> make the bearings of this line to be S.  $24^{\circ}20'W$ . In the field-notes of the Contention Claim it is given

# Cincinnati Mining Claim

## Tombstone Mining District A.T.

as ~~S. 74~~  $S. 24^{\circ} 18' W$  a difference of 2'.  
This is slight. I found the  
same difference in surveying  
the Flora Morrison Claim which  
adjoins the W. line of Contention  
in one place

### General Description etc.

The Cincinnati Mining Claim  
is situated in the Tombstone  
Mining District, Cochise  
County, Arizona Territory

It adjoins in one place, the  
celebrated Contention Mine

The surface is uneven - flat  
in places. There is little vegetation  
on it, some brush - no timber -

The work done on the claim as  
described in the foregoing notes  
amounts to many times five  
hundred dollars in value

Note: I retain the spelling C-i-n-  
c-i-n-n-a-t-t-i, which is the way it  
is spelled in the location-notice

February 19, 1881

Theodore F. White,  
U.S. Deputy Surveyor

FINAL OATHS FOR SURVEYS OF MINING CLAIMS ~~AND~~ MILL SITES.

A LIST of the names of individuals employed to assist in running, measuring, or marking the lines and corners described in the foregoing field-notes of the survey of the Cincinnati Mining Claim located in Tombstone Mining District, Cochise County, Arizona, showing the respective capacities in which they acted

James Ballis Chainman.  
John Donnell Chainman.  
Axeman.  
Henry Deickhoff Flagman.

WE hereby certify that we assisted Theodore F. White U. S. Deputy Surveyor, in surveying the Cincinnati Mining Claim claimed by the Cincinnati G. & W. Mining Co. located in Tombstone Mining District, Cochise County, and in Township No        Range No        of the Gila and Salt River base and meridian, Arizona, and that said Survey has been in all respects, to the best of our knowledge and belief, well and faithfully executed, and the boundary monuments planted according to the instructions furnished by the Surveyor General.

James Palm's Chainman.  
John Donnell Chainman.  
Axeman.  
Henry Deickhoff Flagman.

SWORN TO AND SUBSCRIBED before me this 9<sup>th</sup> day of March 1881  
John R. Faull  
Notary Public.

I, Theo F. White U. S. Deputy Surveyor, do solemnly swear that, in pursuance of instructions from John Wasson, U. S. Surveyor-General for Arizona, bearing date the 10<sup>th</sup> day of February 1881, I have well, faithfully and truly, in my own proper person, and in strict conformity with the instructions furnished by the Surveyor-General and the laws of the United States, surveyed all those portions of the Cincinnati Mining Claim claimed by the Cincinnati G. & W. Mining Co. located in Tombstone Mining District, Cochise County, Arizona, as are represented in the foregoing field-notes as having been surveyed under my directions; and I do further solemnly swear that all the corners of said surveys have been established and perpetuated in strict accordance with the instructions furnished me, and that the foregoing are the true and original field notes of such surveys.

Theodore F. White Deputy Surveyor.

SWORN TO AND SUBSCRIBED before me this 12<sup>th</sup> day of March 1881  
John R. Faull  
Notary Public.



AFFIDAVIT OF FIVE HUNDRED DOLLARS IMPROVEMENTS.

We, Elmer S. Daniels and R. H. Cavell

of lawful age, being first duly sworn according to law, depose and say that we are acquainted with the Leincinati

\_\_\_\_\_ mining claim, situate in Tombstone

\_\_\_\_\_ Mining District, Cochise County, Arizona

Territory, for which the Leincinati and G. W. S. Mining Co.

has made application for survey prior to application for patent under the provisions of the Act of Congress approved May 10, 1872, and that the labor done and improvements made thereon by the applicant and its grantor s exceed Five Hundred Dollars in value, and further that we are not personally interested in said mine.

Elmer S. Daniels.  
R. H. Cavell

TERRITORY OF ARIZONA, }  
County of Cochise } SS.

SWORN AND SUBSCRIBED before me this 8<sup>th</sup>  
day of March 1886.

John R. Farrell  
Notary Public

"Cincinnati Mine."

Notice

We the undersigned do this day locate and claim one mining claim of 1500 ft. on this lode, ledge or deposit, supposed to be the extension South of the Contention Mine with 300 ft. on each side for mining purpose commencing at a monument of stone about 300 ft South West from where this notice is placed and running in a North easterly direction 1500 ft. to a monument of stone thence Westerly 600 ft to a monument of stone thence Southerly about 1000 ft to the North east corner of the Contention mining claim owned by White and Parsons, thence two hundred and fifty feet more or less to the north east corner of the Contention Mine thence Two hundred and fifty feet along the South east line of the Contention Mine to a monument of stone thence South Easterly 300 ft. or less to place of beginning, we intend to work and hold said claim according to the laws of this District and the laws of Congress. Located this 4<sup>th</sup> day of November 1878 in Tombstone Dist, Pima Co Arizona by

Hard Priest &  
Solley Ogden.

And to be known as the Cincinnati Mining claim, Filed and recorded at request of Hard Priest Nov. 15<sup>th</sup> 1878 at 2 P.M.

J. H. Carpenter County Recorder.

By W. A. McDermott Deputy

Territory of Arizona }  
County of Pima } S.S.

I Sidney M. Carpenter, County Recorder, in and for the 12  
County of Pima, do hereby certify that the above and  
foregoing is a full, true and correct copy of Location  
Notice of the Cincinnati Mine, as appears of record  
now in my office in Book C. page 670 of Records  
of Mines. In witness whereof, I have hereunto set  
my hand and affixed my official seal at my office  
in Tucson This seventh day of November A. D. 1880.

Sidney M. Carpenter, County Recorder  
By M. H. Read Deputy

U. S. Surveyor General's Office.

Tucson, Arizona, *April 9, 1881*

The foregoing field notes of the survey of the *Cincinnati*  
   Mining Claim situate in  
the *Tombstone* Mining District, *Coconino*  
County, Arizona, claimed by *the Cincinnati Gold*  
*and Silver Mining Company* :  
survey executed by *Theodore F. White* Deputy  
Surveyor, under instructions from this office, having been critically examined  
and the necessary corrections and alterations made, the said field notes and  
the survey they describe are hereby approved.

*John Messersmith*

Surveyor General.

22.72  
3.54

N.Y. H.C. No. 15

Orangeburg

Yellow Jacket

Orangeburg

Courthouse

Courthouse

H.C. No. 1

Cincinnati Area

Main road

Locopah

13 1/2  
11 1/2  
12 1/2  
S.E. 65. 142

N.S. 24. 20 503'

Cmt 967 & C.M. 962

N.S. 24. 24 12. 87 1/2

C.M.P. 9611

N.S. 24. 03 4. 18 1/2

S.W. 32. 4 22. 96

16 486 1800 d.

S.E. 65. 11 9. 00 1/2  
N. 90. 6

