

**M**  
**S**

**G**  
**N**

**0**

**0**

**2**

**6**

**0**

LOT NO. 76

**Field Notes.**

of the survey of the

Eulah

Mining Claim

Situate in Trinkstone mining district

County of Cochise and in Sec. 11 Tp 20

Range 22 of the Gila and Salt River Meridian.

Arizona.

Claimed by J. Roper, A. Cross, M. Garrett and

J. B. Merchant

Survey executed by J. G. Parke D. S.

Under instructions dated February 23 1881

Survey commenced March 1 1881

Survey completed March 2 1881

PRELIMINARY OATHS FOR SURVEYS OF MINING CLAIMS  
AND MILL SITES.

WE, W. H. Ream and J. W. Scribner

solemnly swear that we will faithfully execute the duties of Chain Carriers; that we will level the  
line upon uneven ground, and plumb the tally pins, whether by sticking or dropping the same; that  
we will report the true distance to all notable objects, and the true lengths of all lines that we assist  
measuring, to the best of our skill and ability.

W. H. Ream  
J. W. Scribner

SWORN AND SUBSCRIBED before me this First  
day of March 1881

Wells Spicer  
Notary Public

I, W. H. Ream

solemnly swear that I will well and truly perform the duties of Flagman  
according to instructions given me, and  
the best of my skill and ability.

W. H. Ream

SWORN AND SUBSCRIBED before me this 15th  
day of March 1881

Wells Spicer  
Notary Public

Field Notes of the  
Survey of the "Culah"  
Mining Claim.

Situate in the Tombstone  
Mining District, County  
of Cochise, Territory of  
Arizona.

By J. G. Parke  
U. S. Deputy Surveyor  
Under instructions of  
February 23<sup>d</sup> 1881.

March 1<sup>st</sup> 1881.

Adjusted Transit to the  
established Standard Meridian  
for the Tombstone Mining  
District, and found the Mag-  
netic Variation  $11^{\circ}50'$  East.

Feet

Commencing at the North end  
Center of Claim, at a post 4 inches  
square and 4 ft. in length, marked  
N<sup>o</sup>. 1 N. E. Cent. E. M. in monument  
of stones, and where I found notice  
posted, from which,

U. S. M. M. N<sup>o</sup>. 2 bears S.  
 $1^{\circ}55'$  W. 4374 feet distant.

A shaft designated on plat as A.  
bears S.  $24^{\circ}7'$  W. 342 ft. Size 4 ft. by  
6 ft. and 70 ft. deep, with level  $4\frac{1}{2}$  ft.  
wide, 7 ft. high and  $12\frac{1}{2}$  ft. in length  
from bottom of shaft.

A post marked N. E. Co. Town-  
site, bears S.  $11^{\circ}25'$  W. 106 ft.

Thence N.  $47^{\circ}51'$  W.

Variation  $11^{\circ}50'$  East.

284

To a post 4 in. square and 4 ft. in  
length, marked N<sup>o</sup>. 11. N. W. Cor.  
C. M. in Monument of stones  
4 ft. in dia. and 2 ft. high.

# Field Notes of Culah Mine

Sheet Tombstone Mining District  
Arizona.

from which.

A post marked W.E. Center of  
Moonlight - bears S. 36° 46' E.  
213 ft.

Thence S. 19° 46' W.

Var. 11° 50' East.

230 Cross Center dry ravine Course  
N. 30° W.

426 A pine post, marked N.W. Cor. Town-  
-site bears S. 48° 25' W. 17 ft. ✓

A pine post, marked N.W. Cen.  
Townsite, bears N. 48° 25' E. 283 ft. ✓

938 A pine post - marked N.W.  
Center Metallic Accident - bears ✓  
N. 79° 12' E. 54 ft.

A pine post - marked S.E. Cor.  
Metallic Accident, bears  
Same course. 355 ft.

1210 Cross center dry ravine, Course  
N. W.

1400 Set pine post 4 in. square, 4 ft. in  
length, and marked S.W. Cor. E. M.  
No. 111. surrounded by stone monu-  
-ment - 4 ft. in diam. and 2 ft. high.  
from which.

The Original S.W. Cor. of the  
"Culah" Mine, and the N.W. Cor.  
of "Old Guard" Mine bears S. 19° 46' E. W. ✓  
11 <sup>7</sup>/<sub>10</sub> ft. distant.

This 11 <sup>7</sup>/<sub>10</sub> feet being cut off.  
to make the end lines parallel.

Thence S. 47° 51' E.

Var. 11° 50' East.

Parallel to north end line.

16 1/2 Intersect with the north end  
line of "Old Guard" Mine.

Set pine post 4 inches square and

4 3

# Field Notes of Culah Mine

Feet Tombstone Mining District  
 Arizona,  
 4 feet in length. Marked N. V. S.  
 End. E. M. in stone monument  
 4 ft. at base and 2 ft. high.

Thence N.  $89^{\circ}55'E$

Var.  $11^{\circ}50'$  East

Along North end line of "Old  
 Guard" Mine, and south end of "Culah" Mine.  
 285 To a pine post 4 in. square and  
 4 ft. in length. Marked S. E. Cent.  
 E. M. No. V. surrounded by stone  
 monument 4 ft. in diam. at base  
 and 2 ft. high. in center of dry  
 ravine, Course N. W.

585 To a pine post marked N. E.  
 Cor. "Old Guard" and post 4 in  
 square 4 ft. in length. Marked N. V. S.  
 E. Cor. E. M. surrounded by stone  
 monument 4 ft. in dia. & 2 ft. high.

Thence N.  $17^{\circ}45'E$

Var.  $11^{\circ}50'$  East.

90 To a post marked N. E. Cor. Bengal  
 156 A post marked N. W. Cor. Town-  
 site, bears N  $41^{\circ}35'W$ .

456 A post, marked Int. monument  
 Townsite, bears S  $71^{\circ}10'E$  93 ft.

531 Cross dry ravine. Course N. E.

623 An old hewn post  $2\frac{1}{2}$  in square  
 and marked N. W. Cent. Townsite. in  
 stone monument, bears S  $72^{\circ}15'E$ . 11 feet.

832 A post marked N. E. Cor. Townsite bears  
 N  $41^{\circ}35'W$ .

990 Set pine post (in place of old stake)  
 4 in. square, 4 ft. in length, marked N. V. S.  
 N. E. Cor. E. M. surrounded by stone  
 monument 4 ft. in dia. & 2 ft. high

March 2<sup>d</sup> 1881

# Field Notes of Culah Mine

Feet

Tombstone Mining District  
Arizona.

Thence N. 47° 51' W.  
Dip. 11° 50' East

290 Along the north end line  
To place of beginning

Containing  $15\frac{18}{100}$  Acs.

Ch. Park  
U. S. Geol. Survey

Report of Survey of "Eulah" Mine

Situated in Tombstone Mining District  
County of Cochise, Arizona

Hon. John Wasson,  
U. S. Surveyor General

Dear Sir,

In pursuance ~~with~~ your instructions, I have made the official survey of the "Eulah" Mine.

I found the claim well monumented at the corners and end centers, with good posts and stone monuments.

I have mentioned in my notes the conflicting lines of the Townsite, and Metallic Accident, with this claim.

In reference to the conflict of the Townsite and Metallic Accident with the "Eulah" I will simply state the posts and monuments of these claims as shown on the "Eulah" ground have been put up since application for the survey.

In order to make the end lines parallel, it was necessary to cut off a few feet from the South West Corner.

The improvements consist of a shaft, 4 ft. by 6 ft. and 70 feet deep and a drift from bottom  $12\frac{1}{2}$  ft. in length. and the value of labor done exceeds Five Hundred Dollars.

The samples of Quartz sent were from the surface near the shaft. I respectfully submit Field Notes, Plot, and Report for your approval.

Yours Very Respectfully  
J. S. Park U. S. Deputy Surveyor.



FINAL OATHS FOR SURVEYS OF MINING CLAIMS ~~AND~~ MILL SITES.

A LIST of the names of individuals employed to assist in running, measuring, or marking the lines and corners described in the foregoing field-notes of the survey of *the Eulah Mining Claim* located in *Tombstone* Mining District, *Pima* County, Arizona, showing the respective capacities in which they acted.

*W. H. Ream* Chainman.  
*J. W. Scribner* Chainman.  
*W. H. Ream* Axeman.  
*W. H. Ream* Flagman.

WE hereby certify that we assisted *J. G. Parke* U. S. Deputy Surveyor, in surveying *the Eulah Mining Claim* claimed by *F. Popper, A. Cross, M. Ganett and J. B. Merchant* located in *Tombstone* Mining District, *Pima* County, and in Township No \_\_\_\_\_ Range No \_\_\_\_\_ of the Gila and Salt River base and meridian, Arizona, and that said Survey has been in all respects, to the best of our knowledge and belief, well and faithfully executed, and the boundary monuments planted according to the instructions furnished by the Surveyor General.

*Wm. H. Ream* Chainman.  
*J. W. Scribner* Chainman.  
*Wm. H. Ream* Axeman.  
*Wm. H. Ream* Flagman.

SWORN TO AND SUBSCRIBED before me this *4<sup>th</sup>* day *March* of *1881*

*Wm. H. Ream*  
*Notary Public*

I, *J. G. Parke* U. S. Deputy Surveyor, do solemnly swear that, in pursuance of instructions from *John Wasson*, U. S. Surveyor-General for Arizona, bearing date the *23<sup>rd</sup>* day of *February* *1881*, I have well, faithfully and truly, in my own proper person, and in strict conformity with the instructions furnished by the Surveyor-General and the laws of the United States, surveyed all those portions of *the Eulah Mine*

claimed by *F. Popper, A. Cross, M. Ganett and J. B. Merchant* located in *Tombstone* Mining District, *Pima* County, Arizona, as are represented in the foregoing field-notes as having been surveyed under my directions; and I do further solemnly swear that all the corners of said surveys have been established and perpetuated in strict accordance with the instructions furnished me, and that the foregoing are the true and original field notes of such surveys.

*J. G. Parke* Deputy Surveyor.

SWORN TO AND SUBSCRIBED before me this *4<sup>th</sup>* day \_\_\_\_\_ of *March* *1881*

*Wm. H. Ream*  
*Notary Public*



AFFIDAVIT OF FIVE HUNDRED DOLLARS IMPROVEMENTS.

We, John M. Lee and Edward Cummings  
of lawful age, being first duly sworn according to law, depose and say that we are acquainted with  
the work and improvements done on the  
Eulah mining claim, situate in Tombstone  
Mining District, Cochise County, Arizona  
Territory, for which Anson Cross and J. Proser et al  
have made application for survey prior to application for patent under the provisions of the Act of  
Congress approved May 10, 1872, and that the labor done and improvements made thereon by the  
applicant and the grantor exceed Five Hundred Dollars in value, and further that we are  
not personally interested in said mine.

John M. Lee  
Edward Cummings

TERRITORY OF ARIZONA, }  
County of Pima } ss.

SWORN AND SUBSCRIBED before me this 5th  
day of March 1881



Wm. Spicer  
Notary Public

## Notice of Location

Notice is hereby given that the undersig-  
-ned in compliance with the requirements  
of Congress approved May 10<sup>th</sup> 1872 has  
this 23<sup>rd</sup> day of August 1880 located and  
claim and by these presents do locate and  
claim fifteen hundred (500) feet linear  
and horizontal measurement ~~measurement~~  
along the vein there of with all its dips  
angles and variations together with three  
hundred (300) feet on each side of the middle  
of said vein and all veins leads ledges and surface  
ground within the lines of said claim situated  
in the Tombstone mining district county  
of Pima territory of Arizona and more parti-  
-cularly described as follows to wit  
Commencing at this monument of stone  
being the center of the north east end  
of claim and upon which this notice is  
posted thence east 300 feet to a

monument of stone thence southerly 1500  
feet to a monument of stone thence westerly  
300 feet to a monument of stone being the center  
of south end of claim thence westerly 300 feet  
to a monument of stone thence Northely 1500  
feet to a monument of stone thence  
easterly 300 feet to place of beginning.

This claim is the same as was known as the  
Good Hope mine and is relocated in consequence  
of the ~~of~~ assessment work not having  
been done in the time specified by law  
and shall be known as the Eureka  
mine located August 23<sup>rd</sup> 1880

Located by J. B. Johnson	5.00 feet
J. Mc Lee	5.00 "
Edward Cummings	5.00 "

Witness

of

RECORDERS OFFICE

TULSA, PIMA CO. ARIZ.

Culah  
 Bombstone  
 August 23, 1880.

Filed and recorded

J. J. Fried  
 Sept 13, 1880.

8.15 a.

L. R. Whiss

50152

Mearns

By W. H. Raul  
 Deputy

in monument of Stone being the South<sup>11</sup>  
End center of Claim: thence South  $48^{\circ}20'$  E. 300  
feet to a ~~monument~~ post in monument of Stone  
thence North  $19^{\circ}33'$  E. 1500 feet to a post in  
Monument of Stone; thence North  $48^{\circ}20'$   
West 300 feet to place of beginning,

This claim is bounded on the South-  
west by the Old Guard Mine and shall be  
known as the Culah Mine.

This location is made solely for the  
purpose of procuring a survey for a  
Patent: we being the owners of the  
claim by purchase.

Witness

J. W. Craig

Mathew Garrett  $\frac{1}{6}$

Fordyce Popper  $\frac{1}{6}$

Anson Cross  $\frac{1}{2}$

J. B. Merchant  $\frac{1}{6}$

*Eulach*

*M*

Recorder's Office,  
TUCSON, - - Pima Co., A. T.

Filed and recorded at request of

*F Paper*

*July 14<sup>th</sup>* A. D. 1881,

at *830 a* M.

Book *A Rec of Minors*

Pages *36-7*

*Chas R Drake*

County Recorder.

U. S. Surveyor General's Office.

Tucson, Arizona, April 29. 1881

The foregoing field notes of the survey of the Eulah  
Mining Claim situate in  
the Tombstone Mining District, Cochise  
County, Arizona, claimed by S. Roper, A. Cross, M.  
Garrett and S. B. Merchant  
survey executed by J. G. Parke Deputy  
Surveyor, under instructions from this office, having been critically examined  
and the necessary corrections and alterations made, the said field notes and  
the survey they describe are hereby approved.

John Mason,

Surveyor General.





UNITED STATES DEPARTMENT OF THE INTERIOR 9605 (942)  
BUREAU OF LAND MANAGEMENT Gen. No. 260  
ARIZONA STATE OFFICE

---

NOTICE OF CANCELLATION OF MINERAL SURVEY

The Eulah lode, located in section 11, Township 20 South, Range 22 East, Gila and Salt River Meridian, Arizona, is hereby canceled. As of this date, this notice of cancellation will become part of the mineral survey field notes for General Number 260, page 15.


This claim has not been filed with the Arizona State Office, Bureau of Land Management, in accordance with Section 314, 90 STAT. 2769, (43 U.S.C. 1744).

This cancellation was necessitated to clear the record.

The Mineral Survey Plat should be noted as follows:

"Eulah lode, General Number 260 was canceled February 7, 1997, by memo 9605 (942) Gen. No. 260 which is now a part of the original field notes."

February 7, 1997  
Date

  
Acting Chief Cadastral Surveyor of Arizona