

M  
S  
-  
G  
N  
0  
0  
0  
2  
7  
8

LOT NO.

87.

## Field Notes.

of the survey of the

The Good Enough Mining ClaimSituate in Tombstone mining districtCounty of Cochise and in Sec. 11, Tp. 20Range 22, of the Gila and Salt River Meridian.

Arizona.

Claimed by

The Tombstone Mill Mining Co.Survey executed by H. G. Moore D. S.Under instructions dated April 28<sup>th</sup> 1881Survey commenced May 3<sup>rd</sup> 1881Survey completed May 12<sup>th</sup> 1881

Good enough.

## PRELIMINARY OATHS

FOR SURVEYS OF MINING CLAIMS AND MILL SITES.

WE, Evan Blarcom, and Wm. Terrill,

do solemnly swear that we will faithfully execute the duties of Chain Carriers; that we will level the chain upon uneven ground, and plumb the tally pins, whether by sticking or dropping the same; that we will report the true distance to all notable objects, and the true length of all lines that we assist in measuring, to the best of our skill and ability.

Evan Blarcom.

Wm Terrill

SWORN to and subscribed before me, this Third day

of May, 1881

A.G. Howe.

Notary Public, Cochise Co.

1. Laurence Nordhoff.

do solemnly swear that I will well and truly perform the duties of Flag man, according to instructions given me, and to the best of my skill and ability.

Laurence Nordhoff

SWORN to and subscribed before me this Third, day

of May, 1881

A.G. Howe, Notary Public

Cochise County.

A.G.



The Field Notes of the Survey of the,

Good enough Mining Claim,  
Tombstone Mining District.  
Cochise County. Arizona.  
Territory.

Survey commenced May 3<sup>rd</sup>, 1881  
Survey completed May 12<sup>th</sup>, 1881

By comparison with the U. S. Standard Meridian established for Tombstone Mining District. I find the variation of my instrument to be  $11^{\circ}30'$  East.

Commencing at the initial monument as described in the notice of location. where I set a post 5 ft. long 4x4 ins sqd. 1 foot is the ground and build around it a mound of stone  $2\frac{1}{2}$  ft high, marked T.M. G.S. M.C. No. 1. from which

U. S. Mineral Monument No 1 bears  $S 8^{\circ}17' W$  3679 ft. distant.

A shaft 4x6 ft. 80 ft deep bears  $N 18^{\circ}15' W$  187 ft distant.

A Tunnel. 5x7 ft. 120. ft long.  
bears  $N 56^{\circ}35' W$ . 275 ft distant.

Incline Shaft. 5x7 ft. 250 ft. deep bears  
 $N 50^{\circ} W$  198 ft distant.

Incline Shaft. 8x6 ft 250 ft deep bears  
 $N 26^{\circ}15' W$  232 ft distant.

Feet.

I then run.

$S 31^{\circ} 5' W.$

bear  $11^{\circ}30'$  East.

16<sup>th</sup> To the Southeast corner of Toughnut <sup>Lot No. 41</sup> and N.E. corner of 1<sup>st</sup> S. Extension Toughnut <sup>Lot No. 72</sup> mining claims. a stake in mound of stone marked T.N. M.C. no. 2. and a post. marked 1<sup>st</sup> S. Ex. T.N. M.C. No. 1. - This being a point on south side line of Good enough mining claim. I set post oft long 4x4

2

4

# The Field Notes of Survey of the

Fleet  
 Goodenough Mining Claim  
 Tombstone Mining District  
 Cochise County, Arizona Territory

ins. sgr. 1 ft in the ground and build around it a mound of stone  $2\frac{1}{2}$  ft. high, marked G. E. M. C. No. 2

I then run  $S 48^{\circ} 22' E$

Var.  $11^{\circ} 30' E$

Along the S. W. side line of claim and N. E. side line of T. N. 1st S. Ex tension, Lot No. 72.

70 To wash drains  $N 15^{\circ} W$   
 270.1 To the S. W. corner of Hawk Eye, and S. E. corner of Goodenough where I set post 5 ft long  $4 \times 4$  ins. sgr. 1 foot in ground and build around it a mound of stone  $2\frac{1}{2}$  ft high, marked G. E. M. C. No. 3 by the side (east side) of post marked T. N. 1st S. Ex. M. C. No. 2

Thence  $N 41^{\circ} 10' E$

Var.  $11^{\circ} 30' E$

Along the S. E. end of claim, the same being the N. W. side of Hawk Eye.

127 To Road bearing N. W. and S. E.  
 162.2 To S. E. center of claim where I set post 5 ft long  $4 \times 4$  ins. sgr. 1 foot in the ground and build around it a mound of stone  $2\frac{1}{2}$  ft high, marked G. E. M. C. No. 4  
 310 A small wash drains N. W.  
 457.9 To the North East corner of claim and N. W. corner of Hawk Eye, where I set post 5 ft long  $4 \times 6$  ins. sgr. 1 foot in the ground and build around it a mound of stone  $2\frac{1}{2}$  ft high, marked G. E. M. C. No. 5

# The Field Notes of Survey of the

5

Godenough Mining Claim  
Tombstone Mining District  
Cochise County, Arizona Ter.  
Ft.

Thence  $N. 48^{\circ} 22' W$

Var.  $11^{\circ} 30' E$

Along the N.E. side of claim, the  
same being the S.W. side of  
Little Wonder Mining Claim, unsurveyed.

185.7 To the S.E. corner of Way Usp  
Mining Claim, where I find a  
<sup>Lot No. 53</sup> 4x4 ins. sgr. post in mound of  
stone in line and marked W.U.  
M.C. No. 2. Thence along the  
same line, and S.W. end of Way  
Usp

290 To Road bearing N.W. and S.E.

484.3 A post 4x4 ins. sgr. in mound of  
stone, marked W.U. M.C. No. 1. I.M.

674.3 To Road bears  $N. 42^{\circ} W$

774.3 To Wash drains  $N. 48^{\circ} W$

785 To S.W. corner Way Usp, <sup>Lot No. 53</sup> post 4x4 ins.  
sgr in mound of stone marked W.  
U. M.C. No. 9. Thence along the  
same line, and S.W. end of Fields  
Mining Claim, unsurveyed.

813 To Road in Wash, drains S.W.

838.3 To a post 3x6 ins. sgr. in mound of  
stone, marked G.A.M.C. No. 2. - Lot No. 52.

926.8 To South Line of Town, <sup>site</sup> of Tombstone  
course  $N. 67^{\circ} 18' W$

109.6.1 At 2x4 in. stake in line marked  
N.W. corner Doughnut - unsurveyed.

1137.1 A post 3x6 ins. sgr. in mound of  
stone marked G.A.M.C. No. 1. I.M. - Lot No. 52.

1439. A post 3x6 ins. sgr. in mound of stone  
marked G.A.M.C. No. 6 - Lot No. 52.

1495.5 To the N.W. corner of claim, which  
is also the N.E. corner of the Virginia  
Mining Claim, <sup>Lot No. 59</sup> and also a point  
in the South side line of the  
Mountain Maid Mining Claim, Lot No. 64.

45

# The Field Notes of Survey of the

Goodenough Mining Claim  
Tombstone Mining District  
Cochise County, Arizona Ter.  
Feet

This post being in 5<sup>th</sup> Street  
Tombstone Townsite and an ob-  
struction to travel, I am instructed  
to make a permanent monument  
here that will not obstruct the  
street and will last for all time,  
therefore I plant below the surface  
of the ground (Street) 4 inches a granite  
stone 16 x 22 inches by 12 inches deep,  
and solidly bed the same, carefully  
center and set in drill hole 3½ ins.  
deep, an iron pin 1 inch in diameter,  
4½ inches long, and firmly secured  
pin in stone.

This pin from the N.W. corner of  
Block No. 5 bears S 39° 31' W 159.3  
ft. distant. From the N.E. corner  
of Block No. 4 said pin bears S  
13° 53' W 154 ft distant. And from  
the center of post on east side of  
the street 3 inches in diameter,  
blazed and marked W.C. said pin  
bears N. 47° 30' W 50 ft distant

Thence S. 41° 10' W

Var 11° 30' East

Along the West end of claim, and  
East end of Virginia Mining Claim  
(Lot No. 39)

192 To South Line of Town of Tombstone  
course N. 67° 10' W

296.2 To West center end monument where  
I set post 4 x 6 ins. sqd. 5 ft long 1 foot  
in ground and build around it a  
mound of stone 2½ ft high, marked  
G.E.M.C. No. 7

298.5 A post 3 x 4 ins. sqd. in mound of  
stone marked S.C. End Virginia

# The Field Notes of Survey of the

Goodenough Mining Claim  
Tombstone Mining District  
Cochise County, Arizona Ter.

Feet

457.9

To N.W. corner of claim where I set post 5 ft. long 4x4 ins. sgr. 1 foot in ground and build around it a mound of stone 2 $\frac{1}{2}$  ft high marked G. E. M. C. No. 8

Thence S 48° 22' E

Var 11° 30' East

Along the S.W. side of claim, and N.E. side of Toughnut (Lot No. 41)

214.8

A main wash drains S.W.

294.8

A small wash drains North

544.8

A road bears West

694.2

To side of Office building 24 ft from N.E. corner.

Offset to left at right angles 28 ft, and run same course 150.6 ft when I offset to right 28 ft to line.

Thence along line

897.5

Across car track from incline shop

908.5

Cross tramway of dump from Hoisting Works

1017.5

Cross tramway of dump from Hoisting Wks.

1171.5

A wash drains N 15° W

1225.4

To Post No. 2 and place of beginning:

This claim being surrounded on three sides by claims surveyed officially, and having copies of the Field Notes I select points from which the entire line can be seen.

1st On the south west side line of the Goodenough, which line is common to the 1st S. Ex. Toughnut, and Toughnut Mining Claims, from which point I can see all

# The Field Notes of Survey of the

Goodenough Mining Claim  
Tombstone Mining District  
Cochise County, Arizona Ter.  
Feet

The posts, and find the bearing of my instrument to be S.  $48^{\circ} 22' E.$  and the official Notes of the Toughnut furnished me give the bearing  $S 48^{\circ} 08' E.$  with a variation of  $11^{\circ} 03'$

A portion of the same line being the N.E. line of 1<sup>st</sup> South Extension of Toughnut. Being the same line the official notes furnished me give the course at S  $48^{\circ} 30' E$  with a variation of  $11^{\circ} 53'$

A part of this difference is caused by the N.W. corner stake of 1<sup>st</sup> South Extension of the Toughnut being set  $\frac{3}{10}$  of a foot south of the line.

The N.E. line of the Goodenough Mining Claim is bounded by the N.W. end of the Way Cope, and Gilded Age Mining Claims. Both having been officially surveyed and being furnished with a copy of the Field Notes I select a point from which I can see the entire length of line and find the course by my instrument to be N.  $48^{\circ} 22' W.$  while the notes furnished me give this line at N.  $48^{\circ} 15' W.$  The Way Cope Mining Claim having been run with a variation of  $11^{\circ} 15' E.$

The East end line of the Virginia Mining Claim being the West end line of the Goodenough. I find the bearing to be S  $41^{\circ} 10' W$

# The Field Notes of Survey of the

Goodenough Mining Claim  
Tombstone Mining District  
Cochise County, Arizona Ter.

while the official notes furnished me give the same line S  $41^{\circ} 16' W$  with a variation of  $11^{\circ} 16' E$ .

I find the difference in the above courses to be instrumental error, most of said lines having been run before the establishment of the standard for Tombstone Mining District

Containing 15.72 Acres

## General Description:

The Goodenough Mining Claim is situated in Tombstone Mining District, Cochise County, Arizona and North East of the Lucky Buss Mining Claim about one mile, and is bounded by the following Mining claims.

On the South West by the Toughnut Mining Claim, Lot No. 41, and 1<sup>st</sup> S. Extension Toughnut, Lot No. 72.

On the West by the Virginia Mining Claim, Lot No. 59.

On the North East by the Gilded Age, Lot No. 52; Fields Mining Claim, and Way Up Mining Claim, Lot No. 53, also Little Wonder Mining Claim  
And on the East by the Hawk Eye Mining Claim

# The Field Notes of Survey of the

Goodenough Mining Claim  
Tombstone Mining District  
Cochise County, Arizona, Tex.

## Townsitc

The portion of the Townsite covering the North West corner of claim contains 1.25 Acres as shown by the dotted red line on plat.

The work done upon the Goodenough Mining Claim as indicated by the foregoing Field Notes, consists of shafts, drifts, inclines, wings, and open cuts, besides various buildings.

In estimating and measuring the work done I have indicated only the principal shafts to show that there has been more than Two Hundred Dollars worth of work done upon the claim; Therefore, I hereby certify that the work <sup>done</sup> and improvements made upon this claim will exceed in value the sum of Five Thousand Dollars.

H. G. Howe,  
U. S. Deputy Surveyor  
Mineral Lands.

FINAL OATHS FOR SURVEYS OF MINING CLAIMS & MILL SITES.

A LIST of the names of individuals employed to assist in running, measuring, or marking the lines and corners described in the foregoing field-notes of the survey of The Good enough.

Mining Claim. — located in Tombstone. — Mining District, Cochise. County, Arizona, showing the respective capacities in which they acted.

Evan Blarcom., Chairman.  
Wm Terrill., Chainman.

Laurence Nordhoff., Flagman.

WE hereby certify that we assisted A. G. Howe, U. S. Deputy Surveyor, in surveying The Good enough Mining Claim, claimed by The Tombstone Mill and Mining Co. J. A. Church as P. located in Tombstone. — Mining District, Cochise County, and in Township No \_\_\_\_\_ Range No \_\_\_\_\_ of the Gila and Salt River base and meridian, Arizona, and that said Survey has been in all respects, to the best of our knowledge and belief, well and faithfully executed, and the boundary monuments planted according to the instructions furnished by the Surveyor General.

Evan Blarcom., Chairman.  
Wm Terrill, Chainman.

Laurence Nordhoff, Flagman.

SWORN TO AND SUBSCRIBED before me this 34<sup>th</sup> day  
of May 1881

A. G. Howe,  
Notary Public.

I, A. G. Howe, U. S. Deputy Surveyor, do solemnly swear that, in pursuance of instructions from John Wasson, U. S. Surveyor-General for Arizona, bearing date the 28<sup>th</sup> day of April 1881, I have well, faithfully and truly, in my own proper person, and in strict conformity with the instructions furnished by the Surveyor-General and the laws of the United States, surveyed all those portions of The Good enough. Mining Claim.,

claimed by The Tombstone Mill and Mining Co. John A. Church as P. located in Tombstone. — Mining District, Cochise, County, Arizona, as are represented in the foregoing field-notes as having been surveyed under my directions; and I do further solemnly swear that all the corners of said surveys have been established and perpetuated in strict accordance with the instructions furnished me, and that the foregoing are the true and original field notes of such surveys.

A. G. Howe,  
Deputy Surveyor.

SWORN TO AND SUBSCRIBED before me this 30<sup>th</sup> day  
of May 1881.

J. H. L. S.  
Probate Judge of  
Cochise County

## AFFIDAVIT OF FIVE HUNDRED DOLLARS IMPROVEMENTS.

We, James H Kirk and William Dabb  
 of lawful age, being first duly sworn according to law, depose and say that we are acquainted with  
 the Goodenough mining claim, situate in Tombstone  
 Mining District, Cochise County, Arizona  
 Territory, for which The Tombstone Mill and Mining Company  
 has made application for survey prior to application for patent under the provisions of the Act of  
 Congress approved May 10, 1872, and that the labor done and improvements made thereon by the  
 applicant and its grantors exceed Five Hundred Dollars in value, and further that we are  
 not personally interested in said mine.

William Dabb  
 James H Kirk

TERRITORY OF ARIZONA, }  
 County of Cochise } SS.

SWORN AND SUBSCRIBED before me this

day of Mayed 1881

J Holman  
 Probate Judge  
 of Cochise County

"Good Enough"

Notice of Location of the Good Enough mining claim containing silver and lead and located as a silver mine. The undersigned claim for mining purposes fifteen hundred (1500) feet of this quartz ledge in length along the ledge or vein together with all the dips, spurs and angles and all the dips, spurs, and angles and all the mineral deposits contained therein under and according to the provisions of an act of Congress dated May 10. 1872. This claim commences at this notice which is posted in a conspicuous place on a monument built on the ledge, Thence westerly 200 feet more or less to the East boundary line of the Tough Nut Mine, Thence Southerly 300 feet along said boundary to a monument of stones S.W. Cor. of the Good Enough and the S.E. Cor. of the Tough Nut, Thence easterly crossing ben at right angles 500 feet more or less to a monument S.E. corner thence Northerly 1500 feet crossing Tough Nut Gulch to an Octia Stake marked N.E. corner Good Enough claim, thence westerly crossing vein at right angles 500 feet more or less to a monument the N.E. corner of Tough Nut and the N.W. corner of Good Enough. Thence Southerly along the

14

boundary of Tough Nut Claim to close,  
more generally described as lying adjacent  
and east of Tough Nut claim. About 1 mile  
N.E. of the Lucky Cuss Claim in Tombstone  
District Pima County Territory of Arizona  
March 25. 1878 Known as Good Enough.

A. S. Schuffellin

E. L. Schuffellin

Richard Gird

Filed and Recorded at request of Richard  
Gird April 9<sup>th</sup> A.D. 1878 at 5 o'clock P.M.

S. W. Carpenter

County Recorder.

TERRITORY OF ARIZONA, } ss.  
County of Pima. }

I, Chas. R. Drake, County Recorder in and for the County of Pi-  
ma, do hereby certify that the above and foregoing is a full true and correct copy  
of the Notice of Location of the Good Enough  
Mining Claim.

as appears of Record now in my Office in Book "C" Pages 221 and 222.

IN WITNESS WHEREOF, I have hereunto set my  
hand and affixed my official seal, at my office in Tucson  
this 25<sup>th</sup> day of February A. D. 1881.


  
*Chas. R. Drake*

County Recorder,

**PROTEST  
OFF THE  
GOODENOUGH MINING CLAIM**

TOMBSTONE DISTRICT, COCHISE CO. A.T.  
*Surveyed May 12<sup>th</sup> 1881 under instructions of  
the Surveyor General, bearing date April 28<sup>th</sup> 1881  
by H. G. HOWE U.S. Deputy Mineral Surveyor*

Var.  $77^{\circ}30'E.$   
Scale 200 feet on inch



## U. S. Surveyor General's Office.

Tucson, Arizona, June 13<sup>rd</sup> 1881

The foregoing field notes of the survey of the  
Enough Mining Claim situate in  
the Tombstone Mining District, Cochise  
County, Arizona, claimed by The Tombstone Mill  
and Mining Company  
survey executed by H. G. Horne Deputy  
Surveyor, under instructions from this office, having been critically examined  
and the necessary corrections and alterations made, the said field notes and  
the survey they describe are hereby approved.

John M. Hasson,  
Surveyor General.