

M
S
-

0
0
3
6
9

LOT NO. 53.

Survey No. 369.

Field Notes

of the survey of the

NewtonMining ClaimGlobe

Situate in _____ mining district,

County of Gila and in Sec. 26, Tp. 2 NRange 15 E, of the Gila and Salt River Meridian.

Arizona.

Claimed by The Arizona-Utah Gold
and Silver Mining CompanySurvey executed by A. G. Pendleton D. S.Under instructions dated April 15th 1882Survey commenced April 29th 1882Survey completed April 29th 1882

PRELIMINARY OATHS

FOR SURVEYS OF MINING CLAIMS AND MILL SITES.

WE, B. P. Cox

and J. C. Jones

do solemnly swear that we will faithfully execute the duties of Chain Carriers: that we will level the chain upon uneven ground, and plumb the tally pins, whether by sticking or dropping the same; that we will report the true distance to all notable objects, and the true length of all lines that we assist in measuring, to the best of our skill and ability.

B. P. Cox
John C. Jones

SWORN to and subscribed before me, this 28th day

of April

1882

P. Miller

Notary Public

I,

G. D. Barclay

do solemnly swear that I will well and truly perform the duties of

Flagman

according to instructions given me,

and to the best of my skill and ability.

G. D. Barclay.


SWORN to and subscribed before me this 28th day

of April

1882

P. Miller

Notary Public



Field Notes
of the Survey of

The Newton Mining Claim

situated in

Globe Mining District
Gila County
Arizona

Surveyed under instruction from
U. S. Surveyor General John W. Morrison
bearing date of April 15th, 1882

Survey commenced April 29th, 1882
Survey completed April 29th, 1882

A. G. Pendleton
U. S. Dep. Min. Surveyor

Field Notes of the Newton Mine

feet

Begin at I.P. the point being marked by a monument on the outcrop of the ledge said monument consisting of a Cedar Post 3 feet long, 4 inches in diameter marked N.W. surrounded by a mound of stones 18 inches high, from whence Shaft Post bears S. $53^{\circ} 11'$ W 10 feet, left of the Apache Peaks bears N. $30^{\circ} 19'$ E. Butte N.E. of Stanton N. $33^{\circ} 02'$ W. left of the Four Peaks N. $67^{\circ} 15'$ W.

Thence S. $83^{\circ} 55'$ E.

Var. $14^{\circ} 55'$ E.

660 To a monument of stones 2 feet high not marked situated on the south slope of a hill about half way up being the east end corner of the claim

Thence N. $12^{\circ} 57'$ E.

Var. $13^{\circ} 30'$ E.

300 up the hill to a monument consisting of a Cedar Post 4 feet long 1 foot in the ground 3 inches in diameter marked N.E. surrounded by a mound of stones 18 inches high, situated on the south slope of a hill near the top.

Thence N. $83^{\circ} 55'$ W.

Var. $13^{\circ} 30'$ E.

1300 To a monument consisting of a Cedar Post 3 1/2 feet long 1 foot in the ground 4 1/2 inches in diameter marked N.W. surrounded by a mound of stones 18 inches high situated in a small ravine.

Thence S. $12^{\circ} 57'$ W

Var. $12^{\circ} 37'$ E.

300 To a monument of stones 18 inches high 3 feet in diameter not marked

feet

being the West End center of the claim

Thence S. $12^{\circ} 57'$ W. (same course)
Var. $12^{\circ} 37'$ E.

225 To a monument consisting of a Cedar Post 4 $\frac{1}{2}$ feet long 1 foot in the ground 4 inches in diameter marked N.3 surrounded by a mound of stones 18 inches in diameter, situated on the N.W. slope of a hill

Thence S. $80^{\circ} 37'$ E.Var. $12^{\circ} 37'$ E.

1293.5 To a monument consisting of a Pine Post 4 feet long 1 foot in the ground 5 inches in diameter marked N.4 surrounded by a mound of stones 18 inches high situated on the South slope of a hill near the bottom.

Thence N. $12^{\circ} 57'$ E.Var. $13^{\circ} 30'$ E

300 up the hill to the East End center monument.

Containing 16.69 acres

The work consists of 5 shafts and one open cut situated as follows

From the I.P. to Shaft No 1 S $53^{\circ} 00'$ W. 10 ft

" " Cut N $83^{\circ} 45'$ W. 5-4 ft.

" " Shaft No 2 N $80^{\circ} 25'$ W. 168 ft.

" " Shaft No 3 N $83^{\circ} 30'$ W. 320 ft.

" " Shaft No 4 N $83^{\circ} 00'$ W. 492 ft.

From Cr No 2 to Shaft No 5 S. $75^{\circ} 25'$ E. 317 ft

Shaft No 1 is 10 feet deep cost \$100.00

Shaft No 2 is 10 feet deep cost 100.00

Shaft No 3 is 5 feet deep cost 50.00

Shaft No 4 is 5-4 feet deep cost 350.00

Shaft No 5 is 33 feet deep with a drift

running East 28 feet cost	\$ 600.00
Open cut cost	<u>\$ 50.00</u>
Total	\$ 1450.00

I certify that the value of the labor performed on this claim by the applicants and their grantees exceeds \$ 500.00

From an No 4 the S.E. corner U.S. Min.
Monument No 5 of Globe District bears
S. 4° 01' E. 3703.28 feet

This claim is situated about
Nine Miles N.E.W. from Globe in
Syenite formation

The Magnetic variation is variable
due to local attraction the mean
being 13° 36' East as observed by solar compass
on different portions of the claim
The lines are all run by solar compass

A. G. Beadle
U.S. Dep. Min. Surveyor

FINAL OATHS FOR SURVEYS OF MINING CLAIMS & MILL SITES.

A LIST of names of individuals employed to assist in running, measuring, or marking the lines and corners described in the foregoing field-notes of the survey of The Newton Mine
claimed by the Arizona-Utah Gold & Silver Mining Company
located in Globe in Gila County, Arizona, showing the respective capacities in which they acted.

<u>B. P. Cox</u>	Chainman.
<u>John G. Jones</u>	Chainman.
<u>G. D. Barclay</u>	Axeman.
<u>G. D. Barclay</u>	Flagman.

WE hereby certify that we assisted A. G. Pendleton
U. S. Deputy Surveyor, in surveying The Newton Mine

claimed by the Arizona-Utah Gold & Silver Mining Company
located in Globe in Gila County,
and in township No _____ Range No _____ of the Gila and Salt River base and meridian,
Arizona, and that said Survey has been in all respects, to the best of our knowledge and belief, well and
faithfully executed, and the boundary monuments planted according to the instructions furnished by the
Surveyor General.

<u>B. P. Cox</u>	Chainman.
<u>John G. Jones</u>	Chainman.
<u>G. D. Barclay</u>	Axeman.
<u>G. D. Barclay</u>	Flagman.

SWORN TO AND SUBSCRIBED before me this 1st day

of May 1882

R. Muller
Notary Public

I, A. G. Pendleton, U. S. Deputy Surveyor, do solemnly swear that, in pursuance of instructions from the U. S. Surveyor-General for Arizona, bearing date the 15th day of April 1882, I have well, faithfully and truly, in my own proper person, and in strict conformity with the instructions furnished by the Surveyor-General and the laws of the United States, surveyed all those portions of The Newton Mine

claimed by Arizona-Utah Gold & Silver Mining Company
located in Globe in Gila County,
Arizona, as are represented in the foregoing field-notes as having been surveyed under my directions; and I do further solemnly swear that all the corners of said surveys have been established and perpetuated in strict accordance with the instructions furnished me, and that the foregoing are the true and original field notes of such surveys.

A. G. Pendleton Deputy Surveyor.

SWORN TO AND SUBSCRIBED before me this 1st day

of May 1882

R. Muller
Notary Public

AFFIDAVIT OF FIVE HUNDRED DOLLARS IMPROVEMENTS.

We, J.C. Coplin and John C. Jones
of lawful age, being first duly sworn according to law, depose and say that we are acquainted with the

Newton

mining claim, situated in

Globe Mining District, Gila County, Arizona
Territory, for which The Arizona - Utah Gold and Silver Mining Co
had made application for survey prior to application for patent under the provisions of the Act of
Congress approved May 10, 1872, and that the labor done and improvements made thereon by the appli-
cants and their grantors exceed Five Hundred Dollars in value, and further that we are not per-
sonally interested in said mine.

J. C. Coplin
John C. Jones

TERRITORY OF ARIZONA,
County of Gila } SS.

SWORN to and subscribed before me, this 1st day

of May 1882

P. Miller
Notary Public
Gila Co. A.T.

Notice of Location of a Quartz Claim.

9

Notice is hereby given to all whom it may concern, that.....

W. B. Gibbons

citizens of the United States, over the age of twenty-one years, having discovered a vein or lode of quartz, or rock in place, bearing ~~Silver & other metals~~, within the limits of the claim hereby located, have this day under and in accordance with the Revised Statutes of the United States, Chapter Six, Title Thirty-two, located ~~Fifteen hundred (1500 ft)~~ linear feet of this vein or lode, with surface ground ~~Six hundred (600)~~ feet in width, situated in ~~Globe~~ Mining District, County of ~~Micropia~~ State of ~~Arizona Territory~~, and known as the ~~Arizona~~ Quartz Mining Claim, and extending ~~Seven hundred fifty (750)~~ feet South Wardsly, to a stone Monument and ~~Seven hundred fifty (750)~~ feet North Wardsly, to a stone Monument together with ~~Ninety (300)~~ hundred feet of surface ground on each side of center monument for mining purposes from this notice at the discovery or prospect shaft, the exterior boundaries of this claim being distinctly marked by reference to some natural object or permanent monuments, and more particularly described as follows, to wit: Situated about one quarter of a mile North east of the Phoenix Mine and about two or hundred feet South ~~from~~ from the Copeline Mine and about one half mile in a South Wardsly direction from the Mexican Mine this claim is bounded on the south by conditional monuments erected before the Big Spring Mine this claim

and I intend to hold and work said claim as provided by the local customs and rules of miners, and the Mining Statutes of the United States.

Dated on the ground, this ~~Fourteenth~~ day of October 1878,
Discovered Oct 14th 1878. W. B. Gibbons Locator.
Located Oct 14th 1878. Recorded 18

Attest:


W. B. Gibbons
H. A. Caldwell
J. H. Pinehart

NOTE.—Describe the claim as accurately as possible (by courses and distances) with reference to some natural object or permanent monument, and mark the boundaries by suitable monuments; if a placer-claim is located on surveyed land, describe the legal subdivision.

Record of location notices, in absence of a District Recorder, should be made with the proper Recorder of Deeds for the county wherein the claim is situated. It is advisable to have these notices attested by at least two witnesses, for locators cannot be too careful about their evidence. In re-locations to increase width of surface ground under the local law, or to more particularly identify or describe the claim, use the above form, but state after the description that it is a re-location, and in addition where the original location is recorded, in order that the title may revert back to the original discovery. In locations of abandoned mines, the fact that it is such a location should be stated, and the affidavits of two or more respectable parties that such mine was abandoned and subject to re-location should be recorded with the location notice.

No quartz claim can be legally located until a vein or lode has been first discovered. This should be done by sinking a prospect or discovery shaft. The exterior boundaries of the claim must be distinctly marked by permanent stakes, or monuments placed at the corners of the claim. The notice should be posted at the discovery shaft, and a copy of the same recorded within twenty days after location. In all cases where practicable, the location should be made under a survey by a qualified deputy surveyor.

10



**PLAT
of the
NEWTON MINE**

Globe Dist. Gila Co.

Arizona

Surveyed by

A. G. Pendleton U.S. Dep't Min. Sur.

April 29th 1882

Scale

200 feet to 1 inch

No.

Notice of Location.

Newton

MINING CLAIM.

Filed at 9 A.M. Oct. 15, 1878

Filed & recorded at 9 A.M.
Oct. 15, 1878 in Book 5
Page 60, Mining Records
of Globe District

A. G. Pendleton
Dist. Recorder

Filed for record at the office
of G. S. Turner on 21st AD
1878 at the hour of nine a.m.
and Recorded in Book #1
of mining claims of Maricopa
County A.D. Page 312+313
W. F. McMillen
Recorder



Globe et. I.

May 2^d 1882

Hon John Wesson

U.S. Surveyor General

Tucson et. I.

sir: Enclosed please find the Field Notes
Plat and accompanying papers of the survey of
the Keweenaw Mine, the Survey is made to
conform to the location on the ground the Plat
calls for N.E. and S.W. but the ledge runs
and the claim is located a little South of
East and North of West.

Duplicate specimens of the ore are forwarded
to your address by Express

Very respectfully

A. G. Pendleton

U.S. Dep. Min. Surveyor

U. S. Surveyor General's Office

Tucson, Arizona, May 9th 1882.

The foregoing field notes of the survey of the _____
- Newtown - Mining - Claim - situate in
the Globe - Mining District, - Gila -
County, Arizona, claimed by The Arizona-Utah
Gold and Silver Mining Company
survey executed by A. G. Pendleton - Deputy
Surveyor, under instructions from this office, having been critically examined
and the necessary corrections and alterations made, the said field notes and
the survey they describe are hereby approved.

John Watson.

Surveyor General.