

M
S
-

0
0
6
1
9

LOT NO. 159

SURVEY NO. 619

Field Notes

of the Survey of the

Ground Hog
Mining Claim

Situate in Tombstone Mining District.

County of Cochise and in Sec. , Tp. 20 S.

Range 22 E, of the Gila and Salt River Meridian.

ARIZONA.

Claimed by W. J. Fisher et al

Survey executed by W. G. Howe D. S.

Under instructions dated February 28th 1884

Survey commenced March 5th 1884

Survey completed March 8th 1884

PRELIMINARY OATHS

FOR SURVEYS OF MINING CLAIMS AND MILL SITES.

I, *WE, Homer J. Fisher* and _____
do solemnly swear that ~~we~~^I will faithfully execute the duties of Chain Carriers; that ~~we~~^I will level the chain upon uneven ground, and plumb the tally pins, whether by sticking or dropping the same; that ~~we~~^I will report the true distance to all notable objects, and the true length of all lines that we assist in measuring, to the best of ^{my} skill and ability.

Homer J. Fisher

SWORN to and subscribed before me, this *Fifth* - day
of *February* 188*4*

H. G. Howe,

Notary Public,

I, _____
do solemnly swear that I will well and truly perform the duties of _____
_____ according to instructions given me,
and to the best of my skill and ability.

SWORN to and subscribed before me this _____ day
of _____, 188_____

Field Notes.

of Survey of the,

Ground Hog Mining Claim.

in the Tombstone Mining District
Cochise County,

Arizona.

Claimed by H. J. Fisher et. al.

Surveyed by A. G. Howe U. S. Deputy
Mineral Surveyor under in-
structions from the Surveyor General
of date February 28th 1884.

Survey commenced March 5th 1884.
Survey completed March 8th 1884.

Feet.

Beginning at the Initial monument
as described in the location notice
where I find stake marked I.M.G.H.
Mine, placed in monument of stone,
where I set post 5ft long 4. ins sgr. 1 1/2 ft.
in ground and surround with mon-
ument of stone 4 1/2 ft at base and 2 1/2 ft.
high.

Post marked I.M.G.H.M.C. No. 1.

I find the center line of claim to
bear N 52° 42' E and S 52° 42' W.

And commence at the south west center
stake running N 52° 42' E

var 11° 35' E.

Along the center line,

900.

A station, from which a cut on Black
croppings bears S 65° 28' E 148 ft. distant,
A shaft, 4x6ft. 8ft. deep, bears S 56° 23' E 35.5ft
distant,

I.M.G.H.M.C. No. 1. bears S 44° 41' E 34 ft distant,

A shaft, 4x6ft. 20ft. deep, bears S 23° 50' E 45 ft.
distant,

- Feet, A Shaft. 4x6ft. 30ft deep, bears 512° 27' W. 55ft distant.
- A Shaft. 4x6ft. 10ft. deep, bears 563° 9' W 235.5ft. distant.
- A Shaft. 4x6ft. 12ft deep. bears 563° 9' W 152.5ft. distant.
1000. A Shaft No 2, in line, 4x6ft. 55ft deep.
1200. center of Road.
1420. center of No 1 Shaft, 4x6ft. 200ft deep, with a drift of 4x6ft. at 50ft.
- " " " " " " at 80ft.
- " " " " " " at 150ft.
1495. Center of Shaft. 8x10ft. at top, and 3x5ft at bottom. 81ft deep.
- A cross cut at bottom of 4x6ft. 16ft long runs west.
- A level of 4x6ft. at 50ft. and
- A level of 4x6ft. at 80ft. both connect with shaft. No 1.
1500. To North east center of claim which point coming at the North end of shaft, And it being impossible to set Post I drive iron pin 1/2 inch diameter and 6 inches long in ledge, for north east center of claim. And place Witness to corner 538° 29' E 12ft. distant.
- A post 5ft long 4 ins. sq. 1ft in ground and surround by monument of earth and stone 4 1/2 ft at base and 3ft high. Post marked W.C. G.H. M.C. No 2. No trees near.
- From the North east center of claim, The cor to Sec. 32 and 33. a stone 12"x8"x6"- 2 notches on W and 4 on east, with mound and pits, own standard South. T. 20. S. R. 22. E. G and S. R. Meridian, bears 529° 44' W. 13015. ft. dist.
- U.S. M.M. No 6 bears N 63° 18' E. 7674. ft. distant.
- Thence. N 38° 29' W.
- Var 11° 25' E.
45. End of dump and descend steep.
75. foot of dump.
300. To stake in mound of stones and N.W. cor. of claim.

Fut. Where I set post 5 ft long 4 ins sgr. 1 1/2 ft in ground and surround with monument of earth and stone 4 ft at base and 2 1/2 ft high. Post marked G. H. M. C. No 3, no trees or rock near.
 Thence, 552° 42' W.

Var 11° 25' E.

565. Telephone line Tombstone to Huachuca Mountains.

585. Water pipe line. Huachuca Mountains to Tombstone.

740. Wash drains W. and ascent.

1034. Top of low ridge, 82 W.

1200. Foot of " "

1500. To stake in mound of stone and S.W. cor of claim. where I set post 5 ft, long 4 ins, sgr. 1 1/2 ft in ground and surround with a monument of earth and stone 4 1/2 ft. at base and 2 1/2 ft high.

Post marked G. H. M. C. No 4, no trees or rock near, from which a 4 in. post (in a monument of stone) marked T. M. C. No 2, bears Tr 58° W. 90 ft. distant.

Thence 538° 29' E

Var 11° 25' E

300. To stake in mound of stone the southwest center of claim, where I set post 5 ft. long 4 ins. sgr. 1 1/2 ft in ground and surround with monument of earth and stone 4 1/2 ft. at base and 2 1/2 ft. high.

Post marked G. H. M. C. No 5, no trees or Rock near.

Thence 538° 29' E

Var 11° 25' E.

90. Water pipe line Huachuca Mountains to Tombstone.

100. Telephone line Tombstone to Huachuca Mountains.

300. To stake in mound of stone marking the S.E. cor. of claim. where I set post 5 ft. long 4 in. sgr. 1 1/2 ft in ground and surround by monument of earth and stone 4 1/2 ft at base and 2 ft high.

Feet. Post marked G. H. M. C. No 6, No trees or Rock near.
 Thence N 52° 42' E.
 Var 11° 25' E.

- 600. Wash drains west.
- 800. Foot of limestone ridge and ascend.
- 950. Center of shaft 4x6 ft. 10ft deep 1/2 of shaft on claim.
- 1500. To stake in mound of stone marking the N.E. cor. of claim, on west slope of limestone hill, where I set Post 5ft. long 4 ins. sq. 1ft. in ground, and surround with a monument of stone 4 1/2 ft. at base and 2 1/2 ft. high.

Post marked G. H. M. C. No 7. No trees or Rock near.
 Thence N 38° 29' W.
 Var 11° 25' E.

Descending limestone hill.

- 288. Post 4 in sq. marked N.C. G. H. M. C. No 2.
- 300. To Iron pin and place of commencing survey of exterior boundary of claim.

Area.

Total Area of Claim. 20.65 Acres.

Location.

This claim is situated in the Tombstone Mining District, Cochise County, Arizona and south of the Lucky Cuss. hill and mine, about 2 1/2 miles, and on the west slope of a limestone hill, and is bounded upon the North-east by the Eden Lass. mining claim.

Improvements.

The improvements made upon this claim by the claimants or their grantors consist of the various shafts as above separately described, of which the principal are, Shaft No 1, 4x6 ft. 200ft deep, with drifts,

5
7

Shaft, No 2. 4x6ft, 55ft deep, and
Shaft, 8x10ft and 81ft. deep, with drifts
connecting with No 1 shaft.

And I hereby certify that the value
of said improvements exceeds the
sum of five hundred dollars,

There have been no improvements
made by other parties on this claim.

Instruments used a Gurley Solar
Transit and steel tape.

Bar and courses taken after carefully
adjusting Transit to Meridian
Established for this District.

A. G. Howe, U. S.

Deputy Mineral Surveyor.

Tombstone Arizona.

March 10th 1884.

FINAL OATHS FOR SURVEYS OF MINING CLAIMS & MILL SITES.

A LIST of the names of individuals employed to assist in running, measuring, or marking the lines and corners described in the foregoing field-notes of the survey of

The Ground Hog, located in Tombstone Mining District, Cochise County, Arizona, showing the respective capacities in which they acted.

Homer J. Fisher, Chainman. Chainman. Axeman. Flagman.

I hereby certify that I assisted H. G. Howe U. S. Deputy Surveyor, in surveying The Ground Hog Mining Claim.

claimed by H. J. Fisher et al. located in Tombstone Mining District, Cochise County, and in Township No 20, S, Range No 22, E, of the Gila and Salt River base and meridian, Arizona, and that said Survey has been in all respects, to the best of our knowledge and belief, well and faithfully executed, and the boundary monuments planted according to the instructions furnished by the Surveyor General.

Homer J. Fisher, Chainman. Chainman. Axeman. Flagman.

SWORN TO AND SUBSCRIBED before me this eighth day of March, 1884

H. G. Howe, Notary Public.

I, H. G. Howe, U. S. Deputy Surveyor, do solemnly swear that, in pursuance of instructions from the U. S. Surveyor-General for Arizona, bearing date the 28th day of February 1884, I have well, faithfully and truly, in my own proper person, and in strict conformity with the instructions furnished by the Surveyor-General and the laws of the United States, surveyed all those portions of The Ground Hog Mining Claim.

claimed by H. J. Fisher et al. located in Tombstone Mining District, Cochise County, Arizona, as are represented in the foregoing field-notes as having been surveyed under my directions; and I do further solemnly swear that all the corners of said surveys have been established and perpetuated in strict accordance with the instructions furnished me, and that the foregoing are the true and original field notes of such surveys.

H. G. Howe, Deputy Surveyor.

SWORN TO AND SUBSCRIBED before me this eighth day of March, 1884

W. H. Seaman, sec By John D. Darga sec. J. W. Cox



AFFIDAVIT OF FIVE HUNDRED DOLLARS IMPROVEMENTS.

We, George Williams, and Thomas Blake,
of lawful age, being first duly sworn according to law, depose and say that we are acquainted with the
Ground Hog
_____ mining claim, situated in
Tombstone - Mining District, Cochise County, Arizona
Territory, for which A. J. Fisher and et al,
have made application for survey prior to application for patent under the provisions of the Act of
Congress approved May 10, 1872, and that the labor done and improvements made thereon by the appli-
cant s and their grantor s exceed Five Hundred Dollars in value, and further that we are not per-
sonally interested in said mine.

George Williams
Thomas Blake

TERRITORY OF ARIZONA,
County of Cochise, } SS.

SWORN to and subscribed before me, this Seventh day
of March 1884,

A. G. Howe,
Notary Public.

Ground Hog

Book B.
Page 799

Notice of Location. Notice is hereby to all whom it may concern that we the undersigned A. E. Schaeffler E. L. Schaeffler and Richard Grid under the provisions of the Act of Congress approved May 10th 1872 have located this silver lode and mining claim the same being situated in the Doone Stone Mining District County of Pima Territory of Arizona and bounded and described as follows. Commencing at a monument of stones on the ledge 600 feet northerly from where this notice is posted, Thence running 300 feet in a northerly direction to a monument of stones the N.W. Corner, Thence 1500 feet parallel with the ledge in a southwesterly direction to a monument of stones the S.W. Corner thence southerly at right angles 300 feet to a monument of stones center of southwest line thence south easterly 300 feet at right angles to the vein to a monument of stones the S.E. thence 1500 feet in a north easterly direction parallel with the course of the ledge to a monument of stones the N.E. Corner, Thence 300 feet in a northwesterly direction to the place of beginning in the northwest line, This claim is situated about

3 miles southwesterly from the Luckey
 Cross mine at the foot of a limestone hill
 on the west side of the Doone Stone range
 of hills in the Doone Stone Mining District
 Pinal County, Territory of Arizona known
 as the Ground Hog dated on the ground
 this the 27 of Feb 1878.

A. E. Scheiffelou

E. L. Scheiffelou

Richard Gird

Filed and recorded at request of Richard
 Gird, April 9th, A.D. 1878 at 5 o'clock P.M.

A. W. Carpenter, County Recorder

Page 132, Book 1

Transcribed Recd.

Recorder's Certificate

Territory of Arizona ³/₃
 County of Cochise ³/₃ I, A. T. Jones, County
 Recorder of Cochise County, Arizona,
 do hereby certify that the foregoing is a
 true and correct copy of the location notice
 of the Ground Hog Mine as it appears
 on the records in my office on the 25th
 day of February A.D. 1884.

A. T. Jones

County Recorder

By N. M. Woods, Deputy

Certified Copy

of the

Location Notice

of the

Ground Hog

Plat
of the

Ground Hog Mine.

Tombstone District.

Cochise County,

Arizona.

Scale 200 ft = 1 inch.

$N 45^{\circ} 11' 23.5" E$

$N 63^{\circ} 18' E$ 2674 ft dist to
U.S.M.M. No 6.

G.H.M.C. No 3.

$S 38^{\circ} 29' W$
300 ft.

G.H.M.C. No 7.

M.G.H.M.C. No 2.

G.H.M.C. No 4.
90 ft.

$S 88^{\circ} 29' E$
300 ft.

G.H.M.C. No 6.

$S 52^{\circ} 42' W$ 1500 ft.

Telephone
Water Pipe Line.

20.65 Acres.

$N 52^{\circ} 12' E$ 1500 ft.

M.G.H.M.C. No 1.

$E 24^{\circ} 28' N$
1500 ft.

Cor to Sec 32 and 33.
1/4 Sec 32
IV. Standard South T20.5 R22E. from
 $S 89^{\circ} 44' W$ 13015 ft.

G.H.M.C. No 5.

$N 83^{\circ} 14' W$
275 ft.

300 ft.

1500 ft.

17 f 056



U. S. Surveyor General's Office.

Tucson, Arizona, *April 4*, 188*4*

The foregoing field notes of the survey of the *Ground Hog*
 Mining *Claim* situate in
 the *Tombstone* Mining District, *Cochise*
 County, Arizona, claimed by *Ho. J. Fisher et. al.*
 survey executed by *H. G. Howe* Deputy
 Surveyor, under instructions from this office, having been critically examined
 and the necessary corrections and alterations made, the said field notes and
 the survey they describe are hereby approved.

Royall Johnson
 Surveyor General.