

MS

00653

LOT NO. 116

SURVEY NO. 653

Field Notes

of the Survey of the

"Curtin"

Mining Claim

Peck

Situate in Mining District.

County of Yavapai and in Sec. 36, Tp. 14N

Range 1E, of the Gila and Salt River Meridian.

ARIZONA.

Claimed by D. H. Woughtetier

Survey executed by C. B. Foster, D. S.

Under instructions dated July 31st 1884

Survey commenced August 30, 1884

Survey completed August 30, 1884

PRELIMINARY OATHS,

FOR SURVEYS OF MINING CLAIMS AND MILL-SITES.

WE, J J Henry and W H Gancey

do solemnly swear that we will faithfully execute the duties of Chain Carriers; that we will level the chain upon uneven ground, and plumb the tally pins, whether by sticking or dropping the same; that we will report the true distance to all notable objects, and the true length of all lines that we assist in measuring, to the best of our skill and ability.

C. D. Foster

J J Henry
W H Gancey

SWORN to and subscribed before me, this 30 day
of August 1884

C. D. Foster
Notary Public

I, J J McWhorter

do solemnly swear that I will well and truly perform the duties of

Assessor according to instructions given me,

to the best of my skill and ability.

J J McWhorter

SWORN to and subscribed before, me this 30 day

of August 1884

C. D. Foster
Notary Public

C. D. Foster

Field Notes
 of the Survey of the
 Curtis Mining Claim
 in the Peck Mining District
 Yavapai County Arizona
 Claimed by J. K. Houghton

Surveyed by C. B. Foster U.S.
 Deputy Mineral Surveyor under
 instructions from the Surveyor
 General of date July 21st 1884

Survey Commenced Aug 30 1884
 " Completed " 30 1884

Feb

Description of Survey

Beginning at the Initial Monument
 mentioned in Location Notice
 and marking the southerly
 end center of claim, where
 a quartz boulder in place
 projecting above ground 18 ins
 high by 18 ins square, which
 I mark on E face C 1 M No 1
 and surrounded same with
 mound of stones

From Min Monument No 1 brs S 37°
 42' W 3557 ft

Hence S 44° 15' E

W 14° 15' East

line runs along NE end line
 of Silver Prince claim lot 38.
 to NE Cor Silver Prince claim lot
 38 (Stone marked SP No 1)

300

Truk

4

310 to loc mon when I set a slate stone 18x14x4 ins 1 ft in ground and surrounded same with mound of stones. Stone marked C N^o 2
Thence N 26° E
Va 14° 15' East

1500 to N E Cor of claim (no loc mon found) when I set a slate stone 24x16x4 ins 1 ft in ground and surrounded same with mound of stones Stone marked C N^o 3
ledge of slate rock in place marked C N^o 2 B P brs S 50° W 12 ft.
Thence N 44° 15' W
Va 14° 15' East

310 to N end center of claim when I set slate stone 26x20x10 ins 1 ft in ground, and surrounded same with mound of stone Stone marked C N^o 4
original loc mon (placed on prominent outcroppings of this lode) brs N 26° E 30 ft.
Thence N 44° 15' W (same course)
Va 14° 15' East

200 to Trail brs E and S W

310 to N W Cor of claim when I set a quartzite stone 18x14x14 ins 1 ft in ground and surrounded same with mound of stones Stone marked C N^o 5
original loc mon brs N 25° E 12 ft
Thence N 26° W
Va 14° 15' E

115 to Trail brs N E and S W

1500 to loc mon when I set quartzite stone 24x12x12 ins 1 ft in ground and surrounded same with mound of stone. Stone marked C N^o 6

Fut

Thence $N44^{\circ}15' E$
 Va $14^{\circ}15' East$
 10 NW Cor Silver Prince Claim Lot
 38 Stone marked S P No 4
 40 to Trail hrs N E and S W
 310 to Initial mon and Stone C I M No 1
 place of beginning

Net and total Area of Claim 20. ⁰⁹ Acres

Location

This claim is located on the Eastern Slope of the Bradshaw Mountains, north of and contiguous to the Silver Prince Claim Lot 38 and is not on surveyed land

Improvements

Made upon this claim by claimant or grantors consist of a shaft $6 \times 4 \times 35$ ft deep, $N41^{\circ} E$ 115 ft. Said shaft is sunk at East base of outcroppings of vein which are 60 ft wide at this point. A shaft 6×4 , 35 ft deep $N28^{\circ} E$ 610 ft. A cut 40 ft long by 20 ft wide with an average depth of 4 ft hrs $N28^{\circ} E$ 660 ft to S end above bearings taken and distances from Initial mon C I M No 1.

I hereby certify that the value of said improvements exceeds the sum of five hundred dollars.

There have been no improvements made by other parties on this claim

The lode or vein runs through the middle of the claim as located and surveyed, which is indicated by outcroppings of quartz

and vein matter along
through different portions
of the vein

Instruments used a Gurly
Compass and a 50 ft steel
chain tested and compared
with a Chertman steel tape

Var and Courses taken by
observation of Polaris

C. D. Foster

U. S. Deputy Mineral Surveyor

Aug 30 1884

FINAL OATHS FOR SURVEYS OF MINING CLAIMS & MILL SITES.

A LIST of the names of individuals employed to assist in running, measuring, or marking the lines and corners described in the foregoing field-notes of the survey of the Custer Mining Claim located in Peck Mining District, _____ County, Arizona, showing the respective capacities in which they acted.

J. Hensley Chainman.
W. H. Caney Chainman.
J. J. McWhorter Axeman.
 _____ Flagman.

WE hereby certify that we assisted C. B. Foster U. S. Deputy Surveyor, in surveying the Custer Mining Claim claimed by D. K. Haughtelin located in Peck Mining District, Yavapai County, and in Township No. _____ Range No. _____ of the Gila and Salt River base and meridian, Arizona, and that said Survey has been in all respects, to the best of our knowledge and belief, well and faithfully executed, and the boundary monuments planted according to the instructions furnished by the Surveyor General.

C. B. Foster

J. Hensley Chainman.
W. H. Caney Chainman.
J. J. McWhorter Axeman.
 _____ Flagman.

SWORN TO AND SUBSCRIBED before me this 30 day of August 1884

C. B. Foster
 Notary Public

I, C. B. Foster U. S. Deputy Surveyor, do solemnly swear that, in pursuance of instructions from the U. S. Surveyor-General for Arizona, bearing date the 21 day of July 1884, I have well, faithfully and truly, in my own proper person, and in strict conformity with the instructions furnished by the Surveyor-General and the laws of the United States, surveyed all those portions of the Custer Mining Claim claimed by D. K. Haughtelin located in Peck Mining District, Yavapai County, Arizona, as are represented in the foregoing field-notes as having been surveyed under my directions; and I do further solemnly swear that all the corners of said surveys have been established and perpetuated in strict accordance with the instructions furnished me, and that the foregoing are the true and original field notes of such surveys.

C. B. Foster Deputy Surveyor.

SWORN TO AND SUBSCRIBED before me this 4 day of Sept 1884

J. H. Carpenter
 Notary Public



AFFIDAVIT OF FIVE HUNDRED DOLLARS IMPROVEMENTS.

We, J J Henley and J J McWhorter
of lawful age, being first duly sworn according to law, depose and say that we are acquainted with the

Curtis mining claim, situate in
Peck Mining District, Yavapai County, Arizona
Territory, for which D K Haughtelen and
has made application for survey prior to application for patent under the provisions of the Act of
Congress approved May 10, 1872, and that the labor done and improvements made thereon by the appli-
cant and his grantor exceed Five Hundred Dollars in value, and further that we are not per-
sonally interested in said mine.

J J Henley
J J McWhorter

TERRITORY OF ARIZONA,

County of Yavapai } SS.

C B Foster

SWORN AND SUBSCRIBED before me, this 30
day of August 1884

C B Foster
Notary Public

Curtin Lode.

Notice

That I the undersigned do locate and claim Fifteen Hundred (1500) feet on this ledge of mineral bearing rock. I claim three hundred (300) feet on each side from the middle of the vein. This claim begins at the North line of the Silver Prince and runs fifteen hundred (1500) feet to a monument of rock, thence three hundred feet each side to monument of rocks. I claim all the mineral contained in the above described ground availing myself of all the privileges granted by the laws of the Territory and by the Laws of the United States.

This claim is situated about one mile South East from the Peck Mine,

This shall be known as the Curtin Mine
Dated on the ground August 23rd 1875
S A Smith

Filed for record September 10th 1875
at 10 o'clock A.M. at request of S.A.

Smith, and duly recorded in Book
63 of Mines, Records of Yavapai County
Arizona at folio 355

William Wilkerson
County Recorder

County of Yavapai }
Secretary of Arizona }

J. A. Hartter County

Recorder of the County of Yavapai
do hereby certify the foregoing to be
a full true and correct copy of the
Notice of location of the "Curtis" mine
as the same appears of Record in
this office

Witness my hand and official
Seal this 1st Day of July 1884

J. A. Hartter
County Recorder

Curtin Lode

Notice of Location

Know all men by these Presents,
 That I the undersigned have this day
 Located fifteen hundred {1500} linear feet
 of this vein or lode, bearing precious met-
 als, with all dips, spurs, angles and variat-
 ions, with surface ground three hundred
 {300} feet on each side of the center of vein
 with all mineral deposits contained therein
 and all timber growing within the limits
 of said claim, and all water and water
 privileges thereon or appurtenant thereto, under
 and according to the provisions of the Mining
 Laws of the United States, under which it is
 Located;

This claim commences at this monument
 and notice placed upon the ledge and runs
 fifteen hundred {1500} feet in a northerly di-
 rection along the ledge. The exterior boundar-
 ies are as follows viz:

Commencing at this monument of
 Stone and notice and running three hundred
 {300} feet in an easterly direction to monu-
 ment of Stone at S.E. corner of claim, thence

in a northerly direction parallel with ledge fifteen hundred {1500} feet to monument of Stone at NE corner of claim, thence in a westerly direction at right angles across the ledge six hundred {600} feet to monument of Stone at N.W. corner of claim, thence parallel with the lode in a southerly direction fifteen hundred {1500} feet to monument of Stone at S.W. corner of claim, thence at right angles across the ledge in an easterly direction three hundred {300} feet to monument upon the ledge and place of beginning.

This ledge may be more generally described as situated contiguous to and north of the Silver Prince Mining Claim about one mile east of the Peck Mine and about $\frac{3}{4}$ of a mile NE of the U. S. Mineral Monument No. 1, in Peck Mining District Yavapai County Arizona Territory, and shall be known as the Curtin Mining Claim.

This claim is a re-location for the purpose of better describing the locus and of more fully complying with the requirements of the law regarding the location of Mining Claims.

Dated on the ground this 12th day of
July 1884.

D K Houghtelin

Recorded at the request of C. B. Foster July
12th AD 1884 at 15 minutes past 2 PM in Book
20 of Mining Records of Yavapai County Arizona
pages 121-122

H. H. Carter

Recorder

By D. S. Bechtel. Deputy

Territory of Arizona } ss
County of Yavapai }

J. H. H. Carter

County Recorder, of the County of Yavapai
and custodian of the Records thereof do
hereby certify the foregoing to be a full, true
and correct copy of the Location Notice of
the Curtin Mining Claim as the same appears
of record in this office

In Witness Whereof I have hereunto set
my hand and affixed my official seal
this the 14th day of July A D 1884

J. H. H. Carter

County Recorder

Aug. 23, 1875-

N 25° E
310 ft
Stone C No 5

24

Trail
N 40° 15' W
310 ft
N 26° E
310 ft
Stone C No 4

Stone C No 3

S 26° W
1500 ft

46

Cut
Shaft

N 26° E
1500 ft

Stone C No 6

S 14° 15' E
310 ft

Shaft

Silver Prince Claim
Lot 28

C.M. No. 1

310 ft

Stone C No 2

S 37° 04' 2" W 3557 ft
to US M M No 1

Plat
of the

Curtin Mining Claim
Peck Mining District
Yavapai County Arizona
Claimed by DK Houghtelin
Surveyed by C B Foster US Dms
Aug 20 1884

Contains 20.09 Acres

Var 14° 15' E Scale 200 ft to in

U. S. Surveyor General's Office.

Tucson, Arizona, September 23rd, 1884

The foregoing field notes of the survey of the Curtin
 Mining Claims situate in
 the Peck Mining District, Yavapai
 County, Arizona, claimed by D. H. Houghton
 survey executed by C. B. Foster Deputy
 Surveyor, under instructions from this office, having been critically examined
 and the necessary corrections and alterations made, the said field notes and
 the survey they describe are hereby approved.

Royal C. Johnson
 Surveyor General.