Mineral Survey No. 90%.

Lot No. 64.

Land District.

FIELD NOTES

OF THE SURVEY OF THE MINING CLAIM OF
- Ourch Spiller
KNOWN AS THE
F. J. Glerire.
4/
Hassayampa Mining District,
. ~ /
Tavafrai - county, arizonia -
Section , Township , Range
C 1 01/2 00
Surveyed under instructions dated August 8th 1889 by 6. B. Foster
Pat to
by 0.00.00000,
U. S. Deputy Mineral Surveyor.
1 10 Th
Claim located august 12th, 1879.
Survey commenced Jeft 2 , 1889.
101/1 / 2/0
Survey completed Seft 2 , 1889.
(12202—2,000.) o 6—160

PRELIMINARY OATHS OF ASSISTANTS IN SURVEY OF MINING CLAIM.

WE, WEStauson and GOB Braswell
do solemnly swear that we will well and faithfully execute the duties of chain carriers; that we will level the chain upon even and uneven ground and plumb the tally-pins, either by sticking or dropping the same; that we will report the true distance to all notable objects, and the true length of all lines that we assist in measuring, to the best of our skill and ability, and in accordance with instructions given us, in the survey of the Mining Claim of
situate in Haslayanpa mining district, — Gounty, — Zona, in Section , Township No. , Range No
situate in Hastayampa mining district,
ir Section , Township No. , Range No. ,
Bfast GBBrasivell', Chainman.
Subscribed and sworn to by the above-named persons before
me this 30 day of August, 1889
I, WHHarlan, do solemnly swear that I will well and
truly perform the duties of axeman, in the establishment of corners and other duties, according to instructions given me and to the best of my skill and ability, in the survey of the Mining Claim of
known as the fluid with the preceding affidavit. M. H. H. W. M. W. W. M. W. W. M. W. W. M. W. W. M. W. W. M. W. W. M. W. W. M. W. M. W. M. W. M. W. M. W. W. M. W. W. M. W. W. W. W. M. W.
Subscribed and sworn to by the said W. W. Harlan before me this 30 day of august , 1889
Costan Public
I, , do solemnly swear that I will well and truly perform the duties of flagman, in the establishment of corners and other duties, according to instructions given me and to the best of my skill and ability, in the survey of the Mining Claim of
known as the,
more fully described in the preceding affidavit.
Subscribed and sworn to by the said
before me this day of

3

Fut

Field Water of the Correy of the A. J. Glew Mining Claim in the Aarsay ampa Mining District. Yavapai County, Anzona. Claimed by David Fruth Mineral Georges ander instructions from the Georges General of date August 8 1889 Surrey Commend Sept 2 1889 Description of Survey. Dequining at the Initial mon Mentioned in location notice and Located in Southern Central postion of claim where I act a gravite None 16×10×8 in 1 ft. in ground and Surrounded Dame With Mount of Stones. Stone marked I. m. g. No/. U.S. Min. Mon. Nol. 60. N310256 2950 ft A Fir 10 ins. dia bro. N 3108 25 ft " " 10 " " S 33°W 84" Both true Marked J. M. J Hol. There N 440 6 Va 140 10' 6 8 To Cester of Gulch bis NW+SE 900 To point at NE Center ent of claim Curline I Ret a grande Dom 18x14x12 Came with Mount of Otones. Stone marked 4. Nº2.

Fut An Oall Sino dia bro. S 3808 16 ft. "Bout trus marked 9 1/2. 13/244 ° 6 60 ft. There S 46° 6 Va 14010' Coust 300 To point where I set a grande Stone 16x12x12 in 1 ft in ground and Rurrounded Dame with Mound of Stones. Some market 4. No3 An Gast 5 ins dia bis. 88°W 38 ft. Bock trus marked & No 3. 13.9. Original loe, Mon, not found Thence 3 440 W Va 14º 10' East 890 To Road bris. A.W. and S.E. 905 " Gulch bas N. W and S. 1018 Intersect northeasterly ent line ap the back Mining claim Lat No5%. at point, 8 29040' & from N. 6. Cor of said claim. (Stone marke & CNO2) To point where I let a Clate clone 16×12×8 in 1 ft in ground and Rurrounded Dame with Mount of Stones. Stone marked by Nost. An Cakt ins. dia bis 5480 & 3 ft. A Spuce 6 " " 524° W13 ft. Both true monther y. N. 04. 18. T. There N 460 W Va 14010' East 222 Intersect northwesterly Dide line of the Cash Claim Lat N. 51. of Go'20' W 525 ft from N.E. Con of Daid claim (Stone mortes CNO2) To S.W. Center ent of claim when I Ret a granite close 16×14×5 in I oft in ground and Rurrounded Dame with mount of stones. Some morthed & N.05. An Dak 6 ins. dia bro S/3°6 116ft

Fut An bak Sins. dia bro S44°W 94ft. 1 Solf trees market & NO 5. 189 Original loc. mon bri. S 43°W. 60ft. There N460W (Jam Course) Va14010 East 300 10 point where I month of N.66 on N.E. face of diory to rock in place projecting above ground 4ft high by 5x4ft agree and build mount of Home on Dail market rock. An Oak 10 ins. dia bro, 875 W 10 ft. "" " # " " 1 750 E 16 ft. Bock trees marked 4 No 6. 13.9. original loc mon bis 3 45 W. 40 ft. Thurse N 440 6 Vas 40 10' Gost 630 To Center of Gulch bro. N. W. and S.E. 650 To Pout bos NNW and S.E. 1500 To point Where I cet a granite stone 16x14x8 in, 1 ft in ground and Rur. Tounded Dami with mount of Olones. Some mortal y. No. 7. An Oak 8 ino dia bro S 65°W yft. " " 8 " " N 35° 6 11 ft. Back trus marked & A. T. 13.7. Original loc mon fro N. E. 60ft. There S 46° 6 Va 140 100 Gast 300 10 mon, and None y Nº2 place of beginning on aut baundories of Claim. Area Total Area of Claim 20. 66cteres den Conflict with Cash clami Lat NOST. 1.66 " 19.00 deres Net area Location This Claim is located in Hossay ampa Mountain's East of Maple Galch and is on unsurveyed land.

comprovements. Made upon this claim by Claiment or grantors Consist of a "unal 6x4'x20 ft deep. 5250 6 200 ft from mon. I m & 1001. A Cut 8x6x6ft dup Sout 150 ft from mon. I'm 4 No! A Tunel 6 x 4 x 16 ft deep N 8006 To ft from Mon I m & no! A Cut 4 x 4 x 4 ft. N 600 & 175 ft from Men J. M. G. NOI. A Shaft 6xt x 16 ft deep N 360 8 200 ft from Mon d. M. G. Ny. O.W. lut of open but 75ft longly 8ft deep by 4 ft Wide N 2145' 6 260 ft from mon J. m. y. No! A Dhaft-6x4'x 18 ft dup. N 420 E 260 ft from Mon Imy 201. A Cut 4x4x4ft. N 44° & 350 ft from Mon Im g. Nol. A Shaft 6x4x26ft deep. N 320 E 550 ft from Mon Imy no! A Cut 8x6x6ft deep. N 3508 625ft from Mon Imy No! And I hereby Cartify that the value of said improvements exceeds the Sum of five hundred dollars. There have been no improvements -made by alter parties on this claim Instruments used a Lurley Dolor Transit and 50. ft. etect Chain, Var and Connes latter by use of Jalar apparatus. USDaputy Mineral Correyor

September 2 1889.

Affidavit of Five Hundred Dollars Improvements.

WE, W. le Hanson and & BBraswell
of lawful age, being first duly sworn according to law, depose and say that we are acquainted with
the H. J. Clem
mining claim, situated in
Hussay ampa Mining District, Yarabar County, Arizona Territory, for which David Guld and
Territory, for which David Bulb and
ha made application for survey prior to application for patent under the provisions of the act
of Congress approved May 10, 1872, and that the labor done and improvements made thereon by
the applicant and Lie grantor sexceed Five Hundred Dollars in value, and further that
we are not personally interested in said mine.
al b Hanson-
Wb Hanson- GBBraswell.
TERRITORY OF ARIZONA,
County of If avafai \ 88.
County of y avapai
Sworn to and subscribed before me this day
Brase of Vestambra, 1889.
W 3 Color
(8426-100.) (8426-100.) (Statory Public
Malary Tublis

FINAL OATHS FOR SURVEYS.

LIST OF NAMES.

A list of the names of the individuals employed by
United States Deputy Mineral Surveyor, to assist in running, measuring, and marking the lines
corners and boundaries described in the foregoing field notes of the survey of the mining claim
of David Grubb
known as the A. J. Gleun
and showing the respective capacities in which they acted.
4.6. Hanson, Chainman. 9. Braswell, Chainman.
WHAtarlan, Axman.
W. Avarlan, Axman.
, Flagman.
FINAL OATHS OF ASSISTANTS.
We, Wlestanson GB Braswell
and WH Harlan, do solemnly swear that we assisted less.
The states Deputy Mineral Supressed in marking the corners and
Justine Justine States Deputy Mineral Surveyor, in marking the corners and
surveying the boundaries of the mining claim of Savid Full
Navid Truby
, known as the
, known as the
A. J. Gleun, known as the represented
, known as the , represented in the foregoing field notes as having been surveyed by said deputy mineral surveyor and under
, known as the , represented in the foregoing field notes as having been surveyed by said deputy mineral surveyor and under his direction; and that said survey has been in all respects, to the best of our knowledge and belief, faithfully and correctly executed, and the corner and boundary monuments established according to law and the instructions furnished by the United States Surveyor-General for
, known as the , represented in the foregoing field notes as having been surveyed by said deputy mineral surveyor and under his direction; and that said survey has been in all respects, to the best of our knowledge and belief, faithfully and correctly executed, and the corner and boundary monuments established according to law and the instructions furnished by the United States Surveyor-General for Arizona.
, known as the , represented in the foregoing field notes as having been surveyed by said deputy mineral surveyor and under his direction; and that said survey has been in all respects, to the best of our knowledge and belief, faithfully and correctly executed, and the corner and boundary monuments established according to law and the instructions furnished by the United States Surveyor-General for Arizona.
, known as the , represented in the foregoing field notes as having been surveyed by said deputy mineral surveyor and under his direction; and that said survey has been in all respects, to the best of our knowledge and belief, faithfully and correctly executed, and the corner and boundary monuments established according to law and the instructions furnished by the United States Surveyor-General for Arizona.
, known as the , represented in the foregoing field notes as having been surveyed by said deputy mineral surveyor and under his direction; and that said survey has been in all respects, to the best of our knowledge and belief, faithfully and correctly executed, and the corner and boundary monuments established according to law and the instructions furnished by the United States Surveyor-General for
, known as the , represented in the foregoing field notes as having been surveyed by said deputy mineral surveyor and under his direction; and that said survey has been in all respects, to the best of our knowledge and belief, faithfully and correctly executed, and the corner and boundary monuments established according to law and the instructions furnished by the United States Surveyor-General for Arizona.
known as the foregoing field notes as having been surveyed by said deputy mineral surveyor and under his direction; and that said survey has been in all respects, to the best of our knowledge and belief, faithfully and correctly executed, and the corner and boundary monuments established according to law and the instructions furnished by the United States Surveyor-General for Angles A
known as the foregoing field notes as having been surveyed by said-deputy mineral surveyor and under his direction; and that said survey has been in all respects, to the best of our knowledge and belief, faithfully and correctly executed, and the corner and boundary monuments established according to law and the instructions furnished by the United States Surveyor-General for Angular Chainman. All Boundary Chainman. All Boundary Chainman. All Boundary Flagman.
known as the
known as the

(12204—2,000.) o 6—167

FINAL OATH OF U. S. DEPUTY MINERAL SURVEYOR.

	I, 69 Joston, U. S. Deputy Mineral
	Surveyor, do solemnly swear that, in pursuance of instructions received from the United
a	States Surveyor General for , dated , dated , 1889, Thave, in strict conformity to the laws of the
	United States, the official regulations and instructions thereunder, and the instructions
	of said Surveyor General, faithfully and correctly executed the survey of the Mining
	Claim of Navid Trub
	, known as the
	situate in Harry ampa Mining District, County, Ange No. Range No.
	Mining District,
	County, Onzow, in Section
	, 10wnsmp No. , Hange No.
	and designated as Survey No. 9 , as represented
	in the foregoing field notes, which accurately show the boundaries of said mining claim
	as distinctly marked by monuments on the ground, and described in the attached copy
	of the location certificate, which was received by me from the Surveyor General with
	said instructions, and that all the corners of said survey have been established and per-
	petuated in strict accordance with the law, official regulations and instructions there-
	under; and I do further solemnly swear that the foregoing are the true and original
	field notes of said survey and my report therein, and that the labor expended and
	improvements made upon said mining claim by claimant or Tus grantors
	are as therein fully stated, and that the character, extent, location and itemized value
	thereof are specified therein with particularity and full detail, and that no portion of
	said labor or improvements so credited to this claim has been included in the estimate
	of expenditures upon any other claim.
	Colo, Loster
	U. S. Deputy Mineral Surveyor.
	180
	Subscribed and sworn to by the said Color asters,
	U. S. Deputy Mineral Surveyor, before me a Natary Cube:
	this 19
	day of efsternlen 1889.
1.	this 19 day of Africa 1889. Motary Dublic (14861-2 M.) 0 6-154
2	OI - P A AS
	(14861-2 M.) 0 6-154 Rolary Tublic
3	

It Jelmen A atien

This day I claim aux claim of fifteen hundred first long by six hundred frut wide an This Ledge of Quarte contain my gold and Silver. Carmen cing at this Slow moment an which this take is posted and following this ledge in a nor Theosterly direction rime hundred fut to a stone moment an cultingend oftocation, and running from this mount = ent an which this notice is posted in a Sauch western direction along this vin Fix hundred fut to a pure love an end of location the southern corner mon = ment is formed by worther side live of the auch wine each of the other those Corner monuments is blozed peru borns, This min That be known as the SV & Glenn, and is situated in Hasay ampa mining District, yavapai Caunty, at, and joins an the worthern side of the bash mining claim and his an middle maple Gulch. Burforer ground Thru hundred fut each side of Vein, Dated this day august 12th 1879. Witnessed by 3 David Grubb John moon, 3 John Moon, S John D. Kunndy. S

TERRITORY OF ARIZONA. ss. County of Javapai.

I, CHARLES H. AKERS, County Recorder in and for said County and
Custodian of the Records thereof, do hereby certify that I have
compared the above and foregoing with, and the same is a full, true and correct copy of x hu "I Glrun" Min

Records of Yavapai County, Arizona.

Ju Witness Whereof, I have hereunto set my hand and affixed my official seal this Grand Day of August A.D. 1889

County Recorder.


3-5-500

Dill for Record at the request of David Soubt August 16" 1879 at g o'clock au, and duly revoled in Board & Tof mino Ricodo of yavapai Camby Anguna. at kage 584 William Wilskroon Canny Revorder

POOR

QUALITY

The following pages are scanned at the best possible quality setting. The original pages are of poor quality and this is the best possible reproduction.



H.J.GLENN MINING CLAIM

Hassayampa Mining District. Yavapai County Arizona.

Clarmed by David Grubb. Surveyed by CBFoster U.S.D.S. Sept 2.1889.

Scale 2005t to lin. Va 14º10' E Contains 19.00 Acres

Surveyor General's Certificate of Approval of Field Notes and Survey of Mining Claim.

Department of the Interior,

Office of H. S. Surveyor General,
Office of U.S. Surveyor General,
October 29th 1889.
. 1889.
I, U. S. Surveyor General for Chryvul — ,
do hereby certify that the foregoing and hereto attached Field Notes and Return of the
Survey of the Mining Claim of
, known as the
D. J. G. CETETU.
situate in Massey empla — mining district, Yavapai — county, ary ora—,
in Section, Township No, Range No
designated as Survey No.
executed by C. Bfollow, U. S. Deputy Mineral
executed by A. S. Deputy Mineral
Surveyor, Defraction 2 , 1899, under my instructions dated
Surveyor, September 2 d, 1889, under my instructions dated august 8 th, 1889, have been critically examined and the
necessary corrections and explanations made, and the said Field Notes and Return, and
the Survey they describe, are hereby approved. A true copy of the copy of the location
certificate filed by the applicant for survey is included in the field notes.
anyaco Shusou
TISS CALL CALL

0 6-102

U. S. Surveyor General for