

**MS**

**0**

**1**

**1**

**7**

**4**



(4-683.)

Mineral Survey No. 1174

Lot No. \_\_\_\_\_

Prescott Land District.

### FIELD NOTES

OF THE SURVEY OF THE MINING CLAIM OF

M. A. Milliken et al

KNOWN AS THE

Homestead Lode

Walker

Mining District,

Yavapai County, Arizona

Section unsurveyed Township 12 N, Range 1 W

Surveyed under instructions dated April 5, 1895

by E. C. Rabbit

U. S. Deputy Mineral Surveyor.

Claim located Jan 1st, 1893

Survey commenced May 6<sup>th</sup>, 1895

Survey completed May 7<sup>th</sup>, 1895

address of claimant \_\_\_\_\_

Arthur Lane agent

Walker, Yavapai Co. Arizona

Prescott Ariz.



# PRELIMINARY OATHS OF ASSISTANTS IN SURVEY OF MINING CLAIM.

We, J and William Mc Grath  
do solemnly swear that we will well and faithfully execute the duties of chain carriers; that we will level the chain upon even and uneven ground and plumb the tally-pins, either by sticking or dropping the same; that we will report the true distance to all notable objects, and the true length of all lines that we assist in measuring, to the best of our skill and ability, and in accordance with instructions given us, in the survey of the Mining Claim of M. A. Milliken et al, known as the Homestead Lode situate in Walker mining district, Gavapai County, Arizona in Section unnumbered, Township No. 12 N, Range No. W 4 S R 10 E  
William Mc Grath Chainman.  
\_\_\_\_\_, Chainman.

Subscribed and sworn to by the above-named persons before me this 6<sup>th</sup> day of May, 1895

N. S. Griffin M.P.

I, M. A. Milliken, do solemnly swear that I will well and truly perform the duties of axeman, in the establishment of corners and other duties, according to instructions given me and to the best of my skill and ability, in the survey of the Mining Claim of Homestead Lode known as the Walker, more fully described in the preceding affidavit.  
\_\_\_\_\_, Axeman.

Subscribed and sworn to by the said \_\_\_\_\_ before me this \_\_\_\_\_ day of \_\_\_\_\_, 18 \_\_\_\_\_

I, \_\_\_\_\_, do solemnly swear that I will well and truly perform the duties of flagman, in the establishment of corners and other duties, according to instructions given me and to the best of my skill and ability, in the survey of the Mining Claim of \_\_\_\_\_ known as the \_\_\_\_\_, more fully described in the preceding affidavit.  
\_\_\_\_\_, Flagman.

Subscribed and sworn to by the said \_\_\_\_\_ before me this \_\_\_\_\_ day of \_\_\_\_\_, 18 \_\_\_\_\_



Sur No. 1174

Honestad Lode  
Beginning at Cor. No. 1

A granite stone 30 x 10 x 8 ins set 18 ins in the ground with mound of stones, chiseled 1/1174 whence S. E. Cor. Sec. 32 Twp 13 N. R. 1 W. G. & S. R. Mer. bears N 35° 42' E 237.2 ft.

A pine stump 10 ins dia blazed and marked B.S. 1/1174 bears S 12° 24' W 12.8 ft. Location corner bears N 52° 34' E 86.5 ft.

Thence S 43° 12' E

- 202 To wagon road 10 ft wide course N 75° E
- 304.75 To point where location monument bears N 56° 56' E 32.7 ft.
- 406.35 Cor. No. 4 Sur. No. 1175 Honestad Millsite The Arizona Honestad M. & M. Co Claimant.
- 609.5 To Cor. No. 2

A granite stone 28 x 10 x 8 ins set 18 ins in the ground with mound of stones, chiseled 2/1174 whence x B.S. 2/1174 chiseled on a granite ledge 3 ft high, bears N 32° 30' W 47.01 ft. Corner of the location bears N 63° E 25 ft.

Thence S 56° 56' W

- 165 To Lynx Creek 10 ft wide flowing N 75° E
- 445 To wagon road 10 ft wide course N 75° E
- 1500 To Cor. No. 3.

Identical with location corner a granite stone 24 x 10 x 12 ins set 18 ins in the ground with mound of stones, chiseled 3/1174, whence a pine tree 24 ins dia blazed and marked B.S. 3/1174 bears N 76° 41' E 20.8 ft.

Thence N 43° 12' W

- 132 To Wagon road 10 ft wide course N 50° E
- 170 To Lynx Creek 10 ft wide flowing N 48° E
- 270 To small stream 3 ft wide flowing S 85° E
- 384.75 To wagon road 10 ft wide course N 45° E
- 609.5 To Cor. No. 4



4  
2

Identical with location corner a gran-  
ite stone 26 x 10 x 10 ins set 18 ins in the  
ground with mound of stones, drilled  
4/11/74, when a pipe line 24 ins dia  
laid and marked B.T. 4/11/74 bears  
S 80° 55' E 17.62 ft. Cor. No. 4 Sur. No. 1146  
Pine Mountain loc. C.W. Ellis claimant  
bears N 73° 30' W 721.07 ft.

Then N 56° 56' E

- 60 To Wagon road 15 ft wide course N 40° W
- 320 To Wagon road 15 ft wide course N 70° E
- 700 To Wagon road 15 ft wide course N 10° E
- 1395 To Wagon road 15 ft wide course S 60° E
- 1500 To Cor. No. 1 the place of beginning.

Variation at all corners = 13° 20' E

### Area

Total and net area of claim 20.66 acres.

20.660  
checked

### Location

This claim is located in Twp 12 N. R.  
1 W. 4th & Salt Riv. Mer.

Expenditure of Five Hundred Dollars

I certify that the value of the labor  
and improvements upon this claim  
placed thereon by the claimant is  
not less than five hundred dollars  
and that said improvements con-  
sist of a tunnel 5 x 6 1/2 ft running  
from the entrance N 22° W 42 ft to the  
well thence on the vein N 38° E 80 ft  
The entrance bears from Cor. No. 3 N 21°  
16' E 428 ft. Value = \$1500<sup>00</sup>

The discovery shaft 4 x 6 ft 60 ft deep  
on the vein timbered which bears from  
Cor. No. 4 N 87° 48' E 584.8 ft.

Value \$800<sup>00</sup>

a shaft 80 ft deep 4 x 7 ft timbered which  
bears from Cor. No. 3 N 25° 31' E 586.5 ft.



Value = \$1000<sup>00</sup>

An engine house 18 x 16 ft course of long side N 80° W with engine and boiler complete, the S.E. corner of which bears from Cor. No. 3, N. 23° 11' E. 595.4 ft.

<sup>note</sup>  
(see letter from E. C. Rabbitt dated Aug 3/95)

Value = \$1000<sup>00</sup>

Other Improvements

The dwelling house of Arthur Lane 24 x 34 course of long side N 21° W, the S.W. corner of which bears from Cor. No. 4 N 65° 45' E 903 ft

The dwelling house of J. McCloud 21 x 12 ft course of long side N 22° W, the N.W. corner of which bears from Cor. No. 4 N 63° 21' E 972 ft.

The dwelling house of W<sup>m</sup> McGrath 20 x 12 ft course of long side N 48° 30' E the N.E. corner of which bears from Cor. No. 1 S 44° W 430.5 ft.

The dwelling house of M. A. Miller 12 x 35 ft. course of long side S 58° 30' W, the N.E. corner of which bears from Cor. No. 2 S 73° W 763.5 ft.

An old shaft 25 ft deep which bears from Cor. No. 2 S 81° 50' W 790 ft. claimants unknown.

An old shaft 10 ft deep 5 x 6 ft which bears from Cor. No. 2 S 82° W 885 ft claimants unknown.

Instrument

The survey was made with a Buff & Berger Mountain Transit. The courses were deflected from the true meridian as determined by solar observations. The distances were measured with a 500 ft steel tape

E. C. Rabbitt  
Dep U.S. Min. Sur.

May 8<sup>th</sup> 1895



# FINAL OATHS FOR SURVEYS.

## LIST OF NAMES.

A list of the names of the individuals employed by E. C. Babbitt  
 United States Deputy Mineral Surveyor, to assist in running, measuring, and marking the lines  
 corners and boundaries described in the foregoing field notes of the survey of the mining claim  
 of M. A. Melleken et al  
 known as the Homestead Lode  
 and showing the respective capacities in which they acted.

William Mc Grath, Chainman.  
 \_\_\_\_\_, Chainman.  
 \_\_\_\_\_, Axman.  
 \_\_\_\_\_, Flagman.

## FINAL OATHS OF ASSISTANTS.

We, W. Mc Grath  
 and \_\_\_\_\_, do solemnly swear that we assisted  
E. C. Babbitt, United States Deputy Mineral Surveyor, in marking the corners and  
 surveying the boundaries of the mining claim of \_\_\_\_\_

M. A. Melleken et al  
 \_\_\_\_\_, known as the  
Homestead Lode, represented  
 in the foregoing field notes as having been surveyed by said deputy mineral surveyor and under  
 his direction; and that said survey has been in all respects, to the best of our <sup>my</sup> knowledge and  
 belief, faithfully and correctly executed, and the corner and boundary monuments established  
 according to law and the instructions furnished by the United States Surveyor-General for  
Arizona.

William Mc Grath, Chainman.  
 \_\_\_\_\_, Chainman.  
 \_\_\_\_\_, Axman.  
 \_\_\_\_\_, Flagman.

Subscribed and sworn to by the above-named persons before me  
 this 7th day of May, 1895.

N. S. Griffin  
 Notary Public



(4-686.)

FINAL OATH OF U. S. DEPUTY MINERAL SURVEYOR.

I, E. C. Babbitt, U. S. Deputy Mineral Surveyor, do solemnly swear that, in pursuance of instructions received from the United States Surveyor General for Arizona, dated April 5, 1895, I have, in strict conformity to the laws of the United States, the official regulations and instructions thereunder, and the instructions of said Surveyor General, faithfully and correctly executed the survey of the Mining Claim of M. A. Mulliken et al, known as the Honestead Lode, situate in Walker Mining District, Yavapai County, Arizona, in Section unsurveyed Township No. 12 N., Range No. 1 W. 4 S. R. Mer. and designated as Survey No. 1174, as represented in the foregoing field notes, which accurately show the boundaries of said mining claim as distinctly marked by monuments on the ground, and described in the attached copy of the location certificate, which was received by me from the Surveyor General with said instructions, and that all the corners of said survey have been established and perpetuated in strict accordance with the law, official regulations and instructions thereunder; and I do further solemnly swear that the foregoing are the true and original field notes of said survey and my report therein, and that the labor expended and improvements made upon said mining claim by claimant or Their grantors are as therein fully stated, and that the character, extent, location and itemized value thereof are specified therein with particularity and full detail, and that no portion of said labor or improvements so credited to this claim has been included in the estimate of expenditures upon any other claim.

E. C. Babbitt

U. S. Deputy Mineral Surveyor.

Subscribed and sworn to by the said E. C. Babbitt

U. S. Deputy Mineral Surveyor, before me J. A. Little & Matany Public in and for Yavapai County Arizona this 10<sup>th</sup> day of May, 1895.

J. A. Little Jr.

Matany Public





Know all men by these presents;--

That we the undersigned have this day located 1500 feet of this vein or lode, bearing precious metals, with all dips, spurs, angles and variations, with surface ground 300 feet on each side of vein, with all mineral deposits contained therein, and all timber and water thereon or appurtenant thereto, according to the provisions of the United States Mining Laws

The exterior boundaries are as follows;--

Commencing at this monument and notice and running 300 feet in an easterly direction to monument at N.E. corner; thence in a southerly direction parallel with the ledge 1500 feet to monument at S.E. corner; thence at right angles across the ledge in a westerly direction 600 feet to monument at S.W. corner; thence parallel with the lode in a northerly direction 1500 feet to monument at N.W. corner; thence at right angles across the ledge in an easterly direction 300 feet to place of beginning.

This claim is in Walker Mining District, Yavapai County Arizona and may be more generally described as situated westside of Lynx Creek and was formerly known as the Pointer vein or lode, and shall be known as the HOMESTEAD Mining Claim.

Dated on the ground this, 1, day of January 1893.

Witness J.P. Score.

M.A. Milliken,

J.A. Milliken

J.J. Milliken.

Recorded at request of J.J. Milliken, Feby., 27<sup>th</sup> A.D. 1893, at 3,00 o'clock P.M. in Book 36 of Mines, pages 54-55, Records of Yavapai County Arizona.

By E.E. Kirkland,

(L.S.)

Alex. O. Brodie,

Deputy.

County Recorder.

TERRITORY OF ARIZONA, §  
§ss;  
County of Yavapai. §

I, F.A. Tritle, County Recorder in and for said county and Custodian of the Records thereof, do hereby certify that I have compared the above and foregoing with, and the same is a full, true and correct copy of the Notice of Location of the Homestead Mining Claim as the same appears of record in Book 36 of Mines at pages 54-55, Records of Yavapai County Arizona.

Given under my hand and Seal of Office this 26<sup>th</sup> day of March A.D. 1895

*F. A. Tritle*

County Recorder.







(4-687.)

# Surveyor General's Certificate of Approval of Field Notes and Survey of Mining Claim.

Department of the Interior,

Office of U. S. Surveyor General,

Tucson, Arizona

August 10<sup>th</sup>, 1895.

I, U. S. Surveyor General for, District of Arizona

do hereby certify that the foregoing and hereto attached Field Notes and Return of the Survey of the Mining Claim of M. A. Milliken et al

\_\_\_\_\_ , known as the

Homestead Lode

situate in walker mining district,

Yavapai County, Arizona

in Section \_\_\_\_\_, Township No. \_\_\_\_\_, Range No. \_\_\_\_\_

\_\_\_\_\_ designated as Survey No. 1174

executed by E. C. Rabbitt, U. S. Deputy Mineral

Surveyor, May 6-7, 1895, under my instructions dated

April 5, 1895, have been critically examined and the

necessary corrections and explanations made, and the said Field Notes and Return, and

the Survey they describe, are hereby approved. A true copy of the copy of the location

certificate filed by the applicant for survey is included in the field notes.

Geo. A. Manning  
U. S. Surveyor General for Arizona

o 6-162