

**MS**

**0**

**1**

**1**

**8**

**2**

(4-683.)

Mineral Survey No. 1182

Lot No. \_\_\_\_\_

Priscott

Land District.

### FIELD NOTES

OF THE SURVEY OF THE MINING CLAIM OF

Patrick Kearney

KNOWN AS THE

Kearney

Tiger

Mining District,

Javapai

County,

Arizona

Section

37

Township

10 N

Range

1 W

Surveyed under instructions dated

Aug. 14<sup>th</sup>, 1895

by

J. J. Fisher

U. S. Deputy Mineral Surveyor.

Claim located

10<sup>th</sup> April 1891 Amended Aug 2<sup>nd</sup>, 1895.

Survey commenced

22<sup>nd</sup> Aug.

, 1895

Survey completed

23<sup>rd</sup> Aug.

, 1895

o 6-160

Address.

Patrick Kearney

Priscott A.T.

Claimant

Territory of Arizona }  
 County of Yavapai } ss. J. A. J. Strudon,  
 Clerk of the District Court of the Fourth  
 Judicial District of the Territory of Arizona,  
 in and for the County of Yavapai, do  
 hereby Certify that J. E. Reynolds, whose  
 name is subscribed to the foregoing  
 instrument as a Justice of the Peace in  
 and for said County & Territory, is now  
 and was at the date he subscribed him-  
 self as such, a duly qualified and  
 acting Justice of the Peace in and for  
 said County & Territory, and as such  
 Justice of the Peace, his official acts  
 are entitled to full faith & credit.

Attest my hand & the official  
 seal of said Court, this 27<sup>th</sup>  
 day of August, A.D. 1895.

J. A. J. Strudon  
 Clerk



# PRELIMINARY OATHS OF ASSISTANTS IN SURVEY OF MINING CLAIM.

WE, Ed. Rodgers and J. V. Walker,  
do solemnly swear that we will well and faithfully execute the duties of chain carriers;  
that we will level the chain upon even and uneven ground and plumb the tally-pins,  
either by sticking or dropping the same; that we will report the true distance to all  
notable objects, and the true length of all lines that we assist in measuring, to the best  
of our skill and ability, and in accordance with instructions given us, in the survey of  
the Mining Claim of

Patrick Kearney, known as the  
Kearney  
situate in Tiger mining district,  
Yavapai County, Arizona,  
in Section 27, Township No. 10 N, Range No. 1 West.

Ed. Rodgers, Chainman.  
J. V. Walker, Chainman.

Subscribed and sworn to by the above-named persons before  
me this 22 day of Aug, 1895.

I, Ed. Rodgers, do solemnly swear that I will well and  
truly perform the duties of axeman, in the establishment of corners and other duties,  
according to instructions given me and to the best of my skill and ability, in the survey  
of the Mining Claim of Patrick Kearney

known as the Kearney,  
more fully described in the preceding affidavit.

Ed. Rodgers, Axeman.

Subscribed and sworn to by the said  
before me this 22<sup>nd</sup> day of

Aug, 1895.  
J. E. Reynolds J. P.  
Broom King  
A. J.

I, J. V. Walker, do solemnly swear that I will  
well and truly perform the duties of flagman, in the establishment of corners and other  
duties, according to instructions given me and to the best of my skill and ability, in the  
survey of the Mining Claim of Patrick Kearney

known as the Kearney,  
more fully described in the preceding affidavit.

J. V. Walker, Flagman.

Subscribed and sworn to by the said  
before me this 22<sup>nd</sup> day of

Aug, 1895.  
J. E. Reynolds J. P.  
Broom King  
A. J.

4

# Survey No 1182

## Keamey Lode

Beginning at monument No 2  
Lot No 37. Hammond, Briggs & Co  
Location on the Tiger Lode.

Thence  $S 63^{\circ} E$

Variation  $14^{\circ} 20' E$

200 To Cor. No 1. Identical with loc. mon.  
A granite stone  $4 \times 8 \times 18$  ins, set  
one foot in ground and surrounded  
by mon. of stones, stone marked  
K. No. 1-1182 From which a +  
on state ref, marked B.R. K No. 1-  
1182 bears  $N 52^{\circ} E$  75 feet  
 $\frac{1}{4}$  sec. corner between Sec's 22-27  
T. 10. N. R. 1. W. Gila & Salt River Mer.  
bears  $N 11^{\circ} 21' E$  2878.5 feet

Thence  $S 7^{\circ} 50' W$

Var.  $14^{\circ} 20' E$

800 To Cor. No. 2. Identical with loc. mon.  
A state stone  $6 \times 8 \times 18$  ins, set 1 foot  
in ground and surrounded by mon.  
of stones, stone marked K No 2-  
1182. From which a + on Quartzite  
dyke bears  $N 2^{\circ} 15' W$  50 feet

Thence  $N 63^{\circ} W$

Var.  $14^{\circ} 20' E$

194.13 To mon. marked J & Co L.T.L No 2.

405.87 To mon. marked J & Co L.T.L No 3

600 To Cor. No 3. Identical with loc. mon.  
A state stone  $4 \times 18 \times 30$  ins, set <sup>one foot</sup>  
in ground and surrounded by mon  
of stones, stone marked K. No. 3-1182  
A + on state ref, marked B.R. K 3-  
1182 bears  $S 8^{\circ} 24' E$  25 feet

# Survey No 1182

Thence N 7° 50' E

Now 14° 20' E

364  
800

To Tiger Gulch, corner N.E. and S.W.  
To Cor No 4. Identical with loc. <sup>Mon</sup> <sub>1/40 ft</sub>  
A state stone 5 x 24 x 30 ins. set in  
ground and surrounded by mon.  
of stones. Stone marked K, 1104-1182  
From which a + on state ref  
marked B.B. K 1104-1182 bears  
N 89° W 19 feet.

Thence S 63° E

Now 14° 20' E

200  
350  
400

To mon. No 3. Lot No 37. Stone marked  
H. & B 11037. For the S.W. Cor. of Hummond  
Riggs & Co's location on Tiger Lode  
To Mon. No 2. Lot No 37 - the place  
of beginning survey of exterior  
boundaries.

Containing 10.4 acres

## Location

This claim is located in Sec. 27  
T. 10, N. R. 1 W G & S. Meridian, on  
the Tiger Lode, Tiger Mining  
District, Yavapai Co Arizona

Expenditure of Five Hundred Dollars  
I certify that the value of the labor and  
improvements upon this claim, placed  
thereon by the claimant and his grantors  
is not less than five hundred  
dollars and that said improvements  
consist of.

A Tunnel 5 x 8 feet 25 feet long  
which bears from Cor No 1 N 65° 13' W  
288 feet

### Survey No 1182

A shaft 4 x 6 feet 30 feet deep  
which bears from Cor. No 1. N 68° 57' W  
324 feet.

An open cut 4 x 10 x 10 feet long  
which bears from Cor No 1 - S 30° 34'  
W 484 feet.

The above work was done by former  
owners.

An open cut 20 x 15 x 15 feet which  
bears from Cor No 1 - S 56° 6' W 320 feet  
Value \$300.

An open cut 5 x 8 feet 30 feet long  
which bears from Cor No 1 - S 29°  
18' W 708 feet  
Value \$300.

### Instrument

The survey was made with a  
Gurley Solar Transit  
The courses were deflected from  
the true meridian as determined  
by solar observations. The distances  
were measured with a 100 foot  
steel chain

Percott A.S.  
Aug 27. 1895

J. J. Fisher  
U.S. Dep. Min. Surveyor

# FINAL OATHS FOR SURVEYS.

## LIST OF NAMES.

A list of the names of the individuals employed by J. J. Fisher  
 United States Deputy Mineral Surveyor, to assist in running, measuring, and marking the lines  
 corners and boundaries described in the foregoing field notes of the survey of the mining claim  
 of Patrick Kearney  
 known as the Kearney  
 and showing the respective capacities in which they acted.

- Ed. Rodgers, Chainman.
- J. V. Walker, Chainman.
- Ed. Rodgers, Axman.
- J. V. Walker, Flagman.

## FINAL OATHS OF ASSISTANTS.

We, Ed Rodgers  
 and J. V. Walker, do solemnly swear that we assisted J. J. Fisher  
Fisher, United States Deputy Mineral Surveyor, in marking the corners and  
 surveying the boundaries of the mining claim of Patrick Kearney

known as the Kearney, represented  
 in the foregoing field notes as having been surveyed by said deputy mineral surveyor and under  
 his direction; and that said survey has been in all respects, to the best of our knowledge and  
 belief, faithfully and correctly executed, and the corner and boundary monuments established  
 according to law and the instructions furnished by the United States Surveyor-General for  
Arizona

- Ed. Rodgers, Chainman.
- J. V. Walker, Chainman.
- Ed. Rodgers, Axman.
- J. V. Walker, Flagman.

Subscribed and sworn to by the above-named persons before me  
 this 23<sup>rd</sup> day of Aug, 1895.

J. E. Reynolds  
J. P. Brown King



(4-686.)

FINAL OATH OF U. S. DEPUTY MINERAL SURVEYOR.

I, J. J. Fisher, U. S. Deputy Mineral Surveyor, do solemnly swear that, in pursuance of instructions received from the United States Surveyor General for Arizona, dated Aug. 14<sup>th</sup>, 1895, I have, in strict conformity to the laws of the United States, the official regulations and instructions thereunder, and the instructions of said Surveyor General, faithfully and correctly executed the survey of the Mining Claim of Patrick Kearney, known as the Kearney, situate in Tiger Mining District, Yavapai County, Arizona, in Section 27, Township No. 10N, Range No. 1W, and designated as Survey No. 1182, as represented in the foregoing field notes, which accurately show the boundaries of said mining claim as distinctly marked by monuments on the ground, and described in the attached copy of the location certificate, which was received by me from the Surveyor General with said instructions, and that all the corners of said survey have been established and perpetuated in strict accordance with the law, official regulations and instructions thereunder; and I do further solemnly swear that the foregoing are the true and original field notes of said survey and my report therein, and that the labor expended and improvements made upon said mining claim by claimant or his grantors are as therein fully stated, and that the character, extent, location and itemized value thereof are specified therein with particularity and full detail, and that no portion of said labor or improvements so credited to this claim has been included in the estimate of expenditures upon any other claim.

J. J. Fisher  
U. S. Deputy Mineral Surveyor.

Subscribed and sworn to by the said J. J. Fisher  
U. S. Deputy Mineral Surveyor, before me W. H. Cross  
Register this 27<sup>th</sup>  
day of August, 1895

W. H. Cross  
Register  
U. S. Land Office  
Prescott, A. T.

# Affidavit of Five Hundred Dollars Improvements.



We Ed Rodgers and J. J. Walker

of lawful age, being first duly sworn according to law, depose and say: that we are acquainted

with the Kearney mining claim, situated in

Tiger Mining district, Yavapai County,

Arizona Territory, for which Patrick Kearney

has made application for survey prior to application for patent under the provisions of the Act of Congress, approved May 10, 1872; and that the labor done and improvements made thereon by the applicant and his grantor exceed Five Hundred Dollars in value, and further that we are not personally interested in said mine.

Ed. Rodgers

J. J. Walker

TERRITORY OF ARIZONA,

County of Yavapai } ss.

SWORN to and subscribed before me, this

23<sup>rd</sup> day of Aug 1895

J. E. Reynolds J.P.

Cross King  
A. J.

NEVER SWEAT

## Notice of Location.

KNOW ALL MEN BY THESE PRESENTS:-- That we the undersigned have this day located Eight Hundred (800) linear feet of this vein or lode, bearing precious metals, with all dips, spurs, angles and variations, with surface ground three hundred (300) feet on each side of <sup>the</sup> center vein, with all mineral deposits contained therein, and all timber growing within the limits of said claim and all Water and Water Privileges thereon ~~or~~ appurtenant thereto, under and according to the provisions of the United States Mining Laws, under which it ~~is~~ Located.

This claim commences at this monument and notice placed upon the ledge and runs four hundred feet in a northerly direction and four hundred feet in a Southerly direction along the ledge.

The Exterior Boundaries are as follows;--viz;---

Commencing at ~~at~~ a monument of stone on west boundary line, distant three hundred (300) feet in a westerly direction from discovery monument; thence in a northerly direction parallel with the ledge four hundred ---- to monument of stone at N.W. corner of claim; thence in an easterly direction at right angles across the ledge six hundred (600) feet to monument of stone at N.E. corner of claim; thence in a southerly direction parallel with the ledge eight hundred (800) feet to monument of stone at S.E. corner of claim; thence at right angles across the ledge in ~~a~~ westerly direction six hundred (600) feet to monument of stone at S.W. corner of claim thence in a northerly direction parallel with the ledge four hundred feet to monument on west boundary and place of beginning.

This ledge may be more generally described as situated in Tiger Mining District, and embraces all vacant ground lying between the patented claim of Riggs & Hammond on the North and the patented claim of John W. Simmons on the south formerly known as the L.B. Jewell, J.P. Hargrave and Otis ground

Said ground lies about twelve hundred (1200) feet south of Original Tiger shaft in Tiger Mining District, Yavapai County Arizona Territory, and shall be known as the "NEVER SWEAT" Mining Claim.

Dated on the ground this tenth day of April, 1891.

WM. A. LINN

JOHN L. TAYLOR

Recorded at request of Wm. A. Linn, April 15<sup>th</sup> A.D. 1891 at 2:50 o'clock P.M. in Book 32 of Mines pages 105-106, Records of Yavapai County Arizona.

By J. W. Akers,  
Deputy.

(L.S.)

Charles H. Akers,  
County Recorder.

TERRITORY OF ARIZONA, County of Yavapai;--ss;--

I, R. A. Tritle, County Recorder in and for said County and Custodian of the Records thereof do hereby certify that I have compared the above and foregoing with, and that the same is a full, true and correct copy of the Notice of Location of the "NEVER SWEAT" Mining Claim as the same appears of record in Book 32 of Mines, pages 105-106, Records of Yavapai County Arizona GIVEN under my hand and Official Seal this 9<sup>th</sup> day of August A.D. 1895.

By

J. A. Tritle Jr  
Deputy.

J. A. Tritle  
County Recorder.

KEARNEY

## AMENDED LOCATION

TERRITORY OF ARIZONA, §  
 §ss;  
 County of Yavapai. §

KNOW ALL MEN BY THESE PRESENTS:-- That Patrick Kearney of the County of Yavapai, and Territory of Arizona, the undersigned has this 2nd., day of August 1895, amended, located and claimed and by these presents does amend, locate and claim, by right of purchase and amended location in compliance with the Mining Acts of Congress, approved May 10th., 1872, and all subsequent acts and with local customs laws and regulations 800 linear feet and horizontal measurement on the Kearney lode, vein ledge or deposit along the vein thereof, with all its dips, spurs angles and variations, as allowed by law, together with 300 feet on each side of the middle of said vein at the surface so far as can be determined from present developments and all veins, lodes, ledges or deposits and surface ground within the lines of said claim, 400 feet running in a Northerly direction from Discovery<sup>monument</sup> and 400 feet running in a southerly direction from discovery mon. Said mon being situated upon said lode, vein, ledge or deposit, and within the lines of said claim in Tiger Mining Distr., County of Yavapai and Territory of Arizona.

The Exterior boundaries are as follows viz;--

Commencing at a monument of stone on west boundary line, distant three hundred (300) feet in a westerly direction from discovery monument thence in a northerly direction parallel with the ledge 400 feet to monument of stone at N.W. corner of claim; thence in an easterly direction at right angles across the ledge six hundred (600) feet to monument of stone at N.E. corner of claim; thence in a Southerly direction parallel with the ledge fifteen hundred (1500) feet to monument of stone at S.E. corner of claim; thence at right angles across the ledge in a westerly direction six hundred (600) feet to monument of stone at S.W. corner of claim; thence in a Northerly direction parallel with the ledge 400 feet to monument on west boundary and place of beginning.

This claim is located about 1200 feet South of the original Tiger Shaft, and embraces all vacant ground lying between the patented claim of Riggs and Hammond on North and the patented claim of John W. Simmons on the south and formerly known as L.E. Jewell, J.P. Hargrave and Otis ground.

This being the same lode originally located on the 10th., day of April 1891 and recorded on the 15th., day of April 1891, in Book 32 of Mines pages 105 and 106, in the office of the Recorder of Yavapai Co.

This further and amended certificate of location is made without waiver of any previously acquired rights, but for the purpose of changing the name, the name under which it was originally located being the "NEVER SWEAT", which is changed to the "KEARNEY"

Said lode was discovered on the 10th., day of April 1891, and located on the 10th., day of April 1891, and located by William, A. Linn, John L. Taylor

PATRICK KEARNEY (SEAL.)

Recorded at request of J.J. Fisher, Aug., 2nd., A.D. 1895, at 4, 10 o'clock P.M. in Book 42 of Mines, pages 292 et seq., Records of Yavapai County Arizona. By M.O. Archibald, (L.S.) Deputy. F.A. Tritle, County Recorder.

TERRITORY OF ARIZONA, County of Yavapai. ss; I, F.A. Tritle, County Recorder in and for said county and Custodian of the Records thereof do hereby certify that I have compared the above and foregoing with and that the same is a full, true and correct copy of the Notice of Location of the "KEARNEY" Mining Claim, as the same appears of record in Book 42 of Mines at pages 292 et seq., Records of Yavapai County Arizona.

IN WITNESS WHEREOF, I have hereunto set my hand and affixed my Official Seal this 10<sup>th</sup> day of August A.D. 1895.

By F.A. Tritle Jr.  
 Deputy.

F.A. Tritle  
 County Recorder.



(4-687.)

# Surveyor General's Certificate of Approval of Field Notes and Survey of Mining Claim.

Department of the Interior,

Office of U. S. Surveyor General,

Tucson, Arizona

Sept. 6<sup>th</sup>, 1895

I, U. S. Surveyor General for District of Arizona

do hereby certify that the foregoing and hereto attached Field Notes and Return of the Survey of the Mining Claim of Patrick Kearney

\_\_\_\_\_ , known as the

Kearney \_\_\_\_\_ ,

situate in Tiger \_\_\_\_\_ mining district,

Yavapai County, Arizona \_\_\_\_\_ ,

in Section 27 \_\_\_\_\_ , Township No. 10 N. \_\_\_\_\_ , Range No. 1 West. \_\_\_\_\_

\_\_\_\_\_ , designated as Survey No. 1182 \_\_\_\_\_

executed by J. J. Fisher \_\_\_\_\_ , U. S. Deputy Mineral

Surveyor, August 22-23<sup>d</sup> \_\_\_\_\_ , 1895 , under my instructions dated

August 14<sup>th</sup> \_\_\_\_\_ , 1895 , have been critically examined and the

necessary corrections and explanations made, and the said Field Notes and Return, and

the Survey they describe, are hereby approved. A true copy of the copy of the location

certificate filed by the applicant for survey is included in the field notes.

Levi H. Manning  
U. S. Surveyor General for Arizona

0 6 - 112