

M
S
-

0

1

2

0

6

(4-683.)

Mineral Survey No. 1206

Lot No. _____

Yuma Texas Land District.

FIELD NOTES

OF THE SURVEY OF THE MINING CLAIM OF

C. J. Reilly et al

KNOWN AS THE

Cactus Placer

Plomoso

Mining District,

Yuma County, Arizona

Section Unsurveyed, Township 3 N, Range 17 W

Surveyed under instructions dated Dec 14, 1895,

by E. C. Rabbit,
U. S. Deputy Mineral Surveyor

Claim located Nov. 30, 1895

Survey commenced Dec. 22, 1895

Survey completed Dec. 31, 1895

address ⁹⁻¹⁶⁰ W. H. Andre, at
Ehrenburg, Ariz.
att'y for

C. J. Reilly

1427 Curtis St.

Denver Colo.

PRELIMINARY OATHS OF ASSISTANTS IN SURVEY OF MINING CLAIM.

WE, J and _____,
do solemnly swear that we will well and faithfully execute the duties of chain carriers;
that we will level the chain upon even and uneven ground and plumb the tally-pins,
either by sticking or dropping the same; that we will report the true distance to all
notable objects, and the true length of all lines that we assist in measuring, to the best
of our skill and ability, and in accordance with instructions given us, in the survey of
the Mining Claim of C. J. Reilly et al, known as the
situate in Plomoso mining district,
Yuma County, Arizona,
in Section _____, Township No. _____, Range No. _____.

George Harris, Chainman.
_____, Chainman.

Subscribed and sworn to by the above-named persons before
me this 20 day of December, 1895

W. H. Farnsworth
Notary Public
Yuma Co. Arizona

I, _____, do solemnly swear that I will well and
truly perform the duties of axeman, in the establishment of corners and other duties,
according to instructions given me and to the best of my skill and ability, in the survey
of the Mining Claim of _____

known as the _____,
more fully described in the preceding affidavit.

_____, Axeman.

Subscribed and sworn to by the said _____
before me this _____ day of
_____, 18 _____.

I, _____, do solemnly swear that I will
well and truly perform the duties of flagman, in the establishment of corners and other
duties, according to instructions given me and to the best of my skill and ability, in the
survey of the Mining Claim of _____

known as the _____,
more fully described in the preceding affidavit.

_____, Flagman.

Subscribed and sworn to by the said _____
before me this _____ day of
_____, 18 _____.

3

Sur No 1206

Set Cactus Placer
 Beginning at Cor. No. 1 a porphyry
 stone 30x6x8 ins set 12 ins in the
 ground with mound of stones,
 chiseled 1/1206 whence U.S.L.M.
 1206 bears S 84° 10' E 1847.3 ft.

Thence N 49° 26' E
 350 Left bank of dry wash course N.W.
 657.3 To Cor. No. 2

A quartzite stone 28x8x6
 ins set 12 ins in the ground
 with mound of stones, chisel-
 ed 2/1206 whence an iron wood
 tree 6 ins dia. blazed and mark-
 ed B.S. 2/1206 bears S 60° 42' W 24.3
 ft. Plomoso Peak bears N 84° 17' E
 Lyons Peak bears N 49° 51' W

Thence S 50° 23' E
 750 To Right bank of dry wash course N 30° W
 1520.14 To Cor. No. 3

A granite stone 24x8x8
 ins set 12 ins in the ground
 with mound of stones, chiseled
 3/1206 whence a palo verde
 tree 6 ins dia. blazed and mark-
 ed B.S. 3/1206 bears N 52° 23' W
 9.3 ft.

Thence N 61° 33' E
 1727.5 To Cor. No. 4

A porphyry stone 30x6x8 ins
 set 12 ins in the ground with
 mound of stones, chiseled 4/1206
 No witness points available

Thence N 47° 44' E
 2136.83 To Cor. No. 5

A porphyry stone 28x6
 x8 ins set 18 ins in the ground
 with mound of stones, chiseled

sect 5/1206 No witness points available

Thence S 29° 47' E

100 Left bank of dry wash course S.W.

150 Left bank of dry wash course S.W.

295.19 To Cor. No. 6

x chiseled on ledge of rock in place 3 ft high Chiseled 6/1206
No witness points available

Thence S 41° 27' W

699.1 To Cor. No. 7

a quartzite stone 30 x 10 x 6 ins 12 ins in the ground with mound of stones, chiseled 7/1206.
No witness points available.

Thence S 19° 34' W

425.5 To Cor. No. 8

x chiseled on top of ledge of rock in place 2 ft high, Chiseled 8/1206
No witness points available

Thence S 12° 23' E

325 Right bank of dry wash course west

475 Left bank of dry wash course west

670.7 To Cor. No. 9

a porphyry stone 26 x 8 x 6 ins set 12 ins in the ground with mound of stones Chiseled 9/1206
No witness points available.

Thence S 25° 34' E

1027.5 To Cor. No. 10

a granite stone 26 x 8 x 8 ins set 12 ins in the ground with mound of stones, chiseled 10/1206
No witness points available

Thence S 76° 20' W

370 Right bank of dry wash course N 30° W

500 Left bank of dry wash course N 30° W

564.6 Sect
To Cor. No. 11

A quartzite stone 28 x 6 x 7
ins set 12 ins in the ground
with mound of stones, chiseled
11/1206. No witness points available.

463.7 Thence N 40° 47' W
To Cor. No. 12

A granite stone 30 x 6 x 8
ins set 12 ins in the ground
with mound of stones, chiseled
12/1206. No witness points available.

439.7 Thence N 32° 42' W
To Cor. No. 13

A granite stone 24 x 8 x 8 ins set
12 ins in the ground with mound
of stones chiseled 13/1206
No witness points available

1307 Thence S 85° 38' W
To Cor. No. 14

A granite stone 30 x 8 x 8
ins set 12 ins in the ground with
mound of stones, chiseled 14/1206
whence x B.R. 14/1206 chiseled on
ledge of rock in place 3 ft high
Bearing S 73° 14' E 13.2 ft.

265.02 Thence S 41° 48' W
To Cor. No. 15

A granite stone 28 x 6 x 8
ins set 18 ins in the ground
with mound of stones, chiseled
15/1206. No witness points available

376.7 Thence S 37° 27' E
To Cor. No. 16

A granite stone 24 x 6 x 8
ins set 12 ins in the ground
with mound of stones, chiseled
16/1206. No witness points available

Feet
992.3
Sence S 3° 08' E
To Cor. No. 17

a quartzite stone 26 x 10 x 6
ins set 12 ins in the ground with
mound of stones chiseled 17/1206
witness x B.P. 17/1206 chiseled on ledge
of rock in place 3 ft high bears
N 7° 43' E 24.2 ft.

1257.6
Sence S 28° 34' E
To Cor. No. 18

x chiseled on ledge of rock
in place 6 ft high, chiseled 18/1206
No witness points available.

562.2
Sence S 25° 49' E
To Cor. No. 19

x chiseled on ledge of rock
in place 4 ft high chiseled
19/1206. No witness points available

200
250
282.67
Sence S 67° 45' W
Right bank of dry wash Course N 30° W
Left bank of dry wash Course N 30° W
To Cor. No. 20

A granite stone 30 x 8 x 6 ins
set 12 ins in the ground with mound
of stones, chiseled 20/1206. No wit-
ness points available.

1511.15
Sence N 28° 23' W
To Cor. No. 21

A granite stone 26 x 8 x 6 ins
set 12 ins in the ground with
mound of stones, chiseled 21/1206.
No witness points available.

600.7
Sence N 5° 29' W
To Cor. No. 22

A quartzite stone 24 x 8 x 8
ins set 12 ins in the ground with
mound of stones, chiseled, 22/1206

Feet Whence x B.P. ²²/₁₂₀₆ chiseled
on ledge of rock in place 2 ft
high bears S 78° W 1 ft.

Thence N 36° 21' W
1101.45 To Cor. No. 23

A porphyry stone 30x6x8 ins
set 12 ins in the ground with
mound of stones, chiseled ²³/₁₂₀₆
No witness points available.

Thence N 89° 02' W
572.5 To Cor. No. 24

A quartzite stone 28x6x8
ins set 12 ins in the ground, chiseled
²⁴/₁₂₀₆, with mound of stones, whence
x B.P. ²⁴/₁₂₀₆ chiseled on ledge of
rock in place 1 ft high bears
N 50° 28' E 4.1 ft.

Thence N 53° 16' W
1571.1 To Cor. No. 1 place of beginning

Variation at all corners = 14° 30' E

Area
Containing 120 acres ✓

Location
This claim is located on unsurveyed
lands. in Plomoso Mung Sub. Unma Co ✓

The survey is identical with the
location.

Expenditure of Five Hundred Dollars
I certify that the value of the
labor and improvements upon
this claim placed thereon by
the claimants is not less than
five hundred dollars and that
said improvements consist of

A discovery shaft 10 ft deep 3x6 ft
in wash, which bears from Cor. No
2 S 29° 30' E 1015 ft. Value \$30⁰⁰

A shaft 37 ft deep, 3x6 ft in wash
which bears from Cor. No. 2 S 27° E
1032 ft Value = \$150⁰⁰

A discovery shaft 50 ft deep
3x6 ft in wash which bears from
Cor. No. 3 South 225 ft. Value \$150⁰⁰

A shaft 35 ft deep 3x6 ft in
wash which bears from Cor. No 3
South 115 ft. Value = 125⁰⁰

A shaft 10 ft deep 3x6 ft in wash
which bears from Cor. No. 3 S 13° 30' W
150 ft. Value = \$30⁰⁰

A shaft, 10 ft deep, 3x6 ft in
wash which bears from Cor. No. 3
S 13° 30' W 115 ft. Value = \$30⁰⁰

A discovery shaft 10 ft deep
3x6 ft in wash which bears
from Cor. No. 14 N 79° 30' W 265 ft
Value = \$30⁰⁰

A discovery shaft 10 ft deep,
3x6 ft in wash, which bears
from Cor. No. 16 N 75° 50' W 413 ft
Value = \$30⁰⁰

A discovery shaft 10 ft deep, 3x6
ft in wash which bears from
Cor. No. 4 S 79° 30' E 540 ft
Value = \$30⁰⁰

A discovery shaft 10 ft deep 3x6 ft
in wash, which bears from Cor. No. 13
S 56° 10' E 285 ft. Value = \$30⁰⁰

A discovery shaft 10 ft deep 3x6
ft in wash which bears from Cor. No. 7
S 85° W 300 ft. Value \$30⁰⁰

Other Improvements

A shaft 10 ft deep 4x5 ft in wash
which bears from Cor. No. 4 S 58° 20' E
295 ft. A shaft 10 ft deep 4x6 ft in
wash, which bears from Cor. No. 4

S $62^{\circ}50' E$ 382 ft. A shaft 8 ft deep
 3x6 ft in wash which bears from
 Cor. No. 4 S $65^{\circ}20' E$ 405 ft. A shaft 10 ft
 deep 4x5 ft in wash which bears
 from Cor. No. 4 S $72^{\circ} E$ 457 ft.

A shaft 6 ft deep 4x6 ft in wash
 which bears from Cor. No. 4 S $81^{\circ}10' E$
 470 ft. The above shafts are aban-
 doned workings and claims are
 unknown.

Instrument.

This survey was made with a
 Buff & Berger transit. The courses
 were deflected from the true
 meridian as determined by so-
 lar observations. The distances
 were measured with 500 ft and
 50 ft steel tapes.

Note: The disagreement between the
 these field notes and the location
 certificate of 11 minutes in
 the courses of the boundary
 lines is due to error in the
 latter.

E. C. Pabst,
 Dep U.S. Miner

Dec 31, 1895

Description of U.S.L.M. 1206

U.S.L.M. 1206 consists of an iron wood post, 6 ins square 6 ft long set 1 ft in the ground on bed rock, surrounded with a conical mound of stones 4 ft high 6 ft in dia. at the base. In the mound of stones is a porphyry stone 8x10x12 ins chiseled U.S.L.M. 1206.

From the monument x B.R. U.S.L.M. 1206 chiseled on ledge of rock in place, 3 ft high, bears N 84° 55' E 14.6 ft.

Tysons Peak bears N 50° 34' W
Plumoso Peak bears N 80° 17' E

A palo verde tree 8 ins dia blazed and marked B.S. U.S.L.M. 1206 bears S 26° 49' W 389.71 ft.

Cor. No. 3 Sur. No. 1206 Cactus place, a granite stone 24x8x8 ins set in the ground 12 ins chiseled 1206 bears S 25° 18' W 391.6 ft.

A shaft 50 ft deep 3x6 ft bears S 16° 14' W 602.6 ft.

This monument is set on a prominent hill on the north side of Discovery Gulch and about 7 miles south easterly from Tysons Wells

It is erected because there is no other locating monument or corner of the public survey within two miles of Sur. No. 1206

E.C. Babbitt
Dep U.S. Min. Sur.

Dec 31st 1895

Large
map
Drawing

FINAL OATHS FOR SURVEYS.

LIST OF NAMES.

A list of the names of the individuals employed by

E. C. Babbitt

United States Deputy Mineral Surveyor, to assist in running, measuring, and marking the lines corners and boundaries described in the foregoing field notes of the survey of the mining claim of *C. J. Reilly* known as the *Cactus Placer* and showing the respective capacities in which they acted.

George Harris, Chainman.

....., Chainman.

....., Axman.

....., Flagman.

FINAL OATHS OF ASSISTANTS.

We, *et al*

and

bitt

....., do solemnly swear that we assisted *E. C. Babbitt*, United States Deputy Mineral Surveyor, in marking the corners and surveying the boundaries of the mining claim of

C. J. Reilly et al

....., known as the

Cactus Placer

....., represented

in the foregoing field notes as having been surveyed by said deputy mineral surveyor and under his direction; and that said survey has been in all respects, to the best of ^{my} ~~our~~ knowledge and belief, faithfully and correctly executed, and the corner and boundary monuments established according to law and the instructions furnished by the United States Surveyor-General for

Arizona

George Harris, Chainman.

....., Chainman.

....., Axman.

....., Flagman.

Subscribed and sworn to by the above-named persons before me

this *31st* day of *December*, 18*95*

[Signature]

Notary Public

Yuma Co Ariz

(4-686.)

FINAL OATH OF U. S. DEPUTY MINERAL SURVEYOR

I, E. C. Babbitt, U. S. Deputy Mineral Surveyor, do solemnly swear that, in pursuance of instructions received from the United States Surveyor General for Arizona, dated Dec 14, 1896, I have, in strict conformity to the laws of the United States, the official regulations and instructions thereunder, and the instructions of said Surveyor General, faithfully and correctly executed the survey of the Mining Claim of E. J. Reilly, known as the Cactus Placer, situate in Plomoso Mining District, Yuma County, Arizona, in Section unsurveyed Township No. _____, Range No. _____, and designated as Survey No. 1206, as represented in the foregoing field notes, which accurately show the boundaries of said mining claim as distinctly marked by monuments on the ground, and described in the attached copy of the location certificate, which was received by me from the Surveyor General with said instructions, and that all the corners of said survey have been established and perpetuated in strict accordance with the law, official regulations and instructions thereunder; and I do further solemnly swear that the foregoing are the true and original field notes of said survey and my report therein, and that the labor expended and improvements made upon said mining claim by claimants or their grantors are as therein fully stated, and that the character, extent, location and itemized value thereof are specified therein with particularity and full detail, and that no portion of said labor or improvements so credited to this claim has been included in the estimate of expenditures upon any other claim.

E. C. Babbitt

U. S. Deputy Mineral Surveyor.

Subscribed and sworn to by the said E. C. Babbitt,
 U. S. Deputy Mineral Surveyor, before me, Grace P. Lindsley this fourth
 day of January, 1896.

Grace P. Lindsley
 Notary Public



o 6-154

My Commission expires Nov. 20, 1892.

(4-694.)

TITLE PAGE TO REPORT UNDER CIRCULAR "N" OF SEPTEMBER 23, 1882.

REPORT

Under General Land Office Circular "N" of September 23, 1882, upon the Placer Mining

Claim known as the

Cactus Placer

, claimed by

E. J. Pelly et al

situate in

Plomoso

Mining District,

Yuma

County,

Arizona

, embracing

120 Acres

in Sec *unsurveyed* Town.....

, Range.....

Examination made *Dec 23*, 1895,

By

E. C. Rabbit

U. S. Deputy Mineral Surveyor.

a The soil consists of alternating layers of gravel and sand. The timber consists of ironwood and palo-verde trees while other vegetation is confined to cacti of different varieties.

b There are no streams on the claim and no other matters appearing upon the surface.

c The underground workings consist of a discovery shaft 10 ft deep 3x6 ft which bears from Cor. No. 2 S 29° 30' E 1015 ft. A shaft 37 ft deep 3x6 ft which bears from Cor. No. 2 S 27° E 1032 ft. A discovery shaft 50 ft deep 3x6 ft which bears from Cor. No. 3 South 225 ft. A shaft 35 ft deep 3x6 ft which bears from Cor. No. 3 South 115 ft. A shaft 10 ft deep 3x6 ft which bears from Cor. No. 3 S 13° 30' W 150 ft. A shaft 10 ft deep 3x6 ft which bears from Cor. No. 3 S 13° 30' W 115 ft.

A discovery shaft 10 ft deep 3x6 ft which bears from Cor. No. 14 N 79° 30' W 265 ft. A discovery shaft 10 ft deep 3x6 ft which bears from Cor. No. 16 N 75° 50' W 413 ft. A discovery shaft 10 ft deep 3x6 ft which bears from Cor. No. 4 S 79° 30' E 540 ft. A discovery shaft 10 ft deep 3x6 ft which bears from Cor. No. 13 S 56° 10' E 285 ft. A discovery shaft 10 ft deep 3x6 ft which bears from Cor. No. 7 S 85° W 300 ft.

A shaft 10 ft deep 4x5 ft which bears from Cor. No. 4 S 58° 20' E 295 ft. A shaft 10 ft deep 4x6 ft which bears from Cor. No. 4 S 62° 50' E 382 ft. A shaft 8 ft deep 3x6 ft which bears from Cor. No. 4 S 65° 20' E 405 ft. A shaft 10 ft deep 4x5 ft which bears from Cor. No. 4 S 68° E 420 ft. A shaft 10 ft deep 3x5 ft which bears from Cor. No. 4 S 72° E 457

d A shaft 6 ft deep 4x6 ft which bears from Cor. No. 4 S 81° 10' E 470 ft. The nearest centers of trade are Ehrenberg 30 miles west on the Colorado River and Yuma about 100 southerly.

e There are no known systems of veins near this claim. The only known individual vein is the gold bearing lode of W. O. Frost's situated about 3000 ft north east-erly.

f This claim is being worked at the present time by the claimants with what is known as dry washing machines. No water has been brought upon the ground. The nearest water supply is the Colorado River. It is hardly probable that water can ever be brought to the claim in sufficient quantities to enable the ground to be worked by that method. Since the dirt is all dry and all the working show valuable gold the ground claimed is well adapted to dry processes.

g A discovery shaft 10 ft deep 3x6 ft which bears from Cor. No. 2 S 29° 30' E 1015 ft. A shaft 37 ft deep 3x6 ft which bears from Cor. No. 2 S 27° E 1032 ft. A discovery shaft 50 ft deep 3x6 ft which bears from Cor. No. 3 South 225 ft. A shaft 35 ft deep 3x6 ft which bears from Cor. No. 3 South 115 ft. A shaft 10 ft deep 3x6 ft which bears from Cor. No. 3 S 13° 30' W 150 ft. A shaft 10 ft deep 3x6 ft which bears from Cor. No. 3 S 13° 30' W 115 ft. A discovery shaft 10 ft deep 3x6 ft which bears from Cor. No. 14 N 79° 30' W 265 ft. A discovery shaft 10 ft deep 3x6 ft which bears from Cor. No. 16 N 75° 50' W 413 ft.

A disc covering shaft 10 ft deep 3 x 6 ft which bears from Cor. No. 4 S 79° 30' E 540 ft.

A disc covering shaft 10 ft deep 3 x 6 ft which bears from Cor. No. 13 S 56° 10' E 285 ft.

A disc covering shaft 10 ft deep 3 x 6 ft which bears from Cor. No. 7 S 85° W 300 ft.

h

There are no mines, salt licks, salt springs or millseat on this claim

E. C. Rabbitt

Dep't. U. S. Min. Sur.

Jan 4th 1896

(4-695.)

OATH OF U. S. DEPUTY MINERAL SURVEYOR

Under General Land Office Circular "N" of September 23, 1882.

I, E. C. Babbitt, U. S. Deputy Mineral

Surveyor, do solemnly swear that in pursuance of an order received from the U. S.

Surveyor General for Arizona, dated Dec 14,

1895, I have made, under the provisions of General Land Office Circular "N,"

approved September 23, 1882, a personal and thorough examination, upon the premises,

of the placer mining claim of

E. J. Reilly
known as the Cactus Placer

situate in Plomoso Mining District,

Guma County, Arizona, embracing

120 Acres

unsurveyed

in Township No. _____, Range No. _____, and that my report

of such examination, hereto attached, is specific and in detail, and is a full and true

statement of the facts upon all the points specified in said Circular.

E. C. Babbitt

U. S. Deputy Mineral Surveyor.

Subscribed and sworn to by the said E. C.

Babbitt, U. S. Deputy Mineral Surveyor,

before me, Grace P. Lindsley,

this 4th day of January, 1896.

Grace P. Lindsley,
Notary Public.

CORROBORATIVE AFFIDAVIT UNDER GENERAL LAND OFFICE 19
CIRCULAR "N" OF SEPTEMBER 23, 1882.

Territory of Arizona }
County of Yuma } ss:

and William H. Andre

being first duly sworn, severally depose and say that he is personally and well acquainted with the placer-mining claim of E. J. Reilly et al, known as the

Cactus Placer, situate in Plomoso Mining District, Yuma County, Arizona, embracing

120 acres

unsurveyed in Township No. Range No. ; and also with the character of all the land included

in said claim, and has been so acquainted for one year last past; that his knowledge of said claim and land is derived from

personal observation

and is such as to enable him to testify understandingly with regard thereto; that he has carefully read the foregoing report of E. C. Rabbitts, U. S. Deputy Mineral Surveyor, and that to his own personal knowledge said report is in all respects true and accurate.

William H. Andre

Subscribed and sworn to by the above-named persons before me

this 4th day of February, 1896

Thomas W. Hamilton J.P.
Justice of the Peace

Know all men by these Presents, that the undersigned have located and ~~claim~~ do hereby locate and claim the Cactus Placer, situated in Plomosa Mining District, Yuma Co Arizona, containing 130 acres and bounded and described as follows. beginning at Cor. No. 1; Thence N 49° 37' E 657.3 ft to Cor. No. 2; whence an ironwood tree Gins dia blazed bears S 60° 42' W 24.3 ft; Thence S 50° 13' E 1530.14 ft to Cor. No. 3 Thence N 61° 44' E 1727.5 ft to Cor. No. 4; Thence N 47° 55' E 2136.83 ft to Cor. No. 5; Thence S 29° 36' E 2952.19 ft to Cor. No. 6; Thence S 41° 38' W 699.1 ft to Cor. No. 7; Thence S 19° 45' W 425.5 ft to Cor. No. 8; Thence S 12° 12' E 670.7 ft to Cor. No. 9; Thence S 25° 23' E 1027.5 ft to Cor. No. 10; Thence S 76° 31' W 564.6 ft to Cor. No. 11; Thence N 40° 36' W 463.7 ft to Cor. No. 12; Thence N 32° 31' W 439.7 ft to Cor. No. 13; Thence S 85° 49' W 1307 ft. to Cor. No. 14; Thence S 41° 59' W 265.02 ft to Cor. No. 15; Thence S 37° 16' E 376.7 ft to Cor. No. 16; Thence S 2° 57' E 992.3 ft to Cor. No. 17; thence S 28° 23' E 1257.6 ft to Cor. No. 18; Thence S 25° 38' E 562.2 ft to Cor. No. 19; Thence S. 67° 56' W 232.67 to Cor. No. 20 Thence N 28° 12' W 1511.15 ft to Cor. No. 21; Thence N 5° 18' W 600.7 ft to Cor. No. 22; thence N 36° 10' W 1101.45 ft to Cor. No. 23; Thence N 88° 51' W 512.5 ft to Cor. No. 24; Thence N 52° 05' W 1571.1 ft to Cor. No. 1 the place of beginning.

Variation at all corners- 14° 30' E

This claim is situated in Discovery Gulch about 7 miles easterly from Tysons Wells. Substantial monuments of stone are set at each corner. From Cor. No. 1 Tysons Mt bears N 49° 54' W and Plomosa Mt bears N 84° 17' E

Date of Location)
Nov. 30th, 1895 (

Antone Hagely
F. D. Andre
F. L. Andre
T. D. Shreve
P. H. Dunegan
C. J. Reilly

Recorded at request of E. C. Sabbetti at 9 o'clock
A. M. December 11th 1895,

M. L. Poul
County Recorder.

Territory of Arizona } as,
County of Yuma }

J. M. L. Poul, County
Recorder in and for the County and
Territory aforesaid do hereby certify that
the foregoing is a true and correct
copy of an instrument as appears of re-
cord in the Office of the County Recorder
of Yuma County, Arizona Territory in
Book H. of mine page 162-267.
Witness my hand and official
seal this 13th day of December 1895

J. M. L. Poul
County Recorder.

(4-687.)

Surveyor General's Certificate of Approval of Field Notes and Survey of Mining Claim.

Department of the Interior,

Office of U. S. Surveyor General,

Tucson, Arizona

April 20, 1896.

I, U. S. Surveyor General for District of Arizona

do hereby certify that the foregoing and hereto attached Field Notes and Return of the

Placer Survey of the Mining Claim of C. J. Reilly et al

....., known as the

Cactus Placer,

situate in Plomast mining district,

Yuma County, Arizona,

in Section —, Township No. —, Range No. —

measured, designated as Survey No. 1206

executed by E. C. Babbitt, U. S. Deputy Mineral

Surveyor, Dec. 22-31st, 1895, under my instructions dated

Dec. 14, 1895, have been critically examined and the

necessary corrections and explanations made, and the said Field Notes and Return, and

the Survey they describe, are hereby approved. A true copy of the copy of the location

certificate filed by the applicant for survey is included in the field notes.

George J. Roskruge

U. S. Surveyor General for Arizona

o 6-102

UNITED STATES DEPARTMENT OF THE INTERIOR 9605 (956)
BUREAU OF LAND MANAGEMENT M.S. 1206
ARIZONA STATE OFFICE

NOTICE OF CANCELLATION OF MINERAL SURVEY

The Cactus Placer, Mineral Survey No. 1206, located in sections 3, 4 and 10, Township 3 North, Range 18 West, Gila and Salt River Meridian, Arizona, is hereby canceled.


This claim has not been filed with the Arizona State Office, Bureau of Land Management, in accordance with Section 314, 90 STAT. 2769, (43 U.S.C. 1744).

This cancellation was necessitated to clear the record.

The Mineral Survey Plat should be noted as follows:

"Cactus Placer, M.S. 1206, was canceled March 11, 2002, by memo 9605 (956) M.S. 1206, which is now a part of the original field notes."

March 11, 2002
Date



Chief Cadastral Surveyor of Arizona