(4—683.)

Mineral Survey No. 1254

Lot No.
FIELD NOTES
OF THE SURVEY OF THE MINING CLAIM OF David H Troffat
KNOWN AS THE
Hulda and Review lades
- Gndian Beart Mining District,
- mohave County, arizona
Section appears, Township 26 N. 27, Range 19 W (unsurveyed)
Surveyed under instructions dated april 16 , 1897,
by Q F Kuencer, U. S. Deputy Mineral Surveyor.
Claim located may 26, 1892, + June 4"1892, 18 resp.
Survey commenced July 24 th, 1897
Survey completed July 3/st., 1897
Address
77m. G. Blakely.

atty.

Kingman, arizona.

PRELIMINARY OATHS OF ASSISTANTS IN SURVEY OF MINING CLAIM.

WE IT Gackson and I. I. I equelamp	
do solemnly swear that we will well and faithfully execute the duties of chain carriers; that we will level the chain upon even and uneven ground and plumb the tally-pins,	
either by sticking or dropping the same; that we will report the true distance to all	
notable objects, and the true length of all lines that we assist in measuring, to the best of our skill and ability, and in accordance with instructions given us, in the survey of	
the Mining Claim of lavia Haffal claimen, known as the	
"Theview." and "Hulda"	
situate in Indian election mining district,	
Mohane County, Arizona Territory	
in Section, Township No, Range No	
R. J. Jackson, Chainman.	
L. Blanchauf, Chainman.	
Subscribed and sworn to by the above-named persons before	
me this 2 4 3 day of July , 18 97	
ale Lepener	
By OF Knews Deputy	ecorde
I, do solemnly swear that I will well and	Lecurole
truly perform the duties of axeman, in the establishment of corners and other duties,	
according to instructions given me and to the best of my skill and ability, in the survey	
of the Mining Claim of	
known as the,	
more fully described in the preceding affidavit.	
, Axeman.	
Subscribed and sworn to by the said	
before me thisday of	
, 18	
I, January, do solemnly swear that I will	
well and truly perform the duties of flagman, in the establishment of gorners and other	
duties, according to instructions given me and to the best of my skill and ability, in the	
survey of the Mining Claim of and I offat.	
known as the Review and "Hulda",	
more fully described in the preceding affidavit.	
Joseph Alansbury Flagman.	
Subscribed and sworn to by the said Joseph E. Com	
before me this 2 1 day of	
July , 1897.	
albe Lemy R.	ecrele
By OF Knencer	
Depty Rocus	day.
before me this 2 4 th day of July , 1897. Olde Journey R. By OF Knencer Depty Rocare Mohave lo, C	riz

MINERAL SURVEY NO. 1254. HULDA LODE.

From S.E. corner, Cor. No. 1, Chief of the Hill lode, Survey No. 1255, to Cor. No. 1, S.E. cor. of West Half of Hulda lode, N. 85°34' W., 2783 feet.

Beginning at Corner No. 1, S.E. cor. of West Half of Hulda lode, being the S. center side of Hulda lode.

A pine post, 4 ins. square, 3 1/2 ft. long, 1 1/2 ft. in ground, in mound of stone, post marked 1-1254. Whence,

Center of cross chiseled in boulder 18 x 18 x 10 ins., above ground, marked B.R. 1-1254 bears S. 73°20'E., 73 feet.

S.E. cor. of Hulda lode, bears S. 83°32'E., 778.50 feet.

U. S. Loc. Mon. No. 1256, Indian Secret Mining District, bears S. 55°45'E., 3870 feet.

Thence N. 88°22' W.

To trail, N.W. and S.E., from town of White Hills to McKisson's Camp.

To corner No. 2, S.W. corner. 726.

> A pine post 4 ins. square, 3 1/2 ft. long, 1 1/2 ft. in ground, in mound of stone, post marked 2-1254, Whence,

Center of cross chiseled in boulder 3 x 2 ft. x 9 ins. above ground, marked B.R. 2-1254 bears N. 76°18'W., 13.65 feet.

Thence N. 8°28' E.

To post in mound of stone at west end center of 300. claim, post marked W.E.C.H.

To Cor. No. 3, N.W. corner. 600.

> A pine post 4 ins. square, 3 1/2 ft. long, 1 1/2 ft. in ground, in mound of stone, post marked

249.

3-1254, Whence,

Center of cross scribed in Yucca tree 7 ins. in diameter, 6 ft. high, with B.T. 3-1254 bears S. 75°17'W., 69.50 ft.

Thence S. 88°22'E.

195. To trail, N.W. and S.E., from town of White Hills to McKisson's camp.

237. Begin ascent of hill.

397. To top of hill, N. & S., and begin descent.

654 To foot of hill.

662. To wash, 16 ft. wide, flows N.W.

726. To Cor. No. 4, N.E. cor.

A pine post 4 ins. square, 3 1/2 ft. long, 1 1/2 ft. in ground, in mound of stone, post marked 4-1254. Whence,

Center of cross chiseled on boulder 2 ft. x 18 x 10 ins. above ground, scribed B.R. 4-1254 bears S. 2°15'W., 49 ft.

N.E. cor. Hulda lode bears S. 83°38'E., 778.50 feet.

Thence S. 6°28' W.

63. To wash, 12 ft. wide, flows N.W.

300. To In. Loc. Mon. Hulda lode, and east end center of West Half of Hulda lode.

569. To wash, 70 feet wide, flows S.W.

600. To corner No. 1, and place of beginning.

survey and location identical except where otherwise stated in notes.

Variation at all corners 19°45'E.

REVIEW LODE.

From Cor. No. 1, S.E. cor. Hulda lode of this survey to corner No. 1, S.E. cor. Review lode, N. 68°

3.

24° W., 753.50 feet.

From In. Loc. Mon. to West end center, S. 65° 58' W., 1250 feet.

From In. Loc. Mon. to east end center, H. 65°58' E., 250 feet.

Beginning at cor. No. 1, S.E. cor.

A pine post 4 ins. square, 3 1/2 ft. long, 1 1/2 ft. in ground, in mound of stone, post marked 1-1254; Whence

Genter of cross in Yucca stump 14 ins. in diameter, 4 ft. high, scribed B.S.1-1254, bears S. $87^{\circ}45'$ W., 53.50 foet.

U. S. Loc. Mon. No. 1256, Indian Secret
Mining District, bears S. 56°30'E., 4620 feet.
Thence N. 24°02'W.

- 25. Intersect line 2-3 of the Hulda lode, at S. 6°28'W., 260 feet from cor. No. 3.
- 300. To post in mound of stone at east end center of claim, post marked E.E.C., R.
- 329. To wash, 30 ft. wide, flows S.W.
- 600. To cor. No. 2, S.E. cor.

A pine post 4 ins. square, 3 1/2 ft.long, 1.5'in ground, in mound of stone, post marked 2-1254;

Whence, center of cross scribed in Yucca tree, 10 ins. in diameter, 14 ft. high, marked B.T. 2-1254 bears N. 7°40'E., 76.40 feet.

Thence S. 65°58'W.

- 250. To stake in mound of stone at north side line, stake marked N.S.L., R.
- 625. To wash, 12 ft. wide, flows N.W.
- 957. To wash, 14 ft. wide, flows S.W.
- 1463. To wagon road, N.& S., from town of White Hills to McKesson's camp.
- 1500. To Cor. No. 3., N.W. cor.

4.

A pine post, 4 ins. square, 3 1/2 ft. long, 1 1/2 ft. in ground, in mound of stone, post marked 9-1254; Whence,

denter of cross scribed in Yucca tree, 12 ins. in diameter, 10 ft. high, marked B.T. 3-1254 bears N. 66°55'W., 161 ft.

Thence S. 24°02' E.

- 100. To wagon road, N.& S., from town of white Hills to McKesson's camp.
- 202. To wash, 18 ft. wide, flows S.W.
- 300. To post in mound of stone, at west end center of claim, post marked W.E.C., R.
- 600. To Cor. No. 4., S.W. cor.

A pine post 4 ins. square, 3 1/2 ft. long, 1 1/2 ft. in ground, in mound of stone, post marked 4-1254, Whence,

Center of cross scribed in Yucca tree 8 ins. in diameter, 11 ft. high, B.T. 4-1254, bears N. 6° 20'W., 32 ft.

Thence N. 65°58'E.

- 615. To wash, 20 ft. wide, flows s.w.
- 1250. To stake in mound of stone on south side line of claim, stake matked S.S.L., R.
- 1485. Intersect line 2-3 of Hulda lode, at N. 6°28'E., 310 feet from cor. No. 3.
- 1500. To cor. No. 1, and place of beginning.

Survey and location are identical.

Variation at all corners 13° 45' E.

AREA.

Total and net area of Hulda lode, 9.96 acres.

5.

Total area of Review Lode, 20.661 acres.

Less area in conflict with Hulda lode, 0.004 "

Net area of Review lode, 20.657 "

Net area of Hulda lode, 9.96 "

Net area of Mineral Survey No. 1254,

20.617 acres.

LOCATION.

This claim is situated in Indian Secret Mining District, Mohave County, Arizona, on unsurveyed land, approximately in T. 26 N., R. 19 W., Gila and Salt River Base and Meridian.

EXPENDITURE OF FIVE HUNDRED DOLLARS IMPROVEMENTS.

I certify that the value of the labor and improvements upon this claim, placed thereon by the claimants and his grantors is not less than five hundred dollars, and that said improvements consist of-

On HULDA lode,

No. 1. Discovery shaft, 5 x 8 ft., 100 ft. deep, which bears from Cor. No. 1, N. 6°28'E., 300 feet.

Value. . . \$1,000.00

No. 2. Shaft 3 1/2 x 7 ft., 72 feet deep, the S.W. cor. of which bears N. 88°40'E., 154 ft. from Cor. No. 2.

Value. . . \$600.00

No. 3. A shaft 4 x 6 1/2 ft., 120 feet deep, the S.W. cor. of which bears N. 69°40'E., 271 ft. from Corner No. 2.

Value. . . \$1500.00

No. 4. A shaft 3 x 7 1/2 ft., 70 ft. deep, the S.E. cor. of which bears N. 56°0'W., 85 ft. from cor. No. 1.

Value. . \$600.00

Feet

6.

On REVIEW lode,

No. 1. Discovery shaft, 4 x 6 1/2 ft., 53 feet deep, which bears from E.C.E. mon. S. 65°58'W., 250' Value. . . . \$585.00

No. 2. A shaft 4 x 6 ft., 14 feet deep, the N.E. corner of which bears N. 65°58'E., 46 feet from In. Loc. Mon.

Value. . \$100.00

As the surface embraced by the Hulda lode claim is considerably higher than the surface of the Review lode claim, the shafts on the Hulda are so constructed as to be connected by levels and tunnels with the shafts on the Review lode claim, and in this way the higher expenditure for improvements on the Hulda has been necessary for the proper development of the Review lode claim;

INSTRUMENT.

This survey was made with a Heller and Brightly Solar Emmsit. The courses were deflected from the true meridian as determined by observations on Polaris and the Sun. The distances were measured with a 50 foot steel chain and a 500 foot steel tape.

9. F. Kneucer

U. S. Dep. Minl. Surveyor.

Kingman, Ariz.,

FINAL OATHS FOR SURVEYS.

LIST OF NAMES
A list of the names of the individuals employed by
United States Deputy Mineral Surveyor, to assist in running, measuring, and marking the lines
corners and boundaries described in the foregoing field notes of the survey of the mining claim of avid Claumans known as the — Review— and "Fulda"
and showing the respective capacities in which they acted.
Jackson, Chainman. Seauchemps, Chainman. Axman. Joseph Jains being, Flagman.
FINAL OATHS OF ASSISTANTS.
We to Jackson and I. I. The
and Joseph Clainsbury, do solemnly swear that we assisted of Thursday
, United States Deputy Mineral Surveyor, in marking the corners and
surveying the boundaries of the mining claim of Lavis Toffat
and - Haller-
and - Halda - , represented
in the foregoing field notes as having been surveyed by said deputy mineral surveyor and under
in the foregoing field notes as having been surveyed by said deputy mineral surveyor and under this direction; and that said survey has been in all respects, to the best of our knowledge and
in the foregoing field notes as having been surveyed by said deputy mineral surveyor and under
in the foregoing field notes as having been surveyed by said deputy mineral surveyor and under his direction; and that said survey has been in all respects, to the best of our knowledge and belief, faithfully and correctly executed, and the corner and boundary monuments established
in the foregoing field notes as having been surveyed by said deputy mineral surveyor and under this direction; and that said survey has been in all respects, to the best of our knowledge and belief, faithfully and correctly executed, and the corner and boundary monuments established according to law and the instructions furnished by the United States Surveyor-General for Alguna Arman. All I canchange., Chainman. Arman., Arman.
in the foregoing field notes as having been surveyed by said deputy mineral surveyor and under this direction; and that said survey has been in all respects, to the best of our knowledge and belief, faithfully and correctly executed, and the corner and boundary monuments established according to law and the instructions furnished by the United States Surveyor-General for Africana Chainman. Arman . Subscribed and sworn to by the above-named persons before me this, day of, 1897
in the foregoing field notes as having been surveyed by said deputy mineral surveyor and under this direction; and that said survey has been in all respects, to the best of our knowledge and belief, faithfully and correctly executed, and the corner and boundary monuments established according to law and the instructions furnished by the United States Surveyor-General for Algebra and the instructions furnished by the United States Surveyor-General for Algebra and the instructions furnished by the United States Surveyor-General for Algebra and Subscribed and sworn to by the above-named persons before me

FINAL OATH OF U. S. DEPUTY MINERAL SURVEYOR.

I, OF Kuesce , U. S. Deputy Mineral	
Surveyor, do solemnly swear that, in pursuance of instructions received from the United	
States Surveyor General for dated, dated, 1897, I have, in strict conformity to the laws of the	
The state of the second st	
United States, the official regulations and instructions thereunder, and the instructions	
of said Surveyor General, faithfully and correctly executed the survey of the Mining	
Claim of 2 and 4. 11 of far	
, known as the	
Claim of David (24. Moffet, known as the, known as the,	
situate in Social Secret Mining District	
Mohan County, angona, in Section	
, Township No. — , Range No. — ,	
and designated as Survey No. / & 5 - , as represented	
in the foregoing field notes, which accurately show the boundaries of said mining claim	
as distinctly marked by monuments on the ground, and described in the attached copy	
of the location certificate, which was received by me from the Surveyor General with	
said instructions, and that all the corners of said survey have been established and per-	
petuated in strict accordance with the law, official regulations and instructions there-	
under; and I do further solemnly swear that the foregoing are the true and original	
field notes of said survey and my report therein, and that the labor expended and	
improvements made upon said mining claim by claimant or grantors	
are as therein fully stated, and that the character, extent, location and itemized value	
thereof are specified therein with particularity and full detail, and that no portion of	
said labor or improvements so credited to this claim has been included in the estimate	
of expenditures upon any other claim.	
OF. Querce.	
U. S. Deputy Mineral Surveyor.	
$\rho = 1$	
Subscribed and sworn to by the said . H. Kugnely.	
U.S. Deputy Mineral Surveyor, before me U Sel fewer	
eorder of manage County uns 16th	
day of September, 189%	
ρ	
a de fever.	
Kelorder & Mahane Com	11
0 6-164	
ν	

Affidavit of Five Hundred Dollars Improvements.

We Frederick Brumbach and Edwin J. agilvie
We account out more and south of Agrice
of lawful age, being first duly sworn according to law, depose and say: that we are acquainted
P "
with the selview and Houlda mining claims situated in
with the Review and Hulda mining claims situated in Indian Secret Mining district, Mohave County,
Arizona Territory, for which Sound CV. Maffest
ha made application for survey prior to application for patent under the provisions of the
Act of Congress, approved May 10, 1872; and that the labor done and improvements made thereon
by the applicant and his grantor Lexceed Five Hundred Dollars in value, and further
that we are not personally interested in said mine.
Fredrick Brumbach
\angle . $100 \cdot 0$
Edwin & agilie
TERRITORY OF ARIZONA,
County of Mohare 88.
SWORN to and subscribed before me, this
17 th day of defet 1897
A/Voaten
My Commission Edling and Notary M.M.
My Commission Expires Dec 14th 1900 Notary Public

Notice of Location.

KNOW ALL MEN BY THESE PRESENTS, That we the undersigned has this day located fifteen hundred (1500) linear feet of this vein or lode bearing precious metals with all dips, spurs, angles and variations with surface ground three hundred (300) feet on each side of the center of vein with all mineral deposits contained therein and all timber growing within the limits of said claim, and all water and water privileges thereon or appurtenant thereto under and according to the provisions of the United States Mining laws under which it is located. This claim commences at this monument and notice placed upon the ledge and runs 250 feet in a easterly and 1250 feet in a westerly direction along the ledge. The exterior boundaries are as follows to-wit: Commencing at a monument and notice placed upon the ledge and running three hundred (300) feet in an southerly direction to monument of stone on south boundary line of claim; thence in a westerly direction parallel with the ledge 1250 feet to monument of stone at S. W. corner of claim; thence at right angles across the ledge in a northerly direction six hundred (600) feet to monument of stone at N. W. corner of claim; thence in a easterly direction parallel with the ledge fifteen hundred (1500) feet to monument of stone at N. E. corner of claim; thence at right angles across the ledge in a southerly direction six hundred (600) feet to monument of stone at S. E. corner of claim; thence in a westerly direction parallel with the ledge 250 feet to the second monument mentioned in this notice and place of beginning. This ledge may be more generally described as situated about 1 1/2 miles in northwest direction from Treasure wash on west end of Hulda Mining claim,

in Indian Secret Mining District Mohave County Arizona Territory, and shall be known as the Review Mining claim.

Dated on the ground this 4th day of June 1892.

S. C. Rowe.

Frank Roberson.

E. R. Patterson.

Recorded at the request of S.C. Rowe July 2nd A. D. 1892, at 9 o'clock
A. M.

E. J. Godman, County Recorder.

16 Dal C

Recorded in Book I page 671 Mining records of Mohave County Arizona Ter.

Notice of Location.

Know all men by these Presents. that we the undersigned have this day located fifteen hundred I500 feet linier feet of this lode bearing precious metals, with all dips, spurs angles anderiations with surface ground three hundred 300 feet on each side of the center of vein, with all mineral deposits contained therein, and all timber growing within the limits of the said claim, and all water and water privileges thereon or appurtenant thereto, under and according to the provisions of the United States Mining laws under which it is located.

This claim commences at this monument and notice, placed upon the ledge and runs, seven hundred and fifty feet in a westerly and seven hundred and fifty feet in a easterly direction along

the ledge . The Exterior Boundaries are as follows to wit:

Commencing at a monument and notice placed upon the ledge and running three hundred 300 feet in an southerly direction, to monument of stone on south boundary line of Claim, thence in a westerly direction perallel with the ledge seven hundred and fifty (750) feet to monument of stone at S.W.Corner of Claim, thence at right angles across the ledge in a northerly direction six hundred 600 feet to monument of stone, at N.W.Corner of claim, thence in a easterly direction parallel with the ledge fifteen hundred (I500) feet to monument of stone at N.E.Corner of claim, thence at right angles acro ss the ledge in an southerly direction six hundred 600 feet to monument of stone at S.E.Corner of claim, thence in a westerly direction parallel with the ledge Seven hundred and fifty (750) feet to the second monument mentioned in this notice and place of beginning.

This ledge may be more generally described as situated about one mile northerly from the Treasure Mine, and about 9 miles westerly of Cold Springs on a flat Mana and having two parallel vein s or lodes upon the same location in Indian Sec ret Mining Disrict Mohave County Arizona Territory, and shall be known as the

Hulda Mining Claim.

ated on the ground this 26th, day of May 1892.
Wm.H.Nichols.
Emma Schafer.

K.M.Fox. Lizzie S.Nichols.

Recorde at the request of henry Schafer

June 14th, A.D.1892. at 9 o, clock A?M. E.J.Godman

County Recorder.

Territory of Arizona) (ss.

I A.Lefever County Recorder in and for the Count of Mohave Territory of Arizona do hereby certify that the foregoing is a full and true copy of the Notices of Location of the Review and Hulda Mining Claims as the same appear of Record in my Office.

In Witness whereof I have hereunto se t my hand and the seal of my

Office this 9th day of April A.D. 1897.

County Recorder Johave County.

Surveyor General's Certificate of Approval of Field Notes and Survey of Mining Claim.

Department of the Interior,


Office of U. S. Surveyor General,

Tueson arizona, Dept 27th, 1897. I, U. S. Surveyor General for District of anigona, do hereby certify that the foregoing and hereto attached Field Notes and Return of the Survey of the Mining Claim of David F. moffat Hulda and Review lodes, situate in _____ Indian Becret ____ mining district, mohave County, angona, in Section _____, Township No. ____, Range No. ____ , designated as Survey No. __/ 2 5 4 executed by O. F. Kuencer, U. S. Deputy Mineral Surveyor, July 24-3/st, 1897, under my instructions dated april 16 th, 1897, have been critically examined and the necessary corrections and explanations made, and the said Field Notes and Return, and the Survey they describe, are hereby approved. A true copy of the copy of the location certificates filed by the applicant for survey is included in the field notes. Georgelehrist

U. S. Surveyor General for Arizona.

0 6-162

Large map Drawing



Survey 20 2 1254.

Srescott Land District.

Surveyed July 24-31. 1897.

O. F. Thencer.

21. S. Dep: Win: Surv