

**M
S
-**

0

1

2

9

7

(4-683.)

Mineral Survey No. 1297 d 43

Lot No. _____

Gila Land District.

FIELD NOTES

and millsite

OF THE SURVEY OF THE MINING CLAIMS OF

Charles W. Welch assignee of Leonard Lewisohn

Known as the Oregon Copper, Coconino-Chicago, Erie, Marion, Cushing, Franklin, Old Put Con, Old Pap Copper, Central, Falls, Ajax Consolidated, Cuba, Hilo Consolidated, York, Daylight, Potomac, Dan Webster, Patrick Henry, La Fayette and R. G. Ingersoll Lodes and the Coconino-Chicago, Oregon, Old Put, Ajax Consolidated, Old Pap & Franklin millsites - Helix Mining District,

Pima County, Arizona

Section _____, Township 18 South, Range 16 E. G. B. R. M. unsur'd

Surveyed under instructions dated June 7th, 1898,

by George J. Roskrug
U. S. Deputy Mineral Surveyor.

Claim located _____, 18- .

Survey commenced 16th July, 1898.

Survey completed August 26th, 1898.

Coconino ⁶⁻¹⁶ located Jan 1, 1893.

Oregon Copper located Jan 1, 1893.

Chicago " Jan 7, 1893.

Erie located Feb. 15, 1894; amend^d July 29, 1898.

Marion located January 1, 1892.

Cushing " January 1, 1892.

Franklin " January 1, 1892.

Old Put Con. located Jan. 1, 1893; amend^d July 29, 1898.

Old Pap Copper " Jan 1, 1893; amend^d July 29, 1898.

Central located January 1st 1891.

Falls " " January 1st 1892.

Ajax Consolidated " " January 1st 1893.

Cuba " " February 15, 1894.

Hilo Consolidated " " January 1, 1892.

York located Feb. 15, 1894.

Daylight " " Jan. 1, 1891.

Potomac " " Jan. 1, 1890.

Dan Webster " " Jan. 2, 1893.

Patrick Henry " " Jan. 2, 1893.

La Fayette " " Jan. 2, 1893, 75

R. G. Ingersoll, Lodes " " Jan. 2, 1893.

Coconino millsite " " Dec. 20, 1894.

Chicago " " Dec. 20, 1894.

Oregon " " Dec. 20, 1894.

Old Put located Dec. 20, 1894; amend^d May 31, 1898.

Ajax Consolidated millsite loc^d June 26, 1898.

Old Pap millsite, located Dec. 20, 1894.

Franklin " " Dec. 20, 1894.

millsites

Address of Claimants' attorneys, Hereford and Heegzand - Tucson, Arizona.

PRELIMINARY OATHS OF ASSISTANTS IN SURVEY OF MINING CLAIM.

We, Will R. Winton and _____
do solemnly swear that we will well and faithfully execute the duties of chain carriers; that we will level the chain upon even and uneven ground and plumb the tally-pins, either by sticking or dropping the same; that we will report the true distance to all notable objects, and the true length of all lines that we assist in measuring, to the best of ^{my} skill and ability, and in accordance with instructions given ^{me} us, in the survey of the Mining Claim of ^{and millsite} Charles W. Welch assignee of Leonard Lewisohn, known as the Oregon Copper, Coconino, Chicago, Erie, Marion, Cushing, Franklin, Old Put Con., Old Pap Copper, known as the Central, Falls, Ajax Consolidated, Cuba, Hilo Consolidated, York, Daylight, Potomac, situate in Dan Webster, Patrick Henry, La Fayette, R.G. Ingersoll, lodes mining district, & the Coconino, Chicago, Oregon, Old Put County, Ajax Consolidated, Old Pap, & Franklin mill sites situate in Helberta mining district, Pima County, Arizona in Section _____, Township No. 18 S., Range No. 16 E. 9 & 8 R. M. (unsurveyed),

Will R. Winton, Chairman.
_____, Chairman.

Subscribed and sworn to by the above-named persons before me this 5th day of July, 1898.

George J. Roskrige
my Commission expires Feb. 11, 1899.

I, Carlos P. Lopez, do solemnly swear that I will well and truly perform the duties of axeman, in the establishment of corners and other duties, according to instructions given me and to the best of my skill and ability, in the survey of the Mining Claim of ^{millsite} Charles W. Welch assignee of Leonard Lewisohn, known as the Oregon Copper, Coconino, Chicago, Erie, Marion, Cushing, Franklin, Old Put Con., Old Pap Copper, Central, Falls, Ajax Consolidated, Cuba, Hilo Consolidated, York, Daylight, Potomac, Dan Webster, Patrick Henry, La Fayette, and R.G. Ingersoll lodes and the Coconino, Chicago, Oregon, Old Put, Ajax Consolidated, Old known as the Pap and Franklin millsites, more fully described in the preceding affidavit.

Carlos P. Lopez, Axeman.

Subscribed and sworn to by the said Carlos P. Lopez before me this 5th day of July, 1898.

George J. Roskrige
my Commission expires Feb. 11, 1899.

I, Jose R. Lopez, do solemnly swear that I will well and truly perform the duties of flagman, in the establishment of corners and other duties, according to instructions given me and to the best of my skill and ability, in the survey of the Mining Claim of ^{millsite} Charles W. Welch assignee of Leonard Lewisohn, known as the Oregon Copper, Coconino, Chicago, Erie, Marion, Cushing, Franklin, Old Put Con., Old Pap Copper, Central, Falls, Ajax Consolidated, Cuba, Hilo Consolidated, York, Daylight, Potomac, Dan Webster, Patrick Henry, La Fayette, and R.G. Ingersoll lodes and the Coconino, Chicago, Oregon, Old Put, Ajax Consolidated, Old known as the Pap and Franklin millsites, more fully described in the preceding affidavit.

Jose R. Lopez, Flagman.

Subscribed and sworn to by the said Jose R. Lopez before me this 5th day of July, 1898.

George J. Roskrige
Notary Public.
my Commission expires Feb. 11, 1899.

(1)

Feet.	SURVEY No.1297 A. Coconino Lode.
	Beginning at Cor. No.1. A redwood post, 4ft. long, 4 ins. square, set 18 ins. in the ground, with mound of stone, scribed 1-1297 A. whence U.S.L.M.,1299,bears S.25° 16' W. 298.7 ft. Cor.No.1,Survey No.1301, Altamont lode,bears S.14° 56' E. 1427.2 ft. A juniper, 14 ins.diam.,bears N.89° 30' W.,51 ft., and a pinon, 6 ins. diam.,bears S.76° 30' W. 54 ft., each blazed and scribed B.1-1297 A.
	----- Thence N. 3° 15' E. -----
	Descending Northerly slope of Andersons Hill.
1100.	Foot of hill and line runs over broken ground.
1194.1	To Cor.No.2. Identical with Cor.No.1,Chicago lode of this survey. A redwood post, 4 ft.long, 4 ins. square, set 18 ins. in the ground with mound of stone, scribed 2-1-1297 A. whence Old Put Peak bears N.24° W. A juniper, 4ins. diam., bears S.54° W.73.5 ft.,and an oak, 14 ins. diam., bears N.81° 30' E. 107.9 ft.,each blazed and scribed B.T.2-1-1297 A.
	----- Thence N. 79° 50' E. -----
	Over broken ground, and on line 1-5 Chicago lode of this survey.
230.	Ravine, 10 ft. deep, course N.E.
257.	To Cor. No. 3. Identical with Cor. No.5,Chicago lode of this survey. A redwood post, 4 ft.long, 4 ins. square, set 18 ins. in the ground, with mound of stone, scribed 3-5-1297 A. whence An oak,15 ins. diam., bears N.56° 30' W. 32 ft. and an oak, 12 ins.diam., bears S. 16° E.28 ft., each blazed and scribed 3-5-1297 A.

Feet.

Thence N. $59^{\circ}45'$ E.

Over land gently sloping to the East, and on line 5-4 Chicago lode of this survey.

300. To Cor. No. 4.

Identical with Cor. No. 1 Erie, Cor. No. 2 Oregon Copper, and Cor. No. 4 Chicago lodes of this survey.

A redwood post, 4 ft. long, 4 ins. square, set 18 ins. in the ground with mound of stone, scribed 4-1-2-4-1297A.

whence

Cor. No. 1, Survey No. 1297 B., Coconino Mill Site, bears N. $77^{\circ}50'$ E., 7378 ft.

An oak, 6 ins. diam., bears N. 56° E. 15.5 ft., and an oak 6 ins. diam., bears N. $23^{\circ}45'$ W. 13 ft., each blazed and scribed B.T. 4-1-2-4-1297 A.

 Thence S. $3^{\circ}15'$ W.

Ascending northerly slope of hill, and on line 2-1 Oregon Copper lode of this survey.

750. Summit of hill, bears N.E. and S.W., and descending.

1300. To Cor. No. 5.

Identical with Cor. No. 1, Oregon Copper lode of this survey.

A redwood post, 4 ft. long, 4 ins. square, set 18 ins. in the ground, with mound of stone, scribed 5-1-1297 A.

whence

An oak, 8 ins. diam., bears N. 87° W. 45 ft., and a pinon, 7 ins. diam., bears N. 36° W. 5.8 ft., each blazed and scribed B.T. 5-1-1297 A.

 Thence S. $79^{\circ}50'$ W.

Ascending easterly slope of Andersons' Hill.

257. To South Center Mon.

A redwood post in mound of stone, scribed S. Ct. C.

514. To Cor. No. 1, the place of beginning.

 OREGON COPPER LODGE.

Beginning at Cor. No. 1

(3)

Fect. Identical with Cor. No.5, Coconino lode of this survey, hereinbefore described, whence
 U.S.L.M., 1299, bears $S. 30^{\circ} 20' W.$ 729. ft.
 Old Put Peak, bears $N. 24^{\circ} W.$

Thence $N. 3^{\circ} 15' E,$

Ascending Southerly slope of hill, and on line 5-4 Coconino lode of this survey.

550. Summit of hill, bears N.E. and S.W., and descending.

1300. To Cor. No.2.

Identical with Cor. No.4 Coconino, Cor. No.4 Chicago, and Cor. No.1 Erie lodes, all of this survey, hereinbefore described.

Thence $N. 79^{\circ} 50' E.$

Over land gently sloping to East, and on line 1-4 Erie lode of this survey.

300. To Initial Mon.

Identical with Initial Mon. Erie lode of this survey.

A redwood post in mound of stone, scribed I.M-O.C.,
 I.M-E.

550. To Cor. No. 3.

A redwood post, 4 ft. long, 4 ins. square, set 18 ins. in the ground, with mound of stone, scribed 3-1297 A. whence

Cor. No 4 Erie lode of this survey, bears $N. 79^{\circ} 50' E.$ 50 ft.

Cor. No.1, Survey 1297 B., Oregon Mill Site, bears $N. 78^{\circ} 15' E.$ 7978. ft.

Thence $S. 3^{\circ} 15' W.$

Ascending over Easterly slope of hill.

1300. To Cor. No.4.

A redwood post, 4 ft. long, 4 ins. square, set 18 ins. in the ground, with mound of stone, scribed 4-1297 A. whence

An Oak, 20 Ins. diam., bears $S. 18^{\circ} 15' W.$ 96 ft. and an oak, 10, ins., diam., bears $S. 15^{\circ} 30' W.$ 98.5 ft., each

Feet. blazed and scribed B.T. 4-1297 A.

Thence S.79°50' W.

Along Southerly slope of hill.

250. To South Center Mon.

A redwood post in mound of stone, scribed S.Ct-0.C.

550. To Cor. No. 1, the place of beginning.

CHICAGO LOBE.

Beginning at Cor.No.1

Identical with Cor. No.1 Coconino lode of this survey, hereinbefore described., whence,

U.S.L.M., 1282, bears S.7°36' W., 1475.3 ft.

Thence N.8°32' E.

Over broken ground.

1394.3 To Cor. No.3.

Identical with Cor. No.1 Cushing lode of this survey.

A redwood post, 4 ft.long, 4 ins. square, set 18 ins. in the ground, with mound of stone, scribed, 2-1-1297A. whence

An oak, 18 ins., dian., bears S.33° W. 5.5 ft., and an oak 18 ins. dian., bears N.66°30' E., 52.5 ft., each blazed and scribed B.T. 2-1-1297 A.

Thence N.59°45' E.

Ascending over broken ground sloping South, and on line 1-6 Cushing lode of this survey.

300. To North Center Mon. and on summit of slope bearing N. and S.

A redwood post in mound of stone, scribed N.Ct.C.

Descending.

600. To Cor. No.3.

Identical with Cor.No.2 Erie, and Cor.No.6, Cushing lodes of this survey.

A redwood post, 4 ft.long, 4 ins. square, set 18 ins. in the ground, with mound of stone, scribed 3-2-6-1297A. whence

Feet.

Cor No.1, Survey No.1297 B., Chicago Hill Site, bears
N.86°20' E., 7483. fE.

An oak, 20 ins.diam., bears N.88°30' W.18.5 ft., and
an oak, 12 ins.diam., bears N.58° W.38 ft., each blazed and
scribed B.T.3-2-6-1297 A.

Thence S.8°10' W.

Over broken ground, and on line 2-1 Erie lode of this
survey.

1500. To Cor. No.4.

Identical with Cor.No.1 Erie, Cor.No.3 Oregon Copper,
and Cor.No.4 Coconino lodes, hereinbefore described,
whence

Old Put Peak, bears N.24° W.

Thence S.59°45' W.

Over land gently sloping to the East, and on line
4-3 Coconino lode of this survey.

300. To Cor.No. 5.

Identical with Cor.No.3, Coconino lode of this survey,
hereinbefore described.

Thence S. 79°50' W.

On line 3-2 Coconino lode of this survey.

7. Ravine, 10 ft.deep, course N.E.

357. To Cor. No.1, the place of beginning.

ERIE LODGE.

Beginning at Cor.No.1.

Identical with Cor. No.2 Oregon Copper, Cor. No.4
Coconino, and Cor. No.4 Chicago lodes all of this survey,
hereinbefore described, whence

U.S.L.M.1299, bears S.23°05' W., 1303.1 ft.

Thence N.8°10' E.

Over broken ground, and on line 4-3 Chicago lode of
this survey.

1500. To Cor. No.3.

Identical with Cor.No.3 Chicago, and Cor. No.6

Feet.	Cushing lodes of this survey, hereinbefore described.
	<p style="text-align: center;">-----</p> <p style="text-align: center;">Thence N. 79° 50' E.</p>
	Over gently rolling land, sloping S.E.
300.	To North Center Mon.
	A redwood post in mound of stone, scribed N.Ct.E.
600.	To Cor. No. 3.
	<p>A redwood post, 4 ft. long, 4 ins. square, set 18 ins. in the ground, with mound of stone, scribed 3-1297 A.</p> <p>whence</p>
	<p>Cor. No. 1, Central lode of this survey, bears N. 56° 30' W. 248 ft.</p>
	<p>Cor. No. 1 Potomac lode of this survey, bears N. 65° E. 158 ft.</p>
	<p>An oak, 14 ins. diam., bears S. 6° 30' W. 48.5 ft., and an oak, 8 ins. diam., bears S. 84° 30' W. 50 ft., each blazed and scribed B.T. 3-1297 A.</p>
	<p style="text-align: center;">-----</p> <p style="text-align: center;">Thence S. 8° 10' W.</p>
	Over rolling land, sloping S. Easterly.
1500.	To Cor. No. 4.
	<p>A redwood post, 4 ft. long, 4 ins. square, set 18 ins. in the ground, with mound of stone, scribed 4-1297 A.</p> <p>whence</p>
	<p>Old Put Peak, bears N. 34° 40' W.</p>
	<p>An oak, 8 ins. diam., bears N. 3° 30' W., 92 ft., and an oak 3 ins. diam., bears N. 13° E. 112 ft., each blazed and scribed B.T. 4-1297 A.</p>
	<p style="text-align: center;">-----</p> <p style="text-align: center;">Thence S. 79° 50' W.</p>
	Over land gently sloping East.
50.	To Cor. No. 3, Oregon Copper lode of this survey.
	On line 3-2 Oregon Copper lode of this survey.
300.	To Initial Mon.
	<p>Identical with Initial Mon. Oregon Copper lode of this survey, hereinbefore described.</p>
600.	To Cor. No. 1, the place of beginning.
	<p style="text-align: center;">-----</p>

Feet.

CUSHING LODE.

Beginning at Cor. No.1.

Identical with Cor. No.3 Chicago lode of this survey,
hereinbefore described,whence

U.S.L.M.,1299,bears $S.8^{\circ}24' W.$ 2872.5 ft.

Thence $N.40^{\circ}30' W.$

Over broken ground.

102.8 To Cor.No.2.

Identical with Cor. No.4 Marion lode of this survey.

A redwood post 4 ft.long, 4ins. square, set 18 ins.
in the ground, with mound of stone, scribed 2-4-1297A.
whence

An oak, 12 ins. diam., bears $S.12^{\circ}30' E.$ 31 ft., and an
oak 14 ins. diam., bears $S.52^{\circ} W.$, 54.5 ft., each blazed
and scribed B.T. 2-4-1297 A.

Thence $N.16^{\circ}30' W.$

Ascending over Eastern slope of hill.

350.9 To Cor. No. 3.

A redwood post, 4 ft.long, 4 ins. square, set, 13
ins. in the ground, with mound of stone, scribed
3-1297 A.. whence

Cor. No.1, Franklin lode of this survey, bears $S.42^{\circ}15' W.$
132 ft.

An oak 6 ins.diam,bears $N.51^{\circ}30' W.$ 43.5 ft., and an
oak, 12 ins. diam., bears, $S.79^{\circ} W.$, 28 ft., each blazed
and scribed B.T. 3-1297 A.

Thence $N. 42^{\circ}15' E.$

Along Eastern slope of hill, and on line 1-5 Franklin
lode of this survey.

1250. To Cor. No. 4.

Identical with Cor.No.5 Franklin lode of this survey.

A redwood post, 4ft. long , 4 ins.square, set 18 ins,
in the ground, with mound of stone, scribed 4-5-1297A.
whence

(8)

- Pect. Cor. No.1 Falls lode of this survey, bears S.75° 27' E.
145.9 ft.
No other bearings available.
-
- Thence S.16° 30' E.
Descending over broken ground, and on line 2-1 Central lode of this survey.
- 350.2 To North Center Mon.
A redwood post in mound of stone scribed N.Ct.-C.
682. To Cor. No.5.
A redwood post, 4 ft. long, 4 ins. square, set 18 ins. in the ground, with mound of stone, scribed 5-1297A.
whence
Cor. No.1, Central lode of this survey, bears S. 16° 30' E.
141.3 ft.
An oak, 15 ins. diam., bears N.40° E. 53 ft., and an oak, 12 ins. diam., bears N. 41° W. 65.5 ft., each blazed and scribed B.E.5-1297 A.
-
- Thence S.42° 15' W.
Over broken ground.
- 518.4 To Cor. No. 6.
Identical with Cor. No. 2 Eric and Cor. No.3 Chicago lodes of this survey, hereinbefore described.
-
- Thence S.59° 45' W.
Ascending over broken ground.
300. To North Center Mon. Chicago lode of this survey.
600. To Cor. No.1, the place of beginning.

MARION LODGE.

- Beginning at Cor. No.1.
A redwood post, 4 ft. long, 4 ins. square, set 18 ins. in the ground, with mound of stone, scribed 1-1297 A.
whence
U.S.L.M., 1299, bears S. 20° 20' E., 1930 ft.
Old Put Peak bears N.1° W.
An oak, 10 ins. diam., bears N.67° E., 29 ft., and an

(9)

- Feet. oak, 15 ins.diam., bears S. $34^{\circ}45'$ W., 49 ft., each blazed and scribed B.T. 1-1297 A.
-
- Thence N. $47^{\circ}45'$ W.
- Ascending steep slope of mountain.
300. To South Center Mon.
A redwood post in mound of stone, scribed S.Ct.-II.
600. To Cor. No.2.
A redwood post, 4 ft.long, 4 ins. square, set 18 ins. in the ground, with mound of stone, scribed 2-1297 A.
whence
An oak, 16 ins. diam., bears S. $34^{\circ}45'$ W., 49 ft., and an oak, 15 ins. diam., bears S. 3° E., 52.30 ft., each blazed and scribed B.T. 2-1297 A.
-
- Thence N. $42^{\circ}15'$ E.
- Along Eastern slope of mountain.
1500. To Cor. No. 3.
Identical with the Initial Mon. of the Franklin lode of this survey.
A redwood post, 4 ft.long, 4 ins. square, set 18 ins. in the ground, with mound of stone, scribed 3-I.K-F.-1297 A, whence
An oak, 10 ins. diam., bears N. 48° W. 55 ft., and an oak, 12 ins. diam., bears N. 44° E. 178.5 ft., each blazed and scribed B.T. 3-1297 A.
-
- Thence S. $47^{\circ}45'$ E.
- Descending, and on line 2-1 Franklin lode of this survey.
300. To Initial Mon.
Identical with Cor. No.1, Franklin lode of this survey,
A redwood post, 4 ft.long, 4 ins. square, set 18 ins. in the ground, with mound of stone, scribed 1-1297 A.
whence
An oak, 13 ins.diam., bears S. $77^{\circ}45'$ E, 38.5 ft., and a juniper, 24 ins. diam., bears N. $13^{\circ}30'$ W., 40 ft., each blazed and scribed B.T. 1-1297 A.

(10)

Feet. 600.	<p>To Cor. No. 4.</p> <p>Identical with Cor. No. 2, Cushing lode of this survey, hereinbefore described.</p> <hr/> <p>Thence S.42° 15' W.</p> <p>Along Eastern slope of mountain.</p>
1500.	<p>To Cor. No.1, the place of beginning.</p> <hr/> <p>FRANKLIN LODGE.</p> <p>Beginning at Cor. No.1.</p> <p>Identical with Initial Mon., Marion lode of this survey, hereinbefore described, whence</p> <p>U.S.L.M., 1299, bears S.1° 45' W., 3125 ft.</p> <hr/> <p>Thence N.47° 45' W.</p> <p>Ascending Eastern slope of mountain, and on line 4-3 Marion lode of this survey.</p>
300.	<p>To Initial Mon.</p> <p>Identical with Cor. No.3 Marion lode of this survey, hereinbefore described.</p>
600.	<p>To Cor. No. 2.</p> <p>A redwood post, 4 ft. long, 4 ins, square, set 18 ins. in the ground, with mound of stone, scribed 2-1297 A. whence</p> <p>Old Put Peak, bears N.10° 30' W.,</p> <p>An oak, 8 ins. diam., bears S 18° W. 15.5 ft. and an oak 10 ins. diam., bears N.63° 30' E. 25.5 ft., each blazed and scribed B.T. 2-1297 A.</p> <hr/> <p>Thence N. 42° 15' E.</p> <p>Along Eastern slope of mountain.</p>
254.5	<p>Cor. No.1 Old Put Con. lode of this survey.</p> <p>On line 1-4 Old Put Con. lode of this survey.</p>
611.	<p>Initial Mon. Old Put Con. lode of this survey.</p>
967.5	<p>Cor.No.4 Old Put Con, and Cor. No.1 Old Pap Copper lodes of this survey.</p> <p>On line 1-4 Old Pap Copper lode of this survey.</p>
1324.	<p>Initial Mon. Old Pap Copper lode of this survey.</p>

(11)

Feet.	
1500.	<p>To Cor. No. 3.</p> <p>A redwood post, 4 ft. long, 4 ins. square, set 18 ins. in the ground, with mound of stone, scribed 3-1297 A. whence</p> <p>Cor. No.4, Old Pap Copper lode of this survey, bears N.42°15' E. 182.5 ft.</p> <p>Cor.No.3, Central lode of this survey, bears East 267 ft.</p> <p>An oak, 15 ins. diam., bears N. 37° E. 59 ft. and an oak 9 ins. diam., bears N. 0°45' E. 65.5 ft., each blazed and scribed B.T. 3-1297 A.</p>
	<p style="text-align: center;">-----</p> <p style="text-align: center;">Thence S.47°45' E.</p>
	<p>Over broken ground.</p>
82.2	<p>Cor. No.2 Falls lode of this survey.</p> <p>On line 2-1 Falls lode of this survey.</p>
300.	<p>To North Center Mon.</p> <p>A redwood post in mound of stone, scribed N.Ct-F.</p>
488.5	<p>To Cor. No. 4.</p> <p>A redwood post, 4 ft. long, 4 ins. square, set 18 ins. in the ground, with mound of stone, scribed 4-1297 A. whence</p> <p>Cor. No.1 Falls lode of this survey, bears S.47°45' E. 240.9 ft.</p> <p>An oak, 10 ins. diam., bears S. 40° W. 29 ft. and an oak 6 ins. diam., bears N.80°15' W. 41.5 ft., each blazed and scribed B.T.4-1297 A.</p>
	<p style="text-align: center;">-----</p> <p style="text-align: center;">Thence S.16°30' E.</p>
	<p>Over broken ground, and on line 2-1 Central lode of this survey.</p>
130.7	<p>To Cor.No. 5.</p> <p>Identical with Cor. No.4 Cushing lode of this survey, hereinbefore described, whence</p> <p>Cor. No.1, Survey No. 1297 B., Franklin Mill Site</p>

Feet. bears S. 84° 30' E. 9350. ft.

Cor. No. 1 Falls lode of this survey, bears S. 75° 37' E. 145.9 ft.

No other bearings available.

Thence S. 42° 15' W.

Along Eastern slope of mountain., and on line 4-3 Cushing lode of this survey.

1250. Cor. No. 3 Cushing lode of this survey.

1432. To Cor. No. 1, the place of beginning.

OLD PUT CON.

Beginning at Cor. No. 1.

A redwood post, 4 ft. long, 4 ins. square, set 18 ins. in the ground, with mound of stone, scribed 1-1297 A. whence

U.S.L.M., 1299, bears S. 2° 0' 5" E., 3730. ft.

Old Put Peak, bears N. 30° 15' W.

An oak, 18 ins. diam., bears S. 49° W. 130. ft. and an oak, 16 ins. diam., bears S. 26° E. 172 ft., each blazed and scribed B.T./-1297 A.

Thence N. 15° W.

Ascending Eastern slope of mountain.

1100. Summit of main ridge of Santa Rita Mountains, bearing S. 50° W. and N. 50° E., and descending over Western slope of mountain, over rough and broken ground.

1500. To Cor. No. 2.

A redwood post, 4 ft. long, 4 ins. square, set 18 ins. in the ground, with mound of stone, scribed 2-1297 A. whence

An oak, 18 ins. diam., bears S. 11° W. 15.5 ft. and an oak 2 ins. diam., bears S. 62° W., 16.5 ft. each blazed and scribed B.T. 2-1297 A.

Thence N. 42° 15' E.

Along Western slope of mountain and over rough and broken ground.

(13)

- Feet.
356.5 To North Center Mon.
A redwood post in mound of stone, scribed N.Ct-O.P.C.
713. To Cor. No. 3.
Identical with Cor. No.2, Old Pap Copper lode of this survey.
A redwood post, 4 ft.long, 4 ins. square, set 18 ins. in the ground, with mound of stone, scribed 3-2-1297 A.
whence
An oak, 18 ins. diam., bears N. 39° 30' E. 49 ft., and an oak, 12 ins. diam., bears N. 57° 30' E. 69 ft., each blazed and scribed B.T. 3-1297 A.

Thence S. 15° E.
Ascending, and on line 3-1 Old Pap Copper lode of this survey.
700. Summit of main ridge, Santa Rita Mountains, bearing S. 60° W. and N. 50° E., and descending over Eastern slope of mountain.
1500. To Cor. No. 4.
Identical with Cor. No.1, Old Pap Copper lode of this survey.
A redwood post, 4 ft.long, 4 ins. square, set 18 ins. in the ground, with mound of stone, scribed 4-1-1297A.
whence
Cor. No. 1, Survey No. 1297 B., Old Put Mill Site, bears S. 86° E. 8742.ft.
An oak, 12 ins. diam., bears S 76° E. 39.5 ft., and an oak 9 ins. diam., bears N. 71° E. 41 ft., each blazed and scribed B.T. 1-4-1297 A.

Thence S. 42° 15' W.
Along Eastern slope of mountain, and on line 3-2 Franklin lode of this survey.
- 356.5 To Initial Mon.
A redwood post in mound of stone, scribed I.M- O.P.C.
713. To Cor. No 1, the place of beginning.

(14)

Feet.	OLD PAP COPPER LODE.
	Beginning at Cor. No 1. Identical with Cor. No.4, Old Put Con. lode of this survey, hereinbefore described, whence U.S.L.M.,1299, bears S 4° 38' W. 4259.2 ft. Old Put Peak. bears N.67° W.
	----- Thence N. 15° W.
	Ascending Easterly slope of mountain, and on line 4-3 Old Put Con. lode of this survey.
300.	Summit of main ridge, Santa Rita Mountains, bearing S.60° W. and N. 50° E.. and commence descent over Western slope of mountain.
1500.	To Cor. No. 2. Identical with Cor. No. 3 Old Put Con. lode of this survey, hereinbefore described.
	----- Thence N. 42° 15' E,
	Along Western slope of mountain.
356.5	To North Center Mon. A redwood post in mound of stone, scribed N. Ct.O.P.C.
713.	To Cor. No. 3. A redwood post, 4 ft. long, 4 ins. square, set 18 ins. in the ground,with mound of stone, scribed 3-1297 A. An oak, 12 ins. diam., bears S. 12° 45' W. 29 ft.. and an oak, 9 ins. diam., bears S.4° 30' W. 69 ft., each blazed and scribed B.T. 3-1297 A.
	----- Thence S. 15° E,
	Ascending Western slope of mountain.
650.	Summit of main ridge,Santa Rita Mountains, bearing S. 60° W. and N. 60° E., and commence descent over Eastern slope of mountain.
1500.	To Cor. No. 4. A redwood post, 4 ft. long, 4 ins square, set 18 ins. in the ground, with mound of stone, scribed 4-1297 A. whence Cor. No.1, Sur. No.1297 B.,Old Pap Mill Site,bears S.82° 15' E. 8975.ft.

(15)

Feet.	An oak, 14 ins. diam., bears N. 4 15' W., and an oak 6 ins. diam., bears S. 20° 30' W. 33.2 ft., each blazed and scribed B.T. 4-1297 A.
	----- Thence S. 42° 15' W.
	Along Eastern slope of mountain.
133.5	Cor. No. 3 Franklin lode of this survey.
356.5	To Initial Mon.
	A redwood post in mound of stone, scribed I.M-O.P.O.
713.	To Cor. No. 1, the place of beginning.
	----- CENTRAL LODGE.
	Beginning at Cor. No. 1.
	A redwood post, 4 ft. long, 4 ins. square, set 18 ins. in the ground, with mound of stone, scribed 1-1297 A.
	whence
	U.S.L.M., 1299, bears S. 31° 04' W. 3632 ft.
	Old Put Peak, bears N. 57° 15' W.
	Cor. No. 3 Erie lode of this survey, bears S. 56° 30' E. 248 ft.
	An oak, 6 ins. diam., bears S. 19° E. 33 ft., and an oak, 12 ins. diam., bears S. 59° 45' W. 59 ft., each blazed and scribed B.T. 1-1297 A.
	----- Thence N. 16° 30' W.
	Ascending over broken ground.
141.3	Cor. No. 5 Cushing lode of this survey.
	On line 5-4 Cushing lode of this survey.
472.4	North Center Mon. Cushing lode of this survey.
823.3	Cor. No. 4 Cushing, and Cor. No. 5 Franklin lodes, both of this survey.
	On line 5-4 Franklin lode of this survey.
954.	Cor. No. 4 Franklin lode of this survey, and intersect 1-2 Falls lode of this survey.
1300.	To Cor. No. 2.
	A redwood post, 4 ft. long, 4 ins. square, set 18 ins. in the ground, with mound of stone, scribed 2-1297 A.
	whence

(16)

Feet.	Cor. No.3 Franklin lode of this survey, bears West 267 ft.
	An oak, 8 ins. diam., bears N.19°15' E. 22 ft. and an oak, 10 ins. diam., bears N. 38° E. 39.5 ft. each blazed and scribed B.T. 2-1297 A.
	----- Thence N.73°30' E.
	Along Eastern slope of mountain.
300.	To North Center Mon.
	A redwood post in mound of stone, scribed N.Ct-C.
540.	Intersect line 1-5 Falls lode of this survey.
600.	To Cor. No. 3.
	A redwood post, 4 ft. long, 4 ins. square, set 18 ins. in the ground, with mound of stone, scribed 3-1297 A. whence
	An oak, 12 ins. diam., bears S.66°45' W. 92 ft., and an oak, 15 ins. diam., bears N.73°30' E. 104.5 ft., each blazed and scribed B.T.3-1297 A.
	----- Thence S.16°30' E.
	Descending over broken ground on Eastern slope of mountain.
1241.9	Intersect line 1-2 Potomac lode of this survey.
1300.	To Cor. No. 4.
	A redwood post, 4 ft. long, 4 ins. square, set 18 ins. in the ground, with mound of stone, scribed 4-1297 A. whence
	Cor. No. 1 Potomac lode of this survey, bears S.43°06' W. 303.4 ft.
	An oak, 8 ins. diam., bears S.83°45' W. 27.5 ft., and an oak, 6 ins. diam., bears S.18°30' E. 34 ft., each blazed and scribed B.T. 4-1297 A.
	----- Thence S. 73°30' W.
	Over broken ground.
73.5	Intersect line 1-2 Potomac lode of this survey.
300.	To Initial Mon.
	A redwood post in mound of stone, scribed I.M-C.
320.	Ravine, 20 ft. deep, course Southerly.

(17)

Feet.

600. To Cor.No.1, the place of beginning.

 FALLS LODE.

Beginning at Cor. No.1.

A redwood post, 4 ft. long, 4 ins. square, set 18 ins. in the ground, with mound of stone, scribed 1-1297 A. whence

U.S.L.M. 1299, bears S. $15^{\circ}55'$ W. 4318 ft.

Cor. No. 4 Cushing, and Cor. No.5 Franklin lodes of this survey, bears N. $75^{\circ}27'$ W. 145.9 ft.

No other bearings available.

 Thence N. $47^{\circ}45'$ W.

Over broken ground.

240.9 Cor. No. 4 Franklin lode, and intersect line 1-2 Central lode both of this survey.

On line 4-3 Franklin lode of this survey.

323.6 To South Center Mon.

A redwood post in mound of stone, scribed S. Ct. F.

439.4 North Center Mon. Franklin lode of this survey.

647.2 To Cor. No. 2.

A redwood post, 4 ft. long, 4 ins. square, set 18 ins. in the ground, with mound of stone, scribed 2-1297 A. whence

Cor. No. 3 Franklin lode of this survey, bears N. $47^{\circ}45'$ W. 32.2 ft.

An oak. 10 ins. diam, bears S. $56^{\circ}30'$ E. 65 ft., and an oak 20 ins. diam., bears N. $50^{\circ}30'$ E. 18 ft., each blazed and scribed B.T. 2-1297 A.

 Thence N. $20^{\circ}25'$ E.

Along steep Eastern slope of mountain.

1379.5 To Cor. No. 3.

Identical with Cor. No. 3 Ajax Consolidated lode of this survey.

A redwood post, 4 ft. long, 4 ins. square, set 18 ins. in the ground, with mound of stone, scribed 3-3-1297A.

(18)

Feet.

whence

Old Put Peak, bears S. 59° W.

An oak, 6 ins. diam., bears S. 44° W. 133 ft., and an oak, 12 ins, diam., bears S. 10° E. 62 ft., each blazed and scribed B.T. 3-3-1297 A.

Thence S. $69^{\circ} 35'$ E.

Descending steep Eastern slope of mountains, and on line 3-2 Ajax Consolidated lode of this survey.

300. To Cor. No. 4.

Identical with Cor. No. 2 Ajax Consolidated lode of this survey.

A redwood post, 4 ft. long, 4 ins. square, set 18 ins. in the ground, with mound of stone, scribed 4-2-1297 A.

whence

An oak, 8 ins. diam., bears N. $84^{\circ} 30'$ E. 36 ft., and an oak 15 ins. diam., bears N. 84° E. 32.5 ft. each blazed and scribed B.T. 4-2-1297 A.

Thence S. $47^{\circ} 45'$ E.

Descending, and on line 2-1 Ajax Consolidated lode of this survey.

323.6 To Cor. No. 5.

A redwood post, 4 ft. long, 4 ins. square, set 18 ins. in the ground, with mound of stone, scribed 5-1297 A.

whence

Cor. No. 2 Cuba lode of this survey, bears S. $13^{\circ} 59'$ W. 123.6 ft.

An oak, 10 ins. diam., bears S. $55^{\circ} 30'$ E. 33.5 ft., and an oak 10 ins. diam., bears S. $87^{\circ} 45'$ W. 37 ft., each blazed and scribed B.T. 5-1297 A.

Thence S. $20^{\circ} 25'$ W.

Along Eastern slope of mountain.

802.3 Intersect line 2-3 Central lode of this survey.

1500. To Cor. No. 1, the place of beginning.

(19)

Feet.

AJAX CONSOLIDATED LODGE.

Beginning at Cor. No.1.

Identical with Cor. No.5 Falls lode of this survey,
hercinbefore described, whence

U.S.L.M., 1299, bears S.17°15' W. 5815.ft.

Cor.No.1, Survey No.1297 B. Ajax Consolidated Mill Site,
bears S.74° E. 8294 ft.

Thence N 47°45' W.

Ascending Eastern slope of mountain, and on line 5-4
Falls lode of this survey.

328.6 To Cor. No.2.

Identical with Cor. No.4, Falls lode of this survey,
hercinbefore described.

Thence N. 69°35' W.

Ascending Eastern slope of mountain., and on line 4-3
Falls lode of this survey.

300. To Cor. No. 3.

Identical with Cor. No. 3 Falls lode of this survey,
hercinbefore described.

Thence N. 13°50' E.

Along rough Eastern slope of mountain.

933. To Cor. No. 4.

Identical with Cor. No.1, Hilo Consolidated lode of this
survey.

A redwood post, 4 ft. long, 4 ins. square, set 18 ins.
in the ground, with mound of stone, scribed 4-1-1297 A.
whence

An oak, 11 ins. diam., bears N. 24° W. 43 ft., and an
oak, 8 ins. diam., bears N.15° W. 68 ft., each blazed
and scribed B.T. 4-1-1297 A.

Thence S. 69°35' E.

Descending steep Eastern slope of mountain, and on line 1-4
Hilo Consolidated lode of this survey

(20)

- Feet.
300. To North Center Mon.
Identical with Initial Mon. Hilo Consolidated lode of this survey.
A redwood post in mound of stone, scribed N.Ct-A.C., I.M-H.C.
600. To Cor. No. 5.
Identical with Cor. No.4 Hilo Consolidated, and Cor. No.3 Cuba lodes of this survey.
A redwood post, 4 ft. long, 4 ins. square, set 18 ins. in the ground, with mound of stone, scribed 5-3-4-1297A.
whence
An oak, 12 ins. diam., bears S. 9° E. 18.5 ft., and an oak, 20 ins. diam., bears N. 97° 30' E. 90 ft., each blazed and scribed B.T. 5-3-4-1297 A.

Thence S. 18° 59' W.
Along Eastern slope of mountain, and on line 3-2 Cuba lode of this survey.
- 1103.4 To Cor. No.1, the place of beginning.

CUBA LODGE.
Beginning at Cor. No.1
A redwood post, 4 ft. long, 4 ins. square, set 18 ins. in the ground, with mound of stone, scribed 1-1297 A.
whence
U.S.L.M., 1299, bears S. 20° 55' W. 5682 ft.
No other bearings available.

Thence N. 69° 35' W.
Ascending Eastern slope of mountain.
300. To South Center Mon.
A redwood post in mound of stone, scribed S.Ct.-C.
333. To Cor. No. 2.
A redwood post, 4 ft. long, 4 ins. square, set 18 ins. in the ground, with mound of stone, scribed 2-1297 A.
whence
An oak 12 ins. diam., bears N. 70° 45' E. 69 ft., and an

(21)

Feet. oak, 18 ins. diam., bears N.77°15' E. 74 ft., each blazed and scribed B.T.2-1297 A.

Thence N.18°59' E.

Along Easterly slope of mountain.

123.6 Cor. No.1 Ajax Consolidated, and Cor. No. 5 Falls lodes, both of this survey.

On line 1-5 Ajax Consolidated lode of this survey.

1232. To Cor. No. 3.

Identical with Cor. No.5 Ajax Consolidated, and Cor. No.4 Hilo Consolidated lodes, both of this survey, hereinbefore described.

Thence S.69°35' E.

Descending Easterly slope of mountain.

162. Intersect line 1-2 York lode of this survey.

300. To Initial Mon.

A redwood post in mound of stone, scribed I.M-C.

600. To Cor. No.4.

A redwood post, 4 ft. long, 4 ins. square, set 18 ins. in the ground, with mound of stone, scribed 4-1297 A. whence

Cor. No.1 York lode of this survey, bears S. 43°0-5' W. 270 ft.

No other bearings available.

Thence S.31°16' W.

Along Easterly slope of mountain.

1253.9 To Cor. No.1, the place of beginning.

Hilo Consolidated.Lode.

Beginning at Cor.No.1

Identical with Cor. No.4 Ajax Consolidated lode, hereinbefore dscribed, whence

U.S.L.M., 1299, bears S.12°55' W., 6992. ft.

(22)

Feet. Thence N.10° 45' W.
 Over rough Easterly slope of mountain.

1040. To Cor. No. 2.
 A redwood post, 4 ft. long, 4 ins. square, set 18 ins. in the ground, with mound of stone, scribed 2-1297A.
 whence
 An oak, 8 ins. diam., bears N.68° W. 11 ft., and an oak, 10 ins. diam., bears N.27° E. 17 ft., each blazed and scribed B.T.2-1297 A.

Thence S.69° 35' E.
 Descending over steep hill.

300. To North Center Mon.
 A redwood post, in mound of stone, scribed N.Ct-H.C.

600. To Cor. No. 3.
 A redwood post, 4 ft. long, 4 ins. square, set 18 ins. in the ground, with mound of stone, scribed 3-1297 A.
 whence
 Cor. No.3 York lode of this survey, bears S.38° 44' W. 310.3 ft.
 An oak, 18 ins. diam., bears S.22° 30' E.28 ft., and an oak, 6 ins. diam., bears S.2° E. 50 ft., each blazed and scribed B.T. 3-1297 A.

Thence S.10° 45' E.
 Along Easterly slope of hill.

29.1 Intersect line 2-3 York lode of this survey.
 782.6 Intersect line 1-2 York lode of this survey.

1040. To Cor. No. 4.
 Identical with Cor. No. 3 Cuba, and Cor. No.5 Ajax Consolidated lodes, both of this survey, hereinbefore described.

Thence N.69° 35' W.
 Ascending steep Easterly slope of mountain, and on line 5-4 Ajax Consolidated lode of this survey.

(23)

Feet. 300.	To Initial Mon. Identical with North Center Mon. Ajax Consolidated lode of this survey, hereinbefore described.
600.	To Cor. No.1, the place of beginning. <hr style="width: 20%; margin: auto;"/>
	YORK LODGE.
	Beginnging at Cor. No.1 A redwood post, 4 ft. long, 4 ins. square, set 18 ins. in the ground, with mound of stone, scribed 1-1297 A. whence . U.S.L.M., 1299, bears S.31°15' W. 6668.ft. No other bearings available. <hr style="width: 20%; margin: auto;"/>
	Thence N.32°52' W.
	Ascending over broken foot hills.
416.6	Intersect line 3-4 Cuba lode of this survey.
784.9	Intersect line 4-3 Hilo Consolidated lode of this survey.
1412.1	To Cor. No.2. A redwood post, 4 ft. long, 4 ins. square, set 18 ins. in the ground, with mound of stone, scribed 2-1297 A. whence Cor. No.2 Hilo Consolidated lode of this survey, bears N.38°44' E. 310.3 ft. An oak, 20 ins. diam., bears N.31° E. 18 ft., and an oak, 10 ins, diam., bears S.62° E. 40 ft., each blazed and scribed B.T. 2-1297 A. <hr style="width: 20%; margin: auto;"/>
	Thence N.43°05' E.
	Descending Easterly slope of mountain.
292.2	Intersect line 3-4 Hilo Consolidated lode of this survey.
300.	To North Center Mon. A redwood post in mound of stone, scribed N.Ct-Y!
460.	To Cor. No. 3. Identical with Cor. No.2 Daylight lode of this survey. A redwood post, 4 ft. long, 4 ins. square, set 18 ins. in the ground, with mound of stone, scribed 3-2-1297A. whence

(24)

Feet.

An oak, 14 ins. diam., bears S.7° E. 30 ft., and oak,
8 ins. diam., bears S.25° 30' W. 51 ft., each blazed and
scribed B.T.3-2-1297 A.

Thence S.38° 30' E.

Over broken foot hills, and on line 2-1 Daylight lode
of this survey.

1385. To Cor. No.4.

Identical with Cor. No.1 Daylight lode of this survey.

A redwood post, 4 ft. long, 4 ins. square, set 18 ins.
in the ground, with mound of stone, scribed 4-1-1297 A.
whence

A tesote, 6 ins. diam., bears S.15° E. 34 ft., and an
oak, 14 ins. diam., bears S.45° 15' E. 126 ft. each
blazed and scribed B.T. 4-1-1297 A.

Thence S.43° 05' W.

Over broken foot hills.

300. To Initial Mon.

A redwood post in mound of stone, scribed I.M-Y.

330. To Cor. No.4.Cuba lode of this survey.

600. To Cor. No.1, the place of beginning.

DAYLIGHT LODGE.

Beginning at Cor. No.1

Identical with Cor. No.4 York lode of this survey,
hereinbefore described, whence

U.S.L.M..1299, bears S.23° 01' W. 7231.3 ft.

Thence N.38° 30' W.

Over broken foot hills and on line 4-3 York lode of this
survey.

1385. To Cor. No.2.

Identical with Cor. No.3 York lode of this survey,
hereinbefore described.

(25)

Feet.	Thence N.51° 30' E.
	Descending Easterly slope of mountain.
300.	To North Center Mon. A redwood post in mound of stone, scribed N.Ct-D.
600.	To Cor. No. 3. A redwood post, 4 ft. long, 4 ins, square, set 18 ins. in the ground, with mound of stone, scribed 3-1297 A. whence Cor. No.8, Sur.1308, Ward lode, bears N.43° 50' W. 930.ft. An oak, 6 ins, diam., bears N,52° W.53 ft., and an oak, 7 ins.diam., bears N.21° W. 79 ft., each blazed and scribed B.T. 3-1297 A.
	----- Thence S.33° 30' E.
	Over broken foot hills.
1335.	To Cor. No. 4. A redwood post, 4 ft. long, 4 ins. square, set 18 ins. in the ground, with mound of stone, scribed 4-1297 A. whence An oak, 10 ins, diam., bears S. 49° W.33.5 ft., and an oak. 12 ins. dian., bears N.46° 30' E. 16 ft., each blazed and scribed B.T.4-1297 A.
	----- Thence S.51° 30' W.
	Over broken foot hills.
300.	To Initial Mon. A redwood post in mound of stone, scribed I.M-D.
600.	To Cor. No.1, the place of beginning.
	----- POTOMAC LODGE.
	Beginning at Cor. No.1 A redwood post, 4 ft. long, 4 ins. square, set 18 ins. in the ground, with mound of stone, scribed 1-1297 A. whence U.S.L.M., 1299, bears S.27° W. 3705 ft.

(26)

Feet. Cor. No. 3 Erie lode of this survey, bears S.65°W. 158 ft.
 Cor. No.4 Central lode of this survey, bears N.43°06' E.
 303.4 ft.

An oak, 6 ins. diam., bears S.50°30' E. 42.5 ft., and
 an oak, 8 ins. diam., bears S.17°30' W. 51 ft., each
 blazed and scribed B.T. 1-1297 A.

Thence N.35°10' E.

Over rolling hills.

269.5 Intersect line 1-4 Central lode of this survey.

363.2 Intersect line 4-3 Central lode of this survey.

1500. To Cor. No. 3.

Identical with Cor. No.1 Dan Webster lode of this survey
 A redwood post, 4 ft. long, 4 ins. square, set 18 ins.
 in the ground, with mound of stone, scribed 2-1-1297A.
 whence

An oak, 7 ins.diam., bears S.30°30' W. 120.5 ft., and an
 oak, 10 ins. diam. bears S.32°30' W. 125 ft., each
 blazed and scribed B.T. 2-1-1297 A.

Thence S.58°35' E.

Descending over broken ground, and on line 1-4 Dan
 Webster lode of this survey.

300. To Initial Mon.

Identical with South Center Mon. Dan Webster lode
 of this survey.

A redwood post in mound of stone, scribed I.M-P.,
 S.Ct-D.W.

600. To Cor. No.3.

Identical with Cor. No.4 Dan Webster lode of this
 survey.

A redwood post, 4 ft. long, 4 ins. square, set 18 ins.
 in the ground, with mound of stone, scribed 3-4-1297 A.
 whence

An oak, 34 ins. diam., bears S.64° W. 83 ft., and an oak,
 20 ins. diam., bears S.84° 30' W. 92 ft. each blazed and

(27)

Feet. scribed B.T. 3-4-1297 A.

Thence S.35° 10' W.

Over rolling hills.

1500. To Cor. No. 4.

A redwood post, 4 ft. long, 4 ins. square, set 18 ins. in the ground, with mound of stone, scribed 4-1297 A. whence

An oak, 13 ins. diam., bears S.40° 30' E. 52.5 ft. and an oak, 15 ins. diam., bears N.67° W. 58 ft., each blazed and scribed B.T.1297 A.

Thence N.58° 35' W.

Over broken ground.

300. To South Center Mon.

A redwood post in mound of stone, scribed S.Ct-P.

600. To Cor. No.1, the place of beginning.

DAN WEBSTER LODGE.

Beginning at Cor. No.1.

Identical with Cor. No.2 Potomac lode of this survey, hereinbefore described, whence

U.S.L.M., 1299. bears S.29° 20' W. 5194.3 ft.

Thence N.27° 30' E.

Over rolling foot hills.

1380. To Cor. No. 2.

Identical with Cor. No.2 Patrick Henry lode of this survey.

A redwood post, 4 ft. long, 4 ins. square, set 18 ins. in the ground, with mound of stone, scribed 2-2-1297 A. whence

An oak, 14 ins. diam., bears N.54° 30' W. 25.5 ft., and an oak, 8 ins, diam., bears N.77° 30' W. 49 ft., each blazed and scribed B.T.2-2-1297 A.

(23)

- Feet.
- Thence S.58°35' E.
- Over broken ground, and on line 2-1 Patrick Henry lode of this survey.
250. Ravine, 10 ft. deep. course S.60° E.
300. To Initial Mon.
- Identical with Initial Mon. Patrick Henry lode of this survey.
- A redwood post in mound of stone, scribed I.M-D.W., I.M-P.H.
600. To Cor. No.3.
- Identical with Cor.No1 Patrick Henry lode of this survey.
- A redwood post, 4 ft. long, 4 ins. square, set 18 ins. in the ground, with mound of stone scribed 3-1-1297 A. whence
- An oak, 24 ins. diam., bears S.64° W. 83 ft., and an oak, 20 ins. diam., bears S.84° 30' W. 92 ft., each blazed and scribed B.T. 3-1-1297 A.
-
- Thence S.27° 30' W.
- Over rolling foot hills.
97. Ravine, 10 ft. deep, course S.55° E.
1380. To Cor. No. 4.
- Identical with Cor. No.3 Potomac Lode of this survey, hereinbefore described.
-
- Thence N.58° 35' W.
- Ascending over broken ground, and on line 3-2 Potomac lode of this survey.
300. To South Center Mon.
- Identical with Initial Mon.Potomac lode of this survey, hereinbefore described.
600. To Cor. No.1, the place of beginning.

PATRICK HENRY.

Beginning at Cor. No.1

(29)

Feet. Identical with Cor. No. 3 Dan Webster lode of this survey, hereinbefore described, whence
 U.S.L.M., 1299, bears S.33°30' W. 6573. ft.

Thence N.58°35' W.

Over broken ground, and on line 3-2 Dan Webster lode of this survey.

50. Ravine, 10 ft. deep, course S.60° E.

300. To Initial Mon.

Identical with Initial Mon. Dan Webster lode of this survey, hereinbefore described.

600. To Cor. No.2.

Identical with Cor. No.2 Dan Webster lode of this survey, hereinbefore described.

Thence N.43°50' E.

Over rolling foot hills.

1500. To Cor. No. 3.

A redwood post, 4 ft. long, 4 ins. square, set 18 ins. in the ground, with mound of stone, scribed 3-1297 A. whence

An oak, 8 ins. diam., bears S. 33°30' E. 32 ft., and a juniper 12 ins. diam., bears N.43°30' E. 15.5 ft., each blazed and scribed B.T. 3-1297 A.

Thence S.58°35' E.

Over rolling foot hills.

300. To North Center Mon.

A redwood post in mound of stone, scribed N.Ct.P.H.

334.2 Intersect line 2-1 LaFayette lode of this survey.

600. To Cor. No. 4.

A redwood post, 4 ft. long, 4 ins. square, set 18 ins. in the ground, with mound of stone, scribed 4-1297 A. whence

Cor. No. 2 La Fayette lode of this survey, bears N.54°16' W. 287.3 ft.

An oak. 9 ins. diam., bears N.11°30' E. 38.5 ft., and

(30)

Feet.

an oak, 6 ins. diam., bears N.65° E. 48 ft. each blazed and scribed B.T. 4-1297 A.

Thence S.43° 50' W.

Over rolling foot hills.

230. Intersect line 2-1 La Fayette lode of this survey.

1500. To Cor. No.1, the place of beginnging.

LA FAYETTE LODGE.

Beginning at Cor. No.1

A redwood post, 4 ft. long, 4 ins. square, set 18 ins. in the ground, with mound of stone, scribed 1-1297 A. whence

U.S.L.M., 1299, bears S.42° 15' W. 7110 ft.

An oak, 13 ins. diam., bears N.12° 45' W. 44.5 ft., and an oak, 12 ins. diam., bears S. 59° E. 75 ft., each blazed and scribed B.T.1297 A.

Thence N.12° 30' W.

Over rolling foot hills.

1158.2 Intersect line 1-4 Patrick Henry lode of this survey.

1470. Intersect line 3-4 Patrick Henry lode of this survey.

1500. To Cor. No.2.

Identical with Cor. No.1 R.G.Ingersoll lode of this survey.

A redwood post, 4 ft. long, 4 ins. square, set 18 ins. in the ground, with mound of stone, scribed 2-1-1297 A. whence

Cor. No.4 Patrick Henry lode of this survey, bears S. S, 54° 16' E. 287.3 ft.

An oak, 7 ins. diam., bears N.47° E. 49.5 ft., and an oak. 12 ins. diam., bears N.18° 30' E. 59.5 ft., each blazed and scribed B.T. 2-1-1297 A.

Thence S.37° 45' E.

Over rolling foot hills, and on line 1-4 R.G.Ingersoll Lode of this survey.

(31)

- Feet.
300. To Initial Mon.
- Identical with Initial Mon. R.G.Ingersoll lode of this survey.
- A redwood post in mound of stone scribed I.M-L.F., I.M-R.G.I.
600. To Cor. No. 3.
- Identical with Cor. No.4 R.G.Ingersoll lode of this survey.
- A redwood post, 4 ft. long, 4 ins. square, set 18 ins. in the ground, with mound of stone, scribed 3-4-1297 A. whence
- An oak, 18 ins. diam., bears S.6°30' W., 70 ft., and an oak, 12 ins. diam., bears S.26°15' E. 85 ft., each blazed and scribed B.T.3-4-1297 A.
- S.
Thence 12°30' E.
- Over rolling foot hills.
1500. To Cor. No. 4.
- A redwood post, 4 ft. long, 4 ins. square, set 18 ins. in the ground, with mound of stone, scribed 4-1297 A. whence
- An oak, 12 ins. diam., bears N.35°45' E. 36 ft., and an oak, 6 ins. diam., bears N. 48° W. 48.5 ft., each blazed and scribed B.T. 4-1297 A.
- Thence N.37°45' W.
- Over rolling foot hills.
300. To South Center Mon.
- A redwood post in mound of stone, scribed S.Ct.L.F.
300. To Cor. No.1, the place of beginning.
- R.G.INGERSOLL LODE.
- Beginning at Cor. No.1.
- Identical with Cor. No.2 La Fayette lode of this survey, hereinbefore described, whence
- U.S.L.M., 1299, bears S.33°31' W. 8069.1 ft.
-

(32)

Feet.

Thence N. 2° 15' E.

Over rolling foot hills.

1500. To Cor. No. 2.

A redwood post, 4 ft. long, 4 ins. square, set 18 ins. in the ground, with mound of stone, scribed 2-1297 A. whence

An oak, 8 ins. diam., bears N.19° 15' W. 102.5 ft., and an oak, 18 ins. diam., bears N.32° W. 114 ft. each

blazed and scribed ^{B.T.} 2-1297 A.

 Thence S. 87° 45' E.

Over rolling foot hills.

300. To North Center Mon.

A redwood post in mound of stone, scribed N.Ct-R.G.I.

600. To Cor. No. 3.

A redwood post, 4 ft. long, 4 ins. square, set 18 ins. in the ground, with mound of stone, scribed 3-1297 A. whence

An oak, 18 ins. diam., bears N.83° 30' E. 59.5 ft., and an oak, 12 ins. diam., bears S.75° E. 47.5 ft., each blazed and scribed B.T.3-1297 A.

 Thence S. 2° 15' W.

Over rolling foot hills.

1500. To Cor. No. 4.

Identical with Cor. No. 3 La Fayette lode of this survey, hereinbefore described.

 Thence N. 87° 45' W.

Over rolling foot hills, and on line 2-3 La Fayette lode of this survey.

300. To Initial Mon.

Identical with Initial Mon. La Fayette lode, hereinbefore described.

600. To Cor. No. 1, the place of beginning.

(33)

Variation at all corners of the Coconino, Oregon Copper, Chicago, Erie, Cushing, Marion, Franklin, Old Put Con, Old Pap Copper, Central, Falls, Ajax Consolidated, Cuba, Hilo Consolidated, York, Daylight, Potomac, Dan Webster, Patrick Henry, La Fayette, and R.G. Ingersoll lodes, 12° 30' E.

AREA.

Total and net area Coconino lode-----	14.01	acres.
Total and net area Oregon Copper lode-----	18.08	"
Total and net area Chicago lode-----	16.04	"
Total and net area Erie lode-----	19.61	"
Total and net area Cushing lode-----	15.04	"
Total and net area Marion lode-----	20.66	"
Total and net area Franklin lode-----	20.59	"
Total and net area Old Put Con. lode-----	20.65	"
Total and net area Old Pap Copper lode-----	20.65	"
Total area Central lode-----	17.91	acres.
Less area in conflict with-		
Potomac lode of this survey-----	0.05	"
Net area Central lode-----	17.86	"
Total area Falls lode-----	20.26	acres.
Less area in conflict with-		
Central lode of this survey-----	3.91	"
Net area Falls lode-----	16.35	"
Total and net area Ajax Consolidated lode-----	13.98	"
Total and net area Cuba lode-----	13.19	"
Total and net area Hilo Consolidated lode-----	12.03	"
Total area York lode-----	16.67	acres.
Less area in conflict with-		
Hilo Consolidated lode of this Sur.	3.04	"
Cuba lode of this survey-----	1.25	"
Net area York lode-----	13.38	"
Total and net area Daylight lode-----	19.07	"
Total and net area Potomac lode-----	20.62	"
Total and net area Dan Webster lode-----	18.96	"
Total area Patrick Henry lode-----	20.18	acres.
Less area in conflict with-		
La Fayette lode of this survey---	.68	"
Net area Patrick Henry lode-----	19.50	"

(34)

Total and net area La Fayette lode-----	19.98 acres.
Total and net area R.G.Ingersoll lode-----	20.66 "
Net area lode claim-----	388.91 acres.

Oregon Copper lode of this survey is bounded on the East by the "Sweet Bye and Bye" lode, Richard Parks, Claimant.

The Erie lode of this survey is bounded on the East by the "Grey Copper" lode, Richard Parks, Claimant.

The Chicago lode of this survey is bounded on the West by the "Pickwick" lode, William Hughes, Claimant.

The Hilo Consolidated lode of this survey is bounded on the North by the "Back Bone" lode, Tom Deering and W.B. McClear y, Claimants.

The Daylight lode of this survey is bounded on the North by the "Harragansett" lode, James K. Brown, Claimant.

There are no other adjoining claims.

The ledges extend throughout the centers of the survey of all the claims.

(35)

Feet.

SURVEY No. 1297 B.

Coconino Mill Site.

Beginning at Cor. No. 1.

A redwood post, 4 ft. long, 4 ins. square, set 18 ins. in the ground, with mound of stone, scribed 1-1297 B. whence

U.S.L.M., 1299, bears S. 68° 40' W. 9025. ft.

Cor. No. 4, Survey No. 1297 A., Coconino Lode, bears S. 77° 50' W. 7373. ft.

An oak, 6 ins. diam., bears S. 35° 30' W. 25 ft., and an oak, 12 ins. diam., bears N. 73° 30' E. 74 ft., each blazed and scribed B.T. 1297 B.

Thence N. 3° 45' W.

Over rolling ground

320. Road, bears N. 75° E. and S. 75° W.

330. Enter wash, flows N. 75° E.

320. Leave wash.

330. To Cor. No. 2.

Identical with Cor. No. 1, Chicago Mill Site of this survey.

A redwood post, 4 ft. long, 4 ins. square, set 18 ins. in the ground, with mound of stone, scribed 2-1-1297 B. whence

An oak, 18 ins. diam., bears S. 74° 15' E. 37 ft., and an oak, 18 ins. diam., bears N. 64° E. 73 ft., each blazed and scribed B.T. 2-1-1297 B.

Thence N. 36° 15' E.

Over rolling ground, and on line 1-4 Chicago Mill Site of this survey.

15. Enter wash, flows N. 75° E.

200. Leave wash.

330. To North Side Center Mon.

Identical with South Side Center Mon., Chicago Mill Site of this survey.

A redwood post in mound of stone, scribed N.S.Ct.C.,

(36)

Feet.	S.S.Ct.C.
405.	Road, bears N.50° W. and S. 50° E.
570.	Enter wash,,flows S.70° E.
650.	Leave wash.
660.	To Cor.No. 3.
	Identical with Cor. No.4 Chicago Mill Site, Cor.No.1 Old Put Mill Site, and Cor. No.2 Oregon Mill Site, all of this survey.
	A redwood post, 4 ft. long, 4 ins. square, set 18 ins. in the ground, with mound of stone, scribed 3-4-1-2-1297 B.,whence
	An oak,12 ins, diam., bears S.16°45' W. 47 ft., and an oak, 16 ins. diam., bears N.33°45' W. 60.5 ft., each blazed and scribed B.T.3-4-1-2-1297 B.
	----- Thence 3°45' E.
	On line 2-1 Oregon Mill Site.
8.	Enter wash, flows S.70° E.
40.	Leave wash.
100.	Road, bears N.75° W. and S.75° E.
330.	To Cor. No. 4.
	Identical with Cor. No.1 Oregon Mill Site of this survey.
	A redwood post, 4 ft. long, 4 ins. square, set 18 ins. in the ground, with mound of stone, scribed 4-1-1297 B. whence
	An oak, 6 ins. diam, bears N.21°45' E. 32.5 ft. and an oak, 10 ins. diam., bears N.16°30' E. 98.5 ft., each blazed and scribed B.T.4-1-1297 B.
	----- Thence S.86°15' W.
	Over rolling ground.
330.	To South Side Center Mon.
	A redwood post in mound of stone, scribed S.S.Ct.C.
660.	To Cor. No.1, the place of beginning.

(37)

Feet.

CHICAGO MILL SITE.

Beginning at Cor. No.1

Identical with Cor. No.2 Coconino Mill Site, hereinbefore described, whence

U.S.L.M., 1299, bears S.66° 48' W. 9130.ft.

Cor. No.3, Sur. No.1297 A. Chicago lode, bears S.86° 30' W. 7433.ft.

Thence N.3° 45' W.

Over rolling land.

322. Road, bears N.70° W. and S.70° E.

330. To Cor. No. 2.

A redwood post, 4 ft. long, 4 ins. square, set 18 ins. in the ground, with mound of stone, scribed 2-1297 B. whence

An oak, 18 ins. diam., bears S.26° 45' E. 63 ft., and an oak, 18 ins. diam., bears S.73° 15' W. 65 ft., each blazed and scribed B.T.2-1297 B.

Thence N.86° 15' E.

260. Ravine, 8ft.deep, flows South.

330. To North Side Center Mon.

A redwood post in mound of stone, scribed W.S.Ct.C.

630. To Cor. No.3.

Identical with Cor. No. 2 Old Put Mill Site of this survey.

A redwood post, 4 ft. long, 4 ins, square, set 18 ins. in the ground, with mound of stone, scribed 3-2-1297 B. whence

N.W. Cor. of Smelter, bears S.60° E. 144 ft.

No other bearings available.

Thence S.3° 45' E.

Over rolling land, and on line 2-1 Old Put Mill Site of this survey.

10. Road, bears East and West.

330. To Cor. No. 4.

(38)

Feet.

Identical with Cor. No.1, Old put Mill Site, Cor.No.3 Coconino Mill Site and Cor. No.2 Oregon Mill Site, all of this survey, hereinbefore described.

Thence S.36° 15' W.

Over rolling land.

10. Enter wash, flows S.70° E.

90. Leave wash.

255. Road, bears N.50° W. and S.50° E.

330. To South Side Center Mon.

Identical with North Side Center Mon. Coconino Mill Site of this survey, hereinbefore described.

460. Enter wash, flows N.75° E.

645. Leave wash.

660. To Cor. No.1, the place of beginning.

OREGON MILL SITE.

Beginning at Cor. No.1.

Identical with Cor.No.4 Coconino Mill Site, hereinbefore described, whence

U.S.L.M., 1299, bears S.69° 50' W. 9660.ft.

Cor. No.3, Sur. No.1297 A. Oregon Copper lode, bears S.78° 15' W. 7973 ft.

Thence N.3° 45' W.

Over rolling land, and on line 4-3 Coconino Mill Site of this survey.

230. Road, bears N.75° W. and S.75° E.

290. Enter wash, flows S.70° E.

322. Leave wash.

330. To Cor. No. 2.

Identical with Cor. No.3 Coconino Mill Site, Cor. No.4 Chicago Mill Site and Cor. No.1 Old put Mill Site, all of this survey, hereinbefore described.

Thence N.36° 15' E.

Over rolling land, and on line 1-4 Old Put Mill Site

- Feet. of this survey.
330. To North Side Center Mon.
 Identical with South Side Center Mon. Old Put Mill Site of this survey.
 A redwood post in mound of stone, scribed N.S.Ct.O, S.S.Ct.O.P.
660. To Cor. No.3.
 Identical with Cor. No.4 Old Put Mill Site of this survey.
 A redwood post, 4 ft. long, 4 ins. square, set 18 ins. in the ground, with mound of stone, scribed 3-4-1297 B.
 whence
 An oak, 13 ins.diam., bears N.61°30' E. 47 ft., and an oak, 15 ins, diam.. bears S.17°30' W. 79.ft., each blazed and scribed B.T.3-4-1297 B.
-
- Thence S. 3°45' E.
 Over rolling land, and on line 1-2 Old Pap Mill Site of this survey.
65. Cor. No.1 Old Pap Mill Site, and Cor.No.2 Ajax Consolidated Mill Site, both of this survey.
 On line 2-1 Ajax Consolidated Mill Site of this survey.
165. Road, bears East and West.
330. Enter wash,,flows East.
315. Leave wash.
330. To Cor. No.4.
 A redwood post, 4 ft. long, 4 ins. square, set 18 ins. in the ground, with mound of stone, scribed 4-1297 B.
 whence
 An oak, 15 ins, diam., bears S.74°30' W. 90 ft., and an oak, 10 ins. diam, bears S.68°45' W. 92 ft., each blazed and scribed B.T.1297 B.
-
- Thence S.86°15' W.
204. Intersect lumber cabin,S.69° E. 38 ft. from N.W. Cor.
240. Leave lumber cabin at S.W.Cor.
330. To South Side Center Mon.
 A redwood post in mound of stone,scribed S.S.Ct.O.

(40)

- Feet.
630. To Cor. No.1, the place of beginning.
- OLD PUT MILL SITE.
- Beginning at Cor. No.1.
- Identical with Cor. No.2 Oregon Mill Site, Cor. No.3 Coconino Mill Site, and Cor. No.4 Chicago Mill Site, all of this survey, hereinbefore described, whence U.S.L.M., 1299, bears S.63° W. 9755.ft.
- Cor. No.4, Sur. No.1297 A., Old Put Con.1ode, bears N.86° W. 2742.ft.
- Thence N.8° 45' W.
- Over rolling land, and on line 3-4 Chicago Mill Site of this survey.
320. Road, bears East and West.
330. To Cor. No.2.
- Identical with Cor. No.3, Chicago Mill Site of this survey, hereinbefore described.
- Thence N.86° 15' E.
- Over rolling land.
180. Wooden water tank, 3 ft. high.
330. To North Side Center Mon.
- A redwood post in mound of stone, scribed N.S.Ct-C.P.
660. To Cor. No. 3.
- A redwood post, 4 ft long, 4 ins. square, set 18 ins. in the ground, with mound of stone, scribed 3-1297 B.
- No bearings available.
- Thence S.3° 45' E.
- Over rolling land.
65. To Cor. No.2 Old Pap Mill Site of this survey.
330. To Cor. No.4.
- Identical with Cor. No.3 Oregon Mill Site of this survey, hereinbefore described.
-

(41)

Feet.	Thence S.86° 15' W.
	Over rolling land.
330.	To South Side Center Mon.
	Identical with North Side Center Mon. Oregon Mill Site of this survey.
330.	To Cor. No.1, the place of beginning.
	<hr/>
	AJAX CONSOLIDATED MILL SITE.
	Beginning at Cor. No.1.
	A redwood post, 4 ft. long, 4 ins. square, set 18 ins. in the ground, with mound of stone, scribed 1—1297 B. whence
	U.S.L.M., 1299, bears S.71° 10' W. 10275, ft.
	Cor. No.1, Sur. No.1297 A., Ajax Consolidated lode, bears N.74° W. 8294, ft.
	An oak, 14 ins. diam., bears N.43° 15' E. 81 ft. and an oak, 10 ins. diam. bears S.81° 15' W. 77.5 ft., each blazed and scribed B.T.1-1297 B.
	<hr/>
	Thence N.3° 45' W.
	Over rolling land.
65.	Cor. No.4 Oregon Mill Site of this survey.
	On line 4-8 Oregon Mill Site of this survey.
80.	Enter wash, flows East.
115,	Leave wash.
230.	Road, bears East and West.
330.	To Cor. No.2.
	Identical with Cor. No.1 Old Pap Mill Site of this survey.
	A redwood post, 4 ft. long, 4 ins. square, set 18 ins. in the ground, with mound of stone, scribed 2-1-1297B. whence
	An oak, 20 ins. diam., bears S.61° W. 27.5 ft., and an oak, 15 ins. diam., bears S.63° W. 28 ft., each blazed and scribed B.T. and scribed 2-1-1297 B.

(42)

Feet.	Thence N.86° 15' E.
	Over rolling land.
330.	To North Side Center Mon.
	Identical with South Side Center Mon. Old Pap Mill Site of this survey.
	A redwood post, in mound of stone, scribed N.S.Ct.A.C, S.S.Ct.O.P.
360.	To Cor. No.3.
	Identical with Cor. No.4 Old Pap Mill Site, and West Side Center Mon. Franklin Mill Site, both of this survey.
	A redwood post, 4 ft. long, 4 ins. square, set 18 ins. in the ground, with mound of stone scribed, 3-4-W.S.Ct.F. whence
	A well, 45 ft. deep, bears S. 62° E. 123 ft. No other bearings available.

	Thence S.3° 45' E.
	Over rolling land, and on line 1-2 Franklin Mill Site of this survey.
50.	Road, bears N.55° E. and S.50° W.
100.	Enter wash, flows N.70° E.
220.	Leave wash.
330.	To Cor. No. 4.
	Identical with Cor. No.1 Franklin Mill Site of this survey.
	A redwood post, 4 ft. long, 4 ins. square, set 18 ins. in the ground, with mound of stone, scribed 4-1-1297B. whence
	A walnut, 8 ins. diam., bears N.45° 30' W. 35 ft., and an oak, 11 ins. diam., bears S.54° 30' W. 52.5 ft. each blazed and scribed B.T.4-1-1297 B.

	Thence S.86° 15' W.
20.	Enter wash, flows North.
135.	Leave wash.
220.	Road, bears N.40° W. and S.40° E.
330.	To South Center Side Mon.
	A redwood post in mound of stone, scribed S.S.Ct.A.C.
660.	To Cor. No.1, the place of beginning.

Feet.

OLD PAP MILL SITE.

Beginning at Cor. No.1.

Identical with Cor. No.2 Ajax Consolidated Mill Site
of this survey, hereinbefore described, whence

U.S.L.M., 1299, bears S.69° 30' W. 10357.ft.

Cor.No.4. Sur. 1297 A. Old Pap Copper Lode, bears
N.82° 15' W. 8975.ft.

Thence $E 3^{\circ} 45'$ W.

Over rolling land, and on line 4-3 Oregon Mill site
of this survey.

65. Cor. No.3 Oregon Mill Site, and Cor. No.4 Old Put Mill
Site, both of this survey.

On line 4-3 Old Put Mill Site of this survey.

330. To Cor. No.2.

A redwood post, 4 ft. long, 4 ins. square, set 18
ins. in the ground, with mound of stone, scribed 2-1297B.
No bearings available.

Thence N.86° 15' E.

Over rolling land.

330. To North Side Center Mon.

A redwood post in mound of stone, scribed N.S.Ct.O.P.

660. To Cor. No.3.

Identical with Cor. No.2 Franklin Mill Site of this
survey.

A redwood post, 4 ft. long, 4 ins. square, set 18 ins.
in the ground, with mound of stone, scribed 3-2-1297 B.

No bearings available.

Thence S. $3^{\circ} 45'$ E.

Over rolling land, and on line 1-2 Franklin Mill Site
of this survey.

330. To Cor. No.4.

Identical with Cor. No.3 Ajax Consolidated Mill Site
and West Side Center Mon. Franklin Mill Site, both of
this survey, hereinbefore described.

(44)

Foot.	<p>Thence S.86° 15' W.</p> <p>Over rolling land, and on line 2-3 Ajax Consolidated Mill Site of this survey.</p>
330.	<p>To South Side Center Mon.</p> <p>Identical with North Center Side Mon. Ajax Consolidated Mill Site of this survey, hereinbefore described.</p>
660.	<p>To Cor. No.1, the place of beginning.</p>
	<hr/> <p>FRANKLIN MILL SITE.</p>
	<p>Beginning at Cor. No.1.</p> <p>Identical with Cor.No.4 Ajax Consolidated Mill Site of this survey, hereinbefore described, whence.</p> <p>U.S.L.M., 1299, bears S.71° 45' W. 10679.ft.</p> <p>Cor.No.5, Sur.1297 A., Franklin lode, bears N.84° 30' W. 9350.ft.</p>
	<hr/> <p>Thence N.3° 45' W.</p>
	<p>Over rolling land, and on line 3-4 Ajax Consolidated Mill Site of this survey.</p>
110.	Enter wash, flows N.70° E.
230.	Leave wash.
280.	Road, bears N.65° E. and S.50° W.
330.	To West Side Center Mon.
	<p>Identical with Cor.No.3 Ajax Consolidated Mill Site and Cor. No.4 Old Pap Mill Site, both of this survey, hereinbefore described.</p>
660.	To Cor. No.2.
	<p>Identical with Cor. No.3 Old Pap Mill Site of this survey, hereinbefore described.</p>
	<hr/> <p>Thence N.86° 15' E.</p>
	Over rolling land.
330.	To Cor. No.3'
	<p>A redwood post, 4 ft.long, 4 ins, square, set 18 ins. in the ground, with mound of stone, scribed 3-1297 B.</p> <p>No bearings available.</p>

Feet.

Thence S.3°45' E.

Over rolling land.

170. Road, bears N.50° E. and S. 50° W.

330. To East Center Mon.

A redwood post, in mound of stone, scribed E.Ct.F.

340. Enter wash, flows N.70° E.

440. Leave wash.

660. To Cor. No.4.

A redwood post, 4 ft. long, 4 ins. square, set 18 ins. in the ground, with mound of stone, scribed 4-1297 B. whence

An oak, 10 ins. diam., ~~marks~~ blazed and scribed 4-1297 B., bears S.9°30' W. 63.5 ft.

No other bearings available.

Thence S.86°15' W.

Over rolling land.

330. To Cor. No.1, the place of beginning.

Variation at all corners of the Coconino, Chicago, Oregon, Old Put, Ajax Consolidated, Old Pap, and Franklin Mill Sites, 12°30' E.

The surveys of the Coconino, Oregon Copper, Chicago, Erie, Cushing, Marion, Franklin, Old Put Con., Old Pap Copper, Central, Falls, Ajax Consolidated, Cuba, Hilo Consolidated, York, Daylight, Potomac, Dan Webster, Patrick Henry, La Fayette, R.G.Ingersoll lodes and the coconino, Chicago, Oregon, Old Put, Ajax Consolidated, Old Pap and Franklin Mill Sites are identical with the respective locations.

LOCATION.

This claim is located on the Eastern slope of the Santa Rita Mountains, Helvetia Mining District, Pima County, Arizona, and will, when the Public Land surveys are extended over this section of country be embraced in T.18 S., R. 16 E. of the Gila and Salt River Meridian.

(45 A)

AREA OF MILL SITE CLAIMS.

Total and net area	Cocumino Mill Site -----	5.00 acres.
Total and net area	Chicago Mill Site-----	5.00 "
Total and net area	Oregon Mill Site -----	5.00 "
Total and net area	Old Pub Mill Site -----	5.00 "
Total and net area	Ajax Consolidated Mill Site-----	5.00 "
Total and net area	Old Pap Mill Site.-----	5.00 "
Total and net area of the	Franklin Mill Site-----	5.00 "
	Net area Mill Sites-----	<u>35. acres.</u>

(46)

Chicago Mill Site is located in connection with Chicago lode.

Coconino Mill Site is located in connection with Coconino lode.

Oregon Mill Site is located in connection with Oregon Copper lode.

Old Put Mill Site is located in connection with Old Put Con. lode.

Ajax Consolidated Mill Site is located in connection with Ajax Consolidated lode.

Old Pap Mill Site is located in connection with Old Pap Copper lode.

Franklin Mill Site is located in connection with Franklin lode, all of this survey.

EXPENDITURE OF TEN THOUSAND, FIVE HUNDRED DOLLARS.

I certify that the value of the labor and improvements upon this claim, placed thereon by the claimant and his grantors, is not less than ten thousand, five hundred dollars, and that said improvements consist of:

No.1. The discovery cut of the Coconino lode, the face of which is on the center line 147.ft. from Cor. No.3, 7 ft. wide, 6 ft. face, running S.2°30' E. 15.ft. in rock.

Value, \$100.

No.2. A shaft, which bears from Cor. No.3 S.40° W. 36.ft., 6 x 5 ft., 41.ft. deep in rock.

Value, \$400.

No.3. A cut, the face of which bears from Cor. No.4 S.12° W., 430.ft., 5 ft. wide, 14.5 ft. face, running S.6° E. 22 ft. in rock; from face of which a tunnel, 4 x 6 ft., running S. 6° E. 20 ft. in rock.

Value of cut and tunnel, \$400.

NO.1. The discovery cut, or trench, of the Oregon Copper lode, the Northerly end of which is on the center line 140.ft. from post I.M-O.C., 6 ft, wide,

(47)

12 ft. deep, running S.25° E. 40 ft. in earth and rock.
Value, \$450.

No.2. A shaft, which bears from Cor. No.2, S. 21° E.
340.ft., 6 x 6 ft., 15 ft. deep in rock.
Value, \$150.

No. 3. A shaft, which bears from Cor. No.2, S.15° E.
330.ft., 4 x 5 ft., 25 ft. deep in rock.
Value, \$250.

No.1. The discovery cut of the Chicago lode, the
face of which is on the center line 260.ft. from center of
line 2-3 and post N.Ct.C., 6 ft. wide, 10 ft. face, running
East, 16.5 ft. in rock.
Value, \$150.

No.2. A cut, the face of which bears from Cor, No.3
S.33° 30' W. 505.ft., 4 ft. wide, 10 ft. face, running
East 27 ft. in earth and rock.
Value, \$200.

No. 3. A shaft, which bears from Cor. No.2, S.2° E.
605.ft., 7 x 11 ft., 250.ft. deep in rock, timbered; from
the bottom of shaft, a cross-cut, 4 x 6 ft., running
N.80° E. 175 ft. in rock.
Value of shaft, \$4500.
Value of cross-cut \$1750.

This cross-cut is in course of construction for the
development of Erie lode of this survey, and will, if
continued in its present course, cut the vein of the
Erie lode at great depth, so claim can be advantageously
and economically developed. Full value of this
cross-cut has been credited to the Erie lode.

No.1. The discovery cut of the Erie lode, the face of
which is on the center line 500 ft. from center of line
2-3, 5 ft. wide, 8 ft. face, running S.32° W., 15 ft. in
earth and rock.
Value, \$100.

No.2. A cut, the face of which bears from Cor. No.2,
S.11° 45' E. 528.ft., 4 ft. wide, 5 ft. face, running
N.43° W., 10 ft. in rock.
Value, \$40.

(48)

No.1. The discovery cut of the Cushing lode, the face of which is on the center line 400 ft. from Cor. No.2, 6 ft. wide, 6 ft. face, running S.42° 15' W., 6 ft. in earth and rock.

Value, \$10.

No.2. A cut, the face of which bears from Cor. No.3, S.43° E. 170 ft., 5 ft. wide, 5 ft. face, running N.43° E. 16 ft. in earth and rock.

Value, \$75.

No.3. A trench, the S.W. Cor. of which, bears from Cor.No.3, S.52° 45' E. 162 ft., 4 x 3 ft., running S.53° E. 17 ft. in rock.

Value, \$150.

No.4. A cut, the face of which bears from Cor. No.3, S.65° 45' E. 182 ft., 6 ft. wide, 15 ft. face, running S.54° W. 37 ft., from face of which, a shaft, 4 x 4 ft., 16 ft. deep, and from bottom of shaft, a tunnel, 4 x 6 ft. running S.54° W. 10 ft., all in rock.

Value of cut, shaft and tunnel, \$575.

No.5. A cut, the face of which bears from Cor. No.4 S.34° 15' W. 294 ft., 5 ft. wide, 7 ft. face, running N.26° 30' E., 47 ft. in earth and rock.

Value, \$250.

No.1. The discovery cut of the Marion lode,, the face of which is on the center line 560 ft. from the center of line 3-4 and post I,M-M., 5 ft. wide, 15 ft. face, running N.48° W. 33 ft. in rock, from face of cut a tunnel 4 x 6 ft., running N.48° W..13 ft. in rock.

Value of cut and tunnel, \$500.

No.2. A cut, the face of which is 20 ft. right of a point on the center line 520 ft. from the center of line 3-4 and post I.M-M., 18 ft. wide, 7 ft. face, running N.30° W. 12 ft. in rock.

Value, \$200.

No.1. The discovery cut of the Franklin lode, the face of which is on the center line 320 ft. from post N.Ct-F., 6 ft. wide, 10 ft. face, running S.42° 15' W. 30 ft. in rock, from face of cut a tunnel 4 x 6 ft.

running S.42° 15' W., 14 ft. in rock.

Value of cut and tunnel, \$340.

No. 2. A cut, the face of which is 22 ft. right of a point on the center line 515 ft. from post N.Ct.F., 5 ft. wide, 15 ft. face, running N.70° W. 25 ft. in rock.

Value, \$250.

No.3. A cut, the face of which bears from Cor. No.3 S.20° W. 550.ft., 6 ft. wide, 10 ft. face, running N.37° E. 30 ft. in earth and rock.

Value, \$200.

No.4. A cut, the face of which bears N.50° 30' E.405 ft. from Cor. No.2, 5 ft. wide, 10 ft. face, running N.42° E. 16 ft. in rock, from face of cut a tunnel, 5 x 6 ft. running N.42° E. 10 ft. in rock.

Value of cut and tunnel, \$200.

No.5. A cut, the face of which bears N.36° 30' E. 455 ft. from Cor. No.1, 5 ft. wide, 12 ft. face, running N.40° W. 15 ft. in rock, from face of which a tunnel 4x6 ft. running N.40° W. 47 ft. in rock.

Value of cut and tunnel, \$650.

No.1. The discovery cut of the Old Put Con. lode, the face of which is on the center line 137 ft. from center of line 4-1 and post I.M-O.P.C., 4 ft. wide, 4 ft. face, running S.15° E. 8 ft. in earth and rock.

Value, \$5.00

No.2. An excavation, the South East Cor. of which bears from Cor. No.1 N.10° 35' E. 590 ft., averaging 10 ft. wide, 15 ft. face, running S.60° W. 22 ft. in earth and rock.

Value, \$850.

No.3. A shaft, which bears from Cor, No.1 N.5° 15' E. 290 ft., 6 x 5 ft., 20 ft. deep in rock.

Value, \$260.

No.4. A shaft, which bears from Cor. No.1 N.5° 15' E. 300 ft., 6 x 5 ft., 48 ft. deep in rock.

Value, \$480.

No.1. The discovery shaft of the Old Pap Copper lode, which is on the center line 600 ft. from the center of line 4-1, 4 x 6 ft., 50 ft. deep in rock.

Value, \$500.

(50)

No.3. A cut, the face of which bears from Cor. No.4, West 190 ft., 8 ft. wide, 9 ft. face, running, N.13° W. 12 ft. in rock, from the face of cut a tunnel 4 x 6 ft. running N. 13° W. 500 ft. in rock.

Value of cut and tunnel, \$5000.

No.3. A cut, the face of which bears from Cor. No.4 N.43° 30' W. 435 ft., 6 ft. wide, 15 ft. face, running N.51° W. 23 ft. in rock, from face of cut, a tunnel 4 x 6 ft. running N.51° W. 41 ft. in rock.

Value of cut and tunnel, \$640.

No.1. The discovery cut of the Central lode, the face of which is on the center line 345 ft. from the center of line 2-3 and post N.Ct.C., 5 ft. wide, 8 ft. face, running N.65° E. 18 ft. in earth and rock.

Value, \$100.

No.2. A shaft, which is 20 ft. right of a point on the center line 348 ft. from the center of line 2-3 and post N.Ct-C., 5 x 4 ft., 10 ft. deep in rock.

Value, \$90.

No.3. A cut, which bears from Cor. No.2 S.46° 10' E. 390 ft., 5 ft. wide, 9 ft. face, running N.20° W. 16 ft. in earth and rock, from face of cut a tunnel, 4x 6 ft. running N.20° W. 11 ft. in rock.

Value of cut and tunnel, \$210.

No.4. A shaft, which bears from Cor. No.2, S.50° 50' E. 435 ft., 4 x 6 ft., 12 ft. deep in rock.

Value, \$100.

No. 5. A cut, the face of which bears from Cor. No.2 S.39° 15' E. 320 ft., 10 ft. wide, 9 ft. face, running N.22° W. 15 ft. in rock.

Value, \$150.

No.6. A cut, the face of which bears from Cor. No.2 S.34° 15' E. 340 ft., 4 ft. wide, 7 ft. face, running S.62° W. 19 ft. in rock.

Value, \$120.

No.1. The discovery cut of the Falls lode, the face of which is on the center line 520 ft. from Cor. No.4-

(51)

4 ft. wide, 4 ft. face, running N.70° W. 6 ft. in earth and rock.

Value, \$30.

No.2. A shaft, which bears from Cor. No.3 S.3° 15' W. 685 ft., 4 x 5 ft., 48 ft. deep in rock.

Value, \$480.

No.3. A shaft, which bears from Cor. No.5, S.29° 30' W. 695 ft., 4 x 5 ft. 68 ft. deep in rock, from bottom of shaft a cross cut, 4 x 6 ft. running N. 60° W. 60 ft. in rock.

Value of shaft and cross cut, \$1280.

No.1. The discovery shaft of the Ajax Consolidated lode, is on the center line 200 ft. from the center of line 4-5 and post N.Ct.A.C., 4 x 6 ft., 12 ft. deep in rock.

Value, \$100.

No.2. A shaft, which bears from Cor. No.5, S.80° 30' W. 300 ft., 4 x 6 ft. 8 ft. deep in rock.

Value, \$75.

No.3. A cut, the face of which bears from Cor. No.5 N.76° W. 340 ft., 5 ft. wide, 12 ft. face, running S.57° W. 45 ft., from face of cut, a shaft, 4 x 5 ft. 48 ft. deep from mouth of shaft, a tunnel 4 x 6 ft. running S.5° W. 50 ft., all in rock.

Value of cut, shaft and tunnel, \$1400.

No.1. The discovery cut of the Cuba lode, the face of which is on the center line 465 ft. from the center of line 3-4 and post I.M-C., 5 ft. wide, 8 ft. face running S.31° 16' W., 16 ft. in earth and rock.

Value, \$100.

An undivided half interest in the tunnel at bottom of No2 Shaft of the Daylight lode of this survey.

Value, \$600.

No.1. The discovery cut of the Hilo Consolidated lode, the face of which is on the center line 410 ft. from the center of line 4-1 and post I.M-H.C., 7 ft. wide, 10 ft. face, running N.65° W. 14 ft. in rock.

Value, \$140.

(52)

No.2. A cut, the face of which is on the center line 430 ft. from the center of line 4-1 and post I.M-H.C., 8 ft. wide, 15 ft. face, running N.65° W. 25 ft. in earth and rock.

Value, \$300.

No.3. A cut, the face of which is 75 ft. left of a point on the center line 690 ft. from the center of line 4-1 and post I.M-H.C., 8 ft. wide, 20 ft. face, running West 37 ft. in earth and rock, from the face of cut, a shaft, 5 x 5 ft. 50 ft. deep in rock.

Value of cut and shaft, \$870.

No.1. The discovery cut of the York lode, the face of which is on the center line 345 ft. from post N.Ct-Y., 5 ft. wide, 8 ft. face, running N.49° W. 21 ft. in earth and rock, from face of which a shaft 5 x 5 ft. 9 ft. deep in rock.

Value of cut and shaft, \$200.

No.2. A cut, the face of which bears 35 ft. left of a point, on line 4-3, 310 ft. from post No.4, 21 ft. wide, 7 ft. face, running S. 20° W. 13 ft. in earth and rock.

Value, \$200.

No.3. A cut, the face of which bears 25 ft. left of a point, on line 4-3, 330 ft. from post No.4, 6 ft. wide, 6 ft. face, running S.20° W. 20 ft. in earth and rock, from face of cut, a shaft 4 x 6 ft., 7 ft. deep in rock.

Value of cut and shaft, \$200.

No.1. The discovery cut of the Daylight lode, the face of which is on the center line 265 ft. from the center of line 2-3 and post N.Ct.D., 6 ft. wide, 9 ft. face, running N.83° E. 12 ft. in rock, from face of cut a tunnel, 5 x 6 ft. running N.83° E. 29 ft. in rock.

Value of cut and tunnel, \$390.

No.2. A tunnel, the mouth of which is on the center line, 435 ft. from the center of line 2-3, 5 x 6 ft. running N.50° E. 21 ft., from mouth of tunnel, another tunnel 5 x 6 ft. running N.15° W. 15 ft, to shaft 5 x 6 ft

(53)

140 ft. deep, from bottom of which a tunnel, 4 x 6 ft. running S.15° 30' W. 120 ft., all in rock.

Value of shaft, upper tunnels, and undivided half interest in the lower tunnel. \$2350.

The tunnel at bottom of shaft is in course of construction for the development of this lode and the Cuba lode of this survey. An undivided half interest has been credited to each of the two mentioned lode locations. This tunnel at the bottom of shaft running S.15° 30' W. 120 ft., described and included in the estimate of expenditure continued in its present course will cut the vein of the Cuba lode at great depth, whereby lode can be advantageously and economically developed.

No.3. A cut, the face of which bears from Cor. No.3 S.6° E. 300 ft., 10 ft. wide, 18 ft. face, running S.53° W. 32 ft., from face of cut, a shaft, 4 x 5 ft. 75 ft. deep, all in rock.

Value of cut and shaft, \$1150.

No.4. A shaft, which bears 35 ft. right of a point on the center line 740 ft. from the center of line 2-3 and post N.Ct.D., 4x 5 ft. 9 ft. deep in rock.

Value, \$75.

No.1. The discovery cut of the Potomac lode, the face of which is on the center line 605 ft. from the center of line 2-3 and post I.M-P., 5 ft. wide, 5 ft. face, running N.35° 10' E. 14 ft. in rock.

Value, \$75.

No.2. A cut, the face of which bears from Cor. No.3 S.57° 30' W. 670 ft., 5 ft. wide, 8 ft. face, running S. 35° W. 30 ft. in earth and rock.

Value, \$200.

No.3. A cut, the face of which bears from Cor. No.3 S.48° 10' W. 640 ft., 6 ft. wide, 6 ft. face, running S.63° 30' W. 25 ft. in earth and rock.

Value, \$100.

No.4. A cut, the face of which bears from Cor, No.3 S.42° 10' W. 695 ft., 5 ft. wide, 5 ft. face, running S.58° 30' W. 23 ft. in earth and rock.

Value \$100.

(54)

No.5. A shaft, which bears from Cor. No.1, N.85° E. 500 ft., 4 x 5 ft. 33 ft. deep in rock.
Value, \$330.

No.1..The discovery cut of the Dan Webster lode, which is on the center line 730 ft. from the center of line 4-1 and post S.Ct.D.W., 3 ft. wide, 4 ft. face, running N.4° W. 27 ft. in earth and rock.
Value, \$100.

No.2. A shaft, which bears 25 ft. right of a point on center line 696 ft. from the center of line 4-1 and post S.Ct.D.W., 4 x 6 ft. 27 ft. deep in rock.
Value, \$270.

No.3. A cut, the face of which bears 30 ft. right of a point on center line 480 ft. from the center of line 4-1 and post S.Ct.D.W., 5 ft. wide, 7 ft. face, running N.48° E. 34 ft. in rock.
Value, \$200.

No.1. The discovery cut of the Patrick Henry lode, the face of which is on the center line, 6 ft. from the center of line 1-2 and post I.H.P.H., 20 ft. wide, 8 ft. face, running N. 44° E. 6 ft. in rock, from face of cut a tunnel, 6 x 4 ft. running N.30° E. 35 ft. in rock.
Value of cut and tunnel, \$550.

No.1. The discovery shaft of the La Fayette lode which is on the center line 241 ft. from the center of line 4-1 and post S.Ct.L.F., 6 x 4 ft., 42 ft. deep in rock.
Value, \$420.

No.2. A cut, the face of which bears from Cor. No.4 N.34° 45' W. 420 ft., 4 ft. wide, 3 ft. face, running S.15° W. 13 ft., from face of cut, a tunnel, 4 x 6 ft. running S.15° W. 24 ft., all in rock.
Value of cut and tunnel, \$325.

No.1. The discovery cut of the R.G.Ingersoll lode, the face of which is on the center line 600 ft. from the center of line 2-3, 4 ft. wide, 9 ft. face, running S. 50° W. 20 ft. in earth and rock, from face of

cut, a tunnel, 6 x 4 ft. running S.50° W. 60 ft. in rock.
Value of cut and tunnel, \$750.

No.2. A shaft, which bears from Cor. No.2 S.16° E.
520.ft., 9 x 4 ft. 16 ft. deep in rock.
Value, \$200.

No.3. A shaft, which bears from Cor. No.2 ,S.13° E.
560 ft., 8 x 5 ft., 18 ft. deep in rock.
Value, \$180.

OTHER IMPROVEMENTS.

A lumber built stable, the N.E. Cor. of which bears
from Cor. No.3, Sur. No.1297 B., Coconino Mill Site,
S.51° 15' W. 170 ft., 28 x 72 ft., course of longest
sides N.30° 15' W.

An adobe assay office, the N.E. Cor. of which bears
from Cor. No.4, Sur. No.1297 B., Chicago Mill Site
N.54° 30' W. 135 ft., 21 ft. square, course of sides
N.78° W.

A lumber built bunk house, the N.E. Cor. of which
bears from Cor. No.3, Sur. No.1297 B., Oregon Mill Site
S.64° W. 214 ft., 24 x 36 ft., course of long sides
N.85° W.

A smelter, the N.W. Cor. of which bears from Cor. No.2
Sur.No.1297 B., Old Put Mill Site, S.60° E. 144 ft.,
71 x 60 ft., course of long sides S.32° 15' W.

A lumber built store, the N.W. Cor. of which bears from
Cor. No.2, Sur.No.1297 B. Ajax Consolidated Mill Site,
S.74° E. 116 ft., 24 x 40 ft., course of long sides
N,14° W.

A lumber built warehouse, the N.W. Cor. of which bears
from Cor. No.2, Sur. No.1297 B. Ajax Consolidated Mill
Site,S.68° 30' E. 158 ft. 16 x 26 ft., course of long
sides S.86 E.

A two storie lumber built hotel, the S.W. Cor. of which
bears from Cor. No.1, Sur. No.1297 B. Old Pap Mill Site
N.47° 30' E. 87.5 ft., 46.5 x 56.5 ft., course of long

(56)

sides S.87° 45' E.

A well, which bears from West Side Center post, Sur. 1297 B. Franklin Mill Site, S.62° E. 122 ft. 5 x 6 ft. x 45 ft. deep, timbered.

Said improvements all belong to claimant herein.

A portion of a lumber cabin, the S.W. Cor. of which bears from Cor. No.4, Sur. No.1297 B. Oregon Mill Site, S.86° 15' W. 240 ft., 16 x 48 ft., course of long sides S.69° E. Said cabin belongs to William S. George.

INSTRUMENT.

This survey was made with a Gurley Light Mountain Transit. The courses were deflected from the true meridian as determined by direct solar observations. The distances were measured with a 100-ft. steel tape.

George J. Rostkuge

U. S. Department of Survey

SURVEY No.1297 A.

Coconino Lode.

COURSE.	DIST.	N.	S.	E.	W.	DBL.LONG.	DOUBLE AREA.	
N. 3° 15' E.	1194.1	1192.19	67.58	67.58	80568.20	
N. 79° 50' E.	257.	45.36	252.96	388.02	17600.58	
N. 59° 45' E.	300.	151.11	259.14	900.12	136017.13	
S. 3° 15' W.	1300.	1297.92	73.68	1035.58	1408995.86	
S. 79° 50' W.	514	90.72	505.93	505.97	45901.59	
							234185.91	1454397.58
								234185.91
							43560	610355.83
								2) 1220711.67
								610355.83

14.01 Acres.

Oregon Copper Lode.

COURSE.	DIST.	N.	S.	E.	W.	DBL.LONG.	DOUBLE AREA.	
N. 3° 15' E.	1300.	1297.92	22.68	22.68	29436.82	
N. 79° 50' E.	550.	97.07	541.36	536.72	56952.91	
S. 3° 15' W.	1300.	1297.92	22.68	1105.40	1434720.73	
S. 79° 50' W.	.550..	97.07	541.36	541.36	52549.31	
							33389.73	1437270.57
								33389.73
							43560	700440.42
								2) 1400320.34
								700440.42

16.03 Acres.

Chicago Lode.

COURSE.	DIST.	N.	S.	E.	W.	DBL.LONG.	DOUBLE AREA.	
N. 8° 32' E.	1394.58	1379.2	206.95	206.95	235425.44	
N. 59° 45' E.	600.	302.22	518.24	932.24	231741.57	
S. 8° 10' W.	1500.	1485.0	213.15	1237.43	1837583.55	
S. 59° 45' W.	300.	151.11	259.17	765.11	115615.77	
S. 79° 50' W.	257.	45.36	252.96	252.98	11475.17	
							567167.01	1964874.49
								567167.01
							43560	693753.74
								2) 1397507.48
								693753.74

16.04 Acres.

Erie Lode.

COURSE.	DIST.	N.	S.	E.	W.	DBL.LONG.	DOUBLE AREA.	
N. 8° 10' W.	1500.	1485.0	213.15	213.15	316527.75	
N. 79° 50' E.	300.	105.90	590.58	1016.88	107687.59	
S. 8° 10' W.	1500.	1485.0	213.15	1394.31	2070550.35	
S. 79° 50' W.	600.	105.9	590.58	590.58	62542.42	
							424215.34	2133092.77
								424215.34
							43560	854438.71
								2) 1708377.43
								854438.71

19.61 Acres.

(2)

Cushing Lode.

COURSE.	DIST.	N.	S.	E.	W.	DBL.LONG.	DOUBLE AREA.	
N.42° 15' E.	1250.	925.25	840.50	840.50	777672.62	
S.16° 30' E.	682.	653.90	193.68	1874.68	1225853.25	
S.42° 15' W.	518.42	333.73	349.41	1718.95	659612.63	
S.59° 45' W.	600.	302.22	518.34	851.20	257249.66	
N.40° 30' W.	102.8	73.13	66.76	266.10	20798.37	
N.13° 30' W.	350.91	336.45	99.33	99.33	33537.33	
							832008.32	2142715.59
							2) 832008.32	
							2) 1310707.27	655353.63
43560) 655353.63								
								15.04 Acres.

Marion Lode.

COURSE.	DIST.	N.	S.	E.	W.	DBL.LONG.	DOUBLE AREA.	
N.42° 15' E.	1500.	1110.30	1008.60	1008.60	1119348.58	
S.47° 45' E.	600.	403.44	444.12	2431.32	992924.04	
S.42° 15' W.	1500.	1110.30	1008.6	1893.84	2103061.45	
N.47° 45' W.	600.	403.44	444.12	444.12	179175.77	
							1299024.35	3099056.39
								1299024.35
							2) 1800032.04	900016.02
43560) 900016.02								
								20.36 Acres.

Franklin Lode.

COURSE.	DIST.	N.	S.	E.	W.	DBL.LONG.	DOUBLE AREA.	
N.42° 15' E.	1500.	1110.30	1008.60	1008.60	1119348.58	
S.47° 45' E.	488.5	328.46	361.53	2378.78	781334.07	
S.16° 30' E.	130.7	125.31	36.80	2777.16	348005.91	
S.42° 15' W.	1432.	1059.96	962.87	1851.09	1962031.35	
N.47° 45' W.	600.	403.44	444.12	444.10	179167.7	
							1299013.28	3091421.33
								1299016.23
							2) 1792405.05	896202.52
43560) 896202.52								
								20.59 Acres.

Old Put Con. Lode.

COURSE.	DIST.	N.	S.	E.	W.	DBL.LONG.	DOUBLE AREA.	
N.42° 15' E.	713.	527.76	479.42	479.42	253018.7	
S. 15° E.	1500.	1449.00	388.50	1347.34	1952265.66	
S.42° 15' W.	713.	527.76	479.42	1256.42	663088.22	
N.15° W.	1500.	1449.	388.5	388.50	562936.5	
							815955.2	2615353.88
								815955.20
							2) 1799393.68	899699.34
43560) 899699.34								
								20.65 Acres.

Falls Lode conflict with Central Lode.

COURSE.	DIST.	N.	S.	E.	W.	DBL.LONG.	DOUBLE AREA.	
S. 30° 25' W.	690.7	647.3	240.91	240.91	155941.04	
N. 47° 45' W.	240.9	161.99	173.41	660.23	106950.65	
N. 16° 30' W.	346.	331.84	98.36	937.00	310934.08	
N. 73° 30' E.	540.05	153.33	517.79	517.57	79384.83	
							497269.61	155941.04
								155941.04
43560)							170664.23	2) 341328.57
							3.91 Acres.	170664.23

Total area Falls lode-----20.23 Acres.
 Area in conflict with Central lode of this survey-----3.91 "
 Net area Falls lode-----16.35

Ajax Consolidated Lode.

COURSE.	DIST.	N.	S.	E.	W.	DBL.LONG.	DOUBLE AREA.	
N. 18° 50' E.	938.	935.14	318.92	318.92	298234.84	
S. 69° 35' E.	600.	209.28	562.32	1200.16	251169.43	
S. 18° 59' W.	1103.37	1043.07	360.55	1401.93	1469320.77	
N. 47° 45' W.	323.6	217.58	239.52	801.86	174438.70	
N. 69° 35' W.	300.	104.64	281.16	281.13	29422.67	
							502126.21	1720490.25
								502126.21
43560)							609182.02	2) 1213364.04
							13.98 Acres.	609182.02

Cuba Lode.

COURSE.	DIST.	N.	S.	E.	W.	DBL.LONG.	DOUBLE AREA.	
N. 18° 59' E.	1232.	1165.08	400.76	400.76	466917.46	
S. 69° 35' E.	600.	209.53	562.30	1363.82	285829.39	
S. 31° 16' W.	1253.93	1071.84	350.93	1275.14	1336746.05	
N. 69° 35' W.	333.	116.31	312.08	312.08	36298.02	
							503215.48	1652575.41
								503215.48
43560)							574679.93	2) 1149359.96
							13.19 Acres.	574679.93

Hilo Consolidated.

COURSE	DIST.	N.	S.	E.	W.	DBL.LONG.	DOUBLE AREA.	
S.69° 35' E.	600.	209.28	562.32	562.32 117682.33	
S.10° 45' E.	1040.	1021.80	193.64	1318.28 1347018.50	
N.39° 35' W.	600.	209.28	562.32	949.60	198732.28	
N.10° 45' W.	1040.	1021.80	193.64	193.64	197861.35	
							396593.63	1464700.83
								396593.63
								2)1068107.20
								534053.6
								12.03 Acres.

York Lode.

COURSE.	DIST.	N.	S.	E.	W.	DBL.LONG.	DOUBLE AREA.	
N.43° 05' E.	460.	335.98	314.18	314.18	105558.19	
S.32° 30' E.	1385.	1083.9	862.16	1490.52 1615574.62	
S.43° 05' W.	600.	438.24	409.30	1942.88 851447.73	
N.32° 52' W.	1412.1	1186.16	736.44	736.44	909120.47	
							1014678.66	2467022.35
								1014678.66
								2)1452343.69
								726171.84
								16.67 Acres.

York Lode in conflict with Hilo Con.Lode.

COURSE.	DIST.	N.	S.	E.	W.	DBL.LONG.	DOUBLE AREA.	
N.43° 05' E.	292.2	213.42	199.57	199.57	42592.23	
S.10° 45' E.	753.54	740.23	140.80	539.94 399706.73	
N.32° 52' W.	627.22	526.86	340.38	340.38	179322.07	
							221914.30	399706.73
								221914.30
								2)177792.48
								38896.24
								2.04 Acres.

York lode in conflict with Cuba Lode.

COURSE.	DIST.	N.	S.	E.	W.	DBL.LONG.	DOUBLE AREA.	
S.43° 05' W.	270.	197.2	184.41	184.41 36365.65	
N.32° 52' W.	416.6	349.94	226.08	594.90	208179.3	
S.69° 35' E.	437.96	152.76	410.48	410.50 62707.93	
							208179.3	99073.63
								99073.63
								2)109105.67
								54552.83
								1.25 Acres.

Total area York Lode-----16.67 acres.

Area in conflict with Hilo Consolidated lode of this survey 2.04 "

" " " " Cuba lode of this survey. 1.25 "

Net area York lode-----13.38 acres,

Daylight Lode

COURSE.	DIST.	N.	S.	E.	W.	DBL.LONG.	DOUBLE AREA.	
N.51° 30' E.	600.	373.50	469.56	469.56	175380.66	
S.38° 30' E.	1385.	1084.9	862.16	1801.23	1954208.67	
S.51° 30' W.	600.	373.50	469.56	2193.88	819414.18	
N.38° 30' W.	1385.	1084.90	862.16	862.16	935357.38	
							1110738.04	2773622.85
								1110738.04
							43560	2)1662884.81
								831442.4
								19.07 Acres.

Potomac Lode.

COURSE.	DIST.	N.	S.	E.	W.	DBL.LONG.	DOUBLE AREA.	
N.35° 10' E.	1500.	1226.25	864.0	864.0	1059480.00	
S.53° 35' E.	600.	312.72	512.04	2240.04	700505.3	
S.35° 10' W.	1500.	1226.25	864.0	1888.08	2315258.1	
N.53° 35' W.	600.	312.72	512.04	512.04	160125.14	
							1219605.14	3015763.40
								1219605.14
							43560	2)1796158.33
								898079.13
								20.62 Acres.

Dan Webster Lode.

COURSE.	DIST.	N.	S.	E.	W.	DBL.LONG.	DOUBLE AREA.	
N.27° 30' E.	1380.	1224.06	637.14	637.14	779397.58	
S.53° 35' E.	600.	312.72	512.04	1786.32	558567.99	
S.27° 30' W.	1380.	1224.06	637.14	1661.22	2038432.95	
N.53° 35' W.	600.	312.72	512.04	512.04	160125.14	
							940022.72	2592000.94
								940022.72
							43560	2)1651978.22
								825989.11
								18.96 Acres.

Patrick Henry Lode.

COURSE.	DIST.	N.	S.	E.	W.	Dbl.LONG.	DOUBLE AREA.	
N.43° 50' E.	1500.	1082.10	1038.90	1038.90	1124193.69	
S.53° 35' E.	600.	312.72	512.04	2589.84	309894.73	
S.43° 50' W.	1500.	1082.10	1038.90	2062.98	2232350.65	
N.53° 35' W.	600.	312.72	512.04	512.04	160125.14	
							1284318.83	3042245.41
								1284318.83
							43560	2)1757926.53
								878963.29
								20.18 Acres.

SURVEY NO. 1297 B.
Coconino Mill-Site.

COURSE.	DIST.	N.	S.	E.	W.	DBL.LONG.	DOUBLE AREA.	
N. 86° 15' E.	660.	43.36	658.54	658.54	28554.29	
S. 3° 45' E.	330.	329.27	21.68	1338.76	440813.50	
S. 86° 15' W.	660.	43.36	658.54	701.90	30434.38	
N. 3° 45' W.	330.	329.27	21.68	21.68	7138.57	
							35692.86	471247.88
								35692.86
							43560	217777.51
								5.00 Acres.
								2) 435555.02
								217777.51

Chicago Mill-Site.

COURSE.	DIST.	N.	S.	E.	W.	DBL.LONG.	DOUBLE AREA.	
N. 86° 15' E.	660.	43.36	658.54	658.54	28554.29	
S. 3° 45' E.	330.	329.27	21.68	1338.76	440813.50	
S. 86° 15' W.	660.	43.36	658.54	701.90	30434.38	
N. 3° 45' W.	330.	329.27	21.68	21.68	7138.57	
							35692.86	471247.88
								35692.86
							43560	217777.51
								5.00 Acres.
								2) 435555.02
								217777.51

Oregon Mill-Site.

COURSE.	DIST.	N.	S.	E.	W.	DBL.LONG.	DOUBLE AREA.	
N. 86° 15' E.	660.	43.36	658.54	658.54	28554.29	
S. 3° 45' E.	330.	329.27	21.68	1338.76	440813.50	
S. 86° 15' W.	660.	43.36	658.54	701.90	30434.38	
N. 3° 45' W.	330.	329.27	21.68	21.68	7138.57	
							35692.86	471247.88
								35692.86
							43560	217777.51
								5.00 Acres.
								2) 435555.02
								217777.51

Old Put Mill-Site.

COURSE.	DIST.	N.	S.	E.	W.	DBL.LONG.	DOUBLE AREA.	
N. 86° 15' E.	660.	43.36	658.54	658.54	28554.29	
S. 3° 45' E.	330.	329.27	21.68	1338.76	440813.50	
S. 86° 15' W.	660.	43.36	658.54	701.90	30434.38	
N. 3° 45' W.	330.	329.27	21.68	21.68	7138.57	
							35692.86	471247.88
								35692.86
							43560	217777.51
								5.00 Acres
								2) 435555.02
								217777.51

Ajax Consolidated Mill-Site.

COURSE.	DIST.	N.	S.	E.	W.	DBL.LONG.	DOUBLE AREA.	
N. 86° 15' E.	660.	43.36	658.54	658.54	28554.29	
S. 3° 45' E.	330.	329.27	21.68	1338.76 440813.50	
S. 86° 15' W.	660.	43.36	658.54	701.90 30434.38	
N. 3° 45' W.	330.	329.27	21.68	21.68	7138.57	
							35692.86	471247.88
								35692.86
43560) 217777.51								2) 435555.02
5.00 Acres.								217777.51

Old Pap Mill-Site.

COURSE.	DIST.	N.	S.	E.	W.	DBL.LONG.	DOUBLE AREA.	
N. 86° 15' E.	660.	43.36	658.54	658.54	28554.29	
S. 3° 45' E.	330.	329.27	21.68	1338.76 440813.50	
S. 86° 15' W.	660.	43.36	658.54	701.90 30434.38	
N. 3° 45' W.	330.	329.27	21.68	21.68	7138.57	
							35692.86	471247.88
								35692.86
43560) 217777.51								2) 435555.02
5.00 Acres.								217777.51

Franklin Mill-Site.

COURSE.	DIST.	N.	S.	E.	W.	DBL.LONG.	DOUBLE AREA.	
N. 86° 15' E.	330.	21.68	329.27	329.27	7138.57	
S. 3° 45' E.	660.	658.54	43.36	701.90 462229.22	
S. 86° 15' W.	330.	21.68	329.27	415.99 9018.66	
N. 3° 45' W.	660.	658.54	43.36	43.36	28554.29	
							35692.86	471247.88
								35692.86
43560) 217777.51								2) 435555.02
5.00 Acres.								217777.51

FINAL OATHS FOR SURVEYS.

LIST OF NAMES.

A list of the names of the individuals employed by George J. Roskruege
 United States Deputy Mineral Surveyor, to assist in running, measuring, and marking the lines
 & millsite
 corners and boundaries described in the foregoing field notes of the survey of the mining claims
Charles W. Welch assignee of
Lewis Lewisohn known as the Oregon Copper, Coconino, Chicago, Erie, Marion, Cushing, Franklin,
Old Put Con., Old Pap Copper, Central, Falls, Ajax Consolidated, Cuba, Hilo Consolidated, York, Daylight,
 KNOWN AS THE Potomac, Dan Webster-Patrick Henry, La Fayette and R.G. Ingersoll, Lodes and the
Coconino, Chicago, Oregon, Old Put, Ajax Consolidated, Old Pap & Franklin millsites
 and showing the respective capacities in which they acted.

Will R. Winton, Chairman.
 _____, Chairman.
Carlos P. Lopez, Axman.
Jose R. Lopez, Flagman.

FINAL OATHS OF ASSISTANTS.

We, Will R. Winton and Carlos P. Lopez
 and Jose R. Lopez, do solemnly swear that we assisted George J.
Roskruege, United States Deputy Mineral Surveyor, in marking the corners and
 & millsite Charles W. Welch assignee of
 surveying the boundaries of the mining claims of Leonard Lewisohn, known as the Oregon
Copper - Coconino, Chicago, Erie, Marion, Cushing, Franklin, Old Put Con., Old Pap Copper, Central,
Falls, Ajax Consolidated, Cuba, Hilo Consolidated, known as the York, Daylight, Potomac,
Dan Webster, Patrick Henry, La Fayette and R.G. Ingersoll, Lodes and the Coconino, Chicago
Oregon, Old Put, Ajax Consolidated, Old Pap & Franklin millsites, represented
 in the foregoing field notes as having been surveyed by said deputy mineral surveyor and under
 his direction; and that said survey has been in all respects, to the best of our knowledge and
 belief, faithfully and correctly executed, and the corner and boundary monuments established
 according to law and the instructions furnished by the United States Surveyor-General for
Arizona.

Will R. Winton, Chairman.
 _____, Chairman.
Carlos P. Lopez, Axman.
Jose R. Lopez, Flagman.

Subscribed and sworn to by the above-named persons before me
 this 26th day of August, 1898

George J. Roskruege
 Notary Public

my Commission expires Feb. 11, 1899.

(4-686.)

FINAL OATH OF U. S. DEPUTY MINERAL SURVEYOR.

I, George J. Roskrige, U. S. Deputy Mineral Surveyor, do solemnly swear that, in pursuance of instructions received from the United States Surveyor General for Arizona, dated June 7th, 1898, I have, in strict conformity to the laws of the United States, the official regulations and instructions thereunder, and the instructions of said Surveyor General, faithfully and correctly executed the survey of the Mining Claim of Charles Welch assignee of Leonard Lewisohn, known as the Oregon Copper Coconino-Chicago-Erie-Marion-Cushing-Franklin-Old Put Con-Old Pop Copper known as the Central-Falls-Ajax Consolidated, Cuba-Hilo Consolidated, York-Daylight-Potomac, situate in Dan Webster-Frederick Henry-La Fayette RR, Ingersoll, lodes Mining District, the Coconino-Chicago-Oregon-Old Put County, Ajax Consolidated, old in Section Pop and Franklin mill sites, situate in Helvetic Mining District, Fern Co Arizona, Township No. 18 S, Range No. 16 E. G. & R. M., unsurveyed and designated as Survey No. 1297 - d 4 B, as represented in the foregoing field notes, which accurately show the boundaries of said mining claim as distinctly marked by monuments on the ground, and described in the attached copy of the location certificate, which was received by me from the Surveyor General with said instructions, and that all the corners of said survey have been established and perpetuated in strict accordance with the law, official regulations and instructions thereunder; and I do further solemnly swear that the foregoing are the true and original field notes of said survey and my report therein, and that the labor expended and improvements made upon said mining claim by claimant or his grantors are as therein fully stated, and that the character, extent, location and itemized value thereof are specified therein with particularity and full detail, and that no portion of said labor or improvements so credited to this claim has been included in the estimate of expenditures upon any other claim.

George J. Roskrige
U. S. Deputy Mineral Surveyor.

Subscribed and sworn to by the said George J. Roskrige

U. S. Deputy Mineral Surveyor, before me Henry D. Underwood
a Notary Public this 24th
day of September, 1898.

H. D. Underwood
Notary Public
BY COMMISSION EXPIRES JULY 12 1899

o 6-154

MINERAL SURVEY NO. 1297

Lode Claim	M & B Desc.	Imps.	Loc.	Mill Site		Loc. Not
				M & B Desc.		
Ajax	19	51	12	Ajax	41	26
Central	15	50	10			
Chicago	3	47	3	Chicago	37	23
Coconino	1	46	2	Coconino	35	22
Cuba	20	51	13			
Cushing	7	48	6			
Dan Webster	27	54	18			
Daylight	24	52	16			
Erie	5	47	4			
Falls	17	50	11			
Franklin	10	48	7	Franklin-44		27
Hilo Consolidated	21	51	14			
LaFayette	30	54	20			
Marion	8	48	5			
Old Pap Copper	14	49	9	Old Pap	43	28
Old Put Con	12	49	8	Old Put	40	25
Oregon Copper	2	46	1	Oregon	38	24
Patrick Henry	28	54	19			
Potomac	25	53	17			
R.G. Ingersoll	31	54	21			
York	23	52	15			

Ten thousand
Affidavit of \wedge Five Hundred Dollars Improvements.

We *William Shaw* and *Charles C. Holmes*

of lawful age, being first duly sworn according to law, depose and say: that we are acquainted with the Oregon Copper, Coconino, Chicago, Erie, Marion, Cushing, Franklin, Old Pat Con, Old Sap Copper, Central Falls, Ajax Consolidated, Cuba, Hilo Consolidated, York Daylight, Potomac, Dan Webster, with the Patrick Henry, La Fayette & R. G. Ingersoll - lode - mining claim, situated in

Helvetia Mining district, *Pima* County,

Charles W. Welch, assignee of
Arizona Territory, for which, *Leonard Lewisohn* by mess^{rs} *Hereford &*

Hazzard his attys.

has made application for survey prior to application for patent under the provisions of the

Act of Congress, approved May 10, 1872; and that the labor done and improvements made thereon

by the applicant and *his* grantor *exceed* \wedge *Ten thousand* Five Hundred Dollars in value, and further

that we are not personally interested in said mine.

William Shaw

Charles C. Holmes

TERRITORY OF ARIZONA,

County of *Pima* } ss.

SWORN to and subscribed before me, this

30 day of *August* 189*8*.

John B. Anderson

a Justice of the Peace in and for
Pima County, Arizona.

NON-MINERAL AFFIDAVIT.

TERRITORY OF ARIZONA,

County of Pima } ss.

William Shaw and Charles C. Holmes of said County and Territory, being first duly sworn, each for himself and not one for the other, deposes and says; that he is well acquainted with the land of the Coconino

mill-site claim, situated in Helvetia mining

District, Gila and Salt River Meridian, in the County of Pima and Territory of Arizona, claimed by Charles W. Welch, assignee of Leonard Lewisohn

applicant for United States patent therefor; that he is well acquainted with the character of said described land included within the boundary lines as officially surveyed by George J. Roskrug United States Deputy Mineral Surveyor, having frequently passed over the same; that his knowledge of such land is such as to enable him to testify understandingly with regard thereto; that there is not to his knowledge, within the limits thereof, any vein or lode of quartz or other rock in place bearing gold, silver, cinnabar, lead, tin or copper, or any deposit of coal; that there is not within the limits of said land, within his knowledge, any placer, cement, gravel or other valuable mineral deposit; that no portion of said land is claimed under the local customs or rules of miners or otherwise; that no portion of said land is worked for minerals during any part of the year by any person or persons; that said land is essentially non-mineral land, and that there is within the boundaries of said claim improvements, to-wit: a Wooden Building 28 x 72 feet used as a stable

and that he has no interest whatever in said described mill-site claim.

William Shaw
Charles C. Holmes

Subscribed and Sworn to before me this 30 day of August A. D. 1898, and I hereby certify that the foregoing affidavit was read to the said William Shaw and Charles C. Holmes previous to their names being subscribed thereto, and that deponents are reputable persons to whose affidavits full faith and credit should be given.

John Blunderson
Justice of the Peace
in and for Pima County, Arizona.

NON-MINERAL AFFIDAVIT.

TERRITORY OF ARIZONA,

County of Pima } ss.

William Shaw and Charles C. Holmes of said County and Territory, being first duly sworn, each for himself and not one for the other, deposes and says; that he is well acquainted with the land of the Chicago

mill-site claim, situated in Helvetia mining District, Gila and Salt River Meridian, in the County of Pima and Territory of Arizona, claimed by Charles W. Welch, assignee of Leonard Lewisohn

applicant for United States patent therefor; that he is well acquainted with the character of said described land included within the boundary lines as officially surveyed by George J. Roskrug United States Deputy Mineral Surveyor, having frequently passed over the same; that his knowledge of such land is such as to enable him to testify understandingly with regard thereto; that there is not to his knowledge, within the limits thereof, any vein or lode of quartz or other rock in place bearing gold, silver, cinnabar, lead, tin or copper, or any deposit of coal; that there is not within the limits of said land, within his knowledge, any placer, cement, gravel or other valuable mineral deposit; that no portion of said land is claimed under the local customs or rules of miners or otherwise; that no portion of said land is worked for minerals during any part of the year by any person or persons; that said land is essentially non-mineral land, and that there is within the boundaries of said claim improvements, to-wit: An adobe Building 19 x 22 ft used as an Assay office.

and that he has no interest whatever in said described mill-site claim.

William Shaw
Charles C. Holmes.

Subscribed and Sworn to before me this 30 day

of August A. D. 1898, and I hereby certify that

the foregoing affidavit was read to the said William Shaw — and Charles C. Holmes

previous to their names being subscribed thereto, and that deponents are reputable persons to whose affidavits full faith and credit should be given.

John Anderson
a Justice of the Peace
in and for Pima County, Arizona.

NON-MINERAL AFFIDAVIT.

TERRITORY OF ARIZONA,

County of Pima } ss.

William Shaw and Charles C. Holmes of said County and Territory, being first duly sworn, each for himself and not one for the other, deposes and says; that he is well acquainted with the land of the Oregon mill-site claim, situated in Helvetia mining District, Gila and Salt River Meridian, in the County of Pima and Territory of Arizona, claimed by Charles W. Welch assignee of Leonard Lewisohn

applicant for United States patent therefor; that he is well acquainted with the character of said described land included within the boundary lines as officially surveyed by George J. Roskrug United States Deputy Mineral Surveyor, having frequently passed over the same; that his knowledge of such land is such as to enable him to testify understandingly with regard thereto; that there is not to his knowledge, within the limits thereof, any vein or lode of quartz or other rock in place bearing gold, silver, cinnabar, lead, tin or copper, or any deposit of coal; that there is not within the limits of said land, within his knowledge, any placer, cement, gravel or other valuable mineral deposit; that no portion of said land is claimed under the local customs or rules of miners or otherwise; that no portion of said land is worked for minerals during any part of the year by any person or persons; that said land is essentially non-mineral land, and that there is within the boundaries of said claim improvements, to-wit: a lumber building 24 x 36 feet used as a bunkhouse and the northerly half of a wooden building used as a store and dwelling

and that he has no interest whatever in said described mill-site claim.

William Shaw
Charles C. Holmes.

Subscribed and Sworn to before me this 30 day of August A. D. 1898, and I hereby certify that the foregoing affidavit was read to the said William Shaw and Charles C. Holmes previous to their names being subscribed thereto, and that deponents are reputable persons to whose affidavits full faith and credit should be given.

John Blunderson
a Justice of the Peace
in and for Pima County, Arizona.

NON-MINERAL AFFIDAVIT.

TERRITORY OF ARIZONA,

County of

Pima

} ss.

William Shaw and *Charles B. Holmes* of said County and Territory, being first duly sworn, each for himself and not one for the other, deposes and says; that he is well acquainted with the land of the *Old Put* mill-site claim, situated in *Helvetia* mining District, Gila and Salt River Meridian, in the County of *Pima* and Territory of Arizona, claimed by *Charles W. Welch*, assignee of *Leonard Lewisohn*

applicant for United States patent therefor; that he is well acquainted with the character of said described land included within the boundary lines as officially surveyed by *George J. Roskrige* United States Deputy Mineral Surveyor, having frequently passed over the same; that his knowledge of such land is such as to enable him to testify understandingly with regard thereto; that there is not to his knowledge, within the limits thereof, any vein or lode of quartz or other rock in place bearing gold, silver, cinnabar, lead, tin or copper, or any deposit of coal; that there is not within the limits of said land, within his knowledge, any placer, cement, gravel or other valuable mineral deposit; that no portion of said land is claimed under the local customs or rules of miners or otherwise; that no portion of said land is worked for minerals during any part of the year by any person or persons; that said land is essentially non-mineral land, and that there is within the boundaries of said claim improvements, to-wit: *a lumber building covering a smelter plant*

and that he has no interest whatever in said described mill-site claim.

William Shaw
Charles B. Holmes

Subscribed and Sworn to before me this *30* day of *August* A. D. 1898, and I hereby certify that the foregoing affidavit was read to the said *William Shaw* — and *Charles B. Holmes* previous to their names being subscribed thereto, and that deponents are reputable persons to whose affidavits full faith and credit should be given.

John Anderson
a Justice of the Peace
in and for Pima County, Arizona.

NON-MINERAL AFFIDAVIT.

TERRITORY OF ARIZONA,

County of Pima } ss.

William Shaw and Charles C. Colues of said County and Territory, being first duly sworn, each for himself and not one for the other, deposes and says; that he is well acquainted with the land of the Ajate

Consolidated mill-site claim, situated in Helvetia mining District, Gila and Salt River Meridian, in the County of Pima and Territory of Arizona, claimed by Charles W. Welch, assignee, of Leonard Lewisohn

applicant for United States patent therefor; that he is well acquainted with the character of said described land included within the boundary lines as officially surveyed by George J. Roskrige United States Deputy Mineral Surveyor, having frequently passed over the same; that his knowledge of such land is such as to enable him to testify understandingly with regard thereto; that there is not to his knowledge, within the limits thereof, any vein or lode of quartz or other rock in place bearing gold, silver, cinnabar, lead, tin or copper, or any deposit of coal; that there is not within the limits of said land, within his knowledge, any placer, cement, gravel or other valuable mineral deposit; that no portion of said land is claimed under the local customs or rules of miners or otherwise; that no portion of said land is worked for minerals during any part of the year by any person or persons; that said land is essentially non-mineral land, and that there is within the boundaries of said claim improvements, to-wit: a Wooden building 20x40ft used as a store. and a Wooden Building 16x26ft used as a storehouse.

and that he has no interest whatever in said described mill-site claim.

William Shaw
Charles C. Colues

Subscribed and Sworn to before me this 30 day of August A. D. 1898, and I hereby certify that the foregoing affidavit was read to the said William Shaw and Charles C. Colues previous to their names being subscribed thereto, and that deponents are reputable persons to whose affidavits full faith and credit should be given.

John Anderson
a Justice of the Peace
in and for Pima County, Arizona

NON-MINERAL AFFIDAVIT.

TERRITORY OF ARIZONA,

County of Pima } ss.

William Shaw and Charles C. Holmes of said County and Territory, being first duly sworn, each for himself and not one for the other, deposes and says; that he is well acquainted with the land of the Old Pops

mill-site claim, situated in Helvetia mining District, Gila and Salt River Meridian, in the County of Pima and Territory of Arizona, claimed by Charles W. Welch, assignee of Leonard Lewisohn

applicant for United States patent therefor; that he is well acquainted with the character of said described land included within the boundary lines as officially surveyed by George J. Roskrige United States Deputy Mineral Surveyor, having frequently passed over the same; that his knowledge of such land is such as to enable him to testify understandingly with regard thereto; that there is not to his knowledge, within the limits thereof, any vein or lode of quartz or other rock in place bearing gold, silver, cinnabar, lead, tin or copper, or any deposit of coal; that there is not within the limits of said land, within his knowledge, any placer, cement, gravel or other valuable mineral deposit; that no portion of said land is claimed under the local customs or rules of miners or otherwise; that no portion of said land is worked for minerals during any part of the year by any person or persons; that said land is essentially non-mineral land, and that there is within the boundaries of said claim improvements, to-wit: a two story lumber building 46.5 ft x 56.5 ft used as a Boarding and Lodging House Office

and that he has no interest whatever in said described mill-site claim.

William Shaw
Charles C. Holmes

Subscribed and Sworn to before me this 30 day of August A. D. 1898, and I hereby certify that the foregoing affidavit was read to the said William Shaw and Charles C. Holmes previous to their names being subscribed thereto, and that deponents are reputable persons to whose affidavits full faith and credit should be given.

John Anderson
a Justice of the Peace
in and for Pima County, Arizona.

NON-MINERAL AFFIDAVIT.

TERRITORY OF ARIZONA,

County of Pima } ss.

William Shaw and Charles B. Holmes of said County and Territory, being first duly sworn, each for himself and not one for the other, deposes and says; that he is well acquainted with the land of the Franklin mill-site claim, situated in Helvetia mining District, Gila and Salt River Meridian, in the County of Pima and Territory of Arizona, claimed by Charles W. Welch assignee of Leonard Lewisohn

applicant for United States patent therefor; that he is well acquainted with the character of said described land included within the boundary lines as officially surveyed by George J. Rostkrug United States Deputy Mineral Surveyor, having frequently passed over the same; that his knowledge of such land is such as to enable him to testify understandingly with regard thereto; that there is not to his knowledge, within the limits thereof, any vein or lode of quartz or other rock in place bearing gold, silver, cinnabar, lead, tin or copper, or any deposit of coal; that there is not within the limits of said land, within his knowledge, any placer, cement, gravel or other valuable mineral deposit; that no portion of said land is claimed under the local customs or rules of miners or otherwise; that no portion of said land is worked for minerals during any part of the year by any person or persons; that said land is essentially non-mineral land, and that there is within the boundaries of said claim improvements, to-wit: a Well for supplying water to Smelter. 5 x 6 ft. 45 feet deep, timbered.

and that he has no interest whatever in said described mill-site claim.

William Shaw
Charles B. Holmes

Subscribed and Sworn to before me this 30 day of August A. D. 1898, and I hereby certify that the foregoing affidavit was read to the said William Shaw and Charles B. Holmes previous to their names being subscribed thereto, and that deponents are reputable persons to whose affidavits full faith and credit should be given.

John B. Anderson
Justice of the Peace
in and for Pima County, Arizona.

Territory of Arizona, }
County of Pima. } ss.

I, Chas. A. Shibell, County Recorder in and for the County of Pima, do hereby

certify that the above and foregoing is a full, true and correct copy of the Location
Certificate of the Oregon Copper Mining Claim

as appears of record now in my office in book CC Record of Mines pages 789

IN WITNESS WHEREOF, I have hereunto set my hand and affixed my official
seal, at my office in Tucson, this 24th day of May
A. D., 1898

Chas. A. Shibell
County Recorder.

Territory of Arizona,)
County of Pima.) ss.

I, **Chas. A. Shibell**, County Recorder in and for the County of Pima, do hereby

certify that the above and foregoing is a full, true and correct copy of the location

Certificate of the Oregon Copper Mining Claim

as appears of record now in my office in book *C.C. Record of Mines* pages *789*

IN WITNESS WHEREOF, I have hereunto set my hand and affixed my official seal, at my office in Tucson, this *24th* day of *May*

A. D., 189 *8*

Chas. A. Shibell
County Recorder.

Printed and for sale by the Citizen Printing & Publishing Co., Tucson.

Notice of Location. *Notice*

Notice is Hereby Given That the undersigned, in compliance with the requirements of the Mining Act of Congress, approved May 10th, 1872, ha....this day located and claim.....*747*.....hundred linear feet along the course of this lead, lode or vein of mineral-bearing quartz,.....*and 300*.....feet in width on each side of the middle of said lead, lode or vein, situate in the.....*Maricopa*.....Mining District, County of.....*Pima*.....Arizona, and more particularly described as follows, to wit:

Commencing at this monument of stones, being the center of the.....*Maricopa*.....end of the claim, and upon which this notice is posted; thence.....*West 1/2 Sec 30*.....feet to a monnment of stones; thence.....*South 1/2 Sec 1500*.....feet to a monument of stones; thence.....*East 1/2 Sec 300*.....feet to a monument of stones, being the center of the.....*Maricopa*.....end of claim; thence.....*East 1/2 Sec 300*.....feet to a monument of stones; thence.....*North 1/2 Sec 1500*.....feet to a monument of stones; thence.....*West 1/2 Sec 300*.....feet to place of beginning.

THIS CLAIM.....*is a lode claim*.....*under the Act of May 10th 1872*.....*and is situated in the*.....*Maricopa Mining District*.....*of Pima County*.....*Arizona*.....*and is known as the*.....*Oregon Lode*.....*Mine*

and shall be known as the.....*Oregon Lode*.....Mine.

LOCATED.....*January 1st*.....189.....

W B M Cleary
Geo Stearns

Filed and recorded at request of W B M Cleary
Jan 16 1891 at 9:00 AM

K. J. A. Miller
Recorder

City of Arizona,)
County of Pima.) ss.

I, Chas. A. Shibell, County Recorder in and for the County of Pima, do hereby

certify that the above and foregoing is a full, true and correct copy of the location

certificate of the Cocconino Mining Claim

as of record now in my office in book *CC Record of Mines* pages *794*

IN WITNESS WHEREOF, I have hereunto set my hand and affixed my official seal, at my office in Tucson, this *27th* day of *May* A. D., 189*8*.

Chas. A. Shibell
County Recorder.

Territory of Arizona,)
County of Pima.) ss.

I, **Chas. A. Shibell**, County Recorder in and for the County of Pima, do hereby

certify that the above and foregoing is a full, true and correct copy of the Location

Certificate of the Coconino Mining Claim

as appears of record now in my office in book *CC Record of Mines* pages *794*

IN WITNESS WHEREOF, I have hereunto set my hand and affixed my official

seal, at my office in Tucson, this *24th* day of *May*

A. D., 189*8*

Chas. A. Shibell
County Recorder.

Territory of Arizona,)
County of Pima.) ss.

I, Chas. A. Shibell, County Recorder in and for the County of Pima, do hereby

certify that the above and foregoing is a full, true and correct copy of the location

certificate of the Chicago Mining Claim

as appears of record now in my office in book *Cl. Record of Mines* pages *793*

IN WITNESS WHEREOF, I have hereunto set my hand and affixed my official seal, at my office in Tucson, this *24th* day of *May*

A. D., 189*8*

Chas. A. Shibell
County Recorder.

70

Printed and for sale by the Citizen Printing & Publishing Co., Tucson.

Notice of Location. Notice

Notice is Hereby Given That the undersigned, in compliance with the requirements of the Mining Act of Congress, approved May 10th, 1872, has...this day located and claim *Fifteen*...hundred linear feet along the course of this lead, lode or vein of mineral-bearing quartz, *and 300*...feet in width on each side of the middle of said lead, lode or vein, situate in the *Helvetia*...Mining District, County of *Pima*...Arizona, and more particularly described as follows, to wit:

Commencing at this monument of stones, being the center of the *Southerly*...end of the claim, and upon which this notice is posted; thence *Easterly 300*...feet to a monument of stones; thence *Northerly 1500*...feet to a monument of stones; thence *Westerly 300*...feet to a monument of stones, being the center of the *Northerly*...end of claim; thence *Westerly 300*...feet to a monument of stones; thence *Southerly 1500*...feet to a monument of stones; thence *Easterly 300*...feet to place of beginning.

THIS CLAIM...is situated on the Eastern slope of the Santa Rita Mountains about 1/4 mile southerly from the Old Put Peak and is on the Western side of the boundary...

and shall be known as the *Chicago*...Mine.

LOCATED...*January 1st*...189*3*...

W B M Colony
Geo Station

Filed and recorded at request of W B M Colony
January 13th AD 1893 at 9:50 A.M.
Chas. H. Hill
County Clerk

Territory of Arizona,)
County of Pima.) ss.

I, **Chas. A. Shibell**, County Recorder in and for the County of Pima, do hereby

certify that the above and foregoing is a full, true and correct copy..... *of the Location*
Certificate of the Erie Mining Claim

as appears of record now in my office in book *EE Records of Mines* pages *2*

IN WITNESS WHEREOF, I have hereunto set my hand and affixed my official

seal, at my office in Tucson, this *24th* day of *May*

A. D., 189*8*

Chas. A. Shibell
County Recorder.

Territory of Arizona,

County of Pima,

ss.

I, Chas. A. Shibell, County Recorder in and for the County of Pima, do hereby

certify that the above and foregoing is a full, true and correct copy of the location

location of the Erie Mining Claim

as appears of record now in my office in book *EE Records of Mines* pages *2*

IN WITNESS WHEREOF, I have hereunto set my hand and affixed my official

seal, at my office in Tucson, this *27th* day of *May* A. D., 189*8*

Chas. A. Shibell
County Recorder.

Printed and for sale by the Citizen Printing & Publishing Co., Tucson.

~~Notice of Location.~~ Notice

Notice is Hereby Given That the undersigned, in compliance with the requirements of the Mining Act of Congress, approved May 10th, 1872, ha...this day located and claim..... hundred linear feet along the course of this lead, lode or vein of mineral-bearing quartz, ... *and 300* ... feet in width on each side of the middle of said lead, lode or vein, situate in the ... Mining District, County of ... Arizona, and more particularly described as follows, to wit:

Commencing at this monument of stones, being the center of the ... end of the claim, and upon which this notice is posted; thence ... feet to a monnment of stones; thence ... feet to a monument of stones; thence ... feet to a monument of stones, being the center of the ... end of claim; thence ... feet to a monument of stones; thence ... feet to a monument of stones; thence ... feet to place of beginaing.

THIS CLAIM ... *is situated on the East slope of the ...* ... *and ...*

and shall be known as the ... Mine.

LOCATED ... 189...

10-13-1894
 Filed ... at ...
 April 17th 1894 at 9 A.M.
 Clerk of the Court

Territory of Arizona,)
County of Pima.) ss.

I, **Chas. A. Shibell**, County Recorder in and for the County of Pima, do hereby

certify that the above and foregoing is a full, true and correct copy of the amended
*Notice of Location of the Erie Mining
Claim.*

as appears of record now in my office in book *FF* *Records of Mines* pages *786*.

IN WITNESS WHEREOF, I have hereunto set my hand and affixed my official
seal, at my office in Tucson, this *5th* day of *August*
A. D., 189*8*

Chas. A. Shibell
County Recorder.

AMENDED NOTICE OF LOCATION.

Notice is hereby given that the undersigned, in compliance with the requirements of the Mining Act of Congress approved May 10, ~~1872~~ 1872, has this day located and claim 1500 linear feet along the course of this lead, lode or vein of mineral bearing quartz, and 300 feet in width on each side of the middle of said lead, lode or vein, situate in the Helvetia Mining District, County of Pima, Arizona, and more particularly described as follows, to wit:

Commencing at this monument of stones, being the center of the Southerly end of claim, and upon which this notice is posted, thence Easterly 300 feet to a monument of stones, thence Northerly 1500 feet to a monument of stones, thence westerly 300 feet to a monument of stones; being the center of the Northerly end of claim; thence westerly 300 feet to a monument of stones, thence southerly 1500 feet to a monument of stones, thence easterly 300 feet to place of beginning.

This claim is situated on the Eastern slope of the Santa Rita Mountains, about $\frac{1}{2}$ mile southerly of Old Put Peak, and lies immediately East of the Chicago, and North of the Oregon Copper Mining Claims, and is known and shall be known as the Erie Mine, being the same mining claim of which the original location notice, made by W.B. McCleary, is recorded in the office of the Recorder of Pima County, Arizona, in Book EE, Records of Mines, at page 2.

This amended notice is made without waiver of any previous rights, for the purpose of correcting the description of said claim in said original location notice, which was defective, of said claim as originally located and marked upon the ground.

Date of original location, Feby 15th, 1894.

Date of this amended location notice, July 29th, 1898.

LEONARD LEWISOHN.

Filed and recorded at request of S.E. Hazzard, August 4.....
1898, at 11:30...a.m.

Chas. A. Shibell

County Recorder.

Territory of Arizona,)
County of Pima.) ss.

I, **Chas. A. Shibell**, County Recorder in and for the County of Pima, do hereby
certify that the above and foregoing is a full, true and correct copy... of the Location
Certificate of the Marion Mining Claim

as appears of record now in my office in book *CC Record of Mines*... pages *208*

IN WITNESS WHEREOF, I have hereunto set my hand and affixed my official
seal, at my office in Tucson, this *24th* day of *May*
A. D., 189*8*.

Chas. A. Shibell
County Recorder.

Printed and for sale by the Citizen Printing & Publishing Co., Tucson.

~~Notice of Location.~~ Notice

Notice is Hereby Given That the undersigned, in compliance with the requirements of the Mining Act of Congress, approved May 10th, 1872, has...this day located and claim...*feet*...hundred linear feet along the course of this lead, lode or vein of mineral-bearing quartz, *and 200*...feet in width on each side of the middle of said lead, lode or vein, situate in the...*town of*...Mining District, County of *Pima*...Arizona, and more particularly described as follows, to wit:

Commencing at this monument of stones, being the center of the *monument*... end of the claim, and upon which this notice is posted; thence *westing 200* feet to a monument of stones; thence *westing 1500* feet to a monument of stones; thence *easting 200* feet to a monument of stones, being the center of the *claim*...end of claim; thence *westing 300* feet to a monument of stones; thence *westing 1500* feet to a monument of stones; thence *westing 300* feet to place of beginning.

THIS CLAIM *is situated on the eastern slope of the Santa Rita Mountains near the center of the town of...*

and shall be known as the *Liberty* Mine.

LOCATED *Jan 1* 189 *4*

W B M Gray

*Filed and recorded at registry (1173) W B Gray
January 1894 A W 1592 at 2 PM
Chas A. Colwell*

Territory of Arizona,)
County of Pima.) ss.

I, Chas. A. Shibell, County Recorder in and for the County of Pima, do hereby

certify that the above and foregoing is a full, true and correct copy of the Location
Certificate of the Cushing Mining Claim

as appears of record now in my office in book CC Record of Mines pages 210

IN WITNESS WHEREOF, I have hereunto set my hand and affixed my official
seal, at my office in Tucson, this 24th day of May
A. D., 1898

Chas. A. Shibell
County Recorder.

Printed and for sale by the Citizen Printing & Publishing Co., Tucson.

Notice of Location. *Notice*

Notice is Hereby Given That the undersigned, in compliance with the requirements of the Mining Act of Congress, approved May 10th, 1872, has...this day located and claim...*fifteen*...hundred linear feet along the course of this lead, lode or vein of mineral-bearing quartz,.....*and 300*.....feet in width on each side of the middle of said lead, lode or vein, situate in the...*Hamden*.....Mining District, County of...*Yuma*.....Arizona, and more particularly described as follows, to wit:

Commencing at this monument of stones, being the center of the...*South side*... end of the claim, and upon which this notice is posted; thence...*North side 300*... feet to a monument of stones; thence...*North side 1500*...feet to a monument of stones; thence...*West side 300*.....feet to a monument of stones being the center of the...*North side*.....end of claim; thence...*West side 300*...feet to a monument of stones; thence...*South side 1500*.....feet to a monument of stones; thence...*East side 300*.....feet to place of beginning.

THIS CLAIM...*is situated on the eastern slope of the Santa Rita Mountains, joins and lies below the Franklin Mine - about 700 yds below the old shaft.*

and shall be known as the...*Cushing*.....Mine.

LOCATED...*Jan 1*.....189...*1892*

W B M Co

Filed and recorded at request of *W B M Co* of January 5th AD 1892 at 2 P.M. *Charge made*

Territory of Arizona,)
County of Pima.) ss.

I, Chas. A. Shibell, County Recorder in and for the County of Pima, do hereby

certify that the above and foregoing is a full, true and correct copy of the Location Certificate of the Franklin Mining Claim

as appears of record now in my office in book *CC Record of Mines* pages *213*

IN WITNESS WHEREOF, I have hereunto set my hand and affixed my official seal, at my office in Tucson, this *24th* day of *May* A. D., 189*8*

Chas. A. Shibell
County Recorder.

Printed and for sale by the Citizen Printing & Publishing Co., Tucson.

Notice of Location. *Notice*

Notice is Hereby Given That the undersigned, in compliance with the requirements of the Mining Act of Congress, approved May 10th, 1872, has...this day located and claims...*fifteen*...hundred linear feet along the course of this lead, lode or vein of mineral-bearing quartz,.....*and 300*...feet in width on each side of the middle of said lead, lode or vein, situate in the...*Helvetic*...Mining District, County of...*Pima*...Arizona, and more particularly described as follows, to wit:

Commencing at this monument of stones, being the center of the...*Southely*... end of the claim, and upon which this notice is posted; thence...*Eastely 300*... feet to a monnment of stones; thence...*Northely 1500*...feet to a monument of stones; thence...*Westely 300*...feet to a monument of stones, being the center of the...*Northely*...end of claim; thence...*Westely 300*...feet to a monument of stones; thence...*Southely 1500*...feet to a monument of stones; thence...*Eastely 300*...feet to place of beginnig.

THIS CLAIM...*is situated on the eastern slope of the Santa Rita Mountain range joins the low part of the Santa Rita Mtn. T. about 500 yds below the Red Mt. S. R.*

and shall be known as the...*Franklin*...Mine.

LOCATED...*Jan 1*...189...*is*

W B M Gray

*Filed in Tucson at request of W B M Gray
January 5th A.D. 1872, at 2 o'clock
G. W. Shibley
County Recorder*

Territory of Arizona,)
County of Pima.) ss.

I, **Chas. A. Shibell**, County Recorder in and for the County of Pima, do hereby

certify that the above and foregoing is a full, true and correct copy of the Location
Certificate of the Old Put Con. Mining Claim

as appears of record now in my office in book CC Record of Mines pages 790

IN WITNESS WHEREOF, I have hereunto set my hand and affixed my official

seal, at my office in Tucson, this 24th day of May

A. D., 1898

Chas. A. Shibell
County Recorder.

Territory of Arizona, }
County of Pima. } ss.

I, **Chas. A. Shibell**, County Recorder in and for the County of Pima, do hereby

certify that the above and foregoing is a full, true and correct copy of the Amended
Notice of Location of the Old Put Bon,
Mining Claim,

as appears of record now in my office in book *50 Records of Mines* pages *786 Etc*

IN WITNESS WHEREOF, I have hereunto set my hand and affixed my official

seal, at my office in Tucson, this *5th* day of *August*

A. D., 189*8*

Chas. A. Shibell
County Recorder.

AMENDED NOTICE OF LOCATION.

Notice is hereby given, that the undersigned, in compliance with the requirements of the Mining Act of Congress, approved May 10th, 1872, has located and claims fifteen hundred feet along the course of this lead, lode or vein of mineral bearing quartz, and three hundred feet on each side of the middle of said lead, lode or vein, situate in the Helvetia Mining District, County of Pima, Arizona, and more particularly described as follows, to wit:

Commencing at this monument of stones, being the center of the Southerly end of claim, and upon which this notice is posted; thence Easterly 300 feet to a monument of stones, thence Northerly 1500 feet to a monument of stones, thence Westerly 300 feet to a monument of stones, being the center of the Northerly end of claim; thence Westerly 300 feet to a monument of stones, thence Southerly 1500 feet to a monument of stones, thence Easterly 300 feet to place of beginning.

This claim is situated on the Eastern and Western slopes of the Old Put (or Weigle's) Peak, a prominent peak or butte in the Santa Rita Mountains, and is known, and shall be known as the Old Put Con. Mine, being the same mining claim of which the original location notice (made by W.B. McClary and Geo. Stevens) is recorded in the office of the recorder of Pima County, Arizona, in Book C. C. Record of Mines, at page 790.

This amended notice is made without waiver of any previous rights, for the purpose of correcting the description of said claim in said original location notice (which was defective) of said claim as originally located and marked upon the ground.

Date of original location, Jan'y 1st, 1893.

Date of this amended location notice, July 29th, 1898.

LEONARD LEWISOHN.

Filed and recorded at request of S.E. Hazzard, August 4...
1898, at 11.30 a.m.

Chas. A. Shibell,
County Recorder.

Territory of Arizona,
ss.)
County of Pima.)

I, Chas. A. Shibley, County Recorder in and for the County of Pima, do hereby

certify that the above and foregoing is a full, true and correct copy of the Recession

to authenticate of the Old Pap to Stephen Manning

to learn

as appears of record now in my office in book CC Records of Mines pages 791

IN WITNESS WHEREOF, I have hereunto set my hand and affixed my official

seal, at my office in Tucson, this 24th day of May

A. D., 189 ?

Chas. A. Shibley
County Recorder.

Printed and for sale by the Citizen Printing & Publishing Co., Tucson.

Notice of Location. *Notice*

Notice is Hereby Given That the undersigned, in compliance with the requirements of the Mining Act of Congress, approved May 10th, 1872, ha...this day located and claim..... hundred linear feet along the course of this lead, lode or vein of mineral-bearing quartz,..... feet in width on each side of the middle of said lead, lode or vein, situate in the..... Mining District, County of..... Arizona, and more particularly described as follows, to wit:

Commencing at this monument of stones, being the center of the..... end of the claim, and upon which this notice is posted; thence..... feet to a monnment of stones; thence..... feet to a monument of stones; thence..... feet to a monument of stones, being the center of the..... end of claim; thence..... feet to a monument of stones; thence..... feet to a monument of stones; thence..... feet to place of beginning.

THIS CLAIM.....

and shall be known as the *Old Pop Lode* Mine.

LOCATED *January 1st* 189.....

Witness my hand and seal of office at Tucson Arizona this 1st day of January 1890

Territory of Arizona,)
County of Pima.) ss.

I, **Chas. A. Shibell**, County Recorder in and for the County of Pima, do hereby
certify that the above and foregoing is a full, true and correct copy of the Amended
Notice of Location of the Old Pap Copper
Mining Claim,

as appears of record now in my office in book *FF* Records of Mines pages *787 et seq*

IN WITNESS WHEREOF, I have hereunto set my hand and affixed my official
seal, at my office in Tucson, this *5th* day of *August*
A. D., 189*8*

Chas. A. Shibell
County Recorder.

AMENDED NOTICE OF LOCATION.

Notice is hereby given that the undersigned in compliance ~~with~~ with the requirements of the Mining Act of Congress, approved May 10th, 1872, has located and claims fifteen hundred feet along the course of this lead, lode or vein of ~~ka~~ mineral bearing quartz, and three hundred feet in width on each side of the middle of said lead, lode or vein, situate in the Helvetia Mining District, County of Pima, Arizona, and more particularly described as follows, to wit:

Commencing at this monument of stones, being the center of the Southerly end of claim, and upon which this notice is posted, thence Easterly 300 feet to a monument of stones, thence Northerly 1500 feet to a monument of stones, thence westerly 300 feet to a monument of stones, being the center of the northerly end of claim, thence westerly 300 feet to a monument of stones, thence Southerly 1500 feet to a monument of stones, thence Easterly 300 feet to place of beginning.

This claim is situate on the North Eastern and North Western slopes of the Old Put (or Weigle's) Peak, a prominent peak or butte in the Santa Rita Mountains, and is known, and shall be known as the Old Pap Copper Mine, being the same mining claim of which the original location notice (made by W.B. McCleary and Geo. Stevens) is recorded in the office of the Recorder of Pima County, Arizona, in Book C.C. Record of Mines, page 791.

This amended notice is made without waiver of any previous rights for the purpose of correcting the description of said claim in said original location (which was defective) of said claim as originally located and marked upon the ground.

Date of original location Jany 1st, 1893.

Date of this amended location notice, July 29th, 1898.

LEONARD LEWISOHN.

Filed and recorded at request of S.E. Hazzard, August. 4. . . .
1898, at 11.30. A.M

Chas. A. Shiblell

County Recorder,

Territory of Arizona,
ss.)
County of Pima.)

I, **Chas. A. Shibell**, County Recorder in and for the County of Pima, do hereby

certify that the above and foregoing is a full, true and correct copy of the location

certificate of the Central Mining & Leasing

as appears of record now in my office in book 313, Record of Mines pages 265

IN WITNESS WHEREOF, I have hereunto set my hand and affixed my official seal, at my office in Tucson, this 24th day of May

A. D., 189 8

Chas. A. Shibell

County Recorder.

File

Central 1513-205

10

Printed and for sale by the Citizen Printing & Publishing Co., Tucson.

Notice of Location. Notice

Notice is Hereby Given That the undersigned, in compliance with the requirements of the Mining Act of Congress, approved May 10th, 1872, has...this day located and claim...74...hundred linear feet along the course of this lead, lode or vein of mineral-bearing quartz,....and 300.....feet in width on each side of the middle of said lead, lode or vein, situate in the...Helvetic.....Mining District, County of...Pima.....Arizona, and more particularly described as follows, to wit:

Commencing at this monument of stones, being the center of the...Southerly... end of the claim, and upon which this notice is posted; thence...East 300... feet to a monument of stones; thence...Northerly 1500...feet to a monument of stones; thence...Westerly 300.....feet to a monument of stones, being the center of the...Northerly.....end of claim; thence...Westerly 300...feet to a monument of stones; thence...Southerly 1500...feet to a monument of stones; thence...Easterly 300...feet to place of beginning.

THIS CLAIM...is situated on the summit of the Santa Rita Mountains; mostly on the Eastern slope. Joins and lay north of the General Phoenix Mine and about 1/2 mile north of the Old Put Peak.....

and shall be known as the...Central.....Mine.

LOCATED...January 1.....1891...

W. B. M^{rs} Cleary.....

Filed and recorded at request of W. B. M^{rs} Cleary January 5th A.D. 1891 at 2 P.M.

Charles A. Smith.....
County Recorder

Territory of Arizona,)
 County of Pima.) ss.

I, **Chas. A. Shibell**, County Recorder in and for the County of Pima, do hereby

certify that the above and foregoing is a full, true and correct copy *of the Location*
Certificate of the Falls Mining Claim

as appears of record now in my office in book *CC Records of Mines* pages *212*

IN WITNESS WHEREOF, I have hereunto set my hand and affixed my official

seal, at my office in Tucson, this *24th* day of *May*

A. D., 189*8*

Chas. A. Shibell

County Recorder.

Printed and for sale by the Citizen Printing & Publishing Co., Tucson.

Notice of Location. *Notice*

Notice is Hereby Given That the undersigned, in compliance with the requirements of the Mining Act of Congress, approved May 10th, 1872, ha...this day located and claim...*fifty*...hundred linear feet along the course of this lead, lode or vein of mineral-bearing quartz,....*and 300*...feet in width on each side of the middle of said lead, lode or vein, situate in the..... Mining District, County of...*Pima*...Arizona, and more particularly described as follows, to wit:

Commencing at this monument of stones, being the center of the...*North*... end of the claim, and upon which this notice is posted; thence...*west*... feet to a monnment of stoues; thence...*North 1500*...feet to a monument of stones; thence...*east 300*...feet to a monument of stones being the center of the...*claim*...end of claim; thence...*east 300*...feet to a monument of stones; thence...*North 1500*...feet to a monument of stones; thence...*West 300*...feet to place of beginning.

THIS CLAIM...*is situated on the south side of the Pima Mountains about 100 yds below the Center of Peak*.....

and shall be known as the...*L. L. L.*... Mine.

LOCATED...*Jan 1*... 189...*2*

W. B. M. Cleary
 Filed and recorded at request of W. B. M. Cleary
 January 25 A.D. 1892 at 2 P. M.
W. B. M. Cleary
County Recorder

Territory of Arizona,)
County of Pima.) ss.

I, **Chas. A. Shibell**, County Recorder in and for the County of Pima, do hereby

certify that the above and foregoing is a full, true and correct copy... of the Location
Certificate of the Ajax Consolidated Mining Claims

as appears of record now in my office in book CC Record of Mines pages 692

IN WITNESS WHEREOF, I have hereunto set my hand and affixed my official
seal, at my office in Tucson, this 24th day of May
A. D., 1898

Chas. A. Shibell
County Recorder.

Notice of Location. *Notice*

Notice is Hereby Given That the undersigned, in compliance with the requirements of the Mining Act of Congress, approved May 10th, 1872, has...this day located and claim *fifteen*.....hundred linear feet along the course of this lead, lode or vein of mineral-bearing quartz,.....and *300*.....feet in width on each side of the middle of said lead, lode or vein, situate in the *Helvetia*.....Mining District, County of *Pima*.....Arizona, and more particularly described as follows, to wit:

Commencing at this monument of stones, being the center of the *Northerly*.....end of the claim, and upon which this notice is posted; thence *Westerly 300*.....feet to a monnment of stones; thence *Southerly 1500*...feet to a monument of stones; thence *Easterly 300*.....feet to a monument of stones, being the center of the *Southerly*.....end of claim; thence *Easterly 300*...feet to a monument of stones; thence *Northerly 1500*.....feet to a monument of stones; thence *Westerly 300*.....feet to place of beginnaing.

THIS CLAIM *is situated on the Eastern slope of the Santa Rita Mountains about 100 yards Easterly of the top of the Ajax peak and lays between the Hilo Consolidated and Niagara Mines, was formerly known as the Ajax Copper Mine*

and shall be known as the *Ajax Consolidated*.....Mine.

LOCATED *January 1st*.....1893...

W.B. McCleary
Geo. Stevens.....

Filed and recorded at request of *W.B. McCleary* January *6th* A.D. 1893, ...
at 9.50 A.M.

.....
Chas. A. Shibell,
County Recorder.

Territory of Arizona,)
) ss.
County of Pima.)

I, Chas. A. Shibell, County Recorder in and for the County of Pima, do hereby

certify that the above and foregoing is a full, true and correct copy of the Location
Certificate of the Cuba Mining Claim

as appears of record now in my office in book EE Records of Mines pages 1

IN WITNESS WHEREOF, I have hereunto set my hand and affixed my official

seal, at my office in Tucson, this 24th day of May

A. D., 1898

Chas. A. Shibell
County Recorder.

Printed and for sale by the Citizen Printing & Publishing Co., Tucson.

Notice of Location. *Notice*

Notice is Hereby Given That the undersigned, in compliance with the requirements of the Mining Act of Congress, approved May 10th, 1872, has...this day located and claim...*fifteen*...hundred linear feet along the course of this lead, lode or vein of mineral-bearing quartz,...*and 300*...feet in width on each side of the middle of said lead, lode or vein, situate in the...*Helvetic*...Mining District, County of...*Pima*...Arizona, and more particularly described as follows, to wit:

Commencing at this monument of stones, being the center of the...*North by 70°*...end of the claim, and upon which this notice is posted; thence...*West by 30°*...feet to a monument of stones; thence...*South by 150°*...feet to a monument of stones; thence...*East by 30°*...feet to a monument of stones, being the center of the...*South by 70°*...end of claim; thence...*East by 30°*...feet to a monument of stones; thence...*North by 150°*...feet to a monument of stones; thence...*West by 30°*...feet to place of beginning.

THIS CLAIM...*is situated on the Eastern slope of the Santa Rita Mountains. It is situated about 1/2 mile East of the Apex of the mountain.*

and shall be known as the...*Cuba*...Mine.

LOCATED...*Sept 1st*...189...*11*

This claim was recorded at Tucson of 1872... of 1872. A.B. 1872. 19th...

Territory of Arizona,
ss.)
County of Pima.)

I, Chas. A. Shibell, County Recorder in and for the County of Pima, do hereby

certify that the above and foregoing is a full, true and correct copy of the Recession

to authenticate of the title to consolidated Mining claims

as appears of record now in my office in book CC Record of Mines pages 211

IN WITNESS WHEREOF, I have hereunto set my hand and affixed my official seal, at my office in Tucson, this 24th day of May

A. D., 189 8

Chas. A. Shibell
County Recorder.

Printed and for sale by the Citizen Printing & Publishing Co., Tucson.

Notice of Location. *Notice*

Notice is Hereby Given That the undersigned, in compliance with the requirements of the Mining Act of Congress, approved May 10th, 1872, has...this day located and claim..... hundred linear feet along the course of this lead, lode or vein of mineral-bearing quartz,..... feet in width on each side of the middle of said lead, lode or vein, situate in the..... Mining District, County of..... Arizona, and more particularly described as follows, to wit:

Commencing at this monument of stones, being the center of the..... end of the claim, and upon which this notice is posted; thence..... feet to a monument of stones; thence..... feet to a monument of stones; thence..... feet to a monument of stones, being the center of the..... end of claim; thence..... feet to a monument of stones; thence..... feet to a monument of stones; thence..... feet to place of beginning.

THIS CLAIM.....

Situated on the north side of the Santa Rita Mountains, in the town of... the... of... and... of... of... of... of...

and shall be known as the..... *Hill Consolidated*..... Mine.

LOCATED..... 189.....

Filed and recorded at... W13... County... Arizona... by... County...

Territory of Arizona,)
County of Pima.) ss.

I, **Chas. A. Shibell**, County Recorder in and for the County of Pima, do hereby

certify that the above and foregoing is a full, true and correct copy of the Location

Certificate of the York Mining Claim

as appears of record now in my office in book OK Record of Mines pages 800

IN WITNESS WHEREOF, I have hereunto set my hand and affixed my official

seal, at my office in Tucson, this 24th day of May

A. D., 1898

Chas. A. Shibell
County Recorder.

Printed and for sale by the Citizen Printing & Publishing Co., Tucson.

Notice of Location. *Notice*

Notice is Hereby Given That the undersigned, in compliance with the requirements of the Mining Act of Congress, approved May 10th, 1872, has...this day located and claim...*fifteen*...hundred linear feet along the course of this lead, lode or vein of mineral-bearing quartz,...*and 200*...feet in width on each side of the middle of said lead, lode or vein, situate in the...*Helena*...Mining District, County of...*Pima*...Arizona, and more particularly described as follows, to wit:

Commencing at this monument of stones, being the center of the...*Southerly*...end of the claim, and upon which this notice is posted; thence...*Easterly 300*...feet to a monnment of stoues; thence...*Northerly 1500*...feet to a monument of stones; thence...*Westerly 300*...feet to a monument of stones, being the center of the...*Northerly*...end of claim; thence...*Westerly 300*...feet to a monument of stones; thence...*Southerly 1500*...feet to a monument of stones; thence...*Easterly 300*...feet to place of beginning.

THIS CLAIM...*is situated on the East slope of the Santa Rita Mountains, Pima and Gila Counties, East of the Hill-Copper Mine, about 700 ft. Easterly of the Hill Park*...

and shall be known as the...*York*...Mine.

LOCATED...*February 15th*...1894...

W B M Cleave

Filed and recorded...*at request of W B M Cleave*
 April 12 - A.M. 1894...at 7 a.m.

Chas A Sherrill
C. W. H. ...

and

16

115

Territory of Arizona,)
) SS.
County of Pima.)

I, **Chas. A. Shibell**, County Recorder in and for the County of Pima, do hereby
certify that the above and foregoing is a full, true and correct copy *of the Location*
Certificate of the Daylight Mining Claim

as appears of record now in my office in book *BB Record of Mines* pages *464*

IN WITNESS WHEREOF, I have hereunto set my hand and affixed my official

seal, at my office in Tucson, this *24th* day of *May*

A. D., 189*8*

Chas. A. Shibell
County Recorder.

Notice of Location. *Motion*

Notice is Hereby Given That the undersigned, in compliance with the requirements of the Mining Act of Congress, approved May 10th, 1872, has...this day located and claim *fifteen*...hundred linear feet along the course of this lead, lode or vein of mineral-bearing quartz, *and 300*...feet in width on each side of the middle of said lead, lode or vein, situate in the *Helena*... Mining District, County of *Pima*... Arizona, and more particularly described as follows, to wit:

Commencing at this monument of stones, being the center of the *Southerly*... end of the claim, and upon which this notice is posted; thence *Easterly 300*... feet to a monument of stones; thence *Northerly 1500*...feet to a monument of stones; thence *Westerly 300*...feet to a monument of stones, being the center of the *Northerly*... end of claim; thence *Westerly 300*...feet to a monument of stones; thence *Southerly 1500*...feet to a monument of stones; thence *Easterly 300*...feet to place of beginning.

THIS CLAIM *is situated in the Pinalito Mountains at the foot of the Harbucke, Jones and Lays south of the Maricopa path Mine*

and shall be known as the *Haystack*... Mine.

LOCATED *January 1st*... 1891...

W B M Co Cary

*Filed and recorded at request of W B M Co Cary
January 5th A.D. 1891, at 2 P.M.*

*John A. Stibel
County Recorder*

Territory of Arizona,)
) ss.
County of Pima.)

I, **Chas. A. Shibell**, County Recorder in and for the County of Pima, do hereby

certify that the above and foregoing is a full, true and correct copy of the Location

Certificate of the Potomac Mining Claim

as appears of record now in my office in book A A Record of Mines pages 689

IN WITNESS WHEREOF, I have hereunto set my hand and affixed my official

seal, at my office in Tucson, this 24th day of May

A. D., 1898

Chas. A. Shibell
County Recorder.

Printed and for sale by the Citizen Printing & Publishing Co., Tucson.

Notice of Location. Notice

Notice is Hereby Given That the undersigned, in compliance with the requirements of the Mining Act of Congress, approved May 10th, 1872, has...this day located and claim...*fifty*...hundred linear feet along the course of this lead, lode or vein of mineral-bearing quartz,....*and 300*.....feet in width on each side of the middle of said lead, lode or vein, situate in the...*Bellevue*.....Mining District, County of...*Pima*.....Arizona, and more particularly described as follows, to wit:

Commencing at this monument of stones, being the center of the...*northern*...end of the claim, and upon which this notice is posted; thence...*west by 300*...feet to a monument of stones; thence...*1500*...feet to a monument of stones; thence...*East by 300*...feet to a monument of stones, being the center of the...*South by*...end of claim; thence...*East by 300*...feet to a monument of stones; thence...*North by 1500*...feet to a monument of stones; thence...*North by 300*...feet to place of beginning.

THIS CLAIM...*is situated in the East slope of the Santa Rita Mountains about 700 feet West of the Volcanic Springs*...*located in the Pima County*...

and shall be known as the...*Potomac*.....Mine.

LOCATED...*Jan 1*.....189*0*...

W B Meloy

Filed in the office of the Register and Recorder of the County of Pima, Arizona, on the 11th day of January, 1890, at 12 O'Clock P.M.
Charles A. ...
Com. of ...

Territory of Arizona,)
) ss.
County of Pima.)

I, **Chas. A. Shibell**, County Recorder in and for the County of Pima, do hereby

certify that the above and foregoing is a full, true and correct copy... *of the Location*
Certificate of the Dan Webster Mining Claim

as appears of record now in my office in book *DN Record of Mines* pages *281*

IN WITNESS WHEREOF, I have hereunto set my hand and affixed my official
seal, at my office in Tucson, this *24th* day of *May*
A. D., 189*8*

Chas. A. Shibell
County Recorder.

10 10 1891

420

Printed and for sale by the Citizen Printing & Publishing Co., Tucson.

Notice of Location. *Notice*

Notice is Hereby Given That the undersigned, in compliance with the requirements of the Mining Act of Congress, approved May 10th, 1872, has...this day located and claim...*fifteen*...hundred linear feet along the course of this lead, lode or vein of mineral-bearing quartz,.....*and 200*.....feet in width on each side of the middle of said lead, lode or vein, situate in the...*Halveta*.....Mining District, County of...*Pima*.....Arizona, and more particularly described as follows, to wit:

Commencing at this monument of stones, being the center of the...*Northern*...end of the claim, and upon which this notice is posted; thence...*West by 100*...feet to a monument of stones; thence...*S 75° E by 150*...feet to a monument of stones; thence...*Northerly by 200*...feet to a monument of stones, being the center of the...*Northern*...end of claim; thence...*East by 100*...feet to a monument of stones; thence...*Northerly by 150*...feet to a monument of stones; thence...*West by 300*...feet to place of beginning.

THIS CLAIM...*is situated on the Eastern slope of the Santa Rita Mountains at the base of Mt Henry*.....

and shall be known as the...*Dan Washburn*.....Mine.

LOCATED...*January 21*.....1891....

W B McLeary

*Filed and recorded at request of W B McLeary
 Feby 20th AD 1893 at 7 o'clock*

Territory of Arizona, }
County of Pima. } ss.

I, **Chas. A. Shibell**, County Recorder in and for the County of Pima, do hereby

certify that the above and foregoing is a full, true and correct copy *of the Location*

Certificate of the Patrick Henry Mining Claim

as appears of record now in my office in book *Record of Mines* pages *283*

IN WITNESS WHEREOF, I have hereunto set my hand and affixed my official

seal, at my office in Tucson, this *24th* day of *May*

A. D., 189*8*

County Recorder.

Printed and for sale by the Citizen Printing & Publishing Co., Tucson.

Notice of Location. *Notice*

Notice is Hereby Given That the undersigned, in compliance with the requirements of the Mining Act of Congress, approved May 10th, 1872, has...this day located and claim..... hundred linear feet along the course of this lead, lode or vein of mineral-bearing quartz,..... *and 300*..... feet in width on each side of the middle of said lead, lode or vein, situate in the..... Mining District, County of..... Arizona, and more particularly described as follows, to wit:

Commencing at this monument of stones, being the center of the..... end of the claim, and upon which this notice is posted; thence..... feet to a monument of stones; thence..... *North by 1500*..... feet to a monument of stones; thence..... feet to a monument of stones, being the center of the..... end of claim; thence..... feet to a monument of stones; thence..... feet to a monument of stones; thence..... feet to place of beginning.

THIS CLAIM *is situated in the*.....
of the.....
on 7th.....
10-mile.....

and shall be known as the..... Mine.

LOCATED..... 1893..

Filed and recorded at.....
July 25th.....
at.....

Territory of Arizona,)
County of Pima.) ss.

I, **Chas. A. Shibell**, County Recorder in and for the County of Pima, do hereby

certify that the above and foregoing is a full, true and correct copy... *of the Location*
Certificate of the La Fayette Mining Claim

as appears of record now in my office in book *DR Record of Mines* pages *280*

IN WITNESS WHEREOF, I have hereunto set my hand and affixed my official

seal, at my office in Tucson, this *24th* day of *May*

A. D., 189 *8*

Chas. A. Shibell
County Recorder.

Printed and for sale by the Citizen Printing & Publishing Co., Tucson.

Notice of Location. *W.B. McLeary*

Notice is Hereby Given That the undersigned, in compliance with the requirements of the Mining Act of Congress, approved May 10th, 1872, has on this day located and claim *fifteen* hundred linear feet along the course of this lead, lode or vein of mineral-bearing quartz, *and 300* feet in width on each side of the middle of said lead, lode or vein, situate in the *Helena* Mining District, County of *Pima* Arizona, and more particularly described as follows, to wit:

Commencing at this monument of stones, being the center of the *Northerly* end of the claim, and upon which this notice is posted; thence *Westerly 300* feet to a monument of stones; thence *Northerly 1500* feet to a monument of stones; thence *Easterly 300* feet to a monument of stones, being the center of the *Southerly* end of claim; thence *Easterly 300* feet to a monument of stones; thence *Northerly 1500* feet to a monument of stones; thence *Westerly 300* feet to place of beginning.

THIS CLAIM *is situated on the Eastern slope of the Santa Rita Mountains, in the lower part of the Spruce Mine, about 300 yards southerly of McLeary camp & about 1/4 mile East of Mt Henry* and shall be known as the *La Fayette* Mine.

LOCATED *January 2* 189*3*.

W B McLeary

Filed and recorded at request of W B McLeary Feb 28 - 2 P.M. 1893, at 9 a.m.

*Chas A Shubel
County Clerk*

Territory of Arizona,)
County of Pima.) SS.

I, **Chas. A. Shibell**, County Recorder in and for the County of Pima, do hereby

certify that the above and foregoing is a full, true and correct copy *of the Location*
Certificate of the R. G. Ingersoll Mining Claim

as appears of record now in my office in book *RD Record of Mines* pages *279*

IN WITNESS WHEREOF, I have hereunto set my hand and affixed my official
seal, at my office in Tucson, this *24th* day of *May*
A. D., 189*8*

Chas. A. Shibell
County Recorder.

Printed and for sale by the Citizen Printing & Publishing Co., Tucson.

Notice of Location. *Notice*

Notice is Hereby Given That the undersigned, in compliance with the requirements of the Mining Act of Congress, approved May 10th, 1872, ha....this day located and claim.....hundred linear feet along the course of this lead, lode or vein of mineral-bearing quartz,.....feet in width on each side of the middle of said lead, lode or vein, situate in the.....Mining District, County of.....Arizona, and more particularly described as follows, to wit:

Commencing at this monument of stones, being the center of the.....end of the claim, and upon which this notice is posted; thence.....feet to a monnment of stones; thence.....feet to a monument of stones; thence.....feet to a monument of stones, being the center of the.....end of claim; thence.....feet to a monument of stones; thence.....feet to a monument of stones; thence.....feet to place of beginning.

THIS CLAIM.....*is situated on the S. E. corner of the Santa Rita Mount and at the foot of the N. E. of the Mt. of the Hill*

and shall be known as the.....Mine.

LOCATED.....189.....

W B Mc Gray

*Filed and recorded at request of W B Mc Gray
February 20 AD 1873 at 9 A.M.
Chas A. Hubell
County, Maricopa*

1898 MAY 24 2 32 PM '98

Territory of Arizona,

ss.

County of Pima.)

127

I, Chas. A. Shibell, County Recorder in and for the County of Pima, do hereby

certify that the above and foregoing is a full, true and correct copy of the location

certificate of the Escommo Minita

as appears of record now in my office in book 1 of Minita pages 743

IN WITNESS WHEREOF, I have hereunto set my hand and affixed my official

seal, at my office in Tucson, this 24th day of May

A. D., 1898

County Recorder.

Chas. A. Shibell

COCONINO MILL SITE.

The second location of Mill Site, being and beginning at the ~~XXXX~~ South West corner of the Chicago Mill Site, located and recorded in Pima County, Arizona, on December 22" 1894, to which reference is hereby made, running thence along the South Easterly side of said Chicago Mill Site a distance of 330 feet, to Central Monument of Side, thence in same direction and along said South Easterly side of said Chicago Mill Site a distance of 330 feet to a monument and post which is the South East corner of the Chicago Mill Site; then at right angles in a South Easterly direction, a distance of 330 feet to a monument and post thence at right angles in a South Westerly direction 330 feet to Central Monument of Side, thence in same direction 330 feet to a monument and post, thence at right angles in a North Westerly direction a distance of 330 feet to place of beginning, where may be found a tin can containing a copy of this description, and said mill site above described containing five acres. This mill Site is taken up in connection with the Coconino Mine and shall be known as the "Coconino" Mill Site. Said Coconino Mine joins and is situated Southerly of the Chicago Mine and Westerly of the Oregon Mine. The shaft of said Coconino Mine is situated about 300 feet Southerly from the North end of said Mine. The Coconino Mill Site located by the Rosemont Smelting and Mining Company on the 20th day of December 1894, and is now occupied and used in connection with the Coconino Mine. For further description of the Coconino Mine reference is hereby made too Book "CC Records of Mines of Pima County Arizona, at page 794.

Rosemont Smelting & Mining Company
 By L.J.Rose, President
 Attest H.B.Manahan, Secty

Filed & Recorded Request of Rosemont S. & M. Co. December 22" 1894
 at 3.15 P.M.

Chas. A. Shibell,
 County Recorder.

Territory of Arizona,

ss.

129

23

County of Pima.)

I, **Chas. A. Shibell**, County Recorder in and for the County of Pima, do hereby

certify that the above and foregoing is a full, true and correct copy of the Location

Certificate of the Chicago Millsite

as appears of record now in my office in book 1 of Millsites pages 742

IN WITNESS WHEREOF, I have hereunto set my hand and affixed my official

seal, at my office in Tucson, this 24th day of May

A. D., 1898

Chas. A. Shibell

County Recorder.

CHICAGO MILL SITE .

The Rosemont Smelting & Mining Company Located in Helvetia Mining District, Santa Rita Mountains, Pima County, Arizona, desire to take up various millsites which are hereinafter described and also described such mines in connection therewith, which entitles such locations, all located in same district., The first location of millsite being and beginning about (10) x ten feet from a Northern post of the Eastern Gate leading into a pasture and a cabin many years occupied by W.B.McCleary and beyond said cabin to a Western gate of said pasture, after passing said gate then the road was declared a public highway by the Board of Supervisors of Pima County on Aug 6th 1894 and said road leads to the Omega and Cuprite Mines, both located in said Helvetia District above mentioned. The above mentioned gate and post of beginning are also at the post of the upper grade leading to the Rosemont Smelter and at the North western base of Mount Rose partly on a bridge. Beginning at said post as above located thence about 65° East of North 330 feet to Central Monument of Side; thence in the same direction 330 feet to the Northeast corner of said Mill Site to a monument and post, thence at right angles in a South Easterly direction 330 feet to a monument and post, thence ~~at~~ right angles South Westerly 330 feet to central monument of side, thence in same direction 330 feet to monument and post, thence at right angles North Westerly 330 feet to place of beginning, where may be ~~g~~ found a tin can containing a copy of this description, and containing five (5) acres. This Mill site is taken up in connection with the Chicago Mine, which Mine is located about two miles South West from starting point of Mill Site. The shaft of the said Chicago Mine is about 380 feet from the Southern Boundary of said mine, and 1700 feet South Easterly of Old Put Peak Santa Rita Mts. Helvetia Mining District, and is now occupied and used in connection with said mine, and said Mill Site shall be known as the "Chicago Mill Site", located on the 20th day of December 1894 by the Rosemont Smelting and Mining Company, for further description reference is hereby made to Book "CC" Record of Mines of Pima County Arizona at page 793.

Rosemont Smelting & Mining Company
By L.J.Rose President
Attest H.B.Manahan Secty.

Filed & Recorded Request of Rosemont S & M Company
December 22nd 1894 at 3.15 P.M.

Chas A. Shibell
County Recorder.

Territory of Arizona,
ss. }
County of Pima.)

I, Chas. A. Shibell, County Recorder in and for the County of Pima, do hereby

certify that the above and foregoing is a full, true and correct copy

of the location
certificate of the Oregon Mine

as appears of record now in my office in book

1 of Minutes
pages 745

IN WITNESS WHEREOF, I have hereunto set my hand and affixed my official

seal, at my office in Tucson, this

24th
day of May

A. D., 189 8

County Recorder.

Chas. Shibell

1898

OREGON MILL SITE.

Fourth location of Mill Site being and beginning at the South West Corner of the Old Put Mill Site, recorded in Pima County Arizona, on December 22nd 1894 reference being hereby made thereto, running thence along the South Easterly Side of said Old Put Mill Site, a distance of 330 feet to a central monument of Side, thence a distance of 330 feet in same direction to a monument and post, which is South Easterly point of Old Put Mill Site, and thence at right angles South Easterly direction a distance of 330 feet to a monument and post, thence at right angles in a South Westerly direction 330 feet to a central monument of side, thence in same direction 330 feet to a monument and post thence at right angles in a North Westerly direction a distance of 330 feet to place of beginning where may be found a tin can containing a copy of this description, and said Mill Site above described containing 5 acres. This Mill Site is located in connection with the Oregon Copper Mine, and shall be known as the Oregon Mill Site. The Oregon Copper Mine is situated South Easterly from the Chicago Mine, and is adjacent thereto the open cuts and shaft of said Oregon Mine are situated about 60 feet from centre monument, of Northern boundary of said Oregon Mine, said Mill Site being now used and occupied in connection with said mine. The Oregon Mill Site is located by the Rosemont Smelting & Mining Company on the 20th day of December, 1894. For further description of the Oregon Copper Mine, reference is hereby made to Book "CC" Records of Mines Pima Co. Arizona Ty. Page 789.

Rosemont Smelting & Mining Company
 By L.J. Rose, President
 Attest, H.B. Manahan, Secty
 Co.

Filed and Recorded Request of Rosemont S. & M. Co.
 Dec. 22d 1894 at 3.15 P.M.

Chas. A. Shipbell,
 Recorder.
 County

OREGON MILL SITE.

Fourth location of Mill Site being and beginning at the South West Corner of the Old Put Mill Site, recorded in Pima County Arizona, on December 22nd 1894 reference being hereby made thereto, running thence along the South Easterly Side of said Old Put Mill Site, a distance of 330 feet to a central monument of Side, thence a distance of ~~X~~ 330 feet in same direction to a monument and post, which is South Easterly point of Old Put Mill Site, and thence at right angles South Easterly direction ~~to~~ a distance of 330 feet to a monument and post, thence at right angles in a South Westerly direction 330 feet to a central monument of side, thence in same direction 330 feet to a monument and post thence at right angles in a North Westerly direction a distance of 330~~s~~ feet to place of beginning where may be found a tin can containing a copy of this description, and said Mill Site above described containing 5 acres. This Mill Site is located in connection with the Oregon Copper Mine, and shall be known as the Oregon Mill Site. The ^{south} Oregon Copper Mine is situated South Easterly from the Chicago Mine, and is adjacent thereto the open cuts and shaft of said Oregon Copper Mine are situated about 380 feet from Western boundary and about 60 feet from centre monument, of Northern boundary of said Oregon Mine, said Mill Site being now used and occupied in connection with said mine. The Oregon Mill Site is located by the Rosemont Smelting & Mining Company on the 20th day of December, 1894. For further description of the Oregon Copper Mine, reference is hereby made to Book "CC" "Records of Mines Pima Co. Arizona Ty. Page 789.

Rosemont Smelting & Mining Company

By L.J. Rose, President

Attest, H. B. Manahan, Secty

Filed and Recorded Request of Rosemont S. & M. Co.

Dec. 22d 1894 at 3.15 P.M.

Chas. A. Shibell,

County Recorder..

Territory of Arizona,

ss.

County of Pima.)

189

I, **Chas. A. Shibell**, County Recorder in and for the County of Pima, do hereby

certify that the above and foregoing is a full, true and correct copy of the location

Certificate of the Old Cut Millsite

as appears of record now in my office in book *1 of Millsites* pages *744*

IN WITNESS WHEREOF, I have hereunto set my hand and affixed my official seal, at my office in Tucson, this *24th* day of *May*

A. D., 189*8*

Chas. A. Shibell

County Recorder.

OLD PUT MILL SITE.

The Third Location of Mill Site being and beginning at the North West corner of the Chicago Mill Site recorded in Pima County, Arizona on December 22nd 1894 to which reference is hereby made, running thence in a North Easterly direction a distance of 330 feet to Central Monument of Side; thence in same direction a distance of 330 feet to a monument and post, thence at right angles in a South Easterly direction a distance of 330 feet to a monument and post, thence at right angles South Westerly a distance of 330 feet to central monument of Side, then in same direction a distance of 330 feet to a monument and post, and thence at right angles North Westerly a distance of 330 feet to plade of beginning, where may be found a tin can containing a copy of this description and said Mill Site containing five acres. This Mill Site is located in connection with the Old Put Mine, and shall be known as the "Old Put Mill Site" the same being now occupied and used in conection with the Old Put Mine. Said Old Put Mine is situated on the Eastern slope of the Santa Rita Mountains and about 100 yards Easterly from the top of the Old Put Peak and was formerly known as the "Old Put Copper Mine". The tunnel of said Old Put Mine is located about 200 feet from the East end of said Mine. For further description reference is hereby made to Book "CC" Record of Mines of Pima County Arizona at page 790. The Old Put Mill Site was located by the Rosemont Smelting and Mining Company on the 20th day of December 1894.

Rosemont Smelting & Mining Company

By L.J.Rose, President

Attest H.E.Manahan, Secty.

Filed and Recorded Request of Rosemont S.&M.Co.
December 22d, 1894 at 3.15 P.M.

X Chas.A.Shibell,
County Recorder.

Territory of Arizona,

County of Pima.

ss.

133

I, Chas. A. Shibell, County Recorder in and for the County of Pima, do hereby

certify that the above and foregoing is a full, true and correct copy of the location

certificate of the Old Cut Mine.

as appears of record now in my office in book 1 of Miners pages 744

IN WITNESS WHEREOF, I have hereunto set my hand and affixed my official

seal, at my office in Tucson, this 24th day of May

A. D., 1898

County Recorder.

Chas. A. Shibell

Territory of Arizona, }
County of Pima. } ss.

I, **Chas. A. Shibell**, County Recorder in and for the County of Pima, do hereby

certify that the above and foregoing is a full, true and correct copy of the amended
location certificate of the Old Put
Mill Site

as appears of record now in my office in book 1 of Mill Sites pages 7821

IN WITNESS WHEREOF, I have hereunto set my hand and affixed my official

seal, at my office in Tucson, this 1st day of June

A. D., 1898

Chas. A. Shibell
County Recorder.

AMENDED LOCATION NOTICE.

OLD PUT MILL SITE.

The amended Third Location of Millsite, being and beginning at the North East corner of the Chicago Mill Site, recorded in Pima County, Arizona, on December 22nd, 1894, to which reference is hereby made, running thence in a North Easterly direction a distance of 330 feet to Central Monument of Side; thence in same direction a distance of 330 feet to a monument and post; thence at right angles, in a South Easterly direction a distance of 330 feet to a monument and post; thence at right angles South Westerly a ~~distance~~ distance of 330 feet to central monument of Side; thence in same direction a distance of 330 feet to a monument and post; and thence at right angles North Westerly a distance of 330 feet to place of beginning, where may be found a tin can containing a copy of this description, said Millsite containing five acres. This Millsite is located in connection with the Old Put Con. Mine, and shall be known as the "Old Put Mill Site"; the same being now occupied and used in connection with the Old Put Con. Mine. Said Old Put Con. Mine is situated on the Eastern slope of the Santa Rita Mountains, about 100 yards Easterly from the top of the Old Put Peak, and was ~~was~~ formerly known as the "Old Put Copper Mine". The tunnel of said Old Put Con. Mine is located about 200 feet from ~~the~~ the East end of said Mine. For further description reference is hereby made to Book "CC" Record of Mines of Pima County, Arizona, at page 790. The Old Put Mill Site was located by the Rosemont Smelting & Mining Company on the 20th day of December, 1894.

This amended location notice is made May 31st, 1898, without waiver of any previous rights, for the purpose of correcting the description of said Mill Site in the notice (which was defective) of said original location of said Mill Site, as originally marked and located upon the ground.

Leonard Lewisohn.

Filed and recorded at request of S.E. Hazzard,
May 31, 1898, at 9: A.M.

Chas. A. Ghibell

County Recorder.

POOR

QUALITY

The following pages are scanned at the best possible quality setting. The original pages are of poor quality and this is the best possible reproduction.

Territory of Arizona,)
) ss.
County of Pima.)

I, Chas. A. Shibell, County Recorder in and for the County of Pima, do hereby

certify that the above and foregoing is a full, true and correct copy of the Notice
of Location of the Ajax Consolidated
Millsite

as appears of record now in my office in book 1 of Millsites pages 784.

IN WITNESS WHEREOF, I have hereunto set my hand and affixed my official

seal, at my office in Tucson, this 5th day of August

A. D., 1898

Chas. A. Shibell

County Recorder.

LOCATION NOTICE.

AJAX CONSOLIDATED MILLSITE.

Beginning at the South West corner of the Old Pap Millsite, recorded in Pima County, Dec. 22nd, 1894, in the office of the County Recorder, in Book One of Millsites, at page 746, running thence Easterly along and parallel with the South Line of the said Old Pap Millsite a distance of 330 feet to central monument of side, thence in same direction 330 feet to a monument and post, thence at right angles in a Southerly direction 330 feet to a monument and post, thence at right angles in a westerly direction 330 feet to a central monument and post of side, thence in same direction 330 feet to a monument and post, thence at right angles in a Northerly direction 330 feet to place of beginning, containing 5 acres.

This Millsite is located in connection with the Ajax Consolidated Mine, and shall be known as the Ajax Consolidated Millsite; said Ajax Consolidated Mine joins the Hilo Consolidated Mine on the South, and the Falls Mine on the North. For further description of said Mine reference is hereby made to Book C. C. Record of Mines of Pima County, Arizona, at page 792.

The discovery shaft on the Ajax Consolidated Mine is located about 50 feet from the initial monument.

Located 26th June, 1898.

LEONARD LEWISOHN.

Filed and recorded at request of S. H. Mazzard, August 4, 1898, at 11.30 A.M.

Chas. A. Shibley,
County Recorder.

LOCATION NOTICE.

AJAX CONSOLIDATED MILLSITE.

Beginning at the South West corner of the Old Pap Millsite, recorded in Pima County, Dec. 22nd, 1894, in the office of the County Recorder, in Book One of Millsites, at page 746, running thence Easterly along and parallel with the South Line of the said Old Pap Millsite a distance of 330 feet to central monument of side, thence in same direction 330 feet to a monument and post, thence at right angles in a Southerly direction 330 feet to a monument and post, thence at right angles in a westerly direction 330 feet to a central monument and post of side, thence in same direction 330 feet to a monument and post, thence at right angles in a Northerly direction 330 feet to place of beginning, containing 5 acres.

This Millsite is located in connection with the Ajax Consolidated Mine, and shall be known as the Ajax Consolidated Millsite; said Ajax Consolidated Mine joins the Hilo Consolidated Mine on the South, and the Falls Mine on the North. For further description of said Mine reference is hereby made to Book C.C. Record of Mines of Pima County, Arizona, at page 702.

The discovery shaft on the Ajax Consolidated Mine is located about 50 feet from the initial monument.

Located 26th June, 1898.

LEONARD LEWISOHN.

Filed and recorded at request of S.E. Hazzaard, August 4th....
1898, at 11.30 A.M.

Chas. A. Shibell,
County Recorder.

Territory of Arizona,

ss.

County of Pima.)

27

139

I, **Chas. A. Shibell**, County Recorder in and for the County of Pima, do hereby

certify that the above and foregoing is a full, true and correct copy of the Location
Certificate of the Franklin Millsite

as appears of record now in my office in book 1 of Millsite pages 748


IN WITNESS WHEREOF, I have hereunto set my hand and affixed my official

seal, at my office in Tucson, this 24th day of May

A. D., 1898

Chas. A. Shibell

County Recorder.



FRANKLIN MILL SITE .

The Seventh Location of Mill Site being and beginning at the North East corner of the Old Pap Mill Site recorded in Pima County Arizona, December 22, 1894, thence in a North Easterly direction at same angle as the Northerly boundary line of said Old Pap Mill Site a distance of 330 feet to a monument and stake being the Northeastern corner thence at right angles a distance of 330 feet to a central monument of side, thence in same direction a distance of 330 feet to a monument and stake being the South Eastern Corner thence at right angles a distance of 330 feet to a monument and stake which is the South Western corner, thence at right angles a distance of 330 feet to a central monument of side, thence in same direction a distance of 330 ft to a monument and stake, being the ~~XXX~~ North Western corner and place of beginning where may be found a tin can containing a copy of this description, and said mill site above described containing 5 acres-- This Mill Site is located, it was being used and occupied in connection with the Franklin Mine and shall be known as the "Franklin Mill Site" The said Franklin Mine is situated North of the Chicago Mine and is separated from the same by the Sheridan Mine. The Open cuts of said Franklin Mine are situate about 300 ft from the Western boundary of said Mine. The Franklin Mill Site located by the Rosemont Smelting & Mining Company on the 20th day of December 1894. For further description of the Franklin Mine reference is hereby made to Book CC--records of Mines Pima Co. Arizona Territory page 206

Rosemont Smelting & Mining Company

By L.J.Rose, President

Attest H.B.Manahan, Secty

Filed and Recorded Request of Rosemont S. & M. Co.
Dec 22" 1894 at 3.15 P.M.

Chas. A. Shibell

County Recorder.

T
E
R
R
I
T
O
R
Y
O
F
A
R
I
Z
O
N
A

Territory of Arizona,

ss.

County of Pima.)

141

26

I, **Chas. A. Shibell**, County Recorder in and for the County of Pima, do hereby

certify that the above and foregoing is a full, true and correct copy of the Location

Certificate of the Old Pap Millsite

as appears of record now in my office in book 1 of Millsites pages 746

IN WITNESS WHEREOF, I have hereunto set my hand and affixed my official

seal, at my office in Tucson, this 24th day of May

A. D., 1898

Chas. A. Shibell
County Recorder.

OLD PAP MILL SITE .

The fifth location of Mill Site being and beginning at a monument and stake situate at a distance of 65 feet from the North Easterly corner of the Old Put Mill Site, recorded in Pima County Arizona, December 22, 1894 reference thereto being made, at an angle of about 25° E of S from same, thence at right angles a distance of 330 feet to a central monument of Side, thence a distance of 330 feet to a monument and post -- which is the North Easterly corner, thence at right angles in a South Easterly direction a distance of 330 feet to a monument and stake, being the South Eastern corner, thence at right angles in a South Westerly direction a distance of 330 feet to a central monument of side thence in same direction a distance of 330 feet to a monument and stake, being the South Westerly corner, thence at right angles in a North Westerly direction a distance of 330 feet to a monument and stake being the North Westerly corner and place of beginning, where may be found a tin can containing a copy of this description ~~above~~ and said mill site above described, containing five acres. This Mill Site is located in connection with the Old Pap Mine the same being now used in connection therewith and shall be known as the "Old Pap Mill Site". The said Old Pap Mine is situate about 1800 ft in a Northerly direction from the Chicago Mine. The tunnel on the said Old Pap Mine is situated about 200 yards from the Eastern boundary. The Old Pap Mill Site located by the Rosemont Smelting & Mining Company on the the 20th day of December, 1894, for further description of the Old Pap Mine reference is hereby made to Book

Record of Mines Pima Co. Arizona, page
Rosemont Smelting & Mining Company
L.J. Rose President

Filed and Recorded Request of Rosemont S. & M. Co.
Dec. 22d, 1894, at 3.15 P.M.

Chas. A. Shibell,
County Recorder.

(4-687.)

Surveyor General's Certificate of Approval of Field Notes and Survey of Mining Claim.

Department of the Interior,

Office of U. S. Surveyor General,

Tucson Arizona

October 12, 1898.

I, U. S. Surveyor General for Arizona,

do hereby certify that the foregoing and hereto attached Field Notes and Return of the Survey of the Mining Claim of Charles W. Welch assignee

of Leonard C. Wiseman

Oregon Copper, Coconino, Chicago, Eric, Marion, Rusting, Franklin, Old But Con, Old But Copper, Central, Falls, Ajax consolidated, Cuba, Hills consolidated, Yuk, Eaglelight, Astoria, San Melitir, Peitrich Henry, La Fayette, Ed P. G. Ingersoll, Paces and the Coconino, Chicago, Oregon, Old But, Ajax consolidated, Old But & Franklin Millites. known as the

situate in Silverton mining district,

Pima

County,

Arizona

in Section _____, Township No. 18 S., Range No. 16 E. unsurveyed

_____, designated as Survey No. 1297 A & B

executed by George J. Postkrug, U. S. Deputy Mineral

Surveyor, July 16th - August 26th, 1898, under my instructions dated

June 7th, 1898, have been critically examined and the

necessary corrections and explanations made, and the said Field Notes and Return, and

the Survey they describe, are hereby approved. A true copy of the copy of the location

certificate filed by the applicant for survey is included in the field notes.

George Christ

U. S. Surveyor General for Arizona

Large

map

Drawing