

MS

0

1

3

0

5

(4-683.)

Mineral Survey No. 1305

Lot No. _____

Gila

Land District.

FIELD NOTES

OF THE SURVEY OF THE MINING CLAIM OF

Leonard Lewisohn

was V. Model assigned

KNOWN AS THE

Gap-monitor-South End and Peach

Helvetia

Mining District,

Pima

County,

Arizona

Section _____,

Township

18 S,

Range

15 E unurvey^c

Surveyed under instructions dated June 30th, 1898,

by

George J. Roskruge

U. S. Deputy Mineral Surveyor.

Claims located Gap, may 6-94 - monitor July 6, 1894

" " South End July 9, 1894 - Peach July 9, 1894

Survey commenced July 11th, 1898.

Survey completed July 16th, 1898.

o 6-160

Address of Claimants Attys.

Hereford & Hazard, Tucson, A. T.

PRELIMINARY OATHS OF ASSISTANTS IN SURVEY OF MINING CLAIM.

W. William R. Winton and _____
do solemnly swear that we will well and faithfully execute the duties of chain carriers; that we will level the chain upon even and uneven ground and plumb the tally-pins, either by sticking or dropping the same; that we will report the true distance to all notable objects, and the true length of all lines that we assist in measuring, to the best of ^{my} ~~our~~ skill and ability, and in accordance with instructions given ^{me} ~~us~~, in the survey of the Mining Claim of Charles W. Welch Assignee Leonard Lewison

_____ , known as the South End Peach-monitor and Gap Lodes situate in Helvetia mining district, Pima County, Arizona in Section _____, Township No. _____, Range No. _____

William R. Winton Chainman.
_____, Chainman.

Subscribed and sworn to by the above-named persons before me this 5th day of July, 1898.

George J. Roskruge
Notary Public
my Commission expires Feb. 11, 1899.

I, Carlos P. Lopez, do solemnly swear that I will well and truly perform the duties of axeman, in the establishment of corners and other duties, according to instructions given me and to the best of my skill and ability, in the survey of the Mining Claim of Charles W. Welch Assignee Leonard Lewison

known as the South End Peach-monitor and Gap Lodes, more fully described in the preceding affidavit.

Carlos P. Lopez, Axeman.

Subscribed and sworn to by the said Carlos P. Lopez before me this 5th day of July, 1898.

George J. Roskruge, Notary Public
my Commission expires Feb. 11, 1899.

I, John C. Gard, do solemnly swear that I will well and truly perform the duties of flagman, in the establishment of corners and other duties, according to instructions given me and to the best of my skill and ability, in the survey of the Mining Claim of Charles W. Welch Assignee Leonard Lewison

known as the South End Peach-monitor and Gap Lodes, more fully described in the preceding affidavit.

John C. Gard, Flagman.

Subscribed and sworn to by the said John C. Gard before me this 5th day of July, 1898.

George J. Roskruge
Notary Public.
my Commission expires Feb. 11, 1899.



Feet.

Survey No. 1305.

Gap Lode.

Beginning at Cor. No. 1.

A redwood post, 4 ft. long, 4 ins. square, set 18 ins. in the ground, with mound of stone, scribed 1-1305. whence

W. S. L. M. No. 1. bears S. $69^{\circ}44'$ E. 8067 ft.

Cor. No. 4. Newman lode, Survey No. 1304, bears N. $39^{\circ}05'$ E. 166 ft.

Cor. No. 1. Monitor lode of this survey, bears S. $16^{\circ}27'$ E. 523.9 ft.

No other bearings available.

Thence S. $88^{\circ}45'$ W.

Ascending East slope of hill.

151.6 Intersect line 1-6 Monitor lode of this survey.

300. To Cor. No. 2.

A redwood post, 4 ft. long, 4 ins. square, set 18 ins. in the ground, with mound of stone, scribed 2-1305.

No bearings available.

600. To Cor. No. 3.

A redwood post, 4 ft. long, 4 ins. square, set 18 ins. in the ground, with mound of stone, scribed 3-1305.

No bearings available.

Thence N. $1^{\circ}15'$ W.

Along Eastern slope of hill.

474.8 Intersect line 5-6 Monitor lode of this survey.

1180. To Cor. No. 4.

A redwood post, 4 ft. long, 4 ins. square, set 18 ins. in the ground, with mound of stone, scribed 4-1305.

No bearings available.

Thence N. $88^{\circ}45'$ E.

Descending.

300. To Cor. No. 5.

A redwood post, 4 ft. long, 4 ins. square, set 18 ins. in the ground, with mound of stone, scribed 5-1305.

Feet. No bearings available.
600. To Cor. No. 6.

A redwood post, 4 ft. long, 4 ins. square, set 18 ins. in the ground, with mound of stone, scribed 6-1305.

No bearings available.

Thence S. $1^{\circ}15'E$.

Line runs along Eastern slope of hill.
1180. To Cor. No. 1, the place of beginning.

Monitor Lode.

Beginning at Cor. No. 1.

A redwood post, 4 ft. long, 4 ins. square, set 18 ins. in the ground, with mound of stone, scribed 1-1305. whence

W. S. L. M. No. 1, bears S. $72^{\circ}50'E$, 7766 ft.

Cor. No. 6. Newman lode, Survey No. 1304, bears N. $52^{\circ}20'E$. 157.5 ft.

Cor. No. 1. Gap lode of this survey, bears N. $16^{\circ}27'W$. 523.9 ft.

No other bearings available.

Thence S. $59^{\circ}W$.

Along Easterly slope of hill.
300. To Cor. No. 2.

A redwood post, 4 ft. long, 4 ins. square, set 18 ins. in the ground, with mound of stone, scribed 2-1305.

No bearings available.

600. To Cor. No. 3.

A redwood post, 4 ft. long, 4 ins. square set 18 ins. in the ground, with mound of stone, scribed 3-1305. whence

Cor. No. 1. Southend lode of this survey, bears N. $61^{\circ}W$. 220 ft.

No other bearings available.

Thence N. $31^{\circ}W$.

Along S. W. slope of hill.
574.1 Intersect line 1-6 Southend lode of this

Feet. survey.
 1218. To Cot. No. 4.
 A redwood post, 4 ft. long, 4 ins. square, set 18 ins. in the ground, with mound of stone, scribed 4-1305.
 No bearings available.

Thence N. 59° E.

Ascend West slope of hill.

102. Summit of ridge bearing N. 20° W. and S. 20° E. and commence descent over Eastern slope of hill.

184.6 Intersect line 1-6 Southend lode of this survey.

300. To Cot. No. 5.

A redwood post, 4 ft. long, 4 ins. square, set 18 ins. in the ground, with mound of stone, scribed 5-1305.
 No bearings available.

446.8 Intersect line 3-4 Gap lode of this survey.

600. To Cot. No. 6.

A redwood post, 4 ft. long, 4 ins. square, set 18 ins. in the ground, with mound of stone, scribed 6-1305.
 No bearings available.

Thence S. 31° E.

Along Easterly slope of hill.

635.7 Intersect line 1-2 Gap lode of this survey.

1218. To Cot. No. 1, the place of beginning.

Southend Lode

Beginning at Cot. No. 1.

A redwood post, 4 ft. long, 4 ins. square, set 18 ins. in the ground, with mound of stone, scribed 1-1305.
 whence

U. S. L. M. No. 1, bears S. 75° 25' E., 8385 ft.
 Cot. No. 3, Monitor lode of this survey,

Feet. bears S. 61° E. 220 ft.
No other bearings available.

Thence S. 75° W.

Ascending over Eastern slope of hill.

285. Summit of ridge, bearing N. 15° W. and S. 15° E.

300. To Cor. No. 2.

A redwood post, 4 ft. long, 4 ins. square, set 18 ins. in the ground, with mound of stone, scribed 2-1305.

310. Descending Western slope of hill.

600. To Cor. No. 3.

A redwood post 4 ft. long, 4 ins. square, set 18 ins. in the ground, with mound of stone, scribed 3-1305.

No bearings available.

Thence N. 15° W.

Ascending along Western slope of hill.

1392 To Cor. No. 4.

Identical with Cor. No. 3, Peach lode of this survey.

A redwood post, 4 ft. long, 4 ins. square, set 18 ins. in the ground, with mound of stone, scribed 4-3-1305.

No bearings available.

Thence N. 75° E.

Ascending Western slope of hill.

on line 3-1, Peach lode of this survey.

300. To Cor. No. 5.

Identical with Cor. No. 2, Peach lode of this survey.

A redwood post, 4 ft. long, 4 ins. square, set 18 ins. in the ground, with mound of stone, scribed 5-2-1305.

No bearings available.

600. To Cor. No. 6.

Identical with Cor. No. 1, Peach lode of this survey.

A redwood post, 4 ft. long, 4 ins. square, set 18 ins. in the ground,

Feet. with mound of stone, scribed 6-1-1305.
whence

W. S. L. M., No. 1, bears S. 67° 49' E., 9144 ft.
No other bearings available.

Thence S. 15° E.

Along Western slope of hill.

186. Ridge bears N. 20° W. and S. 20° E., line runs along broken ridge.

323. Intersect line 4-5, Monitor lode of this survey.

760. Commence descent over S.W. slope of hill.

992.9 Intersect line 3-4 Monitor lode of this survey.

1392. Cor. No. 1, the place of beginning.

Peach Lode.

Beginning at Cor. No. 1.

Identical with Cor. No. 6 Southend lode of this survey.

W. S. L. M., No. 1, bears S. 67° 49' E., 9144 ft.

Thence S. 75° W.

Descending Western slope of hill.

300. To Cor. No. 2.

Identical with Cor. No. 5. Southend lode of this survey.

600. To Cor. No. 3.

Identical with Cor. No. 4, Southend lode of this survey.

Thence N. 13° 50' E.

Over broken ground.

1500. To Cor. No. 4.

A redwood post, 4 ft. long, 4 ins. square, set 18 ins. in the ground, with mound of stone, scribed 4-1305.

No bearings available.

Thence N. 75° E.

Descending over broken ground.

Feet.
300.

To Cor. No. 5.

A redwood post, 4 ft. long, 4 ins. square, set 18 ins. in the ground, with mound of stone, scribed 5-1305.

No bearings available.

330.

Ravine, 10 ft. deep, flows North.

600.

To Cor. No. 6.

A redwood post, 4 ft. long, 4 ins. square, set 18 ins. in the ground, with mound of stone, scribed 6-1305.

No bearing available.

Thence S. 13° 50' W.

Ascending along N. Western slope of hill.

1500.

To Cor. No. 1, the place of beginning.

Variation at all corners of the Gap, Monitor, Southend and Peach lodes 12° 35' E.

Area.

Total and net area Gap lode, 16.25 acres.

Total area Monitor lode ----- 16.77 acres.

Less area in conflict with

Gap lode of this survey ---- 3.55 "

Net area Monitor lode ... 13.22 acres.

Total area Southend lode -- 19.17 acres.

Less area in conflict with

Monitor lode of this survey -- 1.36 "

Net area Southend lode 17.81 Acres.

Total and net area Peach lode - 18.07 Acres.

Total and net area Gap lode, 16.25 Acres.

Net area Monitor lode ---- 13.22 "

Net area Southend lode ---- 17.81 "

Total and net area Peach lode, 18.07 "

Net area lode claim 65.35 Acres

The surveys of the Gap, Monitor, Southend and Peach lodes are identical with the respective locations. The ledges of lode locations of this survey extend throughout the center of claim's resp. Location.

This claim is located on the Western slope of the Santa Rita Mountains, in Helvetia Mining District, Pima County, Arizona, and will, when the Public Land surveys are extended over this section of country be embraced in T. 18 S., R. 15 E.

There are no adjoining claims.

Expenditure of Two Thousand dollars.

I certify that the value of the labor and improvements upon this claim, placed thereon by the claimant and his grantors, is not less than two thousand dollars, and that said improvements consist of:

No. 1. The discovery cut of the Gap lode, the face of which is on the center line, 25 ft. from post No. 2, 5 ft. wide, 5 ft. face, running S. 88° W. 7 ft. in rock.

Value, \$75.

No. 2. A cut, the face of which is on the center line, 125 ft. from post No. 2, 8 ft. wide, 5½ ft. face, running S. 70° W. 12 ft. in rock.

Value, \$150.

No. 3. A cut, the face of which is 6 ft. left of a point 228 ft. on line running from post No. 2, through center of claim, 10 ft. wide, 8 ft. face, running S. 64° W. 15 ft. in rock.

Value, \$220.

No. 4. A cut, the face of which bears from a point 228 ft. on line running from post No. 2

through center of claim, N. 74° 30' W.
292 ft., 5 ft. wide, 6 ft. face, running
N. 2° W. 8 ft. in rock. At the
end of cut a shaft, 6 x 4 ft., 4 ft.
deep in rock.

Value of cut and shaft. \$80.

No. 1. The discovery cut of the Monitor
lode, the face of which is on
the center line, 47 ft. from post
No. 2. 4 ft. wide, 2 ft. face, running
N. 31° W. 2 ft. in earth and rock.

Value, \$3.00

No. 2. A shaft, 20 ft. left of a
point 10 ft. on line running from
post No. 2, through center of claim,
7 x 4 ft., 20 ft. deep in rock.

Value, \$200.

No. 3. A cut, the face of which
is 42 ft. left of a point, 160 ft.
on line running from post No. 2.
through center of claim, 5 ft. wide,
7 ft. face, running N. 30° W. 16 ft.
in rock.

Value, \$100.

No. 4. A cut, the face of which
bears from Cor. No. 4, N. 81° E. 208 ft.,
5 ft. wide, 10 ft. face, running
N. 70° 30' E. 16 ft. in rock. At the
end of which a cut, 5 ft. wide, 10 ft.
face, runs S. 30° E. 10 ft. in rock.

Value of cuts \$150.

No. 5. A cut, the face of which
bears from Cor. No. 5. S. 53° E. 72 ft.,
5 ft. wide, 8 ft. face, running S. 69° W.
14 ft. in earth and rock. At the
end of cut a shaft, 5 x 5 ft., 7 ft.
deep in rock.

Value of cut and shaft. \$100.

No. 1. The discovery cut of the
Southend lode, the face of which

is on the center line, 292 ft. from post No. 5, 8 ft. wide, 8 ft. face, running ^{N. 70° E.} 16 ft. in earth and rock.
 Value, \$150.

No. 2. A cut, the face of which bears from a point 792 ft. on line running from post No. 5, through center of claim, N. 50° 30' W. 273 ft., 8 ft. wide, 5 ft. face, running N. 70° E. 8 ft. in rock.
 Value, \$70.

No. 3. A shaft, which bears from a point 792 ft. on line running from post No. 5, through center of claim, N. 75° W. 167 ft., 6 x 4 ft. 14 ft. deep in rock.
 Value, \$140.

No. 4. An excavation, the center of which bears from a point 792 ft. on line running from post No. 5, through center of claim, S. 80° W. 127 ft., 4½ ft. deep, 8½ ft. wide, running S. 81° 15' W. 11 ft. in earth and rock.
 Value, \$100.

No. 5. A cut, the face of which bears from a point 792 ft. on line running from post No. 5, through center of claim, S. 41° W. 161 ft., 10 ft. wide, 6 ft. face, running N. 15° W. 17 ft. in rock.
 Value, \$150.

No. 6. A cut, the face of which bears from a point 792 ft. on line running from post No. 5, through center of claim, S. 28° 30' W. 260 ft., 8 ft. wide, 8 ft. face, running S. 60° E. 10 ft. in rock.
 Value, \$75.

No. 1. The discovery cut of the Peach lode, the face of which is

on the center line 125 ft. from post No. 2, 5 ft. wide, 9 ft. face, running S. 82° E. 25 ft. in rock. At the end of cut a shaft 7x5 ft. 8 ft. deep in rock.

Value of cut and shaft, \$200.

No. 2. A cut, the face of which bears from a point 1010 ft. on line running from post No. 2, through center of claim, N. 60° W. 220 ft., 6 ft. wide, 8 ft. face, running N. $87^{\circ} 30'$ E. 25 ft. in earth and rock. At the end of cut a tunnel, 6x5 ft. runs N. $87^{\circ} 30'$ E. 20 ft. in rock, and at the end of same a shaft is sunk, 6x4 ft., 35 ft. deep in rock.

Value of cut, tunnel and shaft, \$750.

No. 3. A cut, which bears from Cor. No. 5. S. $15^{\circ} 30'$ E. 75 ft., 6 ft. wide, 10 ft. face, running S. 25° W. 20 ft. in rock.

Value, \$200.

Instrument.

This survey was made with a Gurley Light Mountain Transit. The courses were deflected from the true meridian as determined by direct solar observations. The distances were measured with a 100-ft. steel tape.

George J. ...

... ..

... ..

FINAL OATHS FOR SURVEYS.

LIST OF NAMES.

A list of the names of the individuals employed by George J. Roskrige
 United States Deputy Mineral Surveyor, to assist in running, measuring, and marking the lines
 corners and boundaries described in the foregoing field notes of the survey of the mining claim
 of Chas. W. Welsh, Assignee of
Leonard Lewisohn
 known as the South End, Peach-monitor and Gap Lodes
 and showing the respective capacities in which they acted.

William R. Winton, Chairman.

....., Chairman.

Carlos P. Lopez, Axman.

John C. Gard, Flagman.

FINAL OATHS OF ASSISTANTS.

We, William R. Winton - Carlos P. Lopez
 and John C. Gard, do solemnly swear that we assisted George J.
Roskrige, United States Deputy Mineral Surveyor, in marking the corners and
 surveying the boundaries of the mining claim of Chas. W. Welsh, Assignee of
Leonard Lewisohn

....., known as the South End
Peach-monitor and Gap Lodes, represented
 in the foregoing field notes as having been surveyed by said deputy mineral surveyor and under
 his direction; and that said survey has been in all respects, to the best of our knowledge and
 belief, faithfully and correctly executed, and the corner and boundary monuments established
 according to law and the instructions furnished by the United States Surveyor-General for
Arizona

William R. Winton, Chairman.

Carlos P. Lopez, Axman.

....., Axman.

John C. Gard, Flagman.

Subscribed and sworn to by the above-named persons before me

this 10th day of July, 1898.

George J. Roskrige

Notary Public

My Commission expires Feb. 11, 1899.

(4-686.)

FINAL OATH OF U. S. DEPUTY MINERAL SURVEYOR.

I, George J. Roskruge, U. S. Deputy Mineral Surveyor, do solemnly swear that, in pursuance of instructions received from the United States Surveyor General for Arizona, dated June 30th, 1898, I have, in strict conformity to the laws of the United States, the official regulations and instructions thereunder, and the instructions of said Surveyor General, faithfully and correctly executed the survey of the Mining Claim of Charles H. Helbig & Leonard Sewisohn, known as the South End Beach - Monitor and Gap Lodes, situate in Helvetia Mining District, Pima County, Arizona, in Section _____, Township No. 18 S, Range No. 15 E unsurveyed, and designated as Survey No. 1305, as represented in the foregoing field notes, which accurately show the boundaries of said mining claim as distinctly marked by monuments on the ground, and described in the attached copy of the location certificate, which was received by me from the Surveyor General with said instructions, and that all the corners of said survey have been established and perpetuated in strict accordance with the law, official regulations and instructions thereunder; and I do further solemnly swear that the foregoing are the true and original field notes of said survey and my report therein, and that the labor expended and improvements made upon said mining claim by claimant or his grantors are as therein fully stated, and that the character, extent, location and itemized value thereof are specified therein with particularity and full detail, and that no portion of said labor or improvements so credited to this claim has been included in the estimate of expenditures upon any other claim.

George J. Roskruge
U. S. Deputy Mineral Surveyor.

Subscribed and sworn to by the said George J. Roskruge
U. S. Deputy Mineral Surveyor, before me H. D. Underwood a notary
Public in and for Pima Co Arizona this 20th
day of July, 1898.

H. D. Underwood
Notary Public

MY COMMISSION EXPIRES JULY 12 1899

Two thousand
Affidavit of ~~Five Hundred~~ Dollars Improvements.

We *William Shaw and Charles C. Holmes*

of lawful age, being first duly sworn according to law, depose and say: that we are acquainted with the *South End Beach-Monitor and Gap* ~~Sede~~ mining claim, situated in

Helvetia Mining district, *Pima* County,

Arizona Territory, for which *Chas W Welch, Assignee of Leonard Lewis* ~~or by Messrs~~

Hereford and Hazzard his attys

has made application for survey prior to application for patent under the provisions of the Act of Congress, approved May 10, 1872; and that the labor done and improvements made thereon by the applicant and ~~his~~ *Two thousand* grantors exceed ~~Five Hundred~~ Dollars in value, and further

that we are not personally interested in said mines

William Shaw

Charles C. Holmes

TERRITORY OF ARIZONA,
County of *Pima* } ss.

SWORN to and subscribed before me, this
29th day of *July* - 189*8*

George Proskudge notary public
my Commission expires Feb: 11. 1899.



~~Notice~~ of Location. *Notice*

Notice is Hereby Given That the undersigned, in compliance with the requirements of the Mining Act of Congress, approved May 10th, 1872, has...this day located and claim...*11/2*...hundred linear feet along the course of this lead, lode or vein of mineral-bearing quartz,...*and 3/4*...feet in width on each side of the middle of said lead, lode or vein, situate in the...*Helena*...Mining District, County of...*Pima*...Arizona, and more particularly described as follows, to wit:

Territory of Arizona,)
) ss.
 County of Pima.)

I, **Chas. A. Shibell**, County Recorder in and for the County of Pima, do hereby certify that the above and foregoing is a full, true and correct copy *of the location* *Certificate of the South End Mining Claim*

as appears of record now in my office in book *EE Record of Mines* pages *158*

IN WITNESS WHEREOF, I have hereunto set my hand and affixed my official seal, at my office in Tucson, this *24th* day of *May* A. D., 189*8*

Chas. A. Shibell
 County Recorder.

Notice of Location. *Notice*

Notice is Hereby Given That the undersigned, in compliance with the requirements of the Mining Act of Congress, approved May 10th, 1872, has this day located and claim *fifty* hundred linear feet along the course of this lead, lode or vein of mineral-bearing quartz, *and 300* feet in width on each side of the middle of said lead, lode or vein, situate in the *Helena* Mining District, County of *DeWitt* Arizona, and more particularly described as follows, to wit:

Commencing at this monument of stones, being the center of the *S. 77* end of the claim, and upon which this notice is posted; thence *East 300* feet to a monument of stones; thence *N. 75. 15'* feet to a monument of stones; thence *West 20* feet to a monument of stones, being the center of the *N. 15'* end of claim; thence *S. 75. 15'* feet to a monument of stones; thence *East 300* feet to place of beginning.

THIS CLAIM *is situated in the Helena Mining District, DeWitt County, Arizona, 14 miles S. E. of Helena*

and shall be known as the *Helena* Mine.

LOCATED *July 7* 189*4*

Filed and recorded at the office of the Register and Recorder at Helena, Montana, at 9 A.M.

W.B.M. Cleary
agent
W.B.M. Cleary
agent

Printed and for sale by the Citizen Printing & Publishing Co., Tucson.

~~Notice of Location.~~ Notice

Notice is Hereby Given That the undersigned, in compliance with the requirements of the Mining Act of Congress, approved May 10th, 1872, has...this day located and claim...hundred linear feet along the course of this lead, lode or vein of mineral-bearing quartz,.....feet in width on each side of the middle of said lead, lode or vein, situate in the.....Mining District, County of.....Arizona, and more particularly described as follows, to wit:

Commencing at this monument of stone, being the center of the

Territory of Arizona,)
) SS.
 County of Pima.)

I, **Chas. A. Shibell**, County Recorder in and for the County of Pima, do hereby certify that the above and foregoing is a full, true and correct copy of the Location Certificate of the Peach Mining Claim

as appears of record now in my office in book *EE Record of Mines* pages *157*

IN WITNESS WHEREOF, I have hereunto set my hand and affixed my official seal, at my office in Tucson, this *24th* day of *May* A. D., 189*8*

Chas. A. Shibell
 County Recorder.

Printed and for sale by the Citizen Printing & Publishing Co., Tucson.

Notice of Location. *Notice*

Notice is Hereby Given That the undersigned, in compliance with the requirements of the Mining Act of Congress, approved May 10th, 1872, has...this day located and claim... *717* ...hundred linear feet along the course of this lead, lode or vein of mineral-bearing quartz, ... *and 300* ...feet in width on each side of the middle of said lead, lode or vein, situate in the... *11 sections* ... Mining District, County of... *Pima* ...Arizona, and more particularly described as follows, to wit:

Commencing at this monument of stones, being the center of the... *Section* ... end of the claim, and upon which this notice is posted; thence... *East 300* ... feet to a monument of stones; thence... *North 1500* ...feet to a monument of stones; thence... *West 300* ...feet to a monument of stones, being the center of the... *North* ...end of claim; thence... *West 300* ...feet to a monument of stones; thence... *South 1500* ...feet to a monument of stones; thence... *East 300* ...feet to place of beginning.

THIS CLAIM... *Situate on Western slope of Santa Rita Mts, about 1/2 mile East of ...* ...

and shall be known as the... *Punch* ... Mine.

LOCATED... *July 1st* ... 189... *W.B.M. Clegg* ...

There is a meeting ...
July 1st 1891
George ...
County Pima

Printed and for sale by the Citizen Printing & Publishing Co., Tucson.

Notice of Location. *Water*

Notice is Hereby Given That the undersigned, in compliance with the requirements of the Mining Act of Congress, approved May 10th, 1872, has...this day located and claim..... hundred linear feet along the course of this lead, lode or vein of mineral-bearing quartz,.....feet in width on each side of the middle of said lead, lode or vein, situate in the..... Mining District, County of..... Arizona, and more particularly described as follows, to wit:

Commencing at this monument of stones, being the center of the

20

Territory of Arizona,)
) ss.
 County of Pima.)

I, **Chas. A. Shibell**, County Recorder in and for the County of Pima, do hereby certify that the above and foregoing is a full, true and correct copy

of the Location Certificate of the Monitor Mining Claim

as appears of record now in my office in book *EE Record of Mines* pages *156*

IN WITNESS WHEREOF, I have hereunto set my hand and affixed my official seal, at my office in Tucson, this *24th* day of *May* A. D., 189*8*.

Chas. A. Shibell
 County Recorder.

LOCATION NOTICE.

Notice is hereby given that the undersigned has this day located and claimed 1500 feet along this lead lode or ledge, and 300 feet on each side of said lead lode or ledge, situated in the Helvetia Mining District ~~Dist~~ County of Pima, Arizona, described as follows commencing at this monument of rock, being the South

Territory of Arizona,)
County of Pima.) ss.

I, Chas. A. Shibell, County Recorder in and for the County of Pima, do hereby certify that the above and foregoing is a full, true and correct copy of the Location Certificate of the Gap Mining Claim

as appears of record now in my office in book *77 Record of Mines* pages *38*

IN WITNESS WHEREOF, I have hereunto set my hand and affixed my official seal, at my office in Tucson, this *24th* day of *May* A. D., 189*8*

Chas. A. Shibell
County Recorder.

LOCATION NOTICE.

Notice is hereby given that the undersigned has this day located and claimed 1500 feet along this lead lode or ledge, and 300 feet on each side of said lead lode or ledge, situated in the Helvetia Mining District County of Pima, Arizona, described as follows commencing at this monument of rock, being the South center end, thence East 300 feet, thence North 1500 feet thence ~~XXX~~ West 300 feet being the center of North end, thence west 300 feet thence south 1500 feet, thence east 300 feet to place of beginning. This claim is located west slope of Santa Rita Mts about 1 1/4 miles N. West of U.S. mineral monument No. 1, and shall be ~~known~~ known as the Gap Mine.

Located May 6th, 1894.

W.B. McCleary

Jno. V. Weigle

Filed and recorded at request of W.B. McCleary July 5th, A.D. 1894,
at 9 A.M.

Chas. A. Shibell,

County Recorder.

(4-687.)

Surveyor General's Certificate of Approval of Field Notes and Survey of Mining Claim.

Department of the Interior,

Office of U. S. Surveyor General,

Tucson, Arizona

October 5th, 1898.

I, U. S. Surveyor General for *Arizona*,

do hereby certify that the foregoing and hereto attached Field Notes and Return of the

Survey of the Mining Claim of *Charles W. Welch*

assignee of Leonard Ruvisohn

, known as the

Gap, Monitor, South End and Peach

situate in *Helvetia* mining district,

Pima County, *Arizona*,

in Section _____, Township No. *18 N*, Range No. *15 E* *unsurveyed*

designated as Survey No. *1305*

executed by *George J. Roskrige*, U. S. Deputy Mineral

Surveyor, *July 11th - July 16*, 1898, under my instructions dated

June 30th, 1898, have been critically examined and the

necessary corrections and explanations made, and the said Field Notes and Return, and

the Survey they describe, are hereby approved. A true copy of the copy of the location

certificate filed by the applicant for survey is included in the field notes.

George Christ

U. S. Surveyor General for *Arizona*

SURVEY No 1305
 Helvetia Mining District.
 Surveyed July 11-12-1898.

by George J. Rostruge
 U.S. Dep. Min. Surveyor.

Scale 300 ft. = 1 in.

