(4--683.)

### Mineral Survey No. /310

Lot No.

Land District.

#### FIELD NOTES

OF THE SURVEY OF THE MINING CLAIM O	F
J. E. Peery and J. H. F.	reld
Solden Rod, and Mucle Sa	
1/	
Meaver	Mining District,
_ Sevapai County, Oriz	nu
Section Township July 23	,
	, 18/8,
	Fisher .
	J. S. Deputy Mineral Surveyor.
Claims located Fet 26/94 (amenes Jun 4/97) ofme 10/94 (ame	1898.
Survey commenced left 24-	, 1898.
Survey completed Les. 25	
Address.	
J. E. Perry	*
Stant	ou, Javeper le
	Charles and

# PRELIMINARY OATHS OF ASSISTANTS IN SURVEY OF MINING CLAIM.

WE, Ed. Tochewow and C.E. Newlow
do solemnly swear that we will well and faithfully execute the duties of chain carriers; that we will level the chain upon even and uneven ground and plumb the tally-pins, either by sticking or dropping the same; that we will report the true distance to all notable objects, and the true length of all lines that we assist in measuring, to the best of our skill and ability, and in accordance with instructions given us, in the survey of
the Mining Claims of J. E. Peery and J. H. Field
Lolden Rod and Unsle Sam , known as the
situate in Weave mining district,
in Section , Township No. , Range No. ,
To Fisher, Chainman.
J 5 F/5he, Chainman.
Subscribed and sworn to by the above-named persons before
215
100
E de s When Province
I, Cod. Lochenon, do solemnly swear that I will well and
truly perform the duties of axeman, in the establishment of corners and other duties, according to instructions given me and to the best of my skill and ability, in the survey
of the Mining Claim of V.E. Perry and V.H. Field
known as the Golden Rod and Uncle Sam,
more fully described in the preceding affidavit.
Ed Tuchenon xeman.
Subscribed and sworn to by the said Ed Lichenous
before me this 2 1 day of
My Commission Sep. , 1898
My communion Ap. 1898
1671 Morary Public
I, 6. E. Newton , do solemnly swear that I will
well and truly perform the duties of flagman, in the establishment of corners and other duties, according to instructions given me and to the best of my skill and ability, in the
survey of the Mining Claim of V.E. Perry and V. H. Frield
known as the Golden Rod and Uncle Sams,
more fully described in the preceding affiduvit
C.C. Sew Tow., Flagman.
Subscribed and sworn to by the said C. & Mewhow
before me this 2x day of
Deplanne, 1898.
Q Q . Fisher
Nec-140 minister J. J. Fisher Mung Public
316 in mee. 167 1968

Brivey No. 1310

Feet.

Beginning at Initial mon at S. M. Certicular and all S. M. Certicular and of Same. Which is also the N.E. certicular end of Antilope tole Sung 1801248
A grantle flore 8 × 8 mis, × 30 mis, Ling set 1 Joh the ground and emmanded by When. I thinos. Place marked J. M. G. To. 1801310.

265

Jo Cer. No1. Identical with S.M. cer. of to breation, which is also beer. No3. Convey No1248 Antelope bode.

At on granite bowlder 2×4 fet, 3 feet arm grand, marked G.B. No1-1310, same bookder marked A No3-1248.

At on a granite rock in place, marked B.R. G.R.No1-1310 bes. N 23° 52' M 45.6 fet A + on a granite rock in place, marked B.R. G.R. (No1-1310 bes. N 23° 52' M 45.6 fet A + on a granite rock in place, marked B.R. G.R. (No1-1310 bes. S 30' 10' 6 25.7 feet U.S. Z.M. NO1248 bes. S 77° 29' M 1153 feet.

Thence & 17°26' &

Thence N 63° 10° 6 Var. 14° 5° 6

1392.7

To les. No 2. Identical with for.

A granile of me 4×12×30 ins. set 1 from
the ground and amounded by mon.

I think, show marked G.R. No 2-1310.

Same stone marked on opposite side

U.S. No 1-1310 for cer. No 1. Mucle

Sum fide of the anny.

A + on a granile rock in place, marked B.B.

4 + on a granile rock in place marked

B.R. U.S. No 1-1310 bis, \$58° 45 & 14 feet

Milline Peak bis, \$16° 45' H

(2)Tolden Rod Lode Teet There N 17026 W Nav. 1405 & To East center end, a mm. of stones, 2/2 300 fech on base and 21/2 feet high Identical with East Center end mow. J The treation, Jame Course to Cor. NO3, Identical with N.E. Our of the treation. A gravile Plane 6x10 x 30 ms, set 1 forts vil ground and prinounded by mow. 2 Olmes, stone marked G. R. N.3-1310 I seeme stone marked on opposite side Sam Love of his Durvey. & Uncle At un grudile rock in place, marked B.R. S.R. No3-1310 bis, & 7,0 H 28 feet. A + in grunile wet in place, murked B.R. W.S. NO6-1310 bis. N 40° 2'629.5 fh Willing Deak bis, S 16°55'W. There & 61045 W Nav. 1405 & 13986 To Cer. No4, Identical with N.W. Cer. of the treation, A fourile time 6 x 8 x 30 mis, set, Fort in Ifound and surrounded by Inon, I Stones, Stine murked G.R. SO4,-1300, June thene marked on opposite side A, NOH-1248, For City, NoH, Anletope loce. Survey Mol 1248, A+ in grapili rock in place, marked B.R. G.R. NO4-1310 bis, N81040 6 22 feet A + in grunili srek ni place, marked B.R. VG. R. VP 4-1310 Les. N 52° 35'W 28.4 Feet Vulling Pear, Drs. S 16° 30' N

Survey No 1318 5 Today God Lode Thener & 170 26 6 To mileal mon. The place of 20 Consaining 18.37 acres, Uncle Saw Lode Deginning at sinitial mow, at ceulie O Claim, A mow, I stones & feet on Joase and 3 feet high, There of 75° W Nav 14°5 & To west centered mow, which is also East Centic luck mon. J Golden Rod Lode of this survey. Inch. described about, There & 17°26'& Nav. 1405 6 To Cur. No1, which is also cir. NO2. Ivedew Rod Lode of this survey. Circle described befor. U.S. L.M. NO 1248 bes, S 69° 48 4 2528,4 feet, Thence A 750 6 Nav. 1405 & To Cor, NO 2. Identical with to 700 tocation, A gravile The 8×8×2× ms, set fort in ground and surrounded by a Mon. of slines, Stone muken U.S. No 2-8/310. At on a granite rich in place,

Survey NO 1310

Uncle Sam Lode Feet marked B. R. M.S. NO2-1310 bes S 230 7 M Thuson's Peak bis. N 110 E Rich Hile bes, N 27º 15 h.

> There N 26° 45 6 Nav. 14° 5' 6

650 To ber. NO3, Identical with S.E. Cer,

of the breation. If the fruite stone 4×10×24 ries, set 1 Josh in ground and furrounded by mow. 9 Mines, Itme marked U.S. No3-1310 tA+ on a granile vine place, mussed 13,18. U.S. 18031-1310 brs, S 330 15'W 327 A+ on a grunile sock in place, marked B. R. U.S. No3-1310 bis, 2580

50' & 15,2 feet. Johnson's Peak bis, N8° 30'E

> There N 170 26 W Nav. 1405 6

To U. E. Center and mon. a min. of shows 300 3 Just on buse and 3 Let high, Identical Wilk N. E. Center lud of the Location, Dame Course, to Cor. No 4, Identical 600

with N.E. cur, of the freulion.

A granile stine 4×10×2× ins, Det, froh in ground and surrounded by a mon, of Alines Stone murked U.S. No4-1310 A+ on a grunite rock in place, marked B.R. U.S. Nord-1310 bis. N310 37 6 28,5 feet

A + on grunile rock in place, marked B.R. M.S. Nº4-1310 bes, N 83'45 1 26,5 feet,

There & 26°45 W Nav. 1405 & 650 To Cor. UNO 5, Identical with Cir. M5, of the Location.

Feet

8

Durvey NO 13/0

Improvments Shoft NO 2. Aft East center lud of claims 5 x 7 Jut 16 Jul deep.

\$160,

Uncle Saw Lode Discovery June 181. The approuch to which birs. From East certin luce of claim & 270 h 122 feet, Approach 4 × 16 feet. 12 fort face, Junel 4×6 feet 95 feet ling, Course of himmely + approach 5 77°H Vein dlps to he north at about 22° from to hongened. Value \$1050

The nine drops at both end centers of the Golden Rod, and the entire length of the Uncle Saw.

histrument This survey was much with a Gurley Iron to true meridian as determined by direct Lolar and Polaris observations. The distances were measured with a 100 foot Itel chain.

J. J. Fisher U.S. Dep. Min, Surveyor.

Porseote Q, J. Def. 28 " 1898.

# FINAL OATHS FOR SURVEYS.

LIST OF NAMES.
A list of the names of the individuals employed by
United States Deputy Mineral Surveyor, to assist in running, measuring, and marking the lines
of Little Room as the Locle Roll and Musele Some
known as the Localen Kord and Mnole Some
and showing the respective capacities in which they acted.
6.6. Moutow, Chainman.
6. 6. Mewfow, Chainman.
Ed. Lechenoner, Axman.
Ed. G. Recotoro , Arman.  6. E. Mecotoro , Flagman.
FINAL OATHS OF ASSISTANTS.
we, Eel, Incherono and 6.6. New live, do solemnly swear that we assisted
we, 17 6 Metal 176 do colomply gween that we recicted I I
United States Deputy Mineral Surveyor in marking the corners and
A "/ E (V)
surveying the houndaries of the mining claim of V. P. Perry and
surveying the boundaries of the mining claim of Serif and
surveying the boundaries of the mining claim of V. V. Lewy Care
surveying the boundaries of the mining claim of V. V. Lewy Care
surveying the boundaries of the mining claim of
Rod and Macle Some known as the Fellew , represented
in the foregoing field notes as having been surveyed by said deputy mineral surveyor and under
known as the surveyor and under his direction; and that said survey has been in all respects, to the best of our knowledge and belief, faithfully and correctly executed, and the corner and boundary monuments established according to law and the instructions furnished by the United States Surveyor-General for
known as the leave the foregoing field notes as having been surveyed by said deputy mineral surveyor and under his direction; and that said survey has been in all respects, to the best of our knowledge and belief, faithfully and correctly executed, and the corner and boundary monuments established according to law and the instructions furnished by the United States Surveyor-General for
known as the surveyor and under his direction; and that said survey has been in all respects, to the best of our knowledge and belief, faithfully and correctly executed, and the corner and boundary monuments established according to law and the instructions furnished by the United States Surveyor-General for
known as the leave the foregoing field notes as having been surveyed by said deputy mineral surveyor and under his direction; and that said survey has been in all respects, to the best of our knowledge and belief, faithfully and correctly executed, and the corner and boundary monuments established according to law and the instructions furnished by the United States Surveyor-General for leave the state of the law and the instructions furnished by the United States Surveyor-General for leave the state of the law and the instructions furnished by the United States Surveyor-General for leave the state of the law and the instructions furnished by the United States Surveyor-General for leave the state of the law and the instructions furnished by the United States Surveyor-General for leave the state of the law and the instructions furnished by the United States Surveyor-General for leave the law and the instructions furnished by the United States Surveyor-General for leave the law and the instructions furnished by the United States Surveyor-General for leave the law and the instructions furnished by the United States Surveyor-General for leave the law and the instructions furnished by the United States Surveyor-General for leave the law and the law and the instructions furnished by the United States Surveyor-General for leave the law and law and the law and the law and law and the law and law

## FINAL OATHS FOR SURVEYS.

A list of the names of the individuals employed by
A list of the names of the individuals employed by  United States Deputy Mineral Surveyor, to assist in running, measuring, and marking the lines
corners and boundaries described in the foregoing field notes of the survey of the mining claim of the file of the field known as the Galen Rod and Mnele Same
and showing the respective capacities in which they acted.
El Vicheron , Chainman.  6.6. Herror , Chainman.  6 d. Locheron , Arman.  6 E. Herror , Flagman.
FINAL OATHS OF ASSISTANTS.
We Ed Prolonger
and 6.6. Merolini , do solemnly swear that we assisted for the corners and further , United States Deputy Mineral Surveyor, in marking the corners and
, United States Deputy Mineral Surveyor, in marking the corners and
surveying the boundaries of the mining claim of J.E. Peny and
V IV , CARRILL
01,2
Rod and Anele Same, known as the Treaten , represented
in the foregoing field notes as having been surveyed by said deputy mineral surveyor and under
(Rod and Anele Same), known as the Frederica, represented
in the foregoing field notes as having been surveyed by said deputy mineral surveyor and under
in the foregoing field notes as having been surveyed by said deputy mineral surveyor and under his direction; and that said survey has been in all respects, to the best of our knowledge and belief, faithfully and correctly executed, and the corner and boundary monuments established according to law and the instructions furnished by the United States Surveyor-General for
known as the Activity, represented in the foregoing field notes as having been surveyed by said deputy mineral surveyor and under his direction; and that said survey has been in all respects, to the best of our knowledge and belief, faithfully and correctly executed, and the corner and boundary monuments established

#### FINAL OATH OF U. S. DEPUTY MINERAL SURVEYOR.

I, J'uliu , U. S. Deputy Mineral
Surveyor, do solemnly swear that, in pursuance of instructions received from the United
States Suryeyor General for Mynu , dated
1898, I have, in strict conformity to the laws of the
United States, the official regulations and instructions thereunder, and the instructions
of said Surveyor General, faithfully and correctly executed the survey of the Mining
Claim of J. E. Peery and J. H. Frield
, known as the
Greden Rod and Mucle Land, known as the
situate in WECOV Mining District.
Javapue County, August, in Section, Township No, Range No
, Township No. , Range No. ,
and designated as Survey No. / 3 / O , as represented
in the foregoing field notes, which accurately show the boundaries of said mining claim
as distinctly marked by monuments on the ground, and described in the attached copy
of the location certificate, which was received by me from the Surveyor General with
said instructions, and that all the corners of said survey have been established and per-
petuated in strict accordance with the law, official regulations and instructions there-
under; and I do further solemnly swear that the foregoing are the true and original
field notes of said survey and my report therein, and that the labor expended and
improvements made upon said mining claim by claimants or their grantors
are as therein fully stated, and that the character, extent, location and itemized value
thereof are specified therein with particularity and full detail, and that no portion of
said labor or improvements so credited to this claim has been included in the estimate
of expenditures upon any other claim.
1 1 41 . 2
( Litershoon
11. S. Demuty Mineral Summanon
U. S. Deputy Mineral Surveyor.
Subscribed and sworn to by the said
U. S. Deputy Mineral Surveyor, before me F. Q. A. Le Ragis
U. S. Deputy Mineral Surveyor, before me 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5
day of S efficiency, 1898.
day of 3 externile , 18 96.
Indevil, a ditte
Olegala

### Affidavit of Five Hundred Dollars Improvements.

We Gel Licheron and C. E. Newton
of lawful age, being first duly sworn according to law, depose and say: that we are acquainted with the Holden Roal and Mole Lean mining claim, situated in Mining district, Heave peer County, Arizona Territory, for which Y. E. Pesry and Y. H. Frield
ha va made application for survey prior to application for patent under the provisions of the
Act of Congress, approved May 10, 1872; and that the labor done and improvements made thereon
by the applicant & and heir grantor & exceed Five Hundred Dollars in value, and further
that we are not personally interested in said mine.
Ed Goehinan CE Newton.
County of County
() SWORN to and subscribed before me, this
J. Fisher 1898  J. Fisher  Motule Public
Notulf Public
My Commisione Expire May 10 to 1900

#### MOTICE OF LOCATION.

KNOW ALL MEN BY THESE PRESENTS:

That the undersigned have this day located Fifteen Hundred (1500) linear feet of this vein or lode, bearing precious metals, with all dips, spurs, angles and variations, with surface ground three Hundred (300) feet on each side of the center of vein, with all Mineral deposits contained therein, and all Timber growing within the limits of said claim, and all Water and Water privileges thereon or appurtenant thereto, under and according to the provisions of the Mining Laws of the United States, under which it is located.

United States, under which it is located.

This claim commences at this monument and notice placed upon the ledge, and runs Fifteen Hundred (1500) feet in a

Northerly direction along the ledge.

The exterior boundaries are as follows, viz:

Commencing at this monument and notice, and running Three Hundred (300) feet in an easterly direction to monument at S.E.corner of claim; thence in a Northerly direction parallel with the ledge Fifteen Hundred (1500) feet to monument at N. E.corner of claim; thence in a Westerly direction at right angles across the ledge Six Hundred (600) feet to monument at N.W.corner of claim; thence parallel with the lode in a southerlydirection Fifteen Hundred (1500) to monument at S.W.corner of claim; thence at right angles across the ledge in an Easterly direction Three Hundred (300) feet to monument upon the ledge and place of beginning.

upon the ledge and place of beginning.

This ledge may be more generally described as the first extention North of the Antelope Mine and the first claim South of the Judge Mine, in Weaver Mining District, Yavapai County, Arizona Territory, and shall be known as the Golden Rod Min-

ing claim.

DATED ON THE GROUND, this 26 day of Feb 1894.

Recorded at request of T.J.Ward M'ch 7th A.D.1894, at 9 o'clock A.M., in Book 37 of Mines, pages 122, Records of Yavapai County Arizona.

(L.S.) Alex O.Brodie,
County Recorder.

Territory of Arizona, [County of Yavapai. [SS:

I,W.I.JOHNSON, County Recorder in and for said County, in said Territory, and custodian of the records thereof, do hereby certify that I have compared the above and foregoing with, and the same is a full, true and coreet copy of the Notice of Location of the Golden Rod Mining Claim as the same appears of record in Book 37 of Mines, page 122, recordsof Yavapai County, Arizona.

WITNESS WHEREOF, I have hereunto set my have and affixed ficial seal, this 15th., day of July, A.D. 1898.

County Recorder.

MOTICE OF LOCATION. Quartz Claim.

KNOW ALL MEN BY THESE PRESENTS: That.... have this day located fifteen hundred (1500) feet of this vein or lode bearing precious metals, with all dips, spurs, angles and variations, with surface ground three hundred (300) feet on each side of vein, with all mineral deposits contained therein, and all timber growing within the limits of said claim, and all water and water privileges thereon or appurtenant thereto under and according to the provisions of the Mining Laws of the United States, under which it is located.

his claim commences at this monument and notice placed upon the ledge, and runs fifteen hundred (1500) feet in an Easterly direction along the ledge.

The Exterior boundaries are as follows, viz: Commencing at this monument and notice and running three hundred (300) feet in a northerly direction to monument of stone at the north west corner of claim. Thence in an Easterly direction fifteen hundred (1500) feet to a monument of stone at the north east corner of claim; thence in a Southerly direction six hundred (600) feet at right angles across the ledge to a monument of stone at the south east corner of claim; thence in a westerly direction fifteen hundred (1500) feet to a monument of stone at the south west corner of claim; thence in northerly direction to place of beginning.

This claim may be more generally fully described as the first extension east of the Antelope Mine, and the West extension of the Uncle Sam Mine.

Sion of the Uncle Sam Mine.

County, Arizona Territory and known as the Golden Rod Mining Claim.

Located on the 26th day of February A.D.1894. By T.J.Ward.

Amended this the fourth day of January, 4th, \$224 day of January A.D.1397.

> T.H.Field. J.T.Bishop.

Recorded at request of T.H.Field, Jan. 12 A.D. 1897, at 10.30 o'clock A.M. in Book 45 of Mines, pages 305-306, Records of Yavapai County, Arizona.

(Seal)

W.I.Johnson, County Recorder.

By P.J. Farley, Deputy.

Territory of Arizona, County of Yavapai. ISS:

I, W. I. JOHNSON, County Recorder in and for said County, in said Territory, and custodian of the records thereof, do hereby certify that I have compared the above and foregoing with, and the same is a full, true and correct copy of the Amended Notice of Location of the Golden Rod Mining Claim as the same appears of record in Book 45 of Mines, pages 305-306, records of Yavapai County, Arizona.
WITNESS WHEREOF, I have hereunto set my hand and affixed ficial seal this 15th., day of July, A.D., 1898

Trison county Recorder. KNOW ALL MEN BY THESE PRESENTS:
That we the indersigned have this day located fifteen hundred (1500) linear feet of this vein or lode bearing precious metals, with all dips, spurs, angles and variations, with surface ground three Hundred (300) feet on each side of the center of vein, with all mineral deposits contained therein, and all timber growing wi thin the limits of said claim, and all water and water privileges thereon or appurtenant thereto, under and according to the provisions of the United States Mining Laws under which it is located.

This claim commences at this monument and notice placed upon the ledge and runs 150 feet in a Easterly direction and 1350 feet in a Westerly direction along the ledge from dis-

covery shaft.

The exterior boundaries are as follows, viz:

Commencing at a monument of stone on North boundary line distant three Hundred (300) feet in a northerly direction from discovery monument; thence in a easterly direction parallel with the ledge 150 feet to monument of stone at N.E. corner of claim; thence in an southerly direction at right angles across the ledge six hundred (600) feet to monument of stone at S.E. corner of claim; thence in a Westerly direction parallel with the ledge fifteen hundred (1500) feet to monument of stone at S.W. corner of claim; thence at right angles across the ledge in a Northerly direction six hundred (600) feet to monument of stone at N.W. corner of claim; thence in a easterly direction parallel with the ledge 1350 feet to monument on north boundary and place of begining.

This ledge may be more generally described as situated east of the Golden Rod Mining Claim comprising the abandoned Jersey Mining Claim which consists of only 450 ftxxxx along the ledge, also 1050 feet of the abandoned Judge Mining claim.

This claim better known as the second extension east Antelope Group of mining claims and shall be known as the Uncle Sam Mining Claim in Weaver Mining District, Yavapai County, Arizona Territory, and shall be known as the Uncle Sam Mining Claim.

Dated on the ground, this tenth day of June A.D., 1896.

T.H.Field J.T.Bishop

Recorded at request of T.H.Field, June 30 A.D.1896, at 9 o'clock A.M.in Book 44 of Mines, pages 429, 430 & 451, Records of Yav-apai County, Arizona.

(Seal) F.A.Tritle,

County Recorder.

Territory of Rrizona, (County of Yavapai. (SS:

I,W.I.JOH SON, County Recorder in and for said County, in said territory, and custodian of the records thereof, do hereby certify that I have compared the above and foregoing with, and the same is a full, true and correct copy of the Notice of Location of the Uncle Sam nining claim as the same appears of record in Book 44 of pages 429 to 431, records of Yavapai County, Arizona.

WITNESS WHEREOF, I have hereunto set my hand and afofficial seal, this 15th., day of July A.D.1898.

County Recorder.

Territory of Arizona)
) ss
County of Yavapai )

Know all men by these presents that - Wethe undersigned have this day being the 20 day of Sep. A.D. 1898, amended, located and claimed, and by these presents do Amend, Locate and Claim by right of the original discovery and this additional and amended location certificate, in compliance with the Mining Acts of Congress, Approved May 10th 1872, and all subsequent acts, and with local customs, laws and regulations, /250 \_\_ linear feet and horizontal measurement on the Uncle Sam \_ lode, vein, ledge or deposit, along the vein thereof, with all its dips angles and variations, as allowed by law, together with -300 feet on each side of the middle of the vein at the surface, so far as can be determined from present developments, and all veins, lodes, ledges or deposits and surface ground within the lines of said claim - 700 \_\_\_\_ feet running 25 75° 4 from center of initial monument and \$650 feet running - 126°45 6 - from center of initial monument, said initial monument being situate upon said lode, vein, ledge or deposit and within the lines of said claim in - Weaver - Mining District, County of Yavapai, Territory of Arizona, described by metes and bounds as follows: to-wit: Beginning at lev. No. which is the S.W. en. of claim. and also S.E. Eur. of Golden Rod mining claim.
There A 75° & 700 fut to Cor. No 2. There A 26° 45 & 650 feet to cer. NO3. There A 17.26' A 300 feet to East center law mon. 600 feet same course to cor. NO4, There S 260 45 A 650 feet to car NO5. There S 75° 4 700 feet to cer. Note, which is also the N.E. cer. of Golden Rod mining Claim. Thence \$ 17° 26 & 300 Jul te west centu end mon, 600 feet same course to lear No! the place of beginning.

This being the same lode originally located on the -/o4 -- day and recorded in Book 44 pages 429. 430 records of of June A.D. 1896 said Yayapai County, Arizona, on the Joday of Jun A. D. 1896

This further and additional and amended certificate of location is made without waiver of any previously acquired rights but for the purpose of correcting any error in the original location description or record.

5

J. E. Perry	seal.
J. H. Frield	seal
	seal.

Recorded at request of J.J.Fisher, Sept.21" A.D.1898, At 3:25 o'clock P.M.in Book 51 of Mines, pages 29 et seq., Recordsof Yavapai County, Arizona. (Seal)

By J.H. Forbes,

W.I.Johnson,

County Redorder.

Territory of Arizona, SS: County of Yavapai.

Deputy.

I, W.I. JOHNSON, County Recorder in and for the County of Yavapai, in said Territory, and custodian of the records thereof, do hereby certify that I have compared the above and foregoing with, and the s=ame is a full, true and correct cop=y of the Notice of Location of the Uncle Sam Mining Claim as the same appears of record in Book 51 of Mines, pages 29 et seq., records of Yavapai County, Arizona,

IN WITNESS WHEREOF, I have hereunto set my hand and affixed my official seal this the 21st., day of Sept. 1898

#### Surveyor General's Certificate of Approval of Field Notes and Survey of Mining Claim.

#### Department of the Interior,

Office of U.S. Surveyor General,

Tueson, arigona
November 5", 1898.
I, U. S. Surveyor General for District of anyona,
do hereby certify that the foregoing and hereto attached Field Notes and Return of the
Survey of the Mining Claim of J. E. Ceery and J. N. Fiels.
lungum og the
; known as the
Lolden Ros ans Uncle Dam.
situate in mining district,
<u>Javakai</u> County, <u>Arizona</u> , in Section , Township No. —, Range No. unsurveyet.
· ·
, designated as Survey No
executed by J. Fisher, U. S. Deputy Mineral
Surveyor, Dept. 24-25th, 1897, under my instructions dated
July 25"+ Dept. 24", 1898, have been critically examined and the
necessary corrections and explanations made, and the said Field Notes and Return, and
the Survey they describe, are hereby approved. A true copy of the copy of the location
certificate filed by the applicant for survey is included in the field notes.
George Christ  U. S. Surveyor General for Arigona.
U. S. Surveyor General for Augona.