

**M  
S  
.**

**0**

**1**

**3**

**6**

**1**

(4-683.)

Mineral Survey No. 1361

Lot No. \_\_\_\_\_

Prescott

Land District.

### FIELD NOTES

OF THE SURVEY OF THE MINING CLAIM OF

G. W. Hull

KNOWN AS THE

Lion, Lost Mine, Columbus and May Queen  
Verde

Mining District,

Yavapai County, Arizona

Section \_\_\_\_\_, Township 15 N, Range 243 E

Surveyed under instructions dated April 27<sup>th</sup>, 1899,

by J. J. Fisher,  
U. S. Deputy Mineral Surveyor.

Claim located 4/12/92, 5/9/92, 2/24/95, 2/24 -, 1895.

Survey commenced June 20<sup>th</sup>, 1899.

Survey completed June 23<sup>rd</sup>, 1899.

o 6-180

Address Hawkins and Fisher,  
Attorneys for Claimant  
Prescott A.T.

# PRELIMINARY OATHS OF ASSISTANTS IN<sup>2</sup> SURVEY OF MINING CLAIM.

We, E. H. Draper and J. B. Metz,  
do solemnly swear that we will well and faithfully execute the duties of chain carriers;  
that we will level the chain upon even and uneven ground and plumb the tally-pins,  
either by sticking or dropping the same; that we will report the true distance to all  
notable objects, and the true length of all lines that we assist in measuring, to the best  
of our skill and ability, and in accordance with instructions given us, in the survey of  
the Mining Claim of G. W. Hull,  
known as the Lion, Lost Mine, Columbus and May Queen  
situate in Verde mining district,  
Yavapai County, Arizona  
in Section \_\_\_\_\_, Township No. \_\_\_\_\_, Range No. \_\_\_\_\_.

E. H. Draper, Chainman.  
J. B. Metz, Chainman.

Subscribed and sworn to by the above-named persons before  
me this 20th day of June, 1899.

My commission expires  
May 10, 1900.

J. J. Fisher  
Notary Public

I, E. H. Draper, do solemnly swear that I will well and  
truly perform the duties of axeman, in the establishment of corners and other duties,  
according to instructions given me and to the best of my skill and ability, in the survey  
of the Mining Claim of G. W. Hull  
known as the Lion, Lost Mine, Columbus and May Queen,  
more fully described in the preceding affidavit.

E. H. Draper, Axeman.

Subscribed and sworn to by the said E. H. Draper  
before me this 20th day of  
June, 1899.

My commission expires  
May 10, 1900.

J. J. Fisher  
Notary Public

I, J. B. Metz, do solemnly swear that I will  
well and truly perform the duties of flagman, in the establishment of corners and other  
duties, according to instructions given me and to the best of my skill and ability, in the  
survey of the Mining Claim of G. W. Hull  
known as the Lion, Lost Mine, Columbus and May Queen,  
more fully described in the preceding affidavit.

J. B. Metz, Flagman.

Subscribed and sworn to by the said J. B. Metz  
before me this 20th day of  
June, 1899.

My commission expires  
May 10, 1900.

J. J. Fisher  
Notary Public

# Survey No 1361

## Low Lode

Foot

Beginning at west center end mond.  
 Identical with west center end of the  
 location, which is also the east center  
 end of the Blow Out Lode. Survey No 1362  
 A porphyry stone 4x8x30 ins. set one  
 foot in ground, along side built a  
 mon. of stones 3 feet on base and 3 feet  
 high. Stone marked N.C.E.L. No 1361.  
 Same stone marked E.C.E.B.O. No 1362

Thence  $N 4^{\circ} 45' W$   
 Var.  $14^{\circ} E$

100

To cor No 1. Identical with N.W. cor  
 of the location, which is also the  
 N.E. cor. of the Blow Out location  
 Survey No 1362.

A porphyry stone 6x8x30 ins. set  
 one foot in ground, along side  
 built a mon. of stones 3 feet on  
 base and 3 feet high. Stone  
 marked L. No 1-1361 same stone  
 marked B.O. No 1-1362. In cor No 1.  
 Blow Out Lode, Survey No 1362.

A + on a porphyry dyke, marked  
 B.R. L. No 1-1361. bearing  $N 82^{\circ} 5' E$  123 feet.

A + on a porphyry dyke, marked B.R.  
 B.O. No 1-1362 bearing  $S 49^{\circ} 45' W$  124.5 feet

U.S.L.M. No 1365 bearing  $N 83^{\circ} 42' W$  32x.8 ft.

Thence  $S 76^{\circ} 40' E$   
 Var  $14^{\circ} E$

1409

To cor. No 2. Identical with N.E. cor. of  
 the location.

A porphyry stone 6x10x24 ins. set one  
 foot in ground, along side built a  
 mon. of stones 3 feet on base and  
 3 feet high. Stone marked L. No 2-  
 1361.

(21)

4

## Survey No. 1361

Feet

### Lion Lode

A + on a porphyry rock in place, marked B. R. L. No 2-1361 bearing  $N 86^{\circ} 10'$   $W$  71.5 feet.

A + on a porphyry rock in place marked B. R. L. No 2-1361 bearing  $N 2^{\circ} 25' E$  14 feet

Thence  $N 4^{\circ} 45' E$   
 Var.  $14^{\circ} E$

250 To Blow Out Creek Course East, width 50'

400 To Cor. No 3. Identical with S.E. cor. of the location.

A porphyry stone  $5 \times 9 \times 30$  ins. set one foot in ground, along side built a mon. of stones 3 feet on base and 3 feet high.

Stone marked L. No 3-1361.

A + on a granite rock in place marked B. R. L. No 3-1361 bearing

$N 4^{\circ} 45' W$  100 feet.

No other bearings available

Thence  $N 7^{\circ} 4' W$   
 Var  $14^{\circ} E$

530 To Blow Out Creek, Course East, width 50 feet.

1431.7 To Cor. No 4. Identical with S.W. cor. of the location. being also the S.E. cor. of the Blow Out Lode location.

A porphyry stone  $3 \times 9 \times 2$  ins, set one foot in ground, along side built a mon. of stones 3 feet on base and 3 feet high. Stone marked L. No 4-

1361. Same stone marked on opposite side B. O. No 4-1362.

No bearings available.

Thence  $N 4^{\circ} 45' W$   
 Var.  $14^{\circ} E$

230 To west center end, the place of beginning survey of their boundaries.

(3)

# Survey No 1362

5

Feet

## Lost Mine Lode

Beginning at Cor. No 1. Identical with S.W. cor. of the location

A slate stone  $4 \times 10 \times 24$  ins. set one foot in ground, along side built a mon. of stones 3 feet on base and 3 ft high. Stone marked L.M. No 1-1361.

A + on a porphyry rock in place, marked B.R. L.M. No 1-1361 bearing  $N 41^{\circ} 47' E$  35 feet.

A + on a porphyry rock in place, marked B.R. L.M. No 1-1361 bearing  $N 4^{\circ} 22' E$  9.1 feet.

U.S. L.M. No 1365 V.D. bearing  $N 24^{\circ} 18' E$  54 feet.

### Thence $S 80^{\circ} 21' E$

Nav.  $14^{\circ} E$

183.5 To intersect line 1-2 Survey No 1362.

Blow Out Lode, at  $S 73^{\circ} 32' W$  163.5 feet from Cor. No 1-1362.

348.8 To intersect line 1-4 Survey No 1362

Blow Out Lode and line 1-4 Lion Lode of this survey at  $S 4^{\circ} 45' E$  74.3 feet from Cor. No 1.

14418 To Cor. No 2. at intersection of line 1-2

Lion Lode of this survey, at  $S 76^{\circ} 40' E$  1120 feet from Cor. No 1. Lion Lode.

Orig. loc. mon. a mon. of stones 2 feet on base and 18 ins high on rock ref near stump of a cedar tree bearing  $S 2^{\circ} E$  25 feet.

A porphyry stone  $8 \times 8 \times 24$  ins. set one foot in ground, along side built a mon. of stones. 3 feet on base and 3 feet high. Stone marked L.M. No 2-1361. Same stone marked on opposite side C. No 1-1361 for cor. No 1. of the Columbus Lode of this survey.

A + on a porphyry rock in place, marked B.R. L.M. No 2-1361 bearing  $S 37^{\circ} 50' W$  50.5 feet.

A + on a porphyry rock in place, marked B.R. C. No 1-1361 bearing  $S 65^{\circ} 45' E$  44 feet.

## Survey No 1361

Feet

## Lost Mine Lode

Thence  $N 2^{\circ} W$ Dip.  $14^{\circ} E$ 

300

To east center end Lost mine and west center end Columbus Lode of this survey. Identical with loc.

A slate stone  $6 \times 10 \times 30$  ins. set one foot in ground, along side built a mon. of stones 3 feet on base and 3 feet high. Stone marked E. C. & L. M. No 1361 and on opposite side W. C. & C. No 1361.

600

Same course to Cor. No 3. Identical with N. E. Cor. of the location.

A porphyry stone  $4 \times 12 \times 24$  ins. set one foot in ground, along side built a mon. of stones, 3 feet on base and 3 feet high. Stone marked L. M. No 3-1361, same stone marked on opposite side C. No 4-1361 for N. W. Cor. of Columbus Lode of this Survey.

A + on a porphyry rock in place. Marked B. R. L. M. No 3-1361 bis.  $S 58^{\circ} 55' W$  31.5 feet.

A + on a porphyry rock in place. Marked B. R. C. No 4-1361 bis.  $S 5^{\circ} 10' W$  38.5 feet.

Thence  $N 83^{\circ} 42' W$ Dip.  $14^{\circ} E$ 

155

To Cor. No 4, May Queen Lode of this Survey.

755

To Cor. No 1, " " " " " "

1244.9

To intersect line 1-4, Survey No 1365.

Deer Trail Lode, at  $N 76^{\circ} 15' E$  76.5 feet from Cor. No 1.

1332.4

To intersect line 1-2, Survey No 1365.

Deer Trail Lode at  $N 24^{\circ} 35' W$  30.6 feet, from cor. 1.

1439

To Cor. No 4, Identical with N. W. Cor. of the location

# Survey No 1361

**Feet.** **Lost Mine Lode**

A slate stone 5x12x30 ins. set one foot in ground, along side built a mon. of stones. 3 feet on base and 3 feet high. Stone marked L.M. No 4-1361.

A + on a porphyry rock in place, marked B.R.L.M. No 4-1361 bes. N 77° 20' W 15.5 feet.

A + on a porphyry rock in place, marked B.R.L.M. No 4-1361 bes. S 5° 15' E 17.5 feet.

Cor. No 1. Survey No 1365 Deer Trail Lode bes. S 71° 35' E 125 feet.

Thence S 2° E  
 Rav. 14° E

514 To Cor. No 1, the place of beginning survey of exterior boundaries.

## Columbus Lode

Beginning at Cor. No 1. to S.W. cor. of claim. Orig. loc. mon. bes. S 7° E 25 feet. Being also S.E. cor. of the Lost Mine, Cor. described above U.S.L.M. No 1365 V.D. bes. N 78° ~~37'~~<sup>14 33.2</sup> W ~~14 78.7~~ feet. 14 33.2 //

Thence S 78° 27' E  
 Rav. 14° E

1082 To Cor. No 2. Identical with S.E. Cor. of the location.

A porphyry stone 6x10x2x ins. set one foot in ground, along side built a mon. of stones 3 feet on base and 3 feet high. Stone marked C, No 2-1361.

A + on a porphyry rock in place, marked B.R.C. No 2-1361 bes. N 40° 5' E 16.5 feet.



(6)

8

Survey No 1361

Feet

Columbus Lode

A+ on a porphyry rock in place, in  
marked B.R. C. No 2-1361 loc. N 87° 25' W  
12 feet

Thence N 2° W

Var. 14° E

555 To Cor. No 3, Identical with N.E. cor.  
of the location.

A porphyry stone 3x8x30 ins. set one  
foot in ground, along side built a  
row of stones. 3 feet on base and  
3 feet high. Stone marked C, No 3-1361

A+ on a porphyry rock in place.  
marked B.R. C. No 3-1361. loc. S 58°  
15' E 9 feet. A+ on a porphyry rock  
in place, marked B.R. C. No 3-1361 loc.  
N 22° 15' E 15 feet.

Thence N 76° 10' W

Var. 14° E

1094 To Cor. No 4, Identical with N.W.  
corner of the location, which is also  
the N.E. Cor. Last mine of this survey  
corner described above.

Thence S 2° E

Var. 14° E

300 To west center end which is also the east  
center end Lost Mine, of this survey,  
Mon. described above.

600 Same course to Cor. No 1, the place  
of beginning survey of exterior  
boundaries.

## Survey No 1361

## May Queen Lode

Feet

Beginning at Cor. No 1, to S.W. cor. of claim at a point  $S 83^{\circ} 42' E 684$  feet from Cor. No 1 First Mine to the of this Survey. Identical with S.W. cor. of the location.

Set + for corner point on a porphyry rock in place, and M.D. No 1-1361 along side built a rim. of stones. 3 feet on base and 3 feet high.

A + on a porphyry rock in place, marked B.R. M.D. No 1-1361 bis.  $S 29^{\circ} 10' E 15$  feet. A + on a porphyry rock in place, marked B.R. M.D. No 1-1361 bis.  $S 67^{\circ} 33' W 20.5$  feet.

U.S.L.M. No 1365 bis.  $S 58^{\circ} 40' W 748.8'$

Thence  $N 30^{\circ} 9' E$ 

Av.  $14^{\circ} E$

- 265 To intersect line 1-4, Copper Glance Lode Survey No 1365 at  $S 70^{\circ} 45' W 211.4$  feet from Cor. No 4.
- 572.7 To intersect line 3-4, Copper Glance Lode at  $S 12^{\circ} 47' E 360.7$  feet from Cor. No 3, Copper Glance, Survey No 1365
- 680.8 To Cor. No 2, Identical with N.W. cor. of the location.  
A granite stone  $6 \times 8 \times 24$  ins. set one foot in ground, along side built a mon. of stones 3 feet on base and 3 feet high. Stone marked M.D. No 2-1361.  
A + on a granite rock in place, marked B.R. M.D. No 2-1361 bis.  $S 58^{\circ} 15' W 12.5$  feet.  
A + on a granite rock in place, marked B.R. M.D. No 2-1361 bis.  $S 6^{\circ} E 35$  feet.  
Cor. No 3, Copper Glance, Survey No 1365 bis.  $N 27^{\circ} 22' W 289.3$  feet.

Survey No 1361.

Feet May Queen Lode

Thence S 83° 42' E  
Var. 14° E

480 To Cor. No 3. Identical with N.E. corner of the location. A granite stone 5 x 12 x 24 ins. set one foot in ground and surrounded by a row of stones. <sup>marked M.L. No. 3-1361</sup> No bearings available.

Thence S 20° 18' W  
Var. 14° E

641.5 To Cor. No 4, Identical with S.E. corner of the location, at the intersection of the North side line of Lost Mine Lode at N 83° 42' W 155 feet from Cor. No 3. Lost Mine, which was formerly known as the "Miners Pride" Lode.

A porphyry stone 5 x 10 x 30 ins. set one foot in ground, along side with a row of stones 3 feet on base and 3 feet high. Stone marked M.L. No 4-1361.

A + on a porphyry rock in place, marked B.R.M.L. No 4-1361 bearing S 35° E 20 feet.

A + on a porphyry rock in place B.R.M.L. No 4-1361 bearing S 40° 25' W 21.5 ft.

Thence N 83° 42' W  
Var. 14° E

600 To Cor. No 1, the place of beginning survey of exterior boundaries.

# Survey No 1361

## Area

Area Lion Lode 11,233 acres

Total area Lost Mine Lode 18219 acres

Less area in conflict with

Lion Lode Survey No 1361- 0.946 acres

Blow Out Lode Survey No 1362 0.140 "

Deer Trail Lode Survey No 1365 0.027 " 1.113 " 17,106 acres

Net area <sup>Lost Mine</sup> Lion Lode 17,106 acres

Total Area May Queen Lode 7.716 acres

Less area in conflict with

Copper Glance Lode Survey No 1365 .489 "

Net area May Queen Lode 7.227 acres

Area Columbus Lode 13,949 acres

Total area Lode Claim 49,515 acres

## Location

This claim is located on unsurveyed land, approximately in T. 16 N., R. 2 E., G + S. R. Mer. in Verde Mining District Yavapai County, Arizona, and is bounded on the north by Deer Trail and Copper Glance, Survey No 1365, and on the south by Poris Brook unsurveyed, and on west by Blow Out, Survey No 1362.

### Expenditure of Five Hundred Dollars

I certify that the value of the labor and improvements upon this claim placed thereon by the claimant and his grantors, is not less than five hundred dollars for each location comprising the entire claim, and that said improvements consist of:

### Lion Lode

Discovery Shaft No 1.

which lies from west center <sup>End</sup> S 76° 40' E 25 feet

4 x 6 feet, 8 feet deep.

Value \$80.00

## Survey No 1361

## Improvements

## Lion Lode

Cut No 2. which bis. from Cor. No 4  $N 56^{\circ}$   
 $44^{\circ} E$  385 feet. cut  $4 \times 26$  feet 10 foot face  
 Value \$150.00

## Lost Mine Lode

Discovery cut No 1.

Which bis. from east center end  $N 72^{\circ} 30' W$   
 475 feet. cut  $4 \times 30$  feet, 10 foot face.  
 Value \$1,7500

## Tunnel No 2.

Which bis. from East center end  $N 73^{\circ}$   
 $30' W$  385 feet

Approach  $4 \times 30$  feet 12 foot face  
 Tunnel  $4 \times 6$  feet 42 feet long. course  
 west. 15 feet from face of tunnel there  
 is a cross cut  $4 \times 6$  feet. 12 feet south  
 20 feet from face there is a cross cut  
 $4 \times 6$  feet 20 feet to the North. and at  
 42 feet from face there is a cross cut  
 $4 \times 6$  feet 16 feet to the south.  
 Value \$1,100.00

## Cut No 3,

Which bis. from Cor. No 3.  $N 88^{\circ} 5' W$  490 feet  
 Cut.  $4 \times 15$  feet 10 foot face.  
 Value \$100

## Shaft No 4

Which bis. from Cor. No 2.  $N 65^{\circ} 6' W$  590 feet  
 Shaft  $4 \times 6$  feet 10 feet deep.  
 Value \$100

## Cut No 5

Which bis. from Cor. No 2  $N 73^{\circ} 30' W$  600 feet.  
 Cut  $4 \times 28$  feet, 10 foot face.  
 Value \$150.00

# Survey No 1361

## Improvements

### Columbus Lode

Disc. Tunnel No 1, which bis. from west center end, S 87° 30' E 720 feet.  
 Approach 4 x 18 feet, 10 foot long.  
 Tunnel 4 x 6 feet 9 feet long.  
 Value \$200

### May Queen Lode

Discovery Shaft No 1, which bis. from Cr. No 2. S 13° 7' E 370 feet.  
 Shaft 4 x 6 feet 25 feet deep.  
 Value \$250

Shaft No 2, which bis. from Cr. No 2 S 10° 34' E 365 feet.  
 Shaft. 4 x 6 feet 10 feet deep.  
 Value \$100.00

Tunnel No 3, which bis. from Cr No 2 S 50° 46' E 237 feet, course of tunnel S 22° W. 4 x 6 feet. 200 feet long.  
 Value \$2000.00

Note: Tunnel No 3 "May Queen Lode" when driven through the hill will develop, not only the May Queen Lode but also the Lost mine Lode, the Lion Lode & the Columbus Lode. And is intended for the benefit of all these claims, and is to be accredited to all equally.

## Veins

Lost mine vein appears from surface indications to extend from west center end in a South easterly course 1439 feet to east center end.

Columbus Vein, which appears to be the extension of Lost mine vein, extends from west center end in a S.E. course 1094 feet to east center end.

# Survey No 1361

## Veins.

Linn vein extends from the west center end <sup>mon. mt.</sup> in a S.E. course 1409 feet to east center end of claim.

May Queen vein, extends from the north-center end in a S.W. course 641.5 feet to south end line, ~~the~~ appears to cross or intersect the Linn vein.

## Instrument

This survey was made with a Gurley Solar Transit; The courses were deflected from the true meridian as determined by direct solar and Polaris observations. The distances were measured with a 100 foot steel chain.

J. J. Fisher  
U.S. Dep. Min. Surveyor.

Prescott Aug. 14<sup>th</sup> 1899.

# FINAL OATHS FOR SURVEYS.

## LIST OF NAMES.

A list of the names of the individuals employed by J. J. Fisher  
 United States Deputy Mineral Surveyor, to assist in running, measuring, and marking the lines  
 corners and boundaries described in the foregoing field notes of the survey of the mining claim  
 of G. W. Hull  
 known as the Lion, Lost Mine, Columbus and May Queen  
 and showing the respective capacities in which they acted.

E. H. Draper ..... , *Chainman.*  
J. B. Metz ..... , *Chainman.*  
E. H. Draper ..... , *Arman.*  
J. B. Metz ..... , *Flagman.*

## FINAL OATHS OF ASSISTANTS.

We, E. H. Draper  
 and J. B. Metz ..... , do solemnly swear that we assisted J. J. Fisher  
 ..... , United States Deputy Mineral Surveyor, in marking the corners and  
 surveying the boundaries of the mining claim of G. W. Hull  
 ..... , known as the  
Lion, Lost Mine, Columbus and May Queen ..... , represented  
 in the foregoing field notes as having been surveyed by said deputy mineral surveyor and under  
 his direction; and that said survey has been in all respects, to the best of our knowledge and  
 belief, faithfully and correctly executed, and the corner and boundary monuments established  
 according to law and the instructions furnished by the United States Surveyor-General for  
Arizona

E. H. Draper ..... , *Chainman.*  
J. B. Metz ..... , *Chainman.*  
E. H. Draper ..... , *Arman.*  
J. B. Metz ..... , *Flagman.*

Subscribed and sworn to by the above-named persons before me  
 this 23rd day of June ..... , 1899.

J. J. Fisher

Notary Public

My commission expires  
 May 10, 1900



(4-686.)


FINAL OATH OF U. S. DEPUTY MINERAL SURVEYOR

I, J. J. Fisher, U. S. Deputy Mineral Surveyor, do solemnly swear that, in pursuance of instructions received from the United States Surveyor General for Arizona, dated April 27<sup>th</sup>, 1899, I have, in strict conformity to the laws of the United States, the official regulations and instructions thereunder, and the instructions of said Surveyor General faithfully and correctly executed the survey of the Mining Claim of G. W. Hull, known as the Lion Lost Mine, Columbus and May Queen, situate in Verde Mining District, Yavapai County, Arizona, in Section \_\_\_\_\_, Township No. \_\_\_\_\_, Range No. \_\_\_\_\_, and designated as Survey No. 1361, as represented in the foregoing field notes, which accurately show the boundaries of said mining claim as distinctly marked by monuments on the ground, and described in the attached copy of the location certificate, which was received by me from the Surveyor General with said instructions, and that all the corners of said survey have been established and perpetuated in strict accordance with the law, official regulations and instructions thereunder; and I do further solemnly swear that the foregoing are the true and original field notes of said survey and my report therein, and that the labor expended and improvements made upon said mining claim by claimant or his grantors are as therein fully stated, and that the character, extent, location and itemized value thereof are specified therein with particularity and full detail, and that no portion of said labor or improvements so credited to this claim has been included in the estimate of expenditures upon any other claim.

J. J. Fisher  
U. S. Deputy Mineral Surveyor.

Subscribed and sworn to by the said J. J. Fisher  
U. S. Deputy Mineral Surveyor, before me a Notary Public in and for Yavapai County, Ariz. this 15<sup>th</sup> day of August, 1899.

Ziba O. Brown  
Notary Public.



# Affidavit of Five Hundred Dollars Improvements.

— — — — —

**We** E. H. Draper and J. B. Metz

of lawful age, being first duly sworn according to law, depose and say: that we are acquainted with the Lion, Lost Mine, Columbus and May Queen mining claim, situated in Verde Mining district, Yavapai County, Arizona Territory, for which G. W. Hull

has made application for survey prior to application for patent under the provisions of the Act of Congress, approved May 10, 1872; and that the labor done and improvements made thereon by the applicant and his grantors exceed Five Hundred Dollars in value, and further that we are not personally interested in said mine.

E. H. Draper

J. B. Metz

TERRITORY OF ARIZONA,

County of Yavapai

} ss.

SWORN to and subscribed before me, this

23rd day of June 1899

J. J. Fisher

Notary Public

My commission expires  
May 10, 1900.

LION.

This is to certify that I, G.W. Hull, have this the 24th day of February, A.D. 1895, taken up and located the LION Mine, situated in Verde Mining District, Yavapai County, Arizona Territory, and about 1/4 mile Northerly from Blowout Spring and on the South slope of the hill. Said discovery is in reef of rock where a hole is sunk & about 25 feet from West end of claim and about 100 feet from the East line of the Miners Pride Location.

boundries commence at the discovery hole and running 25 feet Westly to monument of stone, thence 300 feet Southerly to oak tree near trail goin to Blowout Spring, being Southwesterly corner, thence ~~1500 feet~~ 1500 feet Easterly to stone monument crossing the creek (Blowout) below falls, Southeasterly corner, thence 600 feet Northerly to the Columbus Mining Location, being Northeast-erly corner, thence 1500 feet along the South line of the Columbus and Miners Pride location to stone monument Northwesterly corner, thence opposite the place of beginning. I claim all dips, spurs and angles together with all water, timber and everything belonging thereto and all rights garenteed under the United States Laws in holding said location.

G.W.HULL.

Recorded at request of G.W.Hull, April 8", A.D. 1895 at 9 o'clock A.M. in Book 41 of Mines, pages 549 - 50, Records of Yavapai County, Arizona.

F.A. Tritle,  
County Recorder.

(L.S.)  
By M.O. Archibald, Deputy.

\*\*\*\*\*

Territory of Arizona §  
§ ss:  
County of Yavapai §

I, W.I. JOHNSON, County Recorder in and for the County of Yavapai in the Territory of Arizona and Custodian of the Records thereof, do hereby certify, that I have compared the above and foregoing with, and the same is a full, true and correct copy of the Notice of Location of the "LION" Mining Claim as the same appears of record in my office in Book 41 of Mines, pages 549 and 550, Records of Yavapai County, Arizona.

In Witness Whereof I have hereunto set my hand and affixed my official seal this the 14th day of April, A.D. 1899.

W.I. Johnson  
County Recorder.

\*\*\*\*\*



LOST MINE.

This is to certify that I, G.W.HULL have this the 24th day of February, A.D. 1895, taken up and located the Lost Mine situated in Verde Mining District, Yavapai County, Arizona Territory, and about 1/4 mile Northerly of Blowout Spring on the North side of the ridge. the discovery is about 75 feet North of the ridge and about 75 feet from a drift started on said lead.

Boundries commence as follows at the South Easterly corner on rock reef 10 feet Northerly from cedar tree at stone monument thereon South side of ridge, Thence running 1500 feet Westerly to stone monument on reef of rock on come of hill, thence 600 feet across ravien Northerly to Northwesterly corner, stone monument, thence 1500 feet Easterly to stone monument N.Easterly corner joining the Columbus on the N.Westerly corner thence 600 feet to the place of beginning.

Said location has 5 cuts on the lode I claim all dips, spurs and angles, also three other ledges on said location, one on the North side of ridge two on South side of ridge, also all right garenteed by the United States laws in holding said location.

G.W.HULL.

Recorded at request of G.W.Hull, April 8<sup>th</sup>, A.D. 1895, at 9 o'clock A.M. in BOOK 41 of Mines, pages 350 - 1, Records of Yavapai County, Arizona.

F.A.Trittle,

)L.S.)

County Recorder.

By M.O.Archibald, Deputy.

\*\*\*\*\*

Territory of Arizona §  
                                  § ss:  
County of Yavapai §

I, W.I. JOHNSON, County Recorder in and for the County of Yavapai in the Territory of Arizona and Custodian of the Records thereof, do hereby certify that I have compared the above and foregoing with, and the same is a full, true and correct copy of the Notice of Location of the "LOST MINE" Mining Claim as the same appears of record in my office in Book 41 of Mines on pages 550 and 551, Records of Yavapai County, Arizona.

In Witness Whereof I have hereunto set my hand and affixed my official seal this the 14th day of April, A.D. 1899.

*W.I. Johnson*  
\_\_\_\_\_  
County Recorder.

County Recorder.



\*\*\*\*\*

COLUMBUS LODGE.

This is to certify that we, J.F.Derrick and G.W.Hull have this the 12<sup>th</sup> day of April A.D.1892 taken up and located the Columbus Lode, situated Northerly from Flowout Spring the discovery is neare the ridge in Verde Mining District, Yavapai Co.A.T.

Boundries commence at monument on the N.W.corner on the North side of ride and running Easterly 1500 feet to monument N.E.cor: 600 feet Southerly to monument S.E.cor: thence 1500 feet Westerly to monument S.W.cor: thence 600 feet Northerly to mt. N.W.cor.place of beginning.

We claim all rights garenteed in holding said location under the U.S.Laws.

J.F.DERRICK

G.W.HULL.

Recorded at request of G.W.Hull May 9<sup>th</sup>, A.D.1892, at 9 o'clock A.M. in Book 34 of Mines, pages 252 & 253, Records of Yavapai County, Arizona.

Charles H.Akers,

County Recorder.

(L.S.)

By F.A.Trittle, Jr., Deputy.

\*\*\*\*\*

Territory of Arizona §  
County of Yavapai § ss:

I, W.I.JOHNSON, County Recorder in and for the County of Yavapai in the Territory of Arizona and Custodian of the Records thereof, do hereby certify that I have compared the above and foregoing with, and the same is a full, true and correct copy of the Notice of Location of the "COLUMBUS LODGE" Mining Claim as the same appears of record in my office in Book 34 of Mines at pages 252 and 253, Records of Yavapai County, Arizona.

In Witness Whereof I have hereunto set my hand and affixed my official seal this the 14th day of April, A.D.1899.

*W.I. Johnson*  
-----  
County Recorder.



\*\*\*\*\*

MAY QUEEN LODE.

This is to certify that we, G.W.Hull and J.F.Derrick did take up and locate the MAY QUEEN LODE on the 9th day of May, A.D. 1892, situated in the Verde Mining District, Yavapai Co. A.T. Northerly from the Blow Out Spring about 1/2 mile.

Boundrie commence as follows at discovery hole about 350 feet Northerly from the Miners Pride Mine location & on the North side and running 300 feet Easterly thence 350 feet Southerly to monument South East cor: thence 600 feet Westerly to monument South West cor: thence 1500 feet Northerly to monument; thence 600 feet Easterly to monument; thence 1150 feet to monument opposite the place of beginning.

We claim all ledges, mineral deposits, timber & water belonging to said claim and all rights garenteed under the U.S.Laws an holding said location.

G.W.HULL.

Recorded at request of G.W.Hull May 16", A.D. 1892 at 10:20 o'clock A.M. in Book 34 of Mines, pages 282 & 283, records of Yavapai County, Arizona.

Charles H.Akers,  
County Recorder.

(L.S.)  
By F.A.Trittle, Jr., Deputy.

\*\*\*\*\*

Territory of Arizona §  
                                  § ss:  
County of Yavapai §

I, W.I. JOHNSON, County Recorder in and for the County of Yavapai in the territory of Arizona and Custodian of the records thereof, do hereby certify that I have compared the above and foregoing with, and the same is a full, true and correct copy of the Notice of Location of the "MAY QUEEN LODE" Mining Claim as the same appears of record in my office in Book 34 of Mines on pages 282 and 283, Records of Yavapai County, Arizona.

In Witness Whereof I have hereunto set my hand and affixed my official seal this the 14th day of April, A.D. 1899.

W.I. Johnson  
County Recorder.





(4-687.)

# Surveyor General's Certificate of Approval of Field Notes and Survey of Mining Claim.

Department of the Interior,

Office of U. S. Surveyor General,

*Tucson, Arizona*

*Oct. 13*, 1899.

I, U. S. Surveyor General for *Arizona*,

do hereby certify that the foregoing and hereto attached Field Notes and Return of the Survey of the Mining Claim of *G. W. Hull*

....., known as the *Lion, Lost Mine, Columbus & May Queen*,

situate in *Verde* mining district,

*Yavapai* County, *Arizona*,

in Section *5*, Township No. *5*, Range No. *(unsurveyed.)*

*5*, designated as Survey No. *1361*

executed by *J. J. Fisher*, U. S. Deputy Mineral

Surveyor, *June 20-23<sup>d</sup>*, 1899, under my instructions dated

*April 27*, 1899, have been critically examined and the

necessary corrections and explanations made, and the said Field Notes and Return, and

the Survey they describe, are hereby approved. A true copy of the copy of the location

certificate filed by the applicant for survey is included in the field notes.

*George Christ*

U. S. Surveyor General for *Arizona*.