

**M
S
-**

0

1

4

3

7

Rec'd March 24-1900.
Filed

(4-683.)

Mineral Survey No. 1437

Lot No. _____

Gila Land District.

FIELD NOTES

OF THE SURVEY OF THE MINING CLAIM OF

Black Diamond Copper Mining Company

KNOWN AS THE

England Black Diamond & Procrastination
Dragon Mining District.

Cochise County, Arizona

Section Unsurveyed Township 18 South, Range 24 East

Surveyed under instructions dated July 14, 1899.

by John A. Rockwell
U. S. Deputy Mineral Surveyor

Claim located May 4, 1891, Feb 25, 1891, Feb 25, 1891.

Survey commenced March 6, 181900

Survey completed March 13, 181900

6-100

Address of Claimants
Pearce,
Arizona.

PRELIMINARY OATHS OF ASSISTANTS IN SURVEY OF MINING CLAIM.

We, Ray Swain and Francisco Gonzales
do solemnly swear that we will well and faithfully execute the duties of chain carriers;
that we will level the chain upon even and uneven ground and plumb the tally-pins,
either by sticking or dropping the same; that we will report the true distance to all
notable objects, and the true length of all lines that we assist in measuring, to the best
of our skill and ability, and in accordance with instructions given us, in the survey of
the Mining Claim of Black Diamond Copper
Mining Company, known as the
England, Black Diamond & Procrastination
situate in Dragoon mining district,
Cochise County, Arizona,
in Section —, Township No. 18 S, Range No. 24 East

Ray Swain, Chairman.
Francisco Gonzales Chairman.

Subscribed and sworn to by the above-named persons before
me this 7th day of March, 18-1900

John A. Rockefeller
Notary Public

I, M. H. O'Connor, do solemnly swear that I will well and
truly perform the duties of ^{flagman} axeman, in the establishment of corners and other duties,
according to instructions given me and to the best of my skill and ability, in the survey
of the Mining Claim of Black Diamond
Copper Mining Company
known as the England, Black Diamond & Procrastination
more fully described in the preceding affidavit.

M. H. O'Connor, Axeman & flagman

Subscribed and sworn to by the said M. H. O'Connor
before me this 8th day of

March, 18-1900

John A. Rockefeller
Notary Public

I, H L Bliss, do solemnly swear that I will
well and truly perform the duties of flagman, in the establishment of corners and other
duties, according to instructions given me and to the best of my skill and ability, in the
survey of the Mining Claim of Black Diamond
Copper Mining Company
known as the England, Black Diamond & Procrastination
more fully described in the preceding affidavit.

H L Bliss, Flagman.

Subscribed and sworn to by the said H L Bliss
before me this 7th day of

March, 18-1900

John A. Rockefeller
Notary Public

My Commission expires
April 10 1903

SURVEY No.1437.

ENGLAND LODE.

Beginning at Cor. No.1

A pine post 3.8 ft. long, 4 ins. sq., set 8 ins. in ground to bed rock, in mound of stone, scribed 1-1437 E.;

Whence;

Loc. cor. bears S.62° E. 28 ft;

The one quarter section cor. between secs. 27 and 28, Tp.18 S. R.24 E. brs. S.87-01 E. 8712.4 ft.

A x on an oak 7 ins, in diam., scribed 1-1437 B.T. brs. N.70-35 E. 9 ft.

A x on a juniper 4 ins. in diam. scribed 1-1437 B.T. brs. S.64-05 W. 21 ft.

A x on quartzite rock in place 3 x 3 x 3 ft. chiseled 1-1437 B.R. brs. S. 0° - 50' E. 27 ft.

Thence;

	N.52°- 05' W.	Va. 12°- 20' E.
Ft.		
660	To wash 10 ft. wide course N.N.E.	
740	To Wash 10 ft. wide, course N.N.E.	
1215	To Wash 15 ft. wide, course East.	
1349.5	To Cor. No.2. identical with location; a pine post 3 1/2 ft. long, 4 ins. sq. set 6 ins. in ground to bed rock, in mound of stones scribed 2-1437 E.	

Whence;

A x on oak 8 ins. in diam. scribed 2-1437 B.T. brs. N. 5°- 16' E. 23.2 ft;

A x on an oak 16 ins. diam. scribed 2-1437 B.T. brs. N.60°- 26' W. 34 ft.;

A x on quartzite rock in place 2 x 1 1/2 x 2 ft. chiseled 2-1437 B.R. brs. S.53°- 13' E. 23 ft.

Thence;

	S.31°- 09' W.	Va.11°-55' E.
59	Gulch 15 ft. wide, course East.	
294	West center end, identical with location, a pine post 3 1/2 ft. long, 4 ins. sq. set in the ground to bed rock, in mound of stone, scribed W.C.E. 1437 E.;	
596.5	To Cor. No.3, A pine post 3 1/2 ft. long, 4 ins. sq. set 8 ins. in ground to bed rock, in mound of stone scribed 3-1437 E.	

Whence;

Loc. cor. brs. N.63⁰- 20' W. 27 1/2 ft.
 A x on oak 10 ins. in diam. scribed 3-1437 B.T.
 brs. N.46⁰- 53' W. 48 ft.;
 A x on oak 8 ins. in diam. scribed 3-1437 B.T. brs.
 N.65⁰- 30' E. 35 ft.;
 A x on oak 5 ins. in diam. scribed 3-1437 B.T. brs.
 S. 29⁰- 07' W. 40.8 ft.

Thence:

Ft. S.52⁰- 28' ~~E.~~ Va. 12⁰- 10' E.
 200 Wash 6 ft. wide, course N.N.E.
 675 Wash 10 ft. wide, course N.E.
 1075 Summit high ridge, brs. N.E. & S.W.
 1321.5 To Cor. No.4 identical with location,
 A pine post 3 1/2 ft. long, 4 ins. sq. set 4 ins.
 in ground to bed rock in mound of stone scribed
 4-1437 E.

Whence:

A x on juniper stump 20 ins. diam., scribed
 4-1437 B.T. brs. N. 34⁰- 26' E. 18.3 ft.
 A x on projection of bed rock, chiseled 4-1437
 B.R. brs. N.26⁰ W. 9 1/2 ft.
 A x on projection of bed rock, chiseled 4-1437
 B.R. brs. S. 18⁰- 50' W. 41 ft.

Thence:

N. 36⁰- 23' **E.** Va. 12⁰- 20' E.
 298.8 To East center end identical with location, a pine
 post 3 1/2 ft. long, 4 ins. sq. set 6 ins. in
 ground to bed rock, in mound of stone, scribed
 E.C.E. 1437 E.

Thence:

N. 31⁰- 09' E. Va. 12⁰- 20' E.
 286 To Cor. No.1, the place of beginning.

B L A C K D I A M O N D.

Beginning at Cor. No.1 identical with location,
 also identical with Cor. No.2 England Claim of
 this survey, a pine post in mound of stone,
 which, in addition to the marks already
 described, I scribe 1-1437 B.D.

Whence:

The 1/4 Sec. cor. bet. 3003. 27 & 28, Tp.18 S.

R.24 E. brs. S.82°- 31'E. 9832.5 ft.

Thence:

N. 50°- 09' W. Va. 11°- 55' E.

1220 Ft. Foot of high quartzite bluff brs. N.E. & S.W.

1409.9 To Cor. No.2, identical with location, a pine post 3 1/2 ft. long, 4 ins. sq. on a x on quartzite reef in mound of stone, scribed 2-1437 B.D.

Whence:

A x on quartzite rock in place, 2 x 1 ft., 3 ft. high chiseled 2-1437 B.R. brs. S. 51°- 23' W. 4.5 ft.

A x on quartzite rock in place 4 x 4 ft., 3 ft. high, chiseled 2-1437 B.R., brs. S. 55°- 16'E. 15.5 ft.

A x on quartzite rock in place 4 x 2 ft., 3 ft. high, chiseled 2-1437 B.R. brs. N.39°- 39'E. 11.1 ft.

Thence:

S. 31°- 09' W. Va. 13° E.

109 Quartzite reef 15 ft. high E.&W.

247 Shaft 6 x 4 ft., 10 ft. deep,

262.8 West center end of Black Diamond identical with location a pine post 3 1/2 ft. long, 4 ins. sq. set on a x on bed rock, in mound of stone, scribed W.C.F.- 1437 B.D. On divide of Dragoon Mts. brs. N.&S.

507.3 To Cor. No.3

A pine post 3 1/2 ft. long, 4 ins. sq. set 10 ins. in ground to bed-rock, in mound of stone scribed 3-1437 B.D.,

Whence:

Loc. Cor. brs. S. 50°- 40' W. 34 1/2 ft.

A x on oak 8 ins., scribed 3-1437 B.T. brs. S.66- 15 W. .8 ft.

A x on oak 14 ins. diam. scribed 3-1437 B.T. brs. N. 31°- 37' E. 50 1/2 ft.

A x on oak 12 ins. diam. marked 3-1437 B.T. brs. N. 29 - 03 W. 39 1/2 ft.

U.S. Loc. Monument No.1383 brs. S. 79 -34 W. 6911.6 ft.

Thence:

Ft. 60
 1415 S. 48° - 54' ~~E~~ Va. 13° E.
 Dragoon Mts. Divide brs. N. & S.
 To Cor. No.4
 A pine post $3\frac{1}{2}$ ft. long 4 ins, sq. set 8 ins. in
 ground to bed-rock, scribed 4-1437 B.D.
 Whence:
 Loc. Cor. brs. S. 22 W. 93.8 ft.
 Cor. No.3 England claim of this survey brs. N. 31°
 09' E. 2 ft.
 Thence:
 N. 31° - 09' E. Var. 12° - 20' ~~E~~
 304.5 To East center end of claim, identical with loca-
 tion, also identical with West center end of
 England claim of this survey, a pine post in
 mound of stone, which I scribe, in addition to
 marks already described, E.C.E. 1437 B.D.
 Whence:
 A x on the ledge chiseled 1437 B.D. E.R. brs.
 N. 62° - 40' W. $14\frac{1}{2}$ ft.
 598.5 To Cor. No.1 the place of beginning.

P R O C R A S T I N A T I O N L O D E.
 Beginning at Cor. No.1 identical with location,
 also identical with Cor.No.2 of Black Diamond
 claim of this survey, a pine post in mound of
 stone which I scribe, in addition to marks
 already described, 1-1437 P.

Whence:
 The one quarter sec. cor. between secs. 27 & 28,
 Tp.18 S. R.24 E. brs. S. 78° - 36 E. 11050 ft.
 Thence:
 N. 56° - 43' W. Va. 13° E.
 180 Divide of Dragoon Mts. N. & S.
 800. Wash 50 ft. wide, course S.S.W.
 1080 Wash 30 ft. wide, course S.S.W.
 1400 A shaft 6 x 4 ft., 10 ft. deep, 20 ft. rt. of line.
 1435.8 To Cor. No.2
 A pine post $3\frac{1}{2}$ ft. long, 4 ins. sq. set 8 ins.
 in ground to bed rock, in mound of stone,
 scribed 2-1437 P.
 Whence:

Loc. Cor. brs. N. 43° - 32' E. 7 ft.

A x on oak 12 ins. in diam. scribed 2-1437 B.T.

brs. N. 34° - 15' W. 90 1/2 ft.

A x on juniper stump 20 ins. in diam. scribed

2-1437 B.T. brs. N. 64° - 55' E. 60 ft.

A x on white oak 6 ins. diam. scribed 2-1437 B.T.

brs. S. 21° - 10' W. 65 1/2 ft.

A shaft 6 x 4 ft., 10 ft. deep, brs. N. 78° W.

42 ft.

Thence:

S. 43° - 32' W.

Va. 12° - 40' E.

Ft.
306.3

To West center end of Procrastination a pine post
3 1/2 ft. long, 4 ins. sq. set 6 ins. in ground
to bed rock, in mound of stones, scribed
W.C.E.-1437 P.

Whence:

Loc. monument brs. N. 58° - 12' W. 20 ft.

A x on an oak 10 ins. diam. scribed W.C.E. - P.B.T.
brs. N. 22° - 25' W. 37 ft.

Thence:

S. 31° - 09' W.

Va. 12° - 40' E.

273

To Cor. No. 3

A pine post 3 1/2 ft. long, 4 ins. sq. set on a
x in bed rock, in mound of stone, scribed
3-1437 P.

Whence:

Loc. Cor. brs. N. 57° - 10' W. 125 ft.

A x on rock in place 3 x 1 ft., 2 ft. high, chis-
eled 3-1437 B.R. brs. S. 83° - 10' W. 2.9 ft.

A x on oak stump 14 ins. diam. scribed 3-1437 B.T.

brs. S. 37 E. 31 ft.

A x on oak limb 10 ins. diam. scribed 3-1437 B.T.

brs. S. 47° - 30' E. 115.5 ft.

Thence:

S. 57° - 10' E.

Var. 12° - 40' E.

200

Wash 50 ft. wide, course S.W.

640

Wash 50 ft. wide, course S.S.W.

1501

To Cor. No. 4

A pine post 3 1/2 ft. long, 4 ins. sq. set 6
ins. in ground, in mound of stone, scribed
4-1437 P!

Whence:

Loc. Cor. brs. S. 34° - 50' E. 27 ft.

Cor. No.3 Black Diamond of this survey brs. S. 31° -
09' W. 4.5 ft.

Thence:

N. 31° - 09' E. Va. 13° E.

300

East center end Procrastination identical with
location, also identical with West center end
of Black Diamond of this survey, a pine post
in mound of stone, which I scribe, in addition
to the marks already described, E.C.E.-1437 P.

562.8

To Cor. No.1, the place of beginning.

Area.	Acres.	
ENGLAND LODGE,	18.11	
BLACK DIAMOND LODGE.	18.65	
PROCRASTINATION LODGE.	<u>19.36</u>	56.12

LOCATION.

This claim is located in the South-eastern unsurveyed portion of Tp. 18, South Range 24 East G. & S.R. B. & M. on both East and West slopes of the Dragoon Mountains, between South Pass and Middle Pass, Cochise County, Arizona.

The approximate course of the ledge on the respective locations is as follows:

England, N. 52° - 25' W. *Length from W.C. End about 50 ft*
 Black Diamond, N. 48° - 54' W. *Extends the entire length of claim*
 Procrastination, N. 58° - 12' W. *Length from E. End about 200 ft.*

The adjoining claims are the "Swallows Home", "Faulkner", "Oregon", ^{*Copper King*} and two others, names unknown, claimed by the Black Diamond Copper Mining Company, and the "Hobart" claimed by J.V. Vickers. All of the above claims are unsurveyed.

I certify that the value of the labor and improvements upon this claim, placed thereon by the claimants and their grantors, is not less than fifteen hundred dollars;

and that said improvements consist of:

—1. On the England.

1. A tunnel run to strike the lode~~y~~ at considerable depth below the discovery croppings, the mouth of which brs. from Cor. No.2 of England S. 20°- 40' W. 96 feet. Course of tunnel S. 69°- 20' W.; size 6 1/2 x 4 1/2, length 146 feet.

Value, \$1400.

2. A shaft 6 x 5 ft., 7 ft. deep on the England which brs. from East center end N. 89°- 25' W. 86 ft.

Value \$70.

On the Black Diamond:

From Cor. No.1

1. A cut and tunnel S.89°- 10' W. 364 ft. discovery work; course of tunnel N. 50° W.; size 7 x 5 ft.; length of cut and tunnel 35 ft.

Value \$300.

2. A cut and tunnel N. 80° W. 493 ft.; course of tunnel N. 48° W.; size 6 1/2 x 4 1/2; length cut and tunnel 27 ft.

Value, \$250.

3. A cut and tunnel and shaft at mouth N. 74° 35' W. 598 ft.; size of tunnel 6 1/2 x 4 1/2; length 20 ft.; course West; shaft 5 x 6 ft. depth 80 ft.

Value, \$1000.

4. A cut and tunnel N.72°- 15' W. 665 ft.; course W.S.W., 7 x 5 ft., length 12 ft.

Value, \$80.

5. Surface work N.70°- 15' W. 623 ft.

Value \$40.

6. A shaft N.68°- 05' W. 662 ft., 6 x 4 ft., 10 ft. deep,

Value, \$100.

7. A tunnel N.65°- 56' W. 704 ft.; course S.85° W.; size 6 1/2 x 4 1/2 ft., length 33 ft.

Value, \$300.

8. The main tunnel; N.61^o- 53' W. 503 ft.; course S. 63^o- 30' W.; size 7 x 6 ft., length 250 ft. (or more) connecting with extensive underground work.

Value more than, \$3000.

9. A tunnel: N.64^o- 52' W. 982 ft.; course approximately West; size 7 x 5, length to turn connecting with much underground work 170 ft.

Value, \$1700.

10. From the ~~East~~ center end Black Diamond, The mouth of a cut and tunnel S. 35^oE. 296 ft.; course N. 40^o W.; size 7 x 5 ft., length cut 21 ft. tunnel 20 ft.

Value, \$300.
From the ~~West~~ center end of the Procrastination:

1. A shaft on the Procrastination (discovery) N.50^o-55' W. 141 ft., 6 x 4 ft. 10 ft. deep

Value, \$100.

2. ~~Shaft~~ Work on Procrastination, N. 69^o- 10' W. 158 ft.

Value, \$60.

3. A shaft N. 31^o- 09' E. 16 ft. on both the Black Diamond and the Procrastination, size 6 x 4 ft. 10 ft. deep.

Value, \$100.

The three locations being on the one lode, the extensive tunnels and under ground work on the Black Diamond tends to determine the value of the lode and consequently to develop the three locations.

The tunnel begun on the England crosses the end line at about 40 ft. from mouth and is continued on the Black Diamond ground.

Other Improvements.

The North-west corner of a frame building owned by claimants and used as a blacksmith shop hrs. from Cor, No.1 of Black Diamond N.60^o- 44' W. 478 ft.; size of building 12 x 14; course of side N. 48^o W. approximately.

This survey was made with a Young & Sons
Mountain transit No. 6855.

The courses were deflected from the true
meridian as determined by direct solar observations.

The distances were measured with steel tapes
100 and 300 feet in length.

John A. Rockefeller
U. S. Geol. Min. Surveyor

Tombstone Ariz
Mar. 21 1908

FINAL OATHS FOR SURVEYS.

LIST OF NAMES.

A list of the names of the individuals employed by John A. Rockefeller
United States Deputy Mineral Surveyor, to assist in running, measuring, and marking the lines
corners and boundaries described in the foregoing field notes of the survey of the mining claim
of Black Diamond Copper Mining Company
known as the England, Black Diamond Procrastination
and showing the respective capacities in which they acted.

Ray Swain....., Chairman.
Francisco Gonzales, Chairman.
M. H. O'Connor....., Assn. & Flagman
N. L. Bliss....., Flagman.

FINAL OATHS OF ASSISTANTS.

We, Ray Swain, Francisco Gonzales, N. L. Bliss
and M. H. O'Connor....., do solemnly swear that we assisted John
A. Rockefeller, United States Deputy Mineral Surveyor, in marking the corners and
surveying the boundaries of the mining claim of Black Diamond
Copper Mining Company
....., known as the England
Black Diamond Procrastination....., represented
in the foregoing field notes as having been surveyed by said deputy mineral surveyor and under
his direction; and that said survey has been in all respects, to the best of our knowledge and
belief, faithfully and correctly executed, and the corner and boundary monuments established
according to law and the instructions furnished by the United States Surveyor-General for
Arizona

Ray Swain....., Chairman.
Francisco Gonzales....., Chairman.
M. H. O'Connor....., Assn. & Flagman
N. L. Bliss....., Flagman.

Subscribed and sworn to by the above-named persons before me
this 13th day of March, 18 1900

John A. Rockefeller
Notary Public
My commission expires
April 10 1903

Affidavit of Five Hundred Dollars Improvements.

we, Charles M. Renaud, and L. A. Hagy

of lawful age, being first duly sworn according to law, depose and say: that we are

acquainted with the England, Black Diamond ^{and Procrastination} mining claim, situate

in Dragoon Mining district, Cochise County,

Arizona Territory, for which Black Diamond
Copper ^{Minings} Company

has made application for survey prior to application for patent under the provisions

of the Act of Congress, approved May 10, 1872; and that the labor done and improve-

ments made thereon by the applicants and their grantors exceed ^{Fifteen} ~~Five~~ Hundred

Dollars in value, and further that we are not personally interested in said mine.

Chas. M. Renaud

L. A. Hagy

TERRITORY OF ARIZONA,

County of Cochise

} ss:

Sworn to and subscribed before me, this 14th

day of March, 1890 / 1900

John A. Beckwith
Notary Public

My commission expires Apr 10 1903

L O C A T I O N N O T I C E .

NOTICE IS HEREBY GIVEN that the undersigned, in compliance with the requirements of the mining Act of Congress, approved May 10, 1872, have this day located and claimed 1500 hundred linear feet along the course of this lead, lode or vein of mineral bearing quartz, and 300 feet in width on each side of the middle of said lead, lode or vein, situate in the Dragoon Mts Mining District, County of Cochise, Arizona, and more particularly described as follows, to-wit:

COMMENCING at this monument of stones, being at the center of the West end of claim, and upon which this notice is posted; thence Southerly 300 feet to a monument of stones; thence Easterly 1500 feet to a monumet of stones; thence Northerly 300 feet to a monument of stones; being the center of the East end of claim; thence Northerly 300 feet to a monument of stones; thence Westerly 1500 feet to a monument of stones; thence Southerly 300 feet to place of beginning.

THIS CLAIM is situated on the North slope of the Dragoon Mts, about 14 miles North East of Tombstone, and is the Easterly extension of the Black Diamond Mine, and shall be known as the England Mine. Located this 25th day of February, 1891.

George Bravin.
 Thomas Pidwell.
 Thomas D. Fulghum.
 T.F. Hudson.

Filed and recorded at the request of George Bravin, February 28th, A.D.1891, at 1 P.M.

W. F. Bradley.
 County Recorder.

L O C A T I O N N O T I C E .

NOTICE IS HEREBY GIVEN that the undersigned, in compliance with the requirements of the mining Act of Congress, approved May 10, 1872, have this day located and claimed (1500) fifteen hundred linear feet along the course of this lead, lode or vein of mineral bearing quartz, and three hundred feet in width on each side of the middle of said lead, lode or vein, situate in the Dragoon Mts Mining District, county of Cochise, Arizona, and more particularly described as follows, to-wit:

COMMENCING at this monument of stones, being the center of the West end of claim, and upon which this notice is posted; thence Northerly three hundred feet to a monument of stones; thence Easterly fifteen hundred feet to a monument of stones; thence Southerly three hundred feet to a monument of stones; being the center of the East end of claim; thence Southerly three hundred feet to a monument of stones; thence Westerly fifteen hundred feet to a monument of stones; thence Northerly three hundred feet to place of beginning.

THIS CLAIM is situated about 14 miles North East of Tombstone, on the Eastern slope of the Dragoon Mountains, & on the trail the Black Diamond Spring, and shall be known as the Black Diamond Mine. Located this 4th day of May, 1891.

Witness

Thomas Pidwell.
Thomas D. Fulgum.

T. F. Hudson.

Filed and recorded at the request of T. F. Hudson, May 25th A.D. 1891, at 10-20 A.M.

W. F. Bradley.

County Recorder.

L O C A T I O N N O T I C E .

NOTICE IS HEREBY GIVEN that the undersigned in compliance with the requirements of the mining Act of Congress, approved May 10, 1872, have this day located and claimed 1500 hundred linear feet along the course of this lead, lode or vein of mineral bearing quartz, and 300 feet in width on each side of the middle of said lead, lode or vein, situate in the Dragoon Mining District, County of Cochise, Arizona, and more particularly described as follows, to-wit:

COMMENCING at this monument of stones, being the center of the East end of claim, and upon which this notice is posted; thence Northerly 300 feet to a monument of stones; thence Westerly 1500 feet to a monument of stones; thence Southerly 300 feet to a monument of stones; being the center of the West end of claim; thence Southerly 300 feet to a monument of stones; thence Easterly 1500 feet to a monument of stones; thence Northerly 300 feet to place of beginning.

THIS CLAIM is situated in the Dragoon Mts. about 14 miles North East of Tombstone & on the North side of the Dragoon Mts. and is the ^{Westerly} ~~Easterly~~ extension of the Black Diamond Mine, and shall be known as the Procrastination Mine. Located the 25th day of February, 1891.

Thomas Pidwell.

T. F. Hudson.

Filed and recorded at the request of T.F.Hudson, February 26 A.D.1891, at 11 A.M.

W. F. Bradley.

County Recorder.

Book 12, Records of Mines, page 324.

Territory of Arizona,)
)ss
 County of Cochise.)



I, Frank Hare, County Recorder in and for said County, do hereby certify that the three instruments are true and correct copies of the Location Notices of the following mines, to-wit: "Procrastination", "England" and "Black Diamond", as appears of record in my office.

IN WITNESS WHEREOF I have hereunto set my hand and affixed my Official Seal, this 13th day of July, A.D.1899.

Frank Hare

County Recorder.

(4-687.)

Surveyor General's Certificate of Approval of Field Notes and Survey of Mining Claim.

Department of the Interior,

Office of U. S. Surveyor General,

Tucson, Arizona.

June 26, 1900, 18

I, U. S. Surveyor General for District of Arizona,

do hereby certify that the foregoing and hereto attached Field Notes and Return of the

Survey of the Mining Claim of Black Diamond Copper Mining Company,

known as the

England, Black Diamond, & Procrastination,

situate in Dragoon mining district,

Cochise County, Arizona,

in Section ~~unsurveyed~~, Township No. 18 D, Range No. 24 E,

designated as Survey No. 1437,

executed by John A. Rockfellow, U. S. Deputy Mineral

Surveyor, March 6-13, 1900, under my instructions dated

July 14, 1899, have been critically examined and the necessary corrections and explanations made, and the said Field Notes and Return, and

the Survey they describe, are hereby approved. A true copy of the copy of the location

certificate filed by the applicant for survey is included in the field notes.

George Ekrist

U. S. Surveyor General for Arizona.