

**M
S
-**

0

1

4

4

2

Recd Feb 6
Platted Mar 8 00

(4-683.)

Mineral Survey No. 1442

Lot No. _____

Prescott Land District.

FIELD NOTES

OF THE SURVEY OF THE MINING CLAIM OF

Frank E Corbett

by H. J. Allen Atty in fact.

KNOWN AS THE

"Amity"

Verde Mining District.

Yavapai County, Arizona

Section 1, Township 10 N, Range 20 E

Surveyed under instructions dated 9th, 1890

by J. A. Provot
U. S. Deputy Mineral Surveyor

Claim located Dec 24/98 March 7/99 & reloc. Nov 16 1899

Survey commenced Jan 23rd, 1890

Survey completed Jan 24th, 1890

6-101

P.O. Address. H. J. Allen
Jerome Arizona

PRELIMINARY OATHS OF ASSISTANTS IN SURVEY OF MINING CLAIM.

WE, Joe Johnson and Louis Fraser,
do solemnly swear that we will well and faithfully execute the duties of chain carriers;
that we will level the chain upon even and uneven ground and plumb the tally-pins,
either by sticking or dropping the same; that we will report the true distance to all
notable objects, and the true length of all lines that we assist in measuring, to the best
of our skill and ability, and in accordance with instructions given us, in the survey of
the Mining Claim of Frank E. Corbett by H. J. Allen
Atty. in fact "Amity", known as the
situate in Verde mining district,
Yavapai County, Arizona,
in Section _____, Township No. _____, Range No. _____.

Joe Johnson, Chainman.
Louis Fraser, Chainman.

Subscribed and sworn to by the above-named persons before
me this 13th day of January, 181900

Att. Woodhoff n.o.

I, Louis Fraser, do solemnly swear that I will well and
truly perform the duties of axeman, in the establishment of corners and other duties,
according to instructions given me and to the best of my skill and ability, in the survey
of the Mining Claim of Frank E. Corbett by H. J. Allen
Atty. in fact "Amity",
known as the "Amity",
more fully described in the preceding affidavit.

Louis Fraser, Axeman.

Subscribed and sworn to by the said Louis Fraser
before me this 13th day of

January, 181900
Att. Woodhoff n.o.

I, Joe Johnson, do solemnly swear that I will
well and truly perform the duties of flagman, in the establishment of corners and other
duties, according to instructions given me and to the best of my skill and ability, in the
survey of the Mining Claim of Frank E. Corbett by H. J. Allen
Atty. in fact "Amity",
known as the "Amity",
more fully described in the preceding affidavit.

Joe Johnson, Flagman.

Subscribed and sworn to by the said Joe Johnson
before me this 13th day of

January, 181900
Att. Woodhoff n.o.

"Unity"

- Feet. Beginning at Cor No 1.
 Identical with Cor. No 3 Lion Survey 1222
 and Cor No 2 Lost Chord Survey 1444
 A porphyry stone 8x12x24 inches chiseled
 + A. 1-1442 set one foot in the ground
 with mound of stones alongside
 A porphyry reef chiseled B+R. A. 1-1442
 bears N 21° 45' W 27.5 feet.
 A corner of the location bears N 80° 39' W
 12 feet.
 Discovery Monument of Unity bears
 S. 73° 30' E 348 ft.
 Shaft No 1 (Discovery) bears S 72° 15' E
 335 feet.
 Shaft No 2 bears N 80° E. 237 feet.
 Shaft No 3 bears N 64° 18' E. 183 feet.
 U. S. Mineral Monument No 2 Verde
 District bears S. 85° 43' W 2264.9 feet.
 Thence S. 5° 37' W
 Var 14° 05' E
- 90 To wagon road 12 feet wide
 115 To wagon road 12 feet wide
 430 To a monument of the location
 440 To dry gulch 5 ft wide running easterly
 603 To Cor No 4 Lion Survey No 1222
 607.2 To intersection line 2-3 Snowflower
 Survey 1222 at N 81° 25' W 189.8 ft from
 Cor No 3 said Snowflower Survey 1222
 798 To dry gulch 3 ft wide running easterly
 819 To Cor. No 2.
 A porphyry stone 18x12x24 inches chiseled
 + A. 2-1442 set one foot in the ground
 with mound of stones alongside.
 A corner of the location bears
 S. 9° 30' W. 39 ft.
 A porphyry reef chiseled B+R. A. 2-1442
 bears S 10° 40' E 17. feet
 Thence N 48° 48' E
 Var 14° 05' E.
- 40 To dry gulch 3 ft wide running
 easterly.

"Aunty"

- Fert.
- 247 To Cor No 3 Snowflower Survey 1222
- 285.9 To Intersection line 2-3. End Line Survey No 1222 at $S 8^{\circ} 28' W$ 280.1 feet from Corner No 2 said End Line Survey 1222
- 391 To dry gulch 8 feet wide running easterly
- 650.1 To intersection line VII-III End Line Survey 1222 at $S 80^{\circ} 55' E$ 235.7 feet from Cor. No 2 said End Line Survey 1222.
- 760 To a monument of the location.
- 1500 To Cor. No 3.
 Identical with a corner of the location
 A syenite stone $14 \times 18 \times 30$ inches chiseled
 + A. 3. 1442 set one foot in the ground
 with mound of stones alongside
 A syenite reef chiseled B+R. A. 3-1442
 bears $S 32^{\circ} 25' W$ 16.5 feet
 Thence $S 5^{\circ} 37' E$
 Var $14^{\circ} 05' E$
- 103 To Dry gulch 6 ft wide running easterly.
- 350 To a monument of the location.
- 410 To intersection line 1-2 Good Enough Survey No 1441 at $S 80^{\circ} 55' E$ 593.1 feet from Cor. No 1 said Good Enough Survey 1441.
- 676 To road 12 feet wide.
- 819 To Corner No 4.
 Identical with a corner of the location
 A syenite rock $8 \times 10 \times 24$ inches chiseled
 + A. 4. 1442 set one foot in the ground
 with mound of stones alongside
 A syenite reef chiseled B+R. A. 4-1442
 bears $S 46^{\circ} 30' W$ 23.5 feet.
 Thence $S. 48^{\circ} 48' W$.
 Var. $14^{\circ} 05' E$.
122. To road 12 feet wide.

"Amity"

- Fert. 5
 525.5 To Cor No 3. Last Chord Survey No 1444
 Cut No 4 bears S 18° 09' W 328 feet
 Tunnel & Cut No 5 bears S 23° 30' W 391 feet.
 530.7 To intersection line 1-2 Good Enough
 Survey No 1441 at S 80° 55' E 229.3 feet
 from Cor No 1 said Good Enough
 Survey 1441
 725 To dry gulch 5 ft wide bearing easterly
 750 A monument of the location bears
 N 48° W 10 feet
 1211 To road 15 feet wide.
 1500 To Cor. No 1 the place of beginning.

Area

Total Area Amity Survey 1442-	19.299 Acres
Area in conflict with:	
Snowflower Survey 1222	0.461 ✓ "
Eed Line Survey 1222	0.758 ✓ "
Good Enough Survey 1441.	1.705 ✓ "
Total Area Amity -	19.299 "
Less Area in Conflict with:	"
Snowflower Sur. 1222.	0.461 "
Eed Line Sur. 1222	0.758 "
Good Enough Sur 1441.	1.705 "
	<u>2.924</u> "
Net Area Amity	16.375 Acres.

The disagreements between this survey and Snowflower and Eed Line Survey No 1222 are due to errors in the latter.

The disagreements between these field notes and the location Certificate of this claim are due to errors in the latter.

"Amity"

Location

This claim is located on unsurveyed public land in Verde Mining District Yavapai County, Arizona in what would approximately be T. 15 N., R. 2 E.

Gila and Salt River Meridian and about six miles south of the town of Jerome.

The adjoining claims are:

On the East: "Siboney" (unsurveyed).

J. L. Giroux claimant

on the South: Eud Line & Snowflower

Survey No 1225

on the West: Lion Survey No 1222

Lost Chord Survey No 1444

on the North: Good Enough Survey No 1441.

Expenditure of 500 Dollars.

I certify that the value of the labor and improvements on this claim placed thereon by the claimant or his grantors is not less than five hundred dollars and that said improvements consist of:

Shaft No 1 (Discovery) which bears.

$S 72^{\circ} 15' E$ 335 ft from corner No 1 of this survey 4×6 - 10 ft deep - Value \$ 70.00

Shaft No 2 which bears $N 80^{\circ} E$ 232 ft from corner No 1 of this survey.

4×6 - 10 ft. deep. Value. \$ 70.00

Shaft No 3 which bears $N 64^{\circ} 18' E$ 183 ft from Cor. No 1 of this survey.

4×6 - 10 ft deep Value. \$ 70.00

Cut No 4, ^{the mouth of} which bears $S 18^{\circ} 09' W$ 328 ft from a point $S 48^{\circ} 48' W$ 525.5 ft. from Cor No 4 of this survey. - Bearing of Cut. $S. 72^{\circ} W$.

5 ft wide 24 ft long 9 ft high at face. Value \$ 80.00

Tunnel & Cut No 5 The mouth of cut bearing $S. 23^{\circ} 30' W$ 391. ft from a point $S 48^{\circ} 48' W$ 525.5 ft. from Cor. No 4 of this survey, Cut is 5 ft wide 25 ft long and 10 ft high at face from which tunnel enters hill.

Tunnel 4×6 - 32 ft long. Bearing of Cut & Tunnel $S 65^{\circ} W$. Value \$ 380.00

"Amity"

Instrument

This survey was made with a Gurley Light Mountain Transit with Solar Attachment. The Courses were deflected from the true meridian as determined by direct solar observations checked by an observation on Polaris.

Distances were measured with a 50 Chain and a 100 ft Steel Tape.

I further Certify that as far as can be determined from present developments the course of the vein is along the center line of this claim running $N 48^{\circ} 48' E$ and $S 48^{\circ} 48' W$ through the discovery.
Dip unknown.

J. A. Probst.

U. S. Deputy Mineral Surveyor

Jerome Arizona.
Feb. 1st 1900

FINAL OATHS FOR SURVEYS.

LIST OF NAMES.

A list of the names of the individuals employed by J. Adoephe Probst
 United States Deputy Mineral Surveyor, to assist in running, measuring, and marking the lines
 corners and boundaries described in the foregoing field notes of the survey of the mining claim
 of Frank E. Corbett
 known as the "Amity"
 and showing the respective capacities in which they acted.

Louis Fraser, Chairman.
Joe Johnson, Chairman.
Louis Fraser, Axman.
Joe Johnson, Flagman.

FINAL OATHS OF ASSISTANTS.

We, Louis Fraser
 and Joe Johnson, do solemnly swear that we assisted J. Adoephe Probst
Probst, United States Deputy Mineral Surveyor, in marking the corners and
 surveying the boundaries of the mining claim of Frank E. Corbett
 _____, known as the "Amity"
 _____, represented
 in the foregoing field notes as having been surveyed by said deputy mineral surveyor and under
 his direction; and that said survey has been in all respects, to the best of our knowledge and
 belief, faithfully and correctly executed, and the corner and boundary monuments established
 according to law and the instructions furnished by the United States Surveyor-General for
Arizona.

Louis Fraser, Chairman.
Joe Johnson, Chairman.
Louis Fraser, Axman.
Joe Johnson, Flagman.

Subscribed and sworn to by the above-named persons before me
 this 30th day of January, 1900

Atlow Woodruff
 N.D.

My Commission Expires May 18, 1900.

FINAL OATH OF U. S. DEPUTY MINERAL SURVEYOR

I, J. Adolphe Provot, U. S. Deputy Mineral Surveyor, do solemnly swear that, in pursuance of instructions received from the United States Surveyor General for Arizona, dated June 9th 1900, I have, in strict conformity to the laws of the United States, the official regulations and instructions thereunder, and the instructions of said Surveyor General, faithfully and correctly executed the survey of the Mining Claim of Frank E. Corbett by H. J. Allen his acty. in fact, known as the Amity, situate in Verde Mining District, Yavapai County, Arizona, in Section Township No. , Range No. and designated as Survey No. 1442, as represented in the foregoing field notes, which accurately show the boundaries of said mining claim as distinctly marked by monuments on the ground, and described in the attached copy of the location certificate, which was received by me from the Surveyor General with said instructions, and that all the corners of said survey have been established and perpetuated in strict accordance with the law, official regulations and instructions thereunder; and I do further solemnly swear that the foregoing are the true and original field notes of said survey and my report therein, and that the labor expended and improvements made upon said mining claim by claimant or his grantors are as therein fully stated, and that the character, extent, location and itemized value thereof are specified therein with particularity and full detail, and that no portion of said labor or improvements so credited to this claim has been included in the estimate of expenditures upon any other claim.

J. Adolphe Provot
U. S. Deputy Mineral Surveyor.

Subscribed and sworn to by the said J. Adolphe Provot
U. S. Deputy Mineral Surveyor, before me
Otto Strodehoff this 30th
day of January 1900,
Otto Strodehoff

Affidavit of Five Hundred Dollars Improvements.

we, Justin Fraser, and Wm Murray
of lawful age, being first duly sworn according to law, depose and say: that we are
acquainted with the Amity mining claim, situate
in Verde Mining district, Yavapai County,
Arizona Territory, for which Frank E. Carbet by
H. J. Allen his Atty. in fact.
has made application for survey prior to application for patent under the provisions
of the Act of Congress, approved May 10, 1872; and that the labor done and improve-
ments made thereon by the applicant ~~and~~ ~~grantor~~ exceed Five Hundred
Dollars in value, and further that we are not personally interested in said mine.

Justin Fraser
William Murray

TERRITORY OF ARIZONA,
County of Yavapai } ss:

Sworn to and subscribed before me, this 1st
day of February, 1890

Ellowredhoff
J. N. O.

AMENDED LOCATION AMITY MINING CLAIM.

KNOW ALL MEN BY THESE PRESENTS; that I, Frank E. Corbett, of Butte, Montana, claim by right of re-location fifteen hundred feet linear and horizontal measurement, on the Amity Mining Claim, along the vein thereof, with all its dips, variations and angles, together with three hundred feet in width on each side of the middle of said vein at the surface; and all veins lodes ledges and surface ground within the lines of said claim; one thousand feet running North 48° 39' east from the center of the discovery shaft and five hundred feet running South 48° 39' W. from said center of the discovery shaft.

Said Amity Mining Claim is situated on public lands belonging to the United States of America in which there are valuable deposits of gold, silver and copper, and is located in Verde Mining District in Yavapai County, Territory of Arizona about 2000 feet in an Easterly direction from U.S. mineral monument No. 2. V.D. and about 1200 feet East of the mouth of the Iron King Tunnel.

The surface boundaries are marked upon the ground as follows:

Beginning at a stone monument at a point in a Southwesterly direction 300 feet from the discovery monument at which this notice is posted, being the center of the Southwest end line of said claim; thence N. 5° 41' E. 450 feet to a stone monument being the Northwest corner of said claim and being identical with the northeast corner of the Lion Mining Claim, thence N. 48° 39' E. 750 feet to a stone monument being at the center of the Northwest side line of said claim; thence N. 48° 39' E. 750 feet to a stone monument at the Northeast corner of said claim; thence S. 5° 41' W. 450 feet to a stone monument at the center of the Northeast end line of said claim; thence S. 5° 41' W. 450 feet to a stone monument at the Southeast corner of said claim; thence S. 48° 39' W. 750 feet to a stone monument at the center of the Southeast side line of said claim; thence S. 48° 39' W. 750 feet to a stone monument at the Southwest corner of said claim; thence N. 5° 41' E. 450 feet to the place of beginning.

Being the same lode originally located on December 24th 1898 and recorded in Book 50 of Mines at page 352 of the Records of Yavapai County, Arizona.

This further and amended certificate of location is made without waiver of any previous rights but to correct any error in the prior location or record to extend boundaries and to secure all abandoned or overlapping claims and to secure all benefits of Act 42, An Act Concerning Mines, approved March 20th A.D. 1895, laws of the Territory of Arizona.

I further certify that I have done the necessary work required by said Act for this amended location.

Date of re-location November 12th 1899.

Date of certificate November 16th 1899.

Frank E. Corbett

by F.A. Provot, Agent.

Louis Frazer Witness:

Recorded at request of H.J. Allen, Dec. 1st A.D. 1899, at 9 o'clock a.m. in Book 51 of Mines, pages 460-2, Records of Yavapai County, Arizona.

(Seal) W.I. Johnson, County Recorder.

By E.C. Averyt, Deputy.

TERRITORY OF ARIZONA,)
COUNTY OF YAVAPAI.) SS

I, W.I. JOHNSON, County Recorder in and for said County, in said Territory, and custodian of the records thereof, do hereby certify that I have compared the above and foregoing with, and is a full, true and correct copy of the Amended Notice of the "Amity" Mining Claim, as the same appears of record in Book 50 of Mines, pages 460-2, records of Yavapai County, Arizona. In Witness Whereof, I have hereunto set my hand and affixed my Official Seal, this 16th day of Dec. 1899.



W.I. Johnson
County Recorder.

AMITY LODE (AMENDED).

TO ALL WHOM IT MAY CONCERN. This mining claim, the name of which is the Amity Mining Claim was amended, re-located and claimed by right of discovery and amended location by the undersigned Frank E. Corbett, a citizen of the United States on the 4th day of March, A.D. 1899, the length of which said claim is 1500 feet, and claim 1,000 feet in a Northeasterly direction and 500 feet in a Southwesterly direction from the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together with 300 feet of the surface of said claim, on each side of the center of said claim. The general course of the lode, deposit and premises is from the Southwest to the Northeast. This mining claim is situated on public lands of the United States and in which there are valuable mineral of gold, silver and copper and is located in Verde Mining District, in the County of Yavapai, Arizona, in about 2500 feet in an Easterly direction from U.S.M.M. No. 2 V.D. and about 1200 feet East of the mouth of the Iron King tunnel.

The surface boundaries of the claim are marked upon the ground as follows: Beginning at stone monument upon which the Northeast corner of the Iron King Claim bears Westerly about 300 feet at a point in a Southwesterly direction from the discovery shaft (at which this notice is posted) being in the center of the Southwest end line of said claim; thence South 13 degrees 51 minutes East 332 feet to a stone monument (on North side line Snow Flower Claim) being the Southeast corner of said claim; thence North 48 degrees 39 minutes East 750 feet to a stone monument at the center of the Southeast side line of said claim; thence North 48 degrees 39 minutes E. 750 feet to a stone monument being the Northeast corner of said claim; thence N. 13 degrees 51 minutes W 332 feet to a stone monument at the center of the Northeast end of claim; thence North 13 degrees 51 minutes W. 332 feet to a stone monument being at the Northwest corner of said claim; thence South 48 degrees 39 minutes W. 750 feet to a stone monument (on East side line of Champion Claim) being at the center of the Northwest side line of said claim; thence S. 48 degrees 39 minutes W. 750 feet to a stone monument on East side line of Champion Claim, at the Southwest corner of said claim; thence S. 13 degrees 51 minutes E. 332 feet to the place of beginning.

This lode being the same originally located by the undersigned Dec. 24th, 1898, and recorded in Book 50 of Mines at page 352, of the Records of Yavapai County, Arizona,

This further and amended certificate of location is made without waiver of any previous rights, but to correct any error in the prior location or record, to extend boundaries, to secure all abandoned overlapping claims, and to secure all the benefits of Act 42, An Act Concerning Mines, approved March 20th, A.D. 1895, laws of the Territory of Arizona.

I further certify that I have done the necessary work required by said Act for this amended location.

Dated and posted on the ground this 4th day of March, A.D. 1899.

Date of Location Dec. 24th, 1898.

Date of Amended Certificate March 4th, 1899.

FRANK E. CORBETT

By F. Adolphe Provot, Agent.

Witness

E. W. McLean.

Recorded at request of F. A. Provot, April 24th, A.D. 1899, at 4:30 o'clock P.M. in Book 51 of Mines, Pages 202 - 205, Records of Yavapai County, Arizona.

W. I. Johnson,

(Seal)

County Recorder.

By F. H. Dougherty, Deputy.

Territory of Arizona, §
County of Yavapai, § ss:

I, W.I. JOHNSON, County Recorder in and for the County of Yavapai in the Territory of Arizona, and Custodian of the Records thereof, do hereby certify that I have compared the above and foregoing with, and the same is a full, true and correct copy of the Amended Notice of Location of the "Amity" Mining Claim, as the same appears of record in my office in Book 51 of Mines on pages 202 to 205, Records of Yavapai County, Arizona.

In Witness Whereof I have hereunto set my hand and affixed my official seal this the 16th day of December, A.D. 1899.

W.I. Johnson

County Recorder.





AMITY.

NOTICE OF MINING LOCATION.
Quartz Claim.

TO ALL WHOM IT MAY CONCERN:

This mining claim, the name of which is the Amity Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purpose of exploration and purchase by Frank E. Corbett, the undersigned, on the 24th day of December, 1898.

The length of this claim is Fifteen Hundred (1500) feet, and I claim Nine Hundred (900) feet in a Northeasterly direction and Six Hundred (600) feet in a Southwesterly direction from the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together with Three hundred (300) feet in width of the surface grounds, on each side of the center of claim. The general course of the lode deposit and premises is from the Southwest to the Northeast.

The claim is situated and located in the Verde Mining District, in Yavapai County, in the Territory of Arizona, about 2500 feet in an Easterly direction from U.S. mineral monument No. 2 and about 1200 feet easterly from the mouth of the Iron King tunnel.

The surface boundaries of the claim are marked upon the ground as follows: Beginning at stone monument with stake, from which the Northeast corner of the Iron King Lode claim bears westerly about 300 feet, being at a point in a Southwesterly direction six hundred (600) feet from the discovery shaft (at which this notice is posted), being in the center of the southwest end line of said claim; thence southeasterly 300 feet to a stone mon. with stake, being the southeast corner of said claim; thence northeasterly 750 feet to a stone mon. with stake at the center of the southeast side line of said claim; thence in the same direction 750 feet to a stone mon. with stake being the northeast corner of said claim; thence northwesterly 300 feet to a stone mon. with stake at the center of the northeast end of said claim; thence in the same direction 300 feet to a stone mon. with stake, being at the northwest corner of said claim; thence southwesterly 750 feet to a stone mon. with stake being at the center of the northwest side line of said claim; thence in the same direction 750 feet to a stone mon. with stake at the southwest corner of said claim; thence southeasterly 300 feet to the place of beginning.

All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes of the United States, and of an Act of the General Assembly of Arizona, entitled "An Act Concerning Mines", approved March 20th 1895.

Dated and posted on the ground, this 24th day of December 1898.

Frank E. Corbett
by F. Adolphe Provot, Agent.
Jas. Patterson, Witness.

Filed and recorded at request of H. J. Allen, Dec. 30th A. D. 1898, at 9 o'clock a. m. in Book 50 of Mines, page 352, Records of Yavapai County, Arizona.

(Seal) W. I. Johnson, County Recorder.
By E. C. Averyt, Deputy Recorder.

TERRITORY OF ARIZONA,)
) SS:
COUNTY OF YAVAPAI.)

I, W. I. JOHNSON, County Recorder in and for said County, in said Territory, and custodian of the records thereof, do hereby certify that I have compared the above and foregoing with, and the same is a full, true and correct copy of the Notice of Location of the "Amity" Mining Claim, as the same appears of record in Book 50 of Mines, page 352, records of Yavapai County, Arizona.

In Witness Whereof, I have hereunto set my hand and affixed my Official Seal, this 21st., day of November, 1899.

W. I. Johnson
County Recorder.
By E. D. Avery Deputy.



(4-687.)

Surveyor General's Certificate of Approval of Field Notes and Survey of Mining Claim.

Department of the Interior,

Office of U. S. Surveyor General,

Tucson, Arizona

March 15th, 18~~18~~*1900.*

I, U. S. Surveyor General for *Dist. of Arizona*,

do hereby certify that the foregoing and hereto attached Field Notes and Return of the Survey of the Mining Claim of *Frank E. Corbett by his Atty. in fact H. J. Allen*

....., known as the

"Amity"

situate in *Urdd* mining district,

Yavapai

County,

Arizona

in Section _____, Township No. _____, Range No. _____

....., designated as Survey No. *1442*

executed by *F. Adolphe Provot*, U. S. Deputy Mineral

Surveyor, *Jan'y. 23-24*, ~~18~~*1900*, under my instructions dated

Jan'y. 9th 1900, ~~18~~, have been critically examined and the

necessary corrections and explanations made, and the said Field Notes and Return, and

the Survey they describe, are hereby approved. A true copy of the copy of the location

certificate filed by the applicant for survey is included in the field notes.

George Christ

U. S. Surveyor General for *Arizona*