

MS
-

0

1

4

6

9

MINERAL SURVEY NO. 1469

Claim	M & B Desc.	Imps-	Location Notice
Amazon	14	31	8
Badger	1	30	1
Black Horse	7	30	4
Cloverdale	21	32	11
Copper Plate	19	32	12
El Paso	13	31	7
Galveston	11	31	6
Golden Eagle	17	31	10
Ground Hog	3	30	2
Limbo	23	32	14
Little Joe	15	31	9
Loan Pine	5	30	3
Ninety Eight	9	30	5
Revenue	22	32	13

PRELIMINARY OATHS OF ASSISTANTS IN SURVEY OF MINING CLAIM.

We, Malcolm M. Treadwell and G. Russell Gaines, do solemnly swear that we will well and faithfully execute the duties of chain carriers; that we will level the chain upon even and uneven ground and plumb the tally-pins, either by sticking or dropping the same; that we will report the true distance to all notable objects, and the true length of all lines that we assist in measuring, to the best of our skill and ability, and in accordance with instructions given us, in the survey of the Mining Claims of the George A. Treadwell Mining Company, known as the Golden Eagle, "Badger" et al Group of mines situate in Verdi mining district, Yavapai County, Arizona, in Section 15 N, Township No. 2 E, Range No. approximately

Malcolm M. Treadwell Chainman.

G. Russell Gaines Chainman.

Subscribed and sworn to by the above-named persons before me this 12th day of May, 1900

26 4

R. C. Powers
Notary Public

I, Herbert G. Treadwell, do solemnly swear that I will well and truly perform the duties of axeman, in the establishment of corners and other duties, according to instructions given me and to the best of my skill and ability, in the survey of the Mining Claim of The George A. Treadwell Mining Company known as the Golden Eagle "Badger" et al Group of mines, more fully described in the preceding affidavit.

Herbert G. Treadwell, Axeman.

Subscribed and sworn to by the said Herbert G. Treadwell before me this 12th day of May, 1900.

26 4

R. C. Powers
Notary Public

I, Charles H. Ford, do solemnly swear that I will well and truly perform the duties of flagman, in the establishment of corners and other duties, according to instructions given me and to the best of my skill and ability, in the survey of the Mining Claim of The George A. Treadwell Mining Company known as the Golden Eagle "Badger" et al group of mines, more fully described in the preceding affidavit.

Charles H. Ford, Flagman.

Subscribed and sworn to by the said Charles H. Ford before me this 12th day of May, 1900.

26 4

R. C. Powers
Notary Public

Badger Lode.

- Feet. Beginning at Cor. No. 1.
 On line 2-3 of Sur. No. 1466. Oregon lode. at N 65.18' E
 36 ft. from Cor. No. 2.
 A granite rock 24X10X6 ins. set 12 ins. in the ground
 and chiseled 1-1469 B. with mound of stones alongside.
 Whence:
 N.W. Cor. of location bears S 65.18' W 304.9 feet.
 U.S.L.M. No. 1365 bears S 88.03' W 3206.2 feet.
 No other bearings available.
 Thence N 65.18' E
- 441.1 A loc. mon. of stones at center of N. side of lode.
 1187. To Cor. No. 2.
 On line 1-6 Sur. 1466 Missouri lode at N 24.42' W 600
 ft. from Cor. No. 6
 Identical with a Cor. of loc. and cor. No. 3 of Sur.
 1466 Oregon lode.
 A granite rock showing 10X10X12 ins. above the ground
 chiseled 2-1469 B on the side facing this lode. with
 a mound of stones alongside.
 No bearings available.
 Thence S 24.42' E
- 300 A loc. mon. of stones at cr. of E. end line.
 600 To Cor. No. 3.
 Identical with cor. of loc. and cor. No. 2 of Ground
 Hog lode of this sur. and No. 6 of Sur. No. 1466 Miss-
 ouri lode.
 A granite rock showing 12 X 8 X 8 ins. above the ground
 chiseled 3B. & 2G.H. 1469 with a mound of stones alon-
 gside.
 No bearings available.
 Thence S 65.18' W
- 750 A loc. mon. of stones at cr. of S. side line.
 1001 To Cor. No. 4.
 On line 2-3 of Sur. 1466 Grand Bounce Extention lode.
 at S 23.26' W 233 ft. from cor. No. 3.
 An Igneous rock 24X7X6 ins. set 12 ins in the ground
 chiseled 4B. & 1G.H. 1469 with a mound of stones alon-
 gside. Identical with cor. No. 1 of Ground Hog lode of
 this Sur. Whence:
 A cor. of loc. bears S 65.18' W 499 feet.
 No bearings available.

Feet

Thence N $23^{\circ}26'$ E

233 To Cor. No. 5.

Identical with Cor. No. 3 Sur. 1466 Grand Bounce Ext.

An Igneous rock showing 12X12X10 ins. above the ground.

chiseled 5B1469 with a mound of stones alongside.

No bearings available.

Thence N $66^{\circ}34'$ W

538.5 To Cor. No. 6

On line 3-4 Sur. No. 1466 Grand Bounce Ext. lode.

A Granite rock 24X9X8 ins. set 12 ins. in the ground

chiseled 6 B. 1469 with a mound of stones alongside.

No bearings available.

Thence N $24^{\circ}42'$ W

43 To Cor. NO. 1 the place of beginning.

Variation at all Cors. $13^{\circ}50'$ E

GROUND HOG LODGE.

Feet	Beginning at Cor. No. 1 On line 2-3 Sur. No. 1466 Grand Bounce Ext. lode. Identical with Cor. No. 4 Badger lode this Sur. Herein before described. Whence: U.S.L.M.No. 1365 bears N 84.43'W 3642.5 ft. N.W.Cor. of loc. bears S 65.18'W 499 ft. No other bearings available.
	Thence N 65.18'E
251	loc.mon. of stones at cr. of N.side line.
1001	To Cor. No. 2 Identical with cor. of location and cor. No. 3 of Badger lode this Sur. Hereinbefore described. No bearings available.
	Thence S 24.42'E
300	Cor. No. 1 of Amazon lode this Sur.
300	A loc. mon. of stones at cr, of E. end line.
600	To Cor. No. 3. Identical with the S.E.Cor. of location and Cor. No. 5 of Black Horse lode of this Sur. A granite rock 24X10X6 ins. set 12 ins. in the ground chiseled 3G.H.&5B.H.1469 with a mound of stones along side. No bearings available.
	Thence S 65.18'W
750	A loc.mon. of stones cr. of S.side line.
767	Cor. No. 1 of Black Horse and Cor.No. 4 of Loan Pine lode this Sur.
1500	To Cor.No.4 On line 4-1 of Loan Pine lode of this Sur. Identical with the S.W.Cor. of the location and Cor No.5 of Sur. No.1466 Fraction lode. A granite rock showing 9X10X12 ins.above the ground, chiseled 4 G.H.1469 on the side facing this lode. No bearings available.
	Thence N 24.42'W
288	To Cor. No. 5

Feet On line 4-5 Sur.1466 Protector lode at S 48^o.36'W
 235 ft. from Cor. No. 4
 Identical with Cor. No. 6 of Sur.No.1466 Fraction lode
 A slate stone showing 7X8X12 ins.above the ground
 chiseled 5 G.H.1469 on the side facing this lode.
 Whence:
 The N.W.Cor. of the location bears N 24^o.42'W 312 ft.
 No bearings available.

Thence N 48^o.36'E

235 To Cor. No. 6
 Identical with Cors. of Sur. No. 1466 No. 2 of Grand
 Bounce Ext. and Cor. No.4of Protector lode.
 A Porphyry stone 6X7X12 ins.above the ground chiseled
 6 G.H.1469 on the side facing this lode,with a mound
 of stones alongside.
 No bearings available.

Thence N 23^o.26' E

300 A loc. mon. of stones at cr.of E. end line of Sur..
 No. 1466 Grand Bounce Ext. lode.

367 To Cor. No. 1 the place of beginning.
 Variation at all Corners is 13^o.50'E.

5
7
5

LOAN PINE LODGE.

Feet. Beginning at Cor. No. 1

Identical with the N.W. Cor. of loc. and Cor. No. 6 of Sur.No. 1466 Silver Tip lode.

A Limestone rock 6X7X12 ins. above the ground chiseled 1 L.P. 1469 on the side facing this lode with a mound of stones alongside. Whence:

U.S.L.M.No.1365 bears N 62°32'W 3076 ft.

No other bearings available.

Thence S 1.44°E

- 90 Cr. trail 1 ft. wide course E & W.
200 Cr. Blowout Creek 3 ft. wide flows S 67. E
212 Cr. Trail 1 ft. wide course S 70.E & N 42.W
300 A loc. mon. of stones cr. of the West end line.
600 To Cor. No. 2

Identical with the S.W. Cor. of loc. and Cor. No. 5 of Sur. No. 1466 Silver Tip lode.

A Lime stone rock 6X7X12 ins. above the ground Chiseled 2 L.P. 1469 on the side facing this lode, With a mound of stones alongside.

No bearings available.

Thence N 65.18°E

- 80 Cor. No. 4 of Sur.No. 1466 Silver Tip lode
95 Cr. trail 1 ft. wide which bears N 11.17°E & S 1.E
750 A loc. mon. of stones cr. of S. side line.
1027 Cr. Blow-Out Creek 4ft. wide flows East.
1197.5 Cor. No. 1 of Ninety Eight lode, this survey.
1500 To Cor. No. 3

On line 1-2 of Ninety Eight lode of this Sur. at N 65.18°E 302.5 ft. from Cor. No. 1

Identical with the S.E. Cor. of location.

A Porphyry rock 24X12X10 ins. set 12 ins. in the ground Chiseled 3 L.P. 1469 with a mound of stones alongside.

No bearings available.

Thence N 1.44°W

- 52 Cor. No. 2 of Black Horse lode of this Sur.
300 A loc. mon. of stones cr. of the E. end line.
600 To Cor. No. 4

On line 3-4 Ground Hog lode of this Sur. at S 65.18°W 767 ft. from Cor. No. 3

Feet	<p>Identical with the N.E. Cor. of loc. and Cor. No. 1 of Black Horse lode of this Sur.</p> <p>A granite rock in place 24X12X12 ins. above the ground chiseled X 4 L.P. & 1 P.H. 1469</p> <p>No bearings available.</p>
750	<p>Thence S 65° 18' W</p> <p>A loc. mon. of stones at cr. of N. side line.</p>
733	<p>Cor. No. 4 of Ground Hog lode of this Sur.</p>
1350	<p>Cross trail 1 ft. wide which bears N 40° E & S 40° W</p>
1420	<p>Cor. of Sur. No. 1466 No. 4 of Fraction lode and No. 7 of Silver Tip lode.</p>
1500	<p>to Cor. No. 1 the place of beginning.</p> <p>Variation at all Cor. is 13° 50' E</p>

BLACK HORSE LODE

Feet Beginning at Cor. No. 1
 Identical with Cor.No. 4 of Loan Pine Lode of this Sur.
 Hereinbefore described.Whence:
 U.S.L.M. No.1365 bears N 79^o. 14'W 4175 ft.
 N.W.Cor. of loc. bears S 65^o. 18' W 733 feet:
 No other bearings available..

Thence S.1^o.44'E

300 A loc. mon. of stones at the cr. of the E.end line of
 Loan Pine lode of this Sur.

548 To Cor. No. 2
 On line 3-4 Loan Pine lode of this Sur.at N 1^o.44'W
 52 ft. from Cor. No.3.
 A granite rock 24X10X6 ins.set 12 ins. in the ground
 chiseled 2 B.H. 1469 with a mound of stones alongside
 No other bearings available.

Thence S 24^o.42'E.

47 To Cor. No. 3
 On line 1-2 of Ninety Eight lode of this Sur.at
 S 65^o.18'W 156 ft. from Cor. No.2
 A granite rock 24X10X17 ins.set 12 ins. in the ground
 chiseled 3 B.H. 1469 with a mound of stones alongside.
 No bearings available.

Thence N 65^o.18'E

156 Cor. No. 1 of Galveston and No.2 of Ninety Eight lode
 both of this Sur.

274 Cross Cr. of Blow-Out Creek 4ft. wide flows N 12^o.30'E
 392 A loc. mon.of Ninety Eight lode of this Sur.

792 Cross Cr. Blow-Out creek 4 ft, wide flows N86^o.15' E
 906 A loc. mon. of stones at cr. of N.side line of
 Galveston lode of this Sur.

980 To Cor. No. 4
 On line 5-lof Galveston lode of this Sur.at S 65^o.18'W
 441 ft. from Cor. No. 5
 Identical with the S.E.Cor. of loc.
 A Quartzite rock 24X10X5 ins. set 12 ins. in the ground
 chiseled 4 B.H.1469 with a mound of stones alongside.
 No bearings available.

Feet

Thence N $24^{\circ}42'W$

276 A loc. mon. of stones at cr. of the E. end line.

552 To Cor. No. 5

Identical with the N.E. Cor. of loc. and Cor. No. 3 Ground
Hog lode of this Sur. Herein before described,
No bearings available.

Thence S $65^{\circ}18'W$ 750 A loc. mon. of stones at cr. of the S. side line of
Ground Hog lode of this Sur.

767 To Cor. No. 1 the place of beginning.

Variation at all Cors. is $13^{\circ}50'E$

NINETY EIGHT LODE.

Feet Beginning at Cor. 1
 On line 2-3 of Loan Pine lode of this Sur. at S 65°18'W
 302.5 ft. from Cor. No 3
 Identical with the N.W. Cor. of location.
 A slate rock 24X12X12 ins. set 12 ins. in the ground
 chiseled 1-98-1469 with a mound of stones alongside.
 Whence:
 U.S.L.M.No.1365 bears N 68°48'W 4152.8 feet.
 No other bearings available.

Thence N 65°18'E

302.5 Cor.No. 3 of Loan Pine lode of this Sur.
 322.5 Cor. No. 3 of Black Horse lode of this Sur.
 478.5 To Cor. No. 2

On line 3-4 Black Horse lode of this Sur. Identical
 with Cor. No.1 of Galveston lode of this Sur.
 A porphyry rock 24X7X6 ins. set 12 ins in the ground
 chiseled 2-98 & 1 G. 1469. with a mound of stones along-
 side. Whence:
 N.E. Cor. of the loc. bears N 65°18'E 236. feet.
 No other bearings available.

Thence S 16°00'E

97 Cross Cr. Blow-Out creek 4 ft. wide flows N 25.15'E
 300 A loc. mon. of stones cr. of W. end line of Galveston
 of this Sur.
 490 To Cor. No. 3

On line 1-2 of Galveston lode of this Sur. at N. 16°00'W
 110 feet. from Cor. No. 2
 A granite stone 24X10X8 ins. set 12 ins in the ground
 chiseled 3-98-1469 with a mound of stones alongside.
 No bearings available.

Thence S 8°00'W

150.5 A loc. mon. of stones at Cr. of the E. side line .
 880 To Cor. No. 4

Identical with the S.E. Cor. of location.
 A porphyry rock 24X6X6 ins. set 12 ins in the ground
 chiseled 4.98 1469. with amount of stones alongside.
 No bearings available.

Feet

Thence S $65^{\circ}.18'$ W

357.5 A loc mon. of stones at the Cr. of S. end line.

715 To Cor. No. 5

Identical with the S.W. Cor. of location.

A granite rock 24X18X12 ins. set 12 ins. in the ground
chiseled 5 98 1469 with a mound of stones alongside.

No bearings available.

Thence N $8^{\circ}.00'$ E

727.5 A loc. mon. of stones at cr. of W. side line.

1385 CrossCr. Blow-Out creek 4 ft. wide flows East.

1455 To Cor. No. 1 the place of beginning

Variation at all Corners is $13^{\circ}.50'$ E

GALVESTON LODGE.

Feet. Beginning at Cor. No.1
 Identical with N.W.Cor. of location.and Cor. No.2 of
 Ninety Eight lode of this Sur.
 Hereinbefore described. Whence:
 U.S.L.M.No. 1365 bears N 72°55'W 4477.7 feet.
 No other bearings available.

Thence S 16°00'E

97 Cross Cr. of Blow-Out creek 4 ft. wide flows N 25.15'E
 300 A loc mon. of stones at Cr. of W.end line.
 490 Cor. No. 3 of Ninety Eight lode of this Sur.
 600 To Cor. No. 2

Identical with the Cor. of location,and Cor. No.1 of
 El Paso lode of this Sur.

A granite rock 24X10X6 ins.set 12 ins. in the ground
 chiseled 2G.& 1E.P. 1469 with a mound of stones along-
 side.

No bearings available.

Thence N 65°18'E

750 loc. mon. of stones at Cr.of S. side line.
 1500 To Cor. No. 3

On line 1-2 of Little Joe lode of this Sur,at S 16°00'E
 250 feet from Cor. No.1

Identical with the S.E.Cor. of location.and Cor. No.
 4 of El Paso lode of this Sur.

A quartzite rock 24X7X6 ins. set 12 ins. in the ground
 chiseled 3G. & 4EP.1469with a mound of stones alongside.

No bearings available.

Thence N 16°00'W

250 To Cor. No. 4

Identical with Cor. No.1 of Little Joe and No. 4 of
 Amazon lode both of this Sur.

A Porphyry rock 24X10X8 ins. set 12 ins. in the ground
 chiseled 4G.4A.and 1 LJ. 1469.with a mound of stones
 alongside.

No bearings available.

Feet

Thence N 52.30^o'W

145 Cross Cr. of Blow-Out creek 5 ft. wide flows N 64.45'E

391 To Cor. No. 5

On line 4-1 of Amazon lode of this Sur.

A malpai rock 24X10X9 ins. set 12 ins. in the ground
chiseled 5 G. 1469 with a mound of stones alongside.

Whence:the

N.E. Cor. of location bears N 65.18^o'E 235 feet.

No other bearings available.

Thence S65.18^o'W

441 Cor. No.4 of Black Horse lode of this Sur.

515 *A loc. mon. of stone at Ca. of N side line*629 Cross Cr. Blow-Out creek 4 ft. wide flows N 86.15^o'E1029 *A loc. mon. of "Ninety eight" lode of this survey*1147 Cross Cr. of Blow-Out creek 4 ft. wide flows N 12.30^o'E

1265 To Cor. No. 1 the place of beginning.

Variation at all corners is 13.50'E

EL PASO LODE.

Feet	Beginning at Cor. No 1 I dential with the N.W.Cor. of location and Cor.No.2 of Galveston lode of this Sur. herein before described Whence: U.S.L.M.No.1365 bears N 67.00'W 4827.1 feet. No other bearings available.
	Thence S 16.00'E
300	loc. mon. of stones at Cr. of W.end line.
493	Cross ravine 1 ft. wide which flows N 67.15'E
600	To Cor. No.2 Identical with the S.W.Cor. of location. A granite rock 24X8X7 ins.set 12 ins in the ground, chiseled 2 E.P 1469 with a mound of stones alongside. No bearings available.
	Thence N 65.18'E
750	A loc. mon of stones at Cr. of S.side line.
900	Cor.No.1 of Golden Eagle lode of this Sur.
1200	A loc. mon. of stones at Cr.of N. end line of Golden Eagle lode of this Sur.
1500	To Cor. No. 3 On line 1-2 of Little Joe of this Sur.at N 16.00'W 650 ft. from Cor. No.2 Identical with the S.E.Cor. of location and Cor.No. 2 of Golden Eagle lode of this Sur. A slate rock 24X10 X5 ins. set 12 ins. in the ground. chiseled 3 EP & 2 GE. 1469.with a mound of stones al- ongside. No bearings available.
	Thence N 16.00'W
75	Cross ravine 2 ft wide which flows N 89.00'E
100	loc.mon. of stones at Cr.of W.Side line.Little Joe lode.
300	loc. mon.of stones Cr.E end line of this lode.
600	To Cor. No. 4 Identical with the N.E.Cor. of location and Cor. No. 3 of Galveston lode of this Sur.herein before described. No bearings available
	Thence S 65. 18'W
750	loc. mon. of stones at Cr.of N.side line.
1500	To Cor. No 1 the place of beginning Variation at all Cors. is 13.50'E

AMAZON LODE.

Feet. Beginning at Cor. No. 1
 On line 2-3 Ground Hog lode of this Sur. at S 24.42'E
 200.ft.from Cor. No.2
 I dential with the N.W.Cor.of location.
 A granite rock 24X8X8 ins set 12 ins in the ground
 chiseled 1A.1469 with mound of stones alongside.whence:
 U.S.L.M.NO.1365 bears N88.44'W 4622.5 feet.
 No other bearings available.
 Thence N 65.18'E

300 A loc. mon. of stones at Cr. of N. end line
 600 To Cor. No.2
 Identical with the N.E. Cor. of loc.
 A malpai rock 24X10X10 ins.set 12 ins. in the ground
 chiseled 2 A.1469.with a mound of stones alongside.
 No bearings available.
 Thence S 50.19'E

725 A loc. mon. of stones at Cr. of the E.side line.
 1288 Cross Blow-Out Creek 5 tf. wide flows N 49. 10'E
 1440.5 To Cor. No. 3 Identical with the S.E.Cor.of loc. and Cor. No.
 4 of Little Joe lode of this Sur.
 A granite stone 24X10X7 ins. set 12 ins. in the ground
 chiseled 3 A.4 L.J.1469 with mound of stones alongside.
 No bearings available.
 Thence S 65.18'W

300 A loc. of stones at Cr. of S end line.
 600 To Cor. No. 4
 Identical with the Cor. of loc.and Cor. No. 1 of Litte
 Joe.and No. 4 of Galveston lodes both of this Sur.
 Herein before described.No bearings available.
 Thence N 52.30'W

145 Cross Cr. of Blow-Out Creek 5 ft,wide flows N 64.46'E
 391 To Cor. No. 5 Identical with the Cor. of loc.and with
 No.5Galveston lode of this Sur.Herein before described.
 Chiseled 5A. 1469 on the side facing this lode.
 No bearings available.
 Thence N 49.30'W

334 A loc. mon. of stones at Cr.of W.side line.
 1050. To Cor. No. 1 the place of beginning.
 Variation at all Cors. is 13.50'E

LITTLE JOE LODE.

Feet. Beginning at Cor. No.1
 Identical with the N.W. Cor. of location and Cors. 4 of Galveston and No. 4 of Amazon lodes both of this Sur. Herein before described. Whence:
 U.S.L.M.No.1365 bears N 79.52'W 5832 feet.
 No. other bearings available.
 Thence S 16.00'E

250 Cors. No.3 of Galveston and Cor.4 of El Paso lodes both of this Sur.

550 loc. mon. of stones Cr.of E.end line of El Paso lode of this Sur.

750 Loc. mon. of stones at cr. of W side line.

775 Cross ravine 2 ft. wide flows N 89.00'E

850 Cor. No. 3 of El Paso and Cor. No.2 Golden Eagle lodes both of this Sur.

1500 To Cor. No. 2
 On line 2-3 Golden Eagle lode of this Sur. at N 16.00'W 50 ft. from Cor. No.3
 Identical with the S.W Cor.of location.
 A granite rock 24X8X7 ins. set 12 ins in the ground. chiseled 2 L.J.1469.with a mound of stones alongside.
 No bearings available.
 Thence N 65.18'E

100 Cor No. 1 of Revenue lode of this Sur.

300 loc. mon of stones at cr.of S. end line.

400 Loc. mon!of stones cr. of N.end line Revenue lode of this Sur.

600 To. Cor. No. 3
 On line 1-2 of Revenue lode of this Sur.at S 65.18'W 100 feet from Cor. No. 2
 Identical with the S.E. Cor. of location.and Cor. No. 6 of Limbo lode of this Sur.
 A sandstone 24X8X6 ins. set 12 ins. in the ground, chiseled 3 L.J. and 6L 1469 with mound of stones alongside
 No bearings available.
 Thence N 16.00'W

300 Cor. No. 1 of Limbo lode of this Sur.

554 Cross ravine 2 ft. wide flows N 76. 32'E

750 A loc. mon. of stones Cr.of E.side line.

1500 To Cor. No. 4

Feet

Identical with the N.E. Cor. of location, and Cor. No. 3 of Amazon lode of this Sur.

Herein before described.

No bearings available.

Thence S 65.18'W

300 A loc. mon. of stones at cr. of N.end line.

600 To Cor. No.1 the place of beginning.

Variation at all corners is 13.50'E

D
GOLNEN EAGLE. LODE

Feet. Beginning at Cor. No. 1
 On line 2-3 of El Paso lode of this Sur. at S 65. 18'W
 600 ft. from Cor. No.3
 Identical with the N.W.Cor. of location.
 A granite rock 24X6X5 ins.set 12 ins. in the ground
 chiseled 1 G.E.1469. with a mound of stones alongside.
 Whence:
 U.S.L.M.No.1365. bears N 69.07'W 5822 ft.
 No other bearings available.
 Thence N 65. 18'E

300 A loc. mon. of stones at Cr. of N. end line.
 600 To Cor. No. 2
 Identical with the N.E.Cor.of location and Cor. No.
 3 of El Paso lode of this Sur.
 Herein before described.
 No bearings available.
 Thence S 16.00'E

650 Cor. No.2 of Little Joe of this Sur.
 700 To Cor. No. 3
 On line 3-4 of Copper Plate lode of this Sur.at
 S 65.18'W 100 feet from Cor. No. 4
 Agranite rock 24X6X6 ins. set 12 ins. in the ground
 chiseled 3 G.E. 1469 With a mound of stones alongside.
 Whence:
 S.E.Cor. of location bears S 16. 00'E 800 feet.
 No other bearings available.
 Thence S 65. 18'W

167 To Cor. No. 4
 On line 4-1 Sur.No. 1166 South Plat lode.at N 12. 27'W
 17 feet from Cor. No.1
 A Porphy rock 24X7X7 ins. set 12 ins. in the ground
 chiseled 4 G.E. 1469.with a mound of stones alongside.
 No bearings available.
 Thence N 12.27'W

577 To Cor. No.5
 Identical with Cor. No. 4 Sur.No. 1166 South Plat lode.
 A granite rock 24X10X6 ins. set 12 ins in the ground,
 chiseled 5 G.E.1469.with a mound of stones alongside.
 No bearings available.

Feet.

~~Thence N 13. 27'W~~

577

To Cor. No. 5

Identical with Cor. No. 4 of Sur. No. 1166 South
Plat lode.

A granite rock 24X10X6 ins. set 12 ins. in the ground.
chiseled 5G.E. 1469. with a mound of stones alongside.
No bearings available.

Thence S 47.23'W

518

To Cor. No. 6

On line 3-4 Sur. No. 1166 South Plat lode.

A slate rock 24X8X5 ins. set 12 ins in the ground,
chiseled 6 G.E. 1469. with a mound of stones alongside.

Whence:

S.W. Cor. of location bears S 16.00'E 1209. feet.

No other bearings available.

Thence N 16.00'W

291

To Cor. No. 1 the place of beginning.

Variation at all Cors. is 13.50'E

COPPER PLATE LODGE.

Fect. Beginning at Cor. No.1
 Identical with Cor.No.2 of Sur. No.1166 South Plat
 lode.
 A rock showing 12X14X12 ins. above the ground chiseled
 1 C.P.1469. on the side facing this claim.with a
 mound of stones alongside.whence:
 U.S.L.M.No.1365.bears N 54^o.47'W 6141.3 feet.
 N.W.Cor.of location bearsN 16.00'W 441.feet.
 No other bearings available.

Thence N 47.23'E

1362.6 To Cor. No. 2
 Identical with Cor.No.1of Sur.No. 1166: South Plat
 lode.
 A Porphyry rock 12X10X8 ins.above the ground chiseled
 2 C.P. 1469. on the side facing this lode,with a mo-
 und of stones alongside.
 No bearings available.

Thence N 12.27'W

17 To Cor. No. 3
 Identical with Cor. No. 4 of Golden Eagle lode of this
 Sur. Herein before described.
 No bearings available.

Thence N 65.18'E

167 Cor. No. 3 of Golden Eagle lode of this Sur.
 267 To Cor. No. 4
 On line 4-1 of Revenue lode of this Sur.at S 16.00'E
 50. feet from Cor.No.1
 Identical with the N.E.Cor. of location.
 Agranite rock 24X11X6 ins.set 12 ins. in the ground
 chiseled 4 C.P. 1469.With a mound of stones alongside
 No bearings available.

Thence S 16.00'E

300 A loc. mon. of stones at Cr. of E. end line.
 508 Cross Cr.of reveue 1 ft, wide flows N 79. 14'E
 600 To Cor. No. 5
 On line 1-4 Revenue lode of this Sur.at S 16.00'E
 650 ft. from Cor.No. 1

Feet Identical with the S.E.Cor.of location and Cor.No.4
of Cloverdale lode of this Sur.
A granite rock 24X11X6 ins.set 12 ins. in the ground
chiseled 5C.P. & 4C.1469. with a mound of stones al-
ongside.
No bearings available.'

Thence S 65. 18'W

750 A loc. mon. of stones at the Cr. of S. Side line.
1500 To Cor. No. 6

Identical with the S.W.Cor.of location.and Cor. No.1
of Cloverdale lode of this Sur.
A porphyry stone 24X10X7 ins. set 12 ins. in the gr-
ound,chiseled 6 C.P. and 1 C. 1469. with a mound of
stones alongside.
No bearings available.

Thence N 16.00'W

49 Cross ravine 1 foot wide flows N 62.40'E
159 To Cor. No. 1 the place of beginning.
Variation at all Corners is 13.50'E

CLOVERDALE LODE.

Feet. Beginning at Cor. No. 1
 Identical with the N.W. Cor. of location, and Cor. No. 6 of Copper Plate of this Sur.
 Herein before described. Whence:
 U.S.L.M. No. 1365 bears N 53.02'W 6250.7 *ft*
 No other bearings available.

Thence S 16.00'E

300 A loc. mon. of stones at the cr. of W. end line.
 600 To Cor. No. 2

Identical with the S.W. Cor. of location.
 A sand-stone 24X8X8 ins. set 12 ins. in the ground, chiseled 2 C. 1469. with a mound of stones alongside.
 No bearings available.

Thence N 65.18'E

750 A loc mon. of stones at cr. of S. side line.
 1500 To Cor. No. 3

On line 4-1 of Revenue lode of this Sur. at N 16.00'W 250 ft. from Cor. No. 4
 Identical with the S.E. Cor. of location.
 A porphyry rock in place 4X1X2 feet above the ground chiseled X 3 C. 1469. with a mound of stones alongside.
 No bearings available.

Thence N 16.00'W

300 A loc. mon. of stones at the cr. of E. end line.
 500 A loc. mon. of stones at cr. of W. side line of Revenue lode of this Sur.
 600 To Cor. No. 4

Identical with the N.E. Cor. of location, and Cor. No. 5 of Copper Plate lode of this Sur.
 Herein before described!
 No bearings available.

Thence S 65.18'W

750 A loc. mon. of stones at cr. of the N. side line.
 1500 To Cor. No. 1 the place of beginning.
 Variation at all Corners is 13.50'E

REVENUE LODE.

Feet. Beginning at Cor. No. 1
 On line 2-3 Little Joe lode of this Sur. at N 65.18'E
 100 feet from cor. No.2
 Identical with the N.W. Cor. of location.
 A granite rock 24X6X6 ins. set 12 ins. in the ground,
 chiseled 1 R. 1469. with a mound of stones alongside.
 Whence:
 U.S.L.M. No. 1365 bears N 68°30' W 6696.2 feet.
 No other bearings available.

Thence N 65°18'E

200 A loc. mon. of stones at cr. of S. end line. of Little Joe lode of this Sur.

300 A loc. mon. of stones at cr. of N. end line.

500. Cor. No. 3 of Little Joe lode and Cor. No. 6 of Limbo lode both of this Sur.

600 To Cor. No. 2
 Identical with the N.E. Cor. of loc. and Cor. No. 5 of Limbo lode of this Sur.
 A limestone 24X7X6 ins. set 12 ins. in the ground,
 chiseled 2 R. and 5 L. 1469. with a mound of stones alongside.
 No bearings available.

Thence S 16°00'E

300 Cor. No. 4 of Limbo lode of this Sur.

750 A loc. mon. of stones at cr. of S. side line.

811 Cross cr. ravine 1 ft. wide flows N 77°50'E

1500 To Cor. No. 3
 Identical with S.E. Cor. of location .
 A limestone 24X12X10 ins. set 12 ins. in the ground
 chiseled 3 R. with a mound of stones alongside.
 No bearings available.

Thence S 65°18'W

300 A loc. mon. at cr. of S. end line.

600 To Cor. No. 4

Identical with the S.W. Cor. of location.
 A slate rock 24X6X6 ins. set 12 ins. in the ground
 chiseled 4 R. 1469 with a mound of stones alongside.

Feet. No bearings available.

Thence N $16^{\circ}00'W$

250 Cor. No. 3 Cloverdale lode of this Sur.
 550 A loc.mon. of stones at cr.of E. end line of Cloverdale lode of this Sur.
 750 A loc. mon. of stones at cr.of W. side line.
 850 Cor. No.4 of Cloverdale lode and Cor. No. 5 of Copper Plate lodes both of this Sur.
 942 Cross ravine 1 ft. wide flows N $79^{\circ}14'E$
 1150 A loc. mon. of stones at cr. of E. end line of Copper Plate lode of this Sur.
 1450 Cor. No. 4 of Copper Plate lode of this Sur.
 1500 To Cor. No. 1 the place of beginning.
 Variation at all Corners is $13^{\circ}50'E$

LIMBO LODE.

Beginning at Cor. No. 1

On line 3-4 of Little Joe lode of this Sur.at N $16^{\circ}00'W$
 300 ft. from Cor. No.3

Identical with the N.W.Cor. of location

A limestone 24X6X6 ins. set 12 ins. in the ground
 chiseled 1 L. 1469. with a mound of stones alongside
 Whence:

U.S.L.M.No.1365. bears N $73^{\circ}30'W$ 6896.4 feet.
 No other bearings available.

Thence S $78^{\circ}00'E$

750 A loc. mon. of stones at cr. of N.side line.
 1500 To Cor. No. 2
 Identical with the N.E.Cor. of location.
 A granite rock 24X9X8 ins.set 12 ins. in the ground
 chiseled 2 L. 1469. with a mound of stones alongside.
 No bearings available.

Thence S $16^{\circ}00'E$

266 loc. mon. of stones at cr. of E. end line.
 425 Cross ravine 3 ft. wide flows N $81^{\circ}10'E$
 532.3 To Cor. No. 3.

Identical with the S.E. Cor. of location.

Feet. A Juniper Post 4X4ins. 4ft.. long set 18 ins. in the ground surrounded by a mound of earth and scribed 3L. 1469.

No bearings available.

Thence N 78°00'W

232 Cross ravine 3 ft. wide flows N 81° 18'E

750 A loc. mon. of stones at cr. of S.side line.

1388 To Cor. No. 4

On line 2-3 of Revenue lode of this Sur.at S 16°00'E

300 ft. from Cor. No.2

A rock in place 26X28X12 ins above the ground chiseled

4 L.1469.with a mound of stones alongside.

No bearings available.

Thence N 16°00'W

300 To Cor. No. 5

Identical with Cor. No. 2 of Revenue lode of this Sur.

Herein before described.

No bearings available.

Thence S 65°18'W

100 To Cor. No. 6

Identical with Cor. No.3 of Little Joe lode of this

Sur.Herein before described.

No bearings available.

Thence N 16°00'W

300 To Cor. No. 1 the place of beginning.

The variation at all corners is 13°50'E

AREA.

Total and net area	lode.	Acres.
Badger	13,714	✓
" " " " Ground Hog	18,457	✓
" " " " Loan Pine	19,023	✓
" " " " Black Horse	11,180	✓
" " " " Ninety Eight	18,790	✓
" " " " Galveston	19,489	✓
" " " " El Paso	20,423	✓
" " " " Amazon	18,138	✓
" " " " Little Joe	20,423	✓
" " " " Golden Eagle	4,551	✓
" " " " Copper Plate	14,026	✓
" " " " Cloverdale	20,423	✓
" " " " Revenue	20,423	✓
" " " " Limbo	15,580	✓
Total area of lode claim	234,640	"

LOCATION.

This claim is located on unsurveyed land, ⁱⁿ what would be if surveyed about ~~in~~ Twp. 15. N. R. 2 E. Gila and Salt River Base and Meridian, in Verde Mining District Yavapai County, Arizona Territory.

ADJOINING LODES.

Badger lode is bounded on the North by Sur.No. 1466 Oregon lode. and on the East by Sur.No. 1466 Missouri lode. and on the West by Sur.No. 1466 Grand Bounce *East ext.* lode.

Ground Hog lode is bounded on the East by Sur.No. 1466 Protector and Fraction lodes.

Loan Pine is bounded on the East by Sur. 1466 Silver Tip lode.

Copper Plate lode is bounded on the N.W. by Sur.No. 1166 South Plat lode.

There are no other known adjoining lodes.

EXPENDITURE OF FIVE HUNDRED DOLLARS.

I certify that the value of the labor and improvements upon this claim, placed thereupon by the claimant and their grantors, is not less than five hundred dollars, for each and every claim, and that said improvements consist of:

Badger lode.

No. 1 Dis. Shaft which bears from Cor. No. 5 N 13.16° E	
188 ft. 4X6X10 ft. deep	value \$120.00
NO. 2 A Tunnel the mouth of which bears from	
Cor. No. 5 N 50° W 315 ft. 4X6X12 ft. long.	144.00
\$236.00 of No. 3 tunnel Black Horse lode	
is credited to this lode.	236.00
total	\$500.00

Ground Hog lode.

No. 1 dis. shaft which bears from Cor. No. 1 S 27.30° E	
319 ft. 4X6X20 ft. deep	value \$240.00
\$260.00 of No. 1 tunnel Loan Pine lode is	
credited to this lode.	260.00
total	\$500.00

Loan Pine lode.

No. 1 dis. tunnel the mouth of which bears from Cor. No.	
3 N 53.37° W 236 ft. 4X7X55 ft. long. course N 24.00° W	
value	\$825.00
\$236.00 of this tunnel is credited to Ground Hog lode.	
NO. 2 shaft which bears from Cor. No. 4 S 15.08° W 360 ft.	
4X6X10 ft. deep. credited to Black Horse lode.	\$150.00

Black Horse lode.

NO. 2 shaft Loan Pine is credited to this	
lode.	\$150.00

No. 1 ^{disc} cut the face of which bears from Cor. No.	
3 N 53.31° E 360 ft. 4X5X10 ft.	120.00

No. 2 tunnel the mouth of which bears from	
Cor. No. 4 S 83.46° W 241 ft. 4X7X25 ft. long. ^{COMMON DEPT}	375.00

No. 3 a cut the face of which bears from Cor.	
No. 4 S 84.00° W 210 ft. 4X8X15 ft. long,	225.00
\$236.00 of tunnel No. 3 is credited to Badger lode.	

NINETY EIGHT lode.

No. 1 dis. shaft which bears from Cor. No. 4 N 22.00° W	
545 ft. 4X7X10 ft. deep.	value \$150.00

No.2 Tunnel the mouth of which bears from Cor. No.4
N 24⁰.48'W 554 ft. 4X7X36 ft.long. *Course 1/8'E* \$540.00

No. 3 Tunnel the mouth of which bears from Cor. No.3
Lone Pine lode S 42.02⁰'W ^{142ft} 4X6X40 ft.long course
S 65⁰.00'W \$600.00

GALVESTON lode.

No. 1 dis. shaft which bears from Cor. No.3 S 87⁰.35'W *752ft.*
4X6X36 ft. deep. value \$540.00

EL PASO lode

No.1 dis. shaft which bears from Cor. No.4 S 40⁰.08'W
698 ft. 4X6X55ft. deep. value \$825.00

AMAZON lode.

No.1 dis. Tunnel the mouth of which bears from Cor.
No.3 N 67⁰.48'W 852 ft. 4X6X25ft.long course N 20⁰.00'E
value \$300.00

No. 2 shaft which bears from Cor. No.2 S 8⁰.40'W
275 ft. 4X6X10 ft. deep 120.00

No.3 A cut the face of which bears from Cor. No.2
S 1⁰.56'W 330 ft. 4X6X12 ft. long 120.00

LITTLE JOE lode.

No.1 dis. cut the face of which bears from Cor. No.1
S 39⁰.52'E 764 ft. 5X6X12 ft. long.value \$144.00

No.2 Tunnel the mouth of which bears from Cor. No.3
N 29⁰.26'W 457 ft. 4X6X25ft. long course
S 29⁰.00'E 375.00

Of shaft No.1 \$280.00 is credited to Golden Eagle lode!

GOLDEN EAGLE lode.

NO. 4 shaft of Copper Plate lode is credited
to this lode. \$120.00

No.1 ^{disc.} A cut the face of which bears from Cor. No.5
S 63⁰.15'W 195 ft. 4X6X10 ft. deep 100.00

\$280.00 of No.1 shaft Little Joe lode is credited to
this lode. 280.00

total \$500.00

COPPER PLATE lode

No.1 dis. shaft which bears from Cor.No.1 N 52°11'E	
778 ft. 4X6X30 ft. deep	value \$450.00
No. 2 a cut the face of which bears from Cor.No.5	
N 87°32'W 712 ft. 4X6X12 ft. long.	144.00
No.3 a cut the face of which bears from Cor.No.5 N	
N 88°20'W 740 ft. 4X6X12 ft. long.	144.00
\$230.00 of No.1 shaft is credited to Cloverdale lode	
No.4 shaft which bears from Cor.No.3 S 31°15'W 156 ft.	
4X6X10 ft. deep Credited to Golden Eagle	\$120.00
CLOVERDALE lode.	
No.1 dis. shaft which beares from Cor. No.1 N 88°15'E	
760 ft. 4X6X12 ft. deep	value \$144.00
This lode is credited with \$230.00 of No.1	
shaft of Copper Plate lode	230.00
This lode is credited with \$126.00 of No.2	
tunnel Revenue lode	126.00
total	\$500.00

LIMBO lode.

No.1 dis. shaft which bears from Cor. No.5 S 76°42'E	
635 ft. 4X6X10 ft. deep.	value \$150.00
\$350.00 of No.3 Tunnel Revenue lode is	
credited to this lode.	350.00
total	\$500.00

REVENUE lode.

No.1 dis. cut the face of which bears from Cor.No.1	
S 43°04'E 645 ft. 4X7X12 ft. long	value \$120.00
No.2 tunnel the mouth of which bears from Cor. No.3	
N 55°30'W 410 ft. 4X7X20. ft. long	
course S 16°00'E	300.00
No.3 tunnel the mouth of which bears from Cor. No.1	
S 72°45'E 349 ft. 4X7X72 ft. long	
course N 72°00'W	1080.00
\$126.00 of No.2 tunnel is credited to Cloverdale lode.	
\$350.00 of No. 3 tunnel is credited to Limbo lode.	

LEDGES.

This claim is located on a mineralized zone, and mineral can be found most any where by sinking, The ledges are supposed to run, judging from surface indications, as follows:

Ground Hog lode course of ledge N 65° 18' E & S 65° 18' W

Banger lode course of ledge N 65° 18' E & S 65° 18' W for full length of claim.

Black Horse lode course of ledge N 65° 18' E & S 65° 18' W for full length of the claim

Limbo lode course of ledge is S 78° E & N 78° W for full length of claim.

Copper Plate course of ledge S 65° 18' W & N 65° 18' E for full length of claim.

Galveston course of ledge is N 65° 18' E & S 65° 18' W for full length of the claim.

Golden Eagle course of ledge is N 16° 00' W & S 16° 00' E for full length of claim.

Ninety Eight course of ledge is N 8° E & S 8° W for full length of claim.

Loan Pine course of ledge is S 65° 18' W & N 65° 18' E for full length of claim.

Amazon course of ledge is S 50° 19' E & N 50° 19' W for full length of claim.

Little Joe course of ledge is N 16° W & S 16° E for full length of claim.

El Paso course of ledge is N 65° 18' E & S 65° 18' W for full length of claim.

Cloverdale course of ledge is N 65° 18' E & S 65° 18' W for the full length of the claim.

Revenue course of ledge is N 16° W & S 16° E for the full length of the claim.

37
00

INSTRUMENTS

This survey was made with a Gurley Light Mountain Solar Transit. The courses were deflected from the true meridian as determined by direct solar observations. Checked on Polaras.

The distances were measured with 100.ft. steel tape.

R. L. Pomeroy

U. S. Dep. Mineral Surveyor.

Prescott, Arizona.

FINAL OATHS FOR SURVEYS.

LIST OF NAMES.

A list of the names of the individuals employed by R. C. Powers
 United States Deputy Mineral Surveyor, to assist in running, measuring, and marking the lines
 corners and boundaries described in the foregoing field notes of the survey of the mining claim
 of The George A. Treadwell Mining Company
 known as the "Golden Eagle" "Budget" et al et al et al
 and showing the respective capacities in which they acted.

- Malcolm M. Treadwell, Chairman.
- J. Russell Gaines, Chairman.
- Herbert G. Treadwell, Axman.
- Charles W. Ford, Flagman.

FINAL OATHS OF ASSISTANTS.

We, Malcolm M. Treadwell, J. Russell Gaines, Herbert G. Treadwell
 and Charles W. Ford, do solemnly swear that we assisted R. C.
Powers, United States Deputy Mineral Surveyor, in marking the corners and
 surveying the boundaries of the mining claim of The George A.
Treadwell Mining Company - G. A. Treadwell
agent - known as the "Golden
"Eagle" "Budget" et al, represented
 in the foregoing field notes as having been surveyed by said deputy mineral surveyor and under
 his direction; and that said survey has been in all respects, to the best of our knowledge and
 belief, faithfully and correctly executed, and the corner and boundary monuments established
 according to law and the instructions furnished by the United States Surveyor-General for
Arizona.

- Malcolm M. Treadwell, Chairman.
- J. Russell Gaines, Chairman.
- Herbert G. Treadwell, Axman.
- Charles W. Ford, Flagman.

Subscribed and sworn to by the above-named persons before me
 this 29th day of May, 1890

R. C. Powers
 Notary Public

26 44

FINAL OATH OF U. S. DEPUTY MINERAL SURVEYOR

I, R. C. Powers, U. S. Deputy Mineral Surveyor, do solemnly swear that, in pursuance of instructions received from the United States Surveyor General for Arizona, dated March 27, 1900, I have, in strict conformity to the laws of the United States, the official regulations and instructions thereunder, and the instructions of said Surveyor General, faithfully and correctly executed the survey of the Mining Claim of The George H. Treadwell Mining Company, E. H. Treadwell agent, known as the Goldwater, Bodger, Sibley, Crowder, Plate, Pressure, nearly right, Robertson, El Paso, Summit, Four Pine, Smaron, Clark, Black Horse, Verde Mining District, situate in Yavapai County, Arizona, in Section 15-N Township No. 2 East approximately and designated as Survey No. 1469, as represented in the foregoing field notes, which accurately show the boundaries of said mining claim as distinctly marked by monuments on the ground, and described in the attached copy of the location certificate, which was received by me from the Surveyor General with said instructions, and that all the corners of said survey have been established and perpetuated in strict accordance with the law, official regulations and instructions thereunder; and I do further solemnly swear that the foregoing are the true and original field notes of said survey and my report therein, and that the labor expended and improvements made upon said mining claim by claimant or their grantors are as therein fully stated, and that the character, extent, location and itemized value thereof are specified therein with particularity and full detail, and that no portion of said labor or improvements so credited to this claim has been included in the estimate of expenditures upon any other claim.

R. C. Powers
U. S. Deputy Mineral Surveyor.

Subscribed and sworn to by the said R. C. Powers
U. S. Deputy Mineral Surveyor, before me W. H. Merritt
a Notary Public this 15th
day of Aug 1900,

W. H. Merritt
Notary Public

My com expires Aug 16th 1901

Affidavit of Five Hundred Dollars Improvements.

We Malcolm M. Treadwell and J. Russell Gans
of lawful age, being first duly sworn according to law, depose and say: that we are acquainted
with the "Golden Eagle," "Bulger" and Group of mining claims situated in
the Verdi Mining district, Yavapai County,
Arizona Territory, for which The George A. Treadwell
Mining Company by E. S. Treadwell agent
has made application for survey prior to application for patent under the provisions of the
Act of Congress, approved May 10, 1872; and that the labor done and improvements made thereon
by the applicants and their grantor exceed Five Hundred Dollars in value, for each claim and further
that we are not personally interested in said mine.

Malcolm M. Treadwell

J. Russell Gans

TERRITORY OF ARIZONA,

County of Yavapai

} ss.

SWORN to and subscribed before me, this

29th day of May 1890

R. C. Powers
Notary Public

"BADGER"

NOTICE OF MINING LOCATION.
Quartz Claim.

TO ALL WHOM IT MAY CONCERN:

This mining claim, the name of which is the Badger Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits was entered upon and located for the purpose of exploration and purchase by E.F. Roberts & Geo. Merritt, the undersigned, on the 16 day of July, 1899.

The length of this claim is (1500) feet and we claim 750 feet in a Westerly direction and 750 feet in a easterly direction from the center of the discovery monument, at which this notice is posted, lengthwise of the claim, together with 300 feet in width of the surface grounds, on each side of the center of said claim.

The general course of the lode deposit and premises is from the East to the West.

The claim is situated and located in the Verde Mining District, in Yavapai County, in the Territory, about 4 miles in a South-erly direction from Jerome, joining the Missouri claim on the west side.

The surface boundaries of the claim are marked upon the ground as follows: Beginning at west end center at a point in a west-erly direction 750 feet from the discovery monument (at which this notice is posted), being in the center of the west end line of said claim; thence 300 feet to a monument of stone, being the S.W. corner of said claim; thence 750 feet to a monument at the center of the south side line of said claim; thence 750 feet to a monument being at the S.E. corner of said claim; thence 300 feet to a monument at the center of the east end of said claim; thence 300 feet to a monument, being at the N.E. corner of said claim; thence 750 feet to a monument of stone being at the center of the North side line of said claim; thence 750 feet to a monument at the N.W. corner of said claim; thence 300 feet to the place of beginning.

All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes of the United States, and of an Act of The General Assembly of Arizona, entitled "An Act Concerning Mines" approved March 20, 1895.

Dated and posted on the ground, this 16 day of July, 1899.

E.F. Roberts
Geo. Merritt.

Filed and recorded at request of G.L. Merritt, Oct 9th A.D. 1899, at 9 o'clock a.m. in Book 52 of Mines, page 433, records of Yavapai County, Arizona.

(Seal) W.I. Johnson, County Recorder.
By E.C. Averyt, Deputy Recorder .

TERRITORY OF ARIZONA,)
COUNTY OF YAVAPAI.) SS:

I, W.I. JOHNSON, County Recorder in and for said county, in said territory, and custodian of the records thereof, do hereby certify that I have compared the above and foregoing with, and the same is a full, true and correct copy of the Notice of Location of the Badger Mining Claim, as the same appears of record in my office in Book 52 of Mines, page 433, records of Yavapai County, Arizona. In Witness Whereof, I have hereunto set my hand and affixed my Official Seal, this 14th day of March 1900.



W.I. Johnson
County Recorder.

"BADGER"

AMENDED NOTICE OF LOCATION.

NAME OF MINING CLAIM "BADGER".

The undersigned, E.F. Roberts and George Merritt, being desirous of amend-ing the location of the Badger mining claim, under the provisions of Act No. 14 of the Twentieth Legislative Assembly of Arizona, approved March 2, 1899, for the purpose of more clearly stating the number of feet claimed on each side of the discovery shaft, lengthwise of the claim, together with more clearly describing said claim, herewith on this 17th day of October 1899, amend the notice of location said Badger Mining Claim. The original location was made on the 16th day of July 1899, and the notice of location recorded in Book 52 of Mines, page 433, Records of Yavapai County, Arizona.

Description of claim as amended to read as follows:

Notice of Mining Location.
Quartz Claim.

To All Whom it May Concern:

This mining claim, the name of which is the Badger Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purpose of exploration and purchase by E.F. Roberts and Geo. Merritt, the undersigned on the 16th day of July, 1899.

The length of this claim is fifteen hundred (1500) feet, and we claim seven hundred and fifty (750) feet in a westerly direction and 750 feet in an easterly direction from the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together with three hundred feet in width of the surface grounds, on each side of the center of said claim. The general course of the lode deposit and premises is from the East to the West.

The claim is situated and located in the Verde Mining District, in Yavapai County, in the Territory of Arizona, about 4 miles in a southerly direction from Jerome; parallel with and laying on south side of Oregon Claim and east end adjoins west side Missouri claim.

The surface boundaries of the claim are marked upon the ground as follows: Beginning at monument at a point in a westerly direction 750 feet from the discovery shaft (at which this notice is posted) being in the center of the west end of said claim; thence southerly 300 feet to a monument, being the southwest corner of said claim; thence easterly 750 feet to a monument at the center of the south side line of said claim; thence easterly 750 feet to a monument being at the southwest corner of said claim; thence northerly 300 feet to a monument at the center of the east end of said claim; thence northerly 300 feet to a monument, being at the northeast corner of said claim; thence westerly 750 feet to a monument being at the center of the north side line of said claim; thence westerly 750 feet to a monument at the north west corner of said claim; thence southerly 300 feet to the place of beginning.

All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes of the United States, and of an Act of the General Assembly of Arizona, entitled "An Act Concerning Mines", approved March 20th 1895.

Dated and posted on the ground, this 16th day of July, 1899.

E.F. Roberts

Geo. Merritt.

Filed and recorded at request of E.F. Roberts, Oct. 19, A.D. 1899, at 9 o'clock a.m. in Book 51 of Mines, pages 425 to 427, Records of Yavapai County, Arizona.

(Seal) W.I. Johnson,
County Recorder.

By F.E. Walker, Deputy.

TERRITORY OF ARIZONA,)
) SS:
COUNTY OF YAVAPAI.)

I, W. I. JOHNSON, County Recorder in and for said County, in said Territory, and custodian of the records thereof, do hereby certify that I have compared the above and foregoing with, and the same is a full, true and correct copy of the Amended Notice of Location of the "Badger" Mining Claim, as the same appears from the records of my office in Book 51 of Mines, pages 425 to 427, records of Yavapai County, Arizona.

In Witness Whereof, I have hereunto set my hand and affixed my Official Seal, this 14th day of March 1900.



W. I. Johnson
County Recorder.

"GROUND HOG"

NOTICE OF MINING LOCATION.
Quartz Claim.

TO ALL WHOM IT MAY CONCERN:

This mining claim, the name of which is the Ground Hog Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purpose of exploration and purchase by E.F. Roberts & Geo. Merritt, the undersigned, on the 16 day of July 1899.

The length of this claim is 1500 feet, and we claim 750 feet in a westerly direction and 750 feet in a Easterly direction from the center of the discovery ^{monument} ~~starts~~, which this notice is posted, lengthwise of the claim, together with 300 feet in width of the surface grounds, on each side of the center of said claim. The general course of the lode deposit and premises is from the East to the West.

The claim is situated and located in the Verdie Mining District, in Yavapai County, in the Territory of Arizona, about 4 miles in a southerly direction from Jerome joining the Lone Pine Clame on the North side.

The surface boundaries of the claim are marked upon the ground as follows: Beginning at west end center at a point in a west-erly direction 750 feet from the discovery monument (at which this notice is posted), being in the center of the west end line of said claim; thence 300 feet to a monument of stone being the S.W. corner of said claim; thence 750 feet to a monument at the center of the south side line of said claim; thence 750 feet to a monument, being at the S.E. corner of said claim; thence 300 feet to a monument at the center of the east end of said claim; thence 300 feet to a monument, being at the N.E. corner of said claim; thence 750 feet to a monument of stone being at the center of the north side line of said claim; thence 750 feet to a monument at the N.W. corner of said claim; thence 300 feet to the place of beginning.

All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes of the United States, and of an Act of the General Assembly of Arizona, entitled "An Act Concerning Mines", approved March 20, 1895.

Dated and posted on the ground, this 16 day of July 1899.

E.F. Roberts.
Geo. Merritt.

Filed and recorded at request of G.L. Merritt, Oct 9th A.D. 1899, at 9 o'clock a.m. in Book 52 of Mines, page 434, records of Yavapai County, Arizona.

(Seal) W.I. Johnson, County Recorder.
By E.C. Averyt, Deputy Recorder.

TERRITORY OF ARIZONA,)
COUNTY OF YAVAPAI.)SS:

I, W.I. JOHNSON, County Recorder in and for said county, in said territory, and custodian of the records thereof, do hereby certify that I have compared the above and foregoing with, and the same is a full, true and correct copy of the Notice of Location of the "Ground Hog" Mining Claim, as the same appears of record in my office in Book 52 of Mines, page 434, records of Yavapai County, Arizona.

In Witness Whereof, I have hereunto set my hand and affixed Official Seal, this 14th day of March 1900.



W.I. Johnson
County Recorder.

AMENDED NOTICE OF LOCATION.

Name of Mining Claim: Ground Hog.

The undersigned, E.F. Roberts and George Merritt, being desirous of amending the location notice of the said Ground Hog Mining claim, under the provisions of Act No. 14, of the Legislative Assembly of Arizona, approved March 2, 1899, for the purpose of more clearly stating the number of feet claimed on each side of the discovery shaft lengthwise of the claim, together with more clearly describing the claim, herewith, on this 17th day of October, 1899, amend the notice of location of said Ground Hog Mining Claim,

The original location was made on July 16, 1899 and the notice of location thereof was recorded in Book 52 of Mines, page..... Records of Yavapai County, Arizona.

Description of claim as amended to read as follows:

Notice of Mining Location.
Quartz Claim.

To All Whom it May Concern:

This mining claim, the name of which is the Ground Hog Mining Claim, situate on land belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purpose of exploration and purchase by E.F. Roberts and George Merritt, the undersigned, on the 16th day of July, 1899.

The length of this claim is fifteen hundred (1500) feet, and we claim one thousand (1000) feet in an easterly direction and 500 feet in a westerly direction from the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together with three hundred feet in width of the surface grounds, on each side of the center of said claim. The general course of the lode deposit and premises is from the east to the west.

The claim is situated and located in the Verde Mining District, in Yavapai County, in the Territory of Arizona, about 4 miles in a southerly direction from Jerome: adjoins north side of Lone Pine claim, and east end of Grand Bounce Extension.

The surface boundaries of the claim are marked upon the ground as follows: Beginning at a monument at a point in a westerly direction 500 feet from the discovery shaft (at which this notice is posted), being in the center of the west end line of said claim; thence southerly 300 feet to a monument, being the southwest corner of said claim; thence easterly 750 feet to a monument at the center of the south side line of said claim; thence easterly 750 feet to a monument being at the southeast corner of said claim; thence northerly 300 feet to a monument at the center of the east end of said claim; thence northerly 300 feet to a monument, being at the northeast corner of said claim; thence westerly 750 feet to a monument, being at the center of the North side line of said claim; thence westerly 750 feet to a monument at the northwest corner of said claim; thence southerly 300 feet to the place of beginning.

All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes of the United States, and of an Act of the General Assembly of Arizona, entitled "An Act Concerning Mines", approved March 20th, 1895.

Dated and posted on the ground this 16th day of July, 1899.

E.F. Roberts.

Geo. Merritt.

Filed and recorded at request of E.F. Roberts, Oct. 19, A.D. 1899, at 9 o'clock a.m. in Book 51 of Mines, pages 429 to 431, Records of Yavapai County, Arizona.

(Seal)

W.J. Johnson,
County Recorder.

By F.E. Walker,
Deputy.

41

TERRITORY OF ARIZONA,)
) SS:
COUNTY OF YAVAPAI.)

I, W. I. JOHNSON, County Recorder in and for said County, in said Territory, and custodian of the records thereof, do hereby certify that I have compared the above and foregoing with, and the same is a full, true and correct copy of the Amended Notice of Location of the "Ground Hog" Mining Claim, as the same appears from the records of my office in Book 51 of Mines, pages 429 to 431, records of Yavapai County, Arizona.

In Witness Whereof, I have hereunto set my hand and affixed Official Seal, this 14th day of March, 1900.



W. I. Johnson

County Recorder.

"LOAN PINE"

NOTICE OF LOCATION.

Know all men by these presents:

That I, the undersigned, have this day located Fifteen Hundred (1500) linear feet of this vein or lode, bearing precious metals, with all dips, spurs, angles and variations, with surface ground Three hundred (300) feet on each side of the center of vein, with all Mineral Deposits contained therein, and all Timber growing within the limits of said claim, and all water and water privileges thereon or appurtenant thereto, under and according to the provisions of the Mining Laws of the United States, under which it is located.

This claim commences at this monument and Notice placed upon the ledge, and runs Fifteen Hundred (1500) feet in a westerly direction along the ledge.

The exterior boundaries are as follows, viz:

Commencing at this monument and notice, and running Three Hundred (300) feet in an northerly direction to monument of atone at N.E. corner of claim; thence in a westerly direction parallel with the ledge Fifteen Hundred (1500) feet to monument at N.E. corner of claim; thence at right angles across the ledge in a southerly direction Six Hundred (600) feet to monument at S.W. corner of claim; thence parallel with the lode in a easterly direction Fifteen Hundred (1500) feet to monument at S.E. corner of claim; thence at right angles across the ledge in an northerly direction Three Hundred (300) feet to monument upon the ledge and place of beginning.

This ledge may be more generally described as situated 2-1/4 miles west of Kirwagen & Haskell's ranch on Blow Out Cañon, in Verdugo Mining District, Yavapai County, Arizona Territory, and shall be known as the Loan Pine Mining Claim.

Dated on the ground, this 22d day of Sept. 18..4.

A.M. Strahan.

Recorded at request of A.M. Strahan, Dec. 28, A.D. 1894, at 12:50 o'clock p.m. in Book 38 of Mines, page 259, Records of Yavapai County, Arizona.

(L.S.)

Alex O. Brodie,
County Recorder.

by M.O. Archibald, Deputy.

TERRITORY OF ARIZONA,)
COUNTY OF YAVAPAI.) SS:

I, W.I. JOHNSON, County Recorder in and for said county, in said territory, and custodian of the records thereof, do hereby certify that I have compared the above and foregoing with, and the same is a full, true and correct copy of the Notice of Location of the "Loan Pine" Mining Claim, as the same appears of record in my office in Book 38 of Mines, page 259, records of Yavapai County, Arizona.

In Witness Whereof, I have hereunto set my hand and affixed my Official Seal, this 14th day of March 1900.



W.I. Johnson
County Recorder.

BLACK HORSE.

NOTICE OF MINING LOCATION.
Lode Claim.

To All Whom it May Concern:

This mining claim, the name of which is the Black Horse Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purpose of exploration and purchase by ~~the~~ George A. Treadwell and W.S. Logan, the undersigned, on the 1st day of January, 1900.

The length of this claim is 1500 feet and we claim, 1000 feet in an easterly direction and 500 feet in a westerly direction from the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together with 300 feet in width of the surface grounds, on each side of the center of said claim.

The general course of the lode deposit and premises is from the East to the West.

The claim is situated and located in the Verde Mining District, in Yavapai County, in the Territory of Arizona, about three (3) miles in a south-easterly direction from Jerome and lies East of and adjoining on the westerly end line thereof, the easterly end line of the Lone Pine Mining Claim on the east of which said Lone Pine claim is a tunnel 35 feet in length.

The surface boundaries of the claim are marked upon the ground as follows: Beginning at a monument of rock at a point in an easterly direction 1000 feet from the discovery shaft (at which this notice is posted), being in the center of the east end line of said claim; thence northerly 300 feet to a monument of rock, being the north-east corner of said claim; thence westerly 750 feet to a monument of rock at the center of the northerly side line of said claim; thence westerly 750 feet to a monument of rock, being at the north west corner of said claim; thence southerly 300 feet to a monument of rock at the center of the west end of said claim; thence southerly 300 feet to a monument of rock, being at the south west corner of said claim; thence easterly 750 feet to a monument of rock being at the center of the south side line of said claim; thence easterly 750 feet to a monument of rock at the south east corner of said claim; thence northerly 300 feet to the place of beginning.

The claim is formerly known as the Gift Mining Claim and this location is taking place of the Gift Mining Claim.

All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes of the United States, and of an Act of the General Assembly of Arizona, entitled "An Act Concerning Mines", approved March 20th, 1895.

Dated and posted on the ground this 1st day of January, 1900.

George A. Treadwell
W.S. Logan.

Filed and recorded at request of Alfred Carrigan, Jan. 4", A.D. 1900, at 9 o'clock a.m., Book 53 of Mines, page 113, Records of Yavapai County, Arizona.

By P.J. Farley, Deputy Recorder. (Seal) W.I. Johnson, County Recorder.

TERRITORY OF ARIZONA,)
COUNTY OF YAVAPAI.)SS:

I, W.I. JOHNSON, County Recorder in and for said County, in said Territory, and custodian of the records thereof, do hereby certify that I have compared the above and foregoing with, and the same is a full, true and correct copy of the Notice of Location of the "Black Horse" Mining Claim, as the same appears from the records of my Office in Book 53 of Mines, page 113, records of Yavapai County, Arizona.

In Witness Whereof, I have hereunto set my hand and affixed my Official Seal, this 17th day of March, 1900.



W.I. Johnson
County Recorder.

"NINETY EIGHT".

NOTICE OF MINING LOCATION.
Quartz Claim.

To All Whom it May Concern:

This mining claim, the name of which is the "Ninety Eight" Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purpose of exploration and purchase by James Barton and J.W. Newbould, both of Jerome, Yavapai County, Territory of Arizona, the undersigned, on the first day of January 1898.

The length of this claim is fifteen hundred (1500) feet, and we claim seven hundred and fifty (750) feet in a southerly direction and seven hundred and fifty (750) feet in a northerly direction from the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together with three hundred (300) feet in width of the surface grounds, on each side of the center of said claim. The general course of the lode deposit and premises is from the South to the North.

The claim is situated and located in the Verde Mining District, in Yavapai County, in the Territory of Arizona, about two miles in a ~~west~~ ^{west-south} ~~west~~ ^{west} direction from Haskell & Kirwagen's ranch, and is located as abandoned property, formerly known as the North Extension of the Silver Plate Mining Claim.

The surface boundaries of the claim are marked upon the ground as follows: Beginning at a monument of stones at a point in a southerly direction seven hundred & fifty feet from the discovery shaft (at which this notice is posted), being in the center of the South end line of said claim; thence westerly 300 feet to a monument of stones, being the southwest corner of said claim; thence northerly 750 feet to a monument of stones at the center of the westerly side line of said claim; thence same direction 750 feet to a monument of stones being at the north west corner of said claim; thence easterly 300 feet to a monument of stones at the center of the north end of said claim; thence same direction 300 feet to a monument of stones, being at the northeast corner of said claim; thence southerly 750 feet to a monument of stones, being at the center of the easterly side line of said claim; thence same direction 750 feet to a monument of stones at the southeast corner of said claim; thence westerly 300 feet to the place of beginning.

All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes of the United States, and of an Act of the General Assembly of Arizona, entitled "An Act Concerning Mines", approved March 20th 1895.

Dated and posted on the ground this first day of January 1898.

James Barton.
J.M. Newbould.

Filed and recorded at request of Mrs. James Barton, March 1st, A.D. 1898, at 10:40 o'clock a.m. in Book 50 of Mines, page 54, records of Yavapai County, Arizona.

(Seal) W.I. Johnson, County Recorder.

By E.C. Averyt, Deputy Recorder.

TERRITORY OF ARIZONA,)
COUNTY OF YAVAPAI.) SS:

I, W.I. JOHNSON, County Recorder in and for said county, in said territory, and custodian of the records thereof, do hereby certify that I have compared the above and foregoing with, and the same is a full, true and correct copy of the Notice of Location of the "Ninety Eight" Mining Claim, as the same appears of record in Book 50 of Mines, page 54, records of Yavapai County, Arizona.

In Witness Whereof, I have hereunto set my hand and affixed my Official Seal, this 14th day of March, 1900.



W.I. Johnson
County Recorder.

"GALVESTON"

Part of west end formerly known as the River View claim.

NOTICE OF MINING LOCATION.
Quartz Claim.

TO ALL WHOM IT MAY CONCERN:

This mining claim, the name of which is the Galveston Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits was entered upon and located for the purpose of exploration and purchase by E.F. Roberts & J.W. Newbould, the undersigned, on the 29 day of January 1897.

The length of this claim is (1500) fifteen hundred feet and we claim (750) seven hundred & fifty feet in a westerly direction and 750 feet in a easterly direction from the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together with 300 three hundred feet in width of the surface grounds on each side of the center of said claim. The general course of the lode deposit and premises is from the East to the West.

The claim is situated and located in Verde Mining District, in Yavapai County, in the Territory of Arizona, about 3-1/2 miles in a southeasterly direction from Jerome, laying parallel with the El Paso claim on south side of Blowout canon.

The surface boundaries of the claim are marked upon the ground as follows: Beginning at west end center monument at a point in a westerly direction 750 feet from the discovery shaft (at which this notice is posted), being in the center of the west end line of said claim; thence 300 feet to a monument of stone, being the S.W. corner of said claim; thence 750 feet to a monument at the center of the south side line of said claim; thence 750 feet to a monument, being at the S.E. corner of said claim; thence 300 feet to a monument at the center of the East end of said claim; thence 300 feet to a monument being at the N.E. corner of said claim; thence 750 feet to a monument being at the center of the north side line of said claim; thence 750 feet to a monument at the N.W. corner of said claim; thence 300 feet to the place of beginning.

All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes of the United States, and of an Act of the General Assembly of Arizona, entitled "An Act Concerning Mines", approved March 20th, 1895.

Dated and posted on the ground, this 29 day of January, 1897.

E.F. Roberts <1/2>
J.W. Newbould, Dave Hall
(Newbould & Hall)
(1/4) one fourth each.

Filed and recorded at the request of Merrill Bro. April 13" 1897, at 1:00 o'clock p.m. in Book 45 of Mines, pages 582 & 583, records of Yavapai County, Arizona.

By E.C. Averyt, (Seal) W.I. Johnson, County Recorder.
Deputy Recorder.

TERRITORY OF ARIZONA,) SS:
COUNTY OF YAVAPAI.)

I, W.I. JOHNSON, County Recorder in and for said county, in said territory, and custodian of the records thereof, do hereby certify that I have compared the above and foregoing with and the same is a full, true and correct copy of the Notice of Location of the "Galveston" Mining Claim, as the same appears of record in my office in Book 45 of Mines, pages 582 and 583, records of Yavapai County, Arizona.

In Witness Whereof, I have hereunto set my hand and affixed my official Seal, this 14th day of March 1900.



W.I. Johnson
County Recorder.

"EL PASO"

West half formerly known as the River View Claim.
NOTICE OF MINING LOCATION.
Quartz Claim.

TO ALL WHOM IT MAY CONCERN:

This mining claim, the name of which is the El Paso Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits was entered upon and located for the purpose of exploration and purchase by E.F. Roberts & Dave Hall, the undersigned on the 25th day of January, 1897.

The length of this claim is (1500) fifteen hundred feet, and we claim (750) seven hundred & fifty feet in a w-esterly direction and (750) seven hundred & fifty feet in a easterly direction from the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together with (300) three hundred feet in width of the surface grounds, on each side of the center of said claim. The general course of the lode deposit and premises is from the East to the West.

The claim is situated and located in Verde Mining District, in Yavapai County, in the Territory of Arizona, about 3-1/2 miles in a southeasterly direction from Jerome joining the Silver Plate North Ext. on the east boundary line.

The surface boundaries of the claim are marked upon the ground as follows: Beginning at (and the Shamrock claim on the west boundary line) the west center at a point in a westerly direction 750 feet from the discovery shaft (at which this notice is posted) being in the center of the west end line of said claim; thence 300 feet to a monument of stone, being the S.W. corner of said claim; thence 750 feet to a monument at the center of the south side line of said claim; thence 750 feet to a monument being at the S.E. corner of said claim; thence 300 feet to a monument at the center of the east end of said claim; thence 300 feet to a monument, being at the N.E. corner of said claim; thence 750 feet to a monument being at the center of the north side line of said claim; thence 750 feet to a monument at the N.W. corner of said claim; thence 300 feet to the place of beginning.

All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes of the United States, and of an Act of the General Assembly of Arizona, entitled "An Act Concerning Mines", approved March 20, 1895.

Dated and posted on the ground, this 25 day of January 1897.

E.F. Roberts (1/2)
Dave Hall & J.W. Newbould
Hall & Newbould
(1/4) one fourth each.

Filed and recorded at request of Merrill Bro. April 12" 1897, at 1:00 p.m. in Book 45 of Mines, pages 583-584 & 595, Records of Yavapai County, Arizona.

(Seal) W.I. Johnson, County Recorder.
By E.C. Averyt, Deputy Recorder.

TERRITORY OF ARIZONA,)
COUNTY OF YAVAPAI,) SS:

I, W.I. JOHNSON, County Recorder in and for said county, in said Territory, and custodian of the records thereof, do hereby certify that I have compared the above and foregoing with, and the same is a full, true and correct copy of the Notice of Location of the "El Paso" Mining Claim, as the same appears of record in my Office in Book 45 of Mines, pages 583 to 585, records of Yavapai County, Arizona.

In Witness Whereof, I have hereunto set my hand and affixed my Official Seal, this 14th day of March 1900.



W.I. Johnson
County Recorder.

AMAZON.

This claim was formerly known as the Hardtack mine.

CERTIFICATE OF MINING LOCATION.

Quartz Claim.

This certifies that the Amazon Mining Claim was located by the undersigned on the 2 day of April 1897.

That said mining claim is 1500 feet in length, 300 feet on each side of the center of the discovery shaft, crosswise of the claim, is claimed by the locators: that the general course of the lode and premises is from the South east to the North west: that said claim is situated and located in Verde Mining District, in Yavapai County, in the Territory of Arizona, about 3-1/2 miles in a southerly direction from the town of Jerome.

That the undersigned discoverer of said mining claim locate the same on the 2 day of April 1897, by posting at the point of discovery on the surface a plain notice, of which the following is a copy:

To all whom it may concern:

This mining claim, the name of which is the Amazon Mining claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purpose of exploration and purchase by David Hall, J.W. Newbould, E.F. Roberts, the undersigned, on the 2 day of April 1897.

The length of this claim is 1500 feet and we claim 300 feet on each side of the discovery shaft (at which this notice is posted) lengthwise crosswise of the claim, the general course of the lode deposit and premises is from the S.E. to the N.W.

The claim is situated and located in Verde Mining District, in Yavapai County, in the Territory of Arizona, about 3-1/2 miles in a southerly direction from Jerome.

The surface boundaries of the claim are marked upon the ground as follows: Beginning at monument at a point in a southerly direction 750 feet from the discovery shaft, at which this notice is posted, being in the center of the south end line of said claim; thence easterly 300 feet to a monument of stone being the S.E. corner of said claim; thence northerly 750... to a monument of stone at the center of the east side line of said claim; thence northerly 750 feet to a monument of stone being at the N.W. corner of said claim; thence westerly 300 feet to a monument of stone at the center of the north end line of said claim; thence westerly 300 feet to a monument of stone being at the corner of said claim; thence 750 feet southerly feet to a monument of stone being at the center of the west side line of said claim; thence southerly 750 feet to a monument of stone at the S.E. corner of said claim; thence easterly 300 feet to the place of beginning.

All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes of the United States, and of an Act of the General Assembly of Arizona, entitled "An Act Concerning Mines" approved March 20th 1895.

Dated and posted on the ground this ... day of ... 1897.

David Hall
J.W. Newbould
E.F. Roberts.

Filed and recorded at request of David Hall, June 28th 1897, at 3:15 o'clock p.m. in Book 48 of Mines, pages 86 to 88, Records of Yavapai County, Arizona.

By E.C. Averyt,
Deputy.

(Seal) W.I. Johnson,
County Recorder.

"AMAZON"

AMENDED NOTICE OF LOCATION.

Name of Mining Claim: "Amazon".

The undersigned, David Hall, J.W. Newbould and E.F. Roberts, being desirous of amending the location of the Amazon Mining Claim, under the provisions of Act No. 14, of the Twentieth Legislative Assembly of Arizona, approved March 2, 1899, for the purposes of more clearly stating the number of feet claimed on each side of the discovery shaft, lengthwise of the claim, together with more clearly describing the locality of the claim with reference to some natural object or permanent monument, herewith amend the said Amazon Mining Claim location notice, on the 17th day of October 1899.

The original location was made by the above named parties on the second day of April 1897, and the location notice recorded in Book 48 of Mines, pages 86 to 88, Records of Yavapai County, Arizona.

Description of claim is amended to read as follows:

Notice of Mining Location.
Quartz Claim.

To All Whom it May Concern:

This mining claim, the name of which is the Amazon Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purpose of exploration and purchase by David Hall, J.W. Newbould and E.F. Roberts, the undersigned, on the 2d day of April 1897.

The length of this claim is fifteen hundred (1500) feet, and we claim seven hundred and fifty (750) feet in a southerly direction and 750 feet in a northerly direction from the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together with three hundred (300) feet in width of the surface grounds, on each side of the center of said claim. The general course of the lode deposit and premises is from the Southeast to the northwest.

The claim is situated and located in the Verde Mining District, in Yavapai County, in the Territory of Arizona, about 1000 feet in a northerly direction from the north end line of the South Platte mine (Patented)

The surface boundaries of the claim are marked upon the ground as follows: Beginning at a monument at a point in a southerly direction 750 feet from the discovery shaft (at which this notice is posted), being in the center of the south end line of said claim; thence easterly 300 feet to a monument, being the southeast corner of said claim; thence northerly 750 feet to a monument at the center of the east side line of said claim; thence northerly 750 feet to a monument at the northeast corner of said claim; thence westerly 300 feet to a monument at the center of the north end of said claim; thence westerly 300 feet to a monument being at the northwest corner of said claim; thence southerly 750 feet to a monument being at the center of the west side line of said claim; thence southerly 750 feet to a monument at the southwest corner of said claim; thence easterly 300 feet to the place of beginning.

All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes of the United States, and of an Act of the General Assembly of Arizona, entitled "An Act Concerning Mines", approved March 20th, 1895, together with Act No. 14 of the Twentieth Legislative Assembly of Arizona.

Dated and posted on the ground this 2d day of April, 1897.

David Hall
J.W. Newbould
E.F. Roberts.

Filed and recorded at request of E.F. Roberts, Oct. 19, A.D. 1899, at 9 o'clock a.m. in Book 51 of Mines, pages 427 to 429, Records of Yavapai County, Arizona.

(Seal) W.I. Johnson,
County Recorder.

By F.E. Walker, Deputy.

TERRITORY OF ARIZONA,)
) SS:
COUNTY OF YAVAPAI.)

I, W. I. JOHNSON, County Recorder in and for said County, in said Territory, and custodian of the records thereof, do hereby certify that I have compared the above and foregoing with, and the same is a full, true and correct copy of the Amended Notice of Location of the "Amazon" Mining Claim, as the same appears from the records of my office in Book 51 of Mines, pages 427 to 429, records of Yavapai County, Arizona.

In Witness Whereof, I have hereunto set my hand and affixed my official Seal, this 14th day of March 1900.



W. I. Johnson

County Recorder.

LITTLE JOE.

NOTICE OF MINING LOCATION.
Lode Claim.

TO ALL WHOM IT MAY CONCERN:

This mining claim, the name of which is the Little Joe Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits was entered upon and located for the purpose of exploration and purchase by Dave Hall, J.W. Newbould & E.F. Roberts, the undersigned, on the 3 day of April 1899.

The length of this claim is (1500) feet, and we claim 750 feet in a southerly direction and (750) feet in a northerly direction from the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together with (300) feet in width of the surface grounds, on each side of the center of said claim; The general course of the lode deposit and premises is from the north to the south.

The claim is situated and located in the Verdie Mining District, in Yavapai County, in the Territory of Arizona, about 4 1/2 miles in a south easterly direction from Jerome, joining the Arizona mining claim on the south end & the Revenue claim on the north end.

The surface boundaries of the claim are marked upon the ground as follows: Beginning at south end center at a point in a southerly direction (750) feet from the discovery shaft (at which this notice is posted), being in the center of the south end line of said claim; thence (300) feet to a monument of stone, being the S.E. corner of said claim; thence 750) feet to a monument at the center of the east side line of said claim; thence (750) feet to a monument being at the N.E. corner of said claim; thence (300) feet to a monument at the center of the north end of said claim; thence (300) feet to a monument, being at the N.W. corner of said claim; thence (750) feet to a monument of stone, being at the center of the west side line of said claim; thence (750) feet to a monument at the S.W. corner of said claim; thence (300) feet to the place of beginning.

All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes of the United States, and of an Act of the General Assembly of ~~xxxx~~ Arizona, entitled "An Act Concerning Mines" approved March 20, 1895, and amended March 2d, 1899.

Dated and posted on the ground this 3 day of April 1899.

Dave Hall
J.W. Newbould
E.F. Roberts

Filed and recorded at request of E.F. Roberts, July 1st A.D. 1899, at 9 O'clock a.m. in Book 52 of Mines, page 197, records of Yavapai County, Arizona.

(Seal) W.I. Johnson, County Recorder.
By E.C. Averyt, Deputy Recorder.

TERRITORY OF ARIZONA,)
COUNTY OF YAVAPAI.) SS:

I, W.I. JOHNSON, County Recorder in and for said County, in said Territory, and custodian of the records thereof, do hereby certify that I have compared the above and foregoing with, and the same is a full, true and correct copy of the Notice of Location of the "Little Joe" Mining Claim, as the same appears of record in my office in Book 52 of Mines, page 197, records of Yavapai County, Arizona.

In Witness Whereof, I have hereunto set my hand and affixed my Official Seal, this 14th day of March 1900.



W.I. Johnson
County Recorder.

"GOLDEN EAGLE"

NOTICE OF MINING LOCATION.
Quartz Claim.

To All Whom it May Concern:

This mining claim, the name of which is the Golden Eagle Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purpose of exploration and purchase by Geo. L. Merritt and Geo. H. Dimmick, the undersigned, on the 29 day of May 1899.

The length of this claim is 1500 feet, and we claim 750 feet in a northerly direction and 750 feet in a Southerly direction from the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together with 300 feet in width of the surface grounds, on each side of the center of said claim. The General course of the lode deposit and premises is from the North to the South.

The claim is situated and located in the Verde Mining District, in Yavapai County, in the Territory of Arizona, about Four (4) miles in a southerly direction from Jerome.

The surface boundaries of the claim are marked upon the ground as follows: Beginning at monument at the east end of Copper Plate 300 feet in a westerly direction Initial Monument at a point in adirection.....feet from the discovery shaft (at which this notice is posted), being in the center of the West line of said claim; thence 750 feet to a monument being the northwest corner of said claim; thence 300 feet to a monument at the center of the north end line of said claim; thence 300 feet to a monument being at the north east corner of said claim; thence 750 feet to a monument at the center of the east side of said claim; thence 750 feet to a monument, being at the south east corner of said claim; thence 300 feet to a monument being at the center of the south end line of said claim; thence 300 feet to a monument at the south west corner of said claim; thence northerly 750 feet to the place of beginning.

All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes of the United States, and of an Act of the General Assembly of Arizona, entitled "AN Act Concerning Mines", approved March 20, 1895.

Dated and posted on the ground, this 29 day of May 1899.

Geo. L. Merritt.
Geo. H. Dimmick

Filed and recorded at request of J. J. Fisher, Aug. 23rd A. D. 1899, at 10:55 o'clock a. m. in Book 52 of Mines, page 322, Records of Yavapai County, Arizona.

(Seal) W. I. Johnson, County Recorder.

By E. C. Averyt, Deputy Recorder.

TERRITORY OF ARIZONA,)
COUNTY OF YAVAPAI.) SS:

I, W. I. JOHNSON, County Recorder in and for said County, in said Territory, and custodian of the records thereof, do hereby certify that I have compared the above and foregoing with, and the same is a full, true and correct copy of the Notice of Location of the "Golden Eagle" Mining Claim, as the same appears from the records of my office in Book 52 of Mines, page 322, records of Yavapai County, Arizona.

In Witness Whereof, I have hereunto set my hand and affixed my official Seal, this 14th day of March 1900.

W. I. Johnson
County Recorder.



CLOVERDALE.

NOTICE OF MINING LOCATION.
Quartz Claim.

TO ALL WHOM IT MAY CONCERN:

This mining claim, the name of which is the Cloverdale Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purpose of exploration and purchase by Gor.A. Treadwell, the undersigned, on the 29 day of October 1899.

The length of this claim is 1500 feet, and I claim 750 feet in a westerly direction and 750 feet in a easterly direction from the center of the discovery shaft at which this notice is posted, lengthwise of the claim, together with 300 feet in width of the surface grounds, on each side of the center of said claim.

The general course of the lode deposit and premises is from the West to the East.

The claim is situated and located in the Verde Mining District in Yavapai County, in the Territory of Arizona, adjoining the Silver Plate ^{Patented} mining claim on the east side line and in about 3 miles in a southerly direction from Kirwogen & Haskell ranch and about one mile from the Iron King mine in a Northerly direction.

Beginning at a point in a westerly direction 750 feet from the discovery shaft (at which this notice is posted), being in the center of the south east end line of said claim; thence 300 feet to a monument being the south east corner of said claim; thence 750 feet to a monument at the center of the south ^{West} side line of said claim; thence 750 feet to a monument being at the North east corner of said claim; thence 300 feet to a monument at the center of the east end ~~line~~ of said claim; thence 300 feet to a monument, being at the north west corner of said claim; thence 750 feet to a monument being at the center of the west side line of said claim; thence 750 feet to a monument at the south west corner of said claim; thence 300 feet to the place of beginning.

All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes of the United States, and of an Act of the General Assembly of Arizona, entitled "An Act Concerning Mines", approved March 20th., 1895.

Dated and posted on the ground this 29 day of October, 1899.

Gor.A.Treadwell.

Filed and recorded at request of Alfred Carrigan, Nov. 3rd A. D. 1899, at 9 o'clock a.m. in Book 52 of Mines, page 510, Records of Yavapai County, Arizona.

(Seal) W.I. Johnson, County Recorder.
By E.C. Averyt, Deputy Recorder.

TERRITORY OF ARIZONA,)
COUNTY OF YAVAPAI.) SS:

I, W.I. JOHNSON, County Recorder in and for said County, in said Territory, and custodian of the records thereof, do hereby certify that I have compared the above and foregoing with and the same is a full, true and correct copy of the Notice of Location of the "Cloverdale" Mining Claim, as the same appears from the records of my office in Book 52 of Mines, page 510, records of Yavapai County, Arizona.

In Witness Whereof, I have hereunto set my hand and affixed my Official Seal, this 14th day of March 1900.



W.I. Johnson
County Recorder.

Abandoned clame formly known as the Silver Dick.

"COPPER PLATE"

NOTICE OF MINING LOCATION.
Quartz Claim.

To All Whom it May Concern:

This mining claim, the name of which is the Copper Plate Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purpose of exploration and purchase by E. F. Roberts, the undersigned, on the first day of January 1899.

The length of this claim is 1500 feet and I claim 750 feet, in a westerly direction and 750 feet in a easterly direction from the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together with 300 feet in width of the surface grounds, on each side of the center of said claim. The general course of the lode deposit and premises is from the East to the West.

The claim is situated and located in the Verdie Mining District, in Yavapai County, in the Territory of Arizona, about 5 miles in a south east direction from Jerome, joining the Silver Plate mine on the northeast end, and the South Plat mine on the south side.

The surface boundaries of the claim are marked upon the ground as follows: Beginning at west end center at a point in a westerly direction 750 feet from the discovery shaft (at which this notice is posted), being in the center of the west end line of said claim; thence 300 feet to a monument of stone, being the S.W. corner of said claim; thence 750 feet to a monument at the center of the south side line of said claim; thence 750 feet to a monument being at the S.E. corner of said claim; thence 300 feet to a monument at the center of the east end of said claim; thence 300 feet to a monument, being at the N.E. corner of said claim; thence 750 feet to a monument being at the center of the north side line of said claim; thence 750 feet to a monument at the N.W. corner of said claim; thence 300 feet to the place of beginning.

All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes of the United States, and of An Act of the General Assembly of Arizona, entitled "An Act Concerning Mines", approved March 20th, 1895.

Dated and posted on the ground this first day of January 1899.

Locator E.F. Roberts.

Witness: J.W. Newbould.

Filed and recorded at request of E.F. Roberts, January 30th A.D. 1899, at 10:30 o'clock a.m. in Book 50 of Mines, page 405, Records of Yavapai County, Arizona.

(Seal) W.I. Johnson, County Recorder.
By E.C. Averyt, Deputy Recorder.

TERRITORY OF ARIZONA,)
COUNTY OF YAVAPAI.) SS:

I, W.I. JOHNSON, County Recorder in and for said county, in said territory, and custodian of the records thereof, do hereby certify that I have compared the above and foregoing with, and the same is a full, true and correct copy of the Notice of Location of the "Copper Plate" Mining Claim, as the same appears of record in my office in Book 50 of Mines, page 405, records of Yavapai County, Arizona.

In Witness Whereof, I have hereunto set my hand and affixed my Official Seal, this 14th day of March, 1900.



W.I. Johnson
County Recorder.

"REVENUE"

NOTICE OF MINING LOCATION
Quartz Claim.

To All Whom It May Concern:

This mining claim, the name of which is the Revenue Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purpose of exploration and purchase by J.H. Hutchison, the undersigned, on the 25 day of April 1898.

The length of this claim is (1500) fifteen hundred feet, and I claim (750) feet in a southerly direction and (750) feet in a northerly direction from the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together with (300) feet in width of the surface grounds, on each side of the center of said claim. The general course of the lode deposit and premises is from the North to the South.

The claim is situated and located in the Verdie Mining District, in Yavapai County, in the Territory of Arizona, about 2 miles in a northerly direction from the Equator Mine laying on the Cliff Ridge and below the Cliff Mine.

The surface boundaries of the claim are marked upon the ground as follows: Beginning at South end at a point in a southerly direction (750) feet from the discovery shaft (at which this notice is posted), being in the center of the south end line of said claim; thence (300) feet to a monument of stone, being the S.W. corner of said claim; thence (750) feet to a monument at the center of the west side line of said claim; thence (750) feet to a monument being at the N.W. corner of said claim; thence (300) feet to a monument at the center of the north end of said claim; thence (300) feet to a monument being at the N.E. corner of said claim; thence (750) feet to a monument being at the center of the East side line of said claim; thence (750) feet to a monument at the S.E. corner of said claim; thence (300) feet to the place of beginning.

All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes of the United States, and of an Act of the General Assembly of Arizona, entitled "An Act Concerning Mines", approved March 20th 1895.

Dated and posted on the ground, this 25 day of April 1898.

By J.H. Hutchison.

Filed and recorded at request of E.F. Roberts, July 15th, A. D. 1898, at 2:45 o'clock p.m. in Book 50 of Mines, page 205, Records of Yavapai County, Arizona.

(Seal) W.I. Johnson, County Recorder.
By E.C. Averyt, Deputy Recorder.

TERRITORY OF ARIZONA,) SS:
COUNTY OF YAVAPAI.)

I, W.I. JOHNSON, County Recorder in and for said county, in said territory, and custodian of the records thereof, do hereby certify that I have compared the above and foregoing with and the same is a full, true and correct copy of the Notice of Location of the "Revenue" Mining Claim, as the same appears from the records of my office in Book 50 of Mines, page 205, records of Yavapai County, Arizona.

In Witness Whereof, I have hereunto set my hand and affixed my Official Seal, this 14th day of March, 1900.



W.I. Johnson

County Recorder.

"LIMBO"

NOTICE OF MINING LOCATION.
Lode Claim.

To All Whom It May Concern:

This mining claim, the name of which is the Limbo Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits was entered upon and located for the purpose of exploration and purchase by W.J.Watts, the undersigned, on the 18 day of May 1899.

The length of this claim is 1500 fifteen Hundred feet, and I claim 750 seven hundred & fifty feet, in a westerly direction and 750 seven hundred & fifty feet in a Easterly direction from the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together with 300 three Hundred feet in width of the surface grounds, on each side of the center of said claim. The General course of the lode deposit and premises is from the East to the West.

The claim is situated and located in the Verdie Mining District, in Yavapai County, in the Territory of Arizona, about 2 miles in a easterly direction from the Silver Plate on the same canon.

The surface boundaries of the claim are marked upon the ground as follows: Beginning at east end corner at a point in a easterly direction 750 feet from the "discovery shaft (at which this notice is posted), being in the Center of the east end line of said claim; thence 300 feet to a monument north, being the north east corner of said claim; thence 750 feet to a monument at the center of the north side line of said claim; thence 750 feet to a monument being at the north west corner of said claim; thence 300 feet to a monument at the center of the west end of said claim; thence 300 feet to a monument, being at the south west corner of said claim; thence 750 feet to a monument, being at the center of the south sideline of said claim; thence 1500 feet to a monument at the S.E. corner of said claim; thence 300 feet to the place of beginning.

All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes of the United States, and of an Act of the General Assembly of Arizona, entitled "An Act Concerning Mines" approved March 20, 1895, and amended March 2d, 1899.

Dated and posted on the ground, this 18 day of May 1899.

W.J.Watts.

Filed and recorded at request of Merrill Bros July 3rd, A.D. 1899, at 9 o'clock a.m. in Book 52 of Mines, page 201, records of Yavapai County, Arizona.

By E.C.Averyt, Reputy Recorder. (Seal) W.I.Johnson, County Recorder.

TERRITORY OF ARIZONA,)
COUNTY OF YAVAPAI.) SS:

I, W.I. JOHNSON, County Recorder in and for said county, in said territory, and custodian of the records thereof, do hereby certify that I have compared the above and foregoing with, and the same is a full, true and correct copy of the Notice of location of the Limbo Mining Claim, as the same appears of record in Book 52 of Mines, page 201, records of Yavapai County, Arizona.

In Witness Whereof, I have hereunto set my hand and affixed my Official Seal, this 14th day of March 1900.



W.I. Johnson
County Recorder.

(4-687.)

Surveyor General's Certificate of Approval of Field Notes and Survey of Mining Claim.

Department of the Interior,

Office of U. S. Surveyor General,

Tucson Arizona

Oct. 9th, 1908, ~~18~~

I, U. S. Surveyor General for *Arizona*,

do hereby certify that the foregoing and hereto attached Field Notes and Return of the Survey of the Mining Claim of *The George A Treadwell Mining Company*

....., known as the *Golden Eagle, "Badger" et al group of mines*, situate in *Verde* mining district,

Yavapai County, *Arizona*,

in Section ~~unsurveyed~~, Township No. *13 N*, Range No. *2 E* approximately

....., designated as Survey No. *1469*

executed by *R C Powers*, U. S. Deputy Mineral

Surveyor, *May 12-29, 1908*, under my instructions dated

March 27, 1908, have been critically examined and the

necessary corrections and explanations made, and the said Field Notes and Return, and

the Survey they describe, are hereby approved. A true copy of the copy of the location

certificate filed by the applicant for survey is included in the field notes.

George Christ

U. S. Surveyor General for *Arizona*

Large
Drawing