

MS.

0

1

4

9

2

MINERAL SURVEY NO. 1492

Claims	M & B Desc.	Improvements	Loc. Notices
Anchor	1	17	2
Capstan	3	17	1
Compass	4	18	3
Forecastle	13	18	7
Maintop	9	18	5
Signal	7	18	4
Windlass	10	18	6

(4-683.)

Mineral Survey No. 1492

Lot No. _____

Prescott

Land District.

FIELD NOTES

OF THE SURVEY OF THE MINING CLAIM OF

The Verde Iron Copper Company of Arizona

KNOWN AS THE

Cepstan, Anchor, Compass, Signal, Main Top, Windlass & Forecastle Verde Mining District,

Yavapai County, Arizona

Section _____, Township 16 N., Range 4 E.

Surveyed under instructions dated Aug 15th, 1900,

by J. J. Fisher,
U. S. Deputy Mineral Surveyor.

Claim located reference is made to be. certificates

Survey commenced Aug 20th, 1900

Survey completed Aug. 30th, 1900

o 6-160

Address
Hawkins & Jones,
Atty for Claimants
Prescott
Arizona,

PRELIMINARY OATHS OF ASSISTANTS IN SURVEY OF MINING CLAIM.

WE, E. H. Draper and A. A. Ingraham,
do solemnly swear that we will well and faithfully execute the duties of chain carriers;
that we will level the chain upon even and uneven ground and plumb the tally-pins,
either by sticking or dropping the same; that we will report the true distance to all
notable objects, and the true length of all lines that we assist in measuring, to the best
of our skill and ability, and in accordance with instructions given us, in the survey of
the Mining Claim of The Verde Queen Copper Company of Arizona,
Capstan, Anchor, Compass, Signal, Maintop, Windlass & Forecastle known as the
situate in Verde mining district,
Yavapai County, Arizona,
in Section _____, Township No. _____, Range No. _____

E. H. Draper, Chainman.
A. A. Ingraham, Chainman.

Subscribed and sworn to by the above-named persons before
My commission expires May 19, 1904 me this 20th day of Aug., 1890.
J. J. Fisher
Notary Public.

I, A. A. Ingraham, do solemnly swear that I will well and
truly perform the duties of axeman, in the establishment of corners and other duties,
according to instructions given me and to the best of my skill and ability, in the survey
of the Mining Claim of The Verde Queen Copper Co. of Arizona.
Capstan, Anchor, Compass, Signal, Maintop, Windlass
known as the and Forecastle
more fully described in the preceding affidavit.

A. A. Ingraham, Axeman.

Subscribed and sworn to by the said A. A. Ingraham
before me this 20th day of
My commission expires May 19, 1904 August, 1890.
J. J. Fisher
Notary Public.

I, E. H. Draper, do solemnly swear that I will
well and truly perform the duties of flagman, in the establishment of corners and other
duties, according to instructions given me and to the best of my skill and ability, in the
survey of the Mining Claim of The Verde Queen Copper Co. of Arizona.
Capstan, Anchor, Compass, Signal, Maintop, Windlass
known as the and Forecastle,
more fully described in the preceding affidavit.

E. H. Draper, Flagman.

Subscribed and sworn to by the said E. H. Draper
before me this 20th day of
My commission expires May 19, 1904 August, 1890.
J. J. Fisher
Notary Public.

SURVEY No. 1492.

Feet.

ANCHOR LODGE.

Beginning at cor. No. 1, the S.W. cor. of claim, which is also cor. No. 2 of the Verde Lode, Survey No. 1356.

A lime stone 8 x 8 x 24 ins. set 1 ft. in ground, and alongside built a mon. of stones 3 x 3 ft. Stone marked A.No.1-1492. Same stone marked V. No.2-1356.

A cross on a lava rock in place, marked R.R.A.No.1-1492, hrs.N. 42° 20' W. 31.2 ft.

A cross on a lava rock in place, marked R.R.A.No.1-1492, hrs.S. 4° 15' W. 13.9 ft.

U.S.M.M.No.1-V.D. hrs.S. 49° 54' W. 4961.5 ft.

Thence N.19° 53' W.

Var.14° E.

411 To intersect N.E. line of Bitter Creek Lode, Survey No.1212 at S.42° 19' W. 92.9 ft. from cor. No.17,
700 To W.S.mon., a mon. of stones and pine stake.
1161 " E.S. " *on Compass*.
1451 To cor. No. 2 which is also cor. No. 1 of the Verde Lode of this Survey.

A lava stone 10 x 10 x 24 ins. set 1 ft. in ground alongside built a mon. of stones 3 x 3 ft.

Stone marked A.No.2-1492. Same stone marked C.No.1-1492 for cor. No. 1 of Caistan Lode of this Survey.

A cross on a lava rock in place, marked R.R.C.No.1-1492 hrs.N.86° W. 27.2 ft.

A cross on a lava rock in place marked R.R.A.No.2-1492, hrs.N. 86° 5' E. 21.2 ft.

SURVEY NO. 1492.

Feet	
	Thence N. 70° 15' E. Var. 14° E.
300	To N.C.E. which is also the S.C.E. of the Capstan Lode of this Survey. A mon. of stones surrounding a pine stake.
600	To cor. No. 3, which is also cor. No. 4 of the Capstan Lode of this Survey. A lava stone 6 x 6 x 24 ins. set 1 ft. in ground, alongside built a mon. of stones 3 x 3 ft. Stone marked A.No. 3-1492 Same stone marked C.No. 4-1492. A cross on a lava rock in place, marked B.R.A.No. 3-1492, brs. S. 45° E. 62 ft. A cross on a lava rock in place, marked B.R.C.No. 4-1492, brs. N. 21° 55' W. 100 ft.
	Thence S. 19° 53' E. Var. 14° E.
166	To Cor. No. 1, Binnacle & cor. No. 4, Quarter Deck.
466	To W.E.C. Quarter Deck.
750	To E.S. Men., a mon. of stones surrounding a pine stake.
766	To Cor. No. 1, Quarter Deck & Cor. No. 4, Jack Staff.
1066	To W.E.C. Jack Staff.
1366	To Cor. No. 1, Jack Staff & Cor. No. 4, Yeoman.
1451	To cor. No. 4, which is also cor. No. 3 of the Verle Lode, Survey No. 1356. A line stone 5 x 8 x 24 ins. set 1 ft. in the ground alongside built mon. of stones 3 x 3 ft. Stone marked A.No. 4-1492. Same stone marked V.No. 5-1356. A cross on a line stone in place, marked B.R.A.No. 4-1492, brs. N. 16° 55' W. 10.5 ft. A cross on a line stone in place, marked B.R.A.No. 4-1492, brs. N. 37° 23' E. 19.3 ft.
	Thence S. 70° 15' W. Var. 14° E.
300	To S.C.E. Men. a mon. of stones surrounding a pine stake.
461.5	To intersect the E.S. line of Bitter Creek Lode, Sur-

SURVEY NO. 1492.

Feet

vey No. 1212, at S. 26° 55' E., 459.6 ft. From cor. No. 17.

600 To cor. No. 1, the place of beginning survey of exterior boundaries.

* * * *

CAPSTAN LODGE.

Beginning at cor. No. 1, the S. E. cor. of the claim, which is also cor. No. 2 of the Anchor Lodge of this survey, cor. described above.

U. S. M. N. O. 1-V. D. Dns. S. 35° 35' W. 5622.2 ft.

Thence N. 10° 53' W.
Var. 14° E.

403.2 To intersect the E. S. line of Forecastle Lodge of this survey, at S. 40° 55' W., 265.9 ft. from cor. No. 3.

460 To cor. No. 3 compass lot of this survey.

641.5 To intersect the N. E. line of Forecastle Lodge at N. 85° W., 255 ft. from cor. No. 3

750 To W. S. con., a mon. of stones surrounding pine stake.

1394 To cor. No. 2 .
A line stone 4 x 8 x 24 ins set 1 ft. in ground, NW along side built a row of stones 5 x 5 ft. Stone marked C. No. 2-1492.

A cross on a lime stone in place, marked B. R. C. No. 2-1492 Dns. W. 20° E. 10.3 ft.

A cross on a lime stone in place marked B. R. C. No. 2-1492, Dns. S. 24° 41' E. 17.4 ft.

SURVEY NO. 1492.

Feet	<p>Thence N. 70° 15' E. Var. 14° E.</p> <p>To M.C.E. a mon. of stones surrounding pine stake.</p> <p>To cor. No. 3. Cor. point on lime rock in place, marked Cross C. No. 3-1492, alongside built a mon. of stones 3 x 3 ft. No brgs. available.</p>
360 644 660 960 1394	<p>Thence S. 19° 53' E. Var. 14° E.</p> <p>To Cor No 4 <i>Corpswain</i> To E.S. Mon., a mon. of stones surrounding a pine stake <i>To W.E. Co. Corpswain</i> <i>To Cor No 1 Corpswain and Cor No 4 Binnacle</i> To cor. No. 4, which is 189 cor. No. 3 of the Anchor Lode of this Survey. Cor. described above.</p>
307	<p>Thence S. 70° 15' W. Var. 14° E.</p> <p>To S.C.E. which is also the M.C.E. of Anchor Lode of this Survey. Mon. described above.</p>
600	<p>To cor. No. 1, the place of beginning survey of exterior boundaries.</p>
* * * * *	
COMPASS LODE.	
<p>Beginning at Cor. No. 1, the S.W. cor. of claim, on the N.E. line of Iron Carbonate lode, Survey No. 1212, at S. 42° 19' W. 114.9 ft. from cor. No. 13 of the Iron Carbonate, which is also cor. No. 4 of the Signal Lode of this Survey.</p>	
<p>A lava stone 5 x 10 x 24 ins. set 1 ft. in ground alongside built a mon. of stones 3 x 3 ft.</p>	

1260 WFE Binnacle

SURVEY No. 1492.

Feet

Stone marked C.No.1-1492, same stone marked S. No.4-1492.

A cross on a lava rock in place marked B.R.C.No.1 1492, hrs.N. 42° 30' E. 17 ft.

A cross on a lava rock in place marked B.R.S.No. 4-1492 hrs.N. 29° W. 34.4 ft.

U.S.M.M.No.1 M.D. hrs.S. 45° 39' W. 4483.2 ft.

Thence N.19° 53' W.

Var.14° E.

750 To W.S.Mon. which is also the S.S.Mon. of Signal Lode of this Survey, a mon. of stones surrounding a pine stake.

1421.6 To intersect the E.S.line of Forecastle Lode of this Survey at N.40° 35' E. 359.4 ft. from cor.No. 4.

1500 To cor.No. 2, which is also cor.No. 3 of the Signal Lode of this Survey.

A lava stone 6 x 10 x 24 ins. set 1 ft. in ground alongside built a mon. of stones 5 x 3 ft. Stone marked C.No. 2-1492. Same stone marked S.No.3-1492.

A cross on a lava rock in place, marked B.R.C.No. 2-1492, hrs.S.15° 35' E. 27.2 ft.

A cross on a lava rock in place, marked B.R.S.No. 3-1492, hrs.S.14° 17' W. 23.2 ft.

Thence N.42° 19' E.

Var.14° E.

311 To W.C.E., a mon. of stones surrounding a pine stake.

622 To cor.No. 3 at intersection of W.S.line of Capstan Lode of this Survey at N.19° 53' W. 460 ft. from cor No.1 Capstan lode.

A lava stone 5 x 8 x 24 ins. set 1 ft. in ground,

Feet.

alongside built a mon. of stones. Stone marked C.No. 3-1492.

A cross on a lava rock in place, marked B.R.C.No. 3-1492, brs.N. $40^{\circ} 25' W.$ 55.5 ft.

Thence S. $19^{\circ} 53' E.$

Var. $14^{\circ} E.$

56.8 To intersect the E.S. line of Forecastle Lode at S. $40^{\circ} 35' W.$, 265.9 ft. From cor.No. 3.

460 To cor.No. 1 Capstan, and cor.No. 2 of Anchor Lode of this Survey.

750 To E.S. Mon., a mon. of stone surrounding a pine stake
1211 *To N.S.C. of anchor*
1500 To cor.No. 4, at intersection of N.E. line of Bitter Creek Lode, Survey No. 1212, at S. $42^{\circ} 19' W.$ 92.9 ft. From Cor. No. 17.

A lava stone 6 x 2 x 24 ins. set 1 ft. in ground. alongside built a mon. of stones 3 x 3 ft. Stone marked C.No. 4-1492.

A cross on a lava rock in place, marked B.R.C.No. 4 1492, brs.N. $51^{\circ} 20' W.$ 12.1 ft.

A cross on a lava rock in place, marked B.R.C.No. 4 1492, brs.S. $22^{\circ} 15' W.$ 14.6 ft.

Thence S. $42^{\circ} 19' W.$

Var. $14^{\circ} E.$

311 To S.C.E. Mon., a mon. of stones surrounding a pine stake.

622 To cor. No. 1, the place of beginning survey of exterior boundaries.

SURVEY NO. 1492.

Feet.

SIGNAL LODGE.

Beginning at the Cor.No. 1 the S.W.cor. of the claim, which is also cor. No. 4 of the Main Top Lode of this Survey, at intersection of N.E.line of the Conglomerate Lode, Survey No. 1212, at N.42° 19' E. 149.4 ft. from cor.No. 2 Conglomerate Lode.

A lava stone 4 x 10, x 24 ins. set 1 ft. in ground and alongside built a mon. of stones. Stone marked S.No.1-1492. Same stone marked M.T.No.4-1492.

A cross on a lava rock in place, marked B.R.S.No. 1-1492, brs.N.15° 5' E. 6.2 ft.

A cross on a lava rock in place,marked B.P.M.T. No.4-1492, brs.West 16.5

U.S.M.M. No.1 V.D. brs.S.46° 14' W. 3808.2 ft.

Thence N.19° 53' W.

Var.14° E.

- 1350 To A.B.mon. which is also the E.S.Mon. of the Main Top Lode of this Survey, a mon. of stones surrounding a pine stake.
- 1399.3 To intersect the E.S.line of Windlass Lode of this Survey at S.40° 35' W. 327.2 ft. from cor.No. 3.
- 1500 To cor.No. 2 which is also cor.No. 5 of Main Top Lode of this Survey.

A lava stone 3 x 8 x 27 ins. set 1 ft. in ground, and alongside built a mon. of stones 3 x 3 ft. Stone marked S.No.2-1492. Same stone marked M.T. No.3-1492.

A cross on a lava rock in place,marked B.R.M.T.No. 3-1492, brs.S.25° 48. W. 24 ft.

A cross on a lava rock in place,marked B.R.S.No. 2-1492, brs.S.36° 15' E. 39 ft.

SURVEY NO. 1492.

Feet.	Thence N. 42° 19' E. Var. 14° E.
21° .4	To intersect the N.E. line of Windlass lode at N. 85° W. 100.6 ft. from cor. No. 3, Windlass.
338	To M.C.E., a row of stones surrounding a pine stake.
676	To cor. No. 3, which is also cor. No. 2 of the Compass lode of this Survey, cor. described above.
	Thence S. 10° 53' E. Var. 14° E.
78.4	To intersect the E.S. line of Forecastle lode at N. 40° 55' E. 559.4 ft. from cor. No. 4.
750	To E.S. Mon., a row of stones and pine stake.
1500	To cor. No. 4, which is also cor. No. 1 of the Compass lode of this Survey. Cor. described above.
	Thence S. 42° 19' W. Var. 14° E.
338	To S.C.E. Mon., a row of stones surrounding a pine stake.
425.1	To cor. No. 12 of the Iron Carbonate, and cor. No. 9 of the Conglomerate lode, Survey No. 1212.
676	To cor. No. 1, the place of beginning survey of exterior boundaries.

SURVEY NO. 1492.

Feet.

MAIN TOP LOBE.

Beginning at cor.No.1, the S.W.cor. of claim, which is also cor. No. 8 of the Conglomerate Lode Survey No. 1212.

A granite stone 6 x 8 x 24 ins. set 1 ft. in ground alongside built a ren. of stones, 3 x 3 ft. Stone marked M.T.No.1-1492. Same stone marked C.No.8-1212.

A cross on a lava rock in place, marked R.R.M.T. No.1-1492, hrs.N. 51° 40' W. 15 ft.

U.S.M.M.No.1 V.D. hrs.S. 43° 24' W. 3669.2 ft.

Thence N.37° W.

Var'14° E.

- 700 To V.S.Mon., a ren. of stones surrounding a pine stake.
- 1240 To Cor.No. 3, March Lode Survey No. 1212, which is also the intersection of the E.S.line of the Windlass Lode of this Survey at N.40° 35' E. 225 ft. from cor. No. 4 Windlass.
- 1349.4 To cor.No. 2, cor.point on lava rock in place, cut a cross for cor.point and M.T.No.2-1492, alongside built a ren. of stones 3 x 3 ft. No brgs. available.

Thence N.42° 19' E.

Var.14° E.

- 300 To M.C.F. a ren. of stones surrounding a pine stake.
- 600 To Cor.No. 3, which is also cor.No. 2 of the Signal Lode of this Survey, cor.described above.

Feet

100.0 To intersect the R.S. line of Windlass Lot 4 of this survey at S. 40° 35' 1" W. 327.8 ft. from cor. No. 3. To R.S. Mon. ; a non. of stones surrounding a pine stake.

1500 To cor. No. 4, which is also cor. No. 1 of the signal lot of this survey. Cor. described above.

149.4 To cor. No. 1, the place of beginning survey of ex-

terior boundaries.

* * * * *

WINDLASS LOT 4.

Beginning at cor. No. 1, the S.W. cor. of the claim, original location non. has. S. 40° 35' 1" W. 327.8 ft. a non. of stones surrounding a pine stake.

A lava stone 6 x 3 x 3 ins. set 1 ft. in ground alongside built a non. of stones. Stone marked W. No. 1-1492.

A cross on a lava rock in place marked S.R.W. No. 1-1492, has. N. 50° 30' E. 39 ft.

Cor. No. 3, Daisy 1070 survey No. 961, has. N. 40° 50' E. 290 ft.

U.S. M. No. 1 V.D. has. S. 18° 52' W. 352.5 ft.

SURVEY No. 1492.

Feet

Thence N. 40° 35' E.

Var. 14° E.

74 To intersect the N.E. line of the Daisy Lode Survey No. 961, at S. 53° W. 217.2 ft. From cor. No. 3.

375 To W.S. Mon. a mon. of stones surrounding a pine stake

1125 To cor. No. 2, which is also cor. No. 1 of the Forecastle Lode of this Survey.

A lava stone 5 x 8 x 24 ins set 1 ft. in ground, alongside built a mon. of stones 3 x 3 ft. Stone marked W. No. 2-1492. Same stone marked F. No. 1-1492.

A cross on a lava rock in place, marked B.R.W. No. 2-1492, brs. S. 40° 30' W. 42.5 ft.

A cross on a lava rock in place, marked B.R.F. No. 1-1492, brs. N. 56° 15' E. 21.7 ft.

Thence S. 85° E.

Var. 14° E.

300 To N.C.E., a mon. of stones surrounding a pine stake, which is also the S.C.E. of the Forecastle Lode of this Survey.

499.4 To intersect the N.E. line of Signal Lode of this Survey, at N. 42° 19' E. 212.4 ft. From cor. No. 2 Signal.

600 To cor. No. 3, which is also cor. No. 4 of the Forecastle Lode of this Survey.

A lava stone 6 x 12 x 24 ins. set 1 ft. in ground, alongside built a mon. of stones, stone marked W. No. 3-1492, and same stone marked F. No. 4-1492.

A cross on a lava rock in place, marked B.R.W. No. 3-1492, brs. S. 46° 11' W. 12.2 ft.

A cross on a lava rock in place marked B.R.F. No. 4-1492 brs. S. 20° 50' E. 12.3 ft.

SURVEY NO. 1492.

Feet	Thence S. 40° 35' W. Var. 14° E.
327.2	To intersect the E.S. line of Main Top Lode of this Survey at S. 19° 53' E. 100.7 ft. from cor. No. 3.
750	To E.S. Mon., a mon. of stones surrounding a pine stake.
900	To intersect W.S. line Main Top Lode this Survey, at S. 37° E. 109.4 ft. from cor. No. 2.
1125	To Cor. No. 4 on the N.E. line of the March Lode at S. 40° 35' W. 225 ft. from cor. No. 3 the March Lode Survey No. 1212. Original location mon. a mon. of stones surrounding a pine stake, hrs. S. 40° 35' W. 375 ft.
	A lava stone 5 x 12 x 24 inc. set 1 ft. in ground and alongside built a mon. of stones, stone marked W. No. 4-1492.
	A cross on a lava rock in place, marked R.R.W. No. 4-1492, hrs. N. 6° 12' W. 12.4 ft.
	A cross on a lava rock in place, marked R.R.W. No. 4-1492, hrs. S. 89° 55' W. 16.9 ft.
	Thence N. 85° W. Var. 14° E.
300	To S.C.E. a mon. of stones 3 x 3 ft. Original S.C.E. mon. of location, hrs. S. 40° 35' W. 375 ft.
310.4	To intersect the E.S. line of the Daisy Lode Survey No. 961, at S. 17° 30' E. 222.6 ft. from cor. No. 3.
600	To cor. No. 1 the place of beginning survey of exterior boundaries.

SURVEY NO. 1492.

Feet.

FORECASTLE LOPE.

Beginning at cor.No.1, the S.W. cor. of the claim, which is also cor.No.2 of the Windlass Lode of this Survey, cor.described above.

U.S.M.M.No.1 M.D., hrs.S. 24° W. 4657.8 ft.

Thence N. 40° 35' E.

Var. 14° E.

750 To W.S.Mon., a mon. of stones surrounding a pine stake.

1253.9 To cor.No.2.

A line stone 4 x 8 x 24 ins. set 1 ft. in ground, alongside built a mon. of stones. Stone marked F.No.2-1492.

A cross on line stone in place, marked B.R.F.No.2 1492, hrs.N. 5° 50' W. 10.2 ft.

A cross on a line stone in place, marked B.R.F. No.2-1492, hrs.S. 50° 45' E. 35.7 ft.

Thence S. 35° E.

Var. 14° E.

300 To N.C.E., a mon. of stones surrounding a pine stake.

345 To intersect the W.S.line of Capstan Lode at N. 19° 53' W., 641.5 ft. from cor.No.1.

600 To cor.No. 3,

A line stone 4 x 12 x 30 ins. set 1 ft. in ground and alongside built a mon. of stones, stone marked F.No.3-1492.

A cross on a lava rock in place, marked B.R.F.No. 3-1492, hrs.S. 14° 10' E. 35 ft.

A cross on a lava rock in place, marked B.R.F.No.3 1492, hrs.S. 15° 27' W. 32.5 ft.

Cor.No.3 Compass Lode hrs.S. 55° 19' W. 243 ft.

SURVEY NO. 1492.

Feet

Thence S. 40° 35' W.

Var. 14° E.

- 225.9 To intersect the E.S. line of Compass Lode at S. 19° 53' E. 53.8 ft. from cor. No. 3.
- 503.9 To E.S. Mon. a mon. of stones surrounding a pine stake
- 894.5 To intersect the E.S. line of the Signal Lode at S. 19° 53' E. 78.4 ft. from cor. No. 3
- 1253.9 To cor. No. 4, which is also cor. No. 3 of the Windlass Lode of this Survey, cor. described above.

Thence N. 85° W.

Var. 14° E.

- 100.6 To intersect the W.E. line of Signal Lode at N. 42° 19' E. 212.4 ft. from cor. No. 2.
- 300 To S.C.E. a mon. of stones surrounding a pine stake.
- 600 To cor. No. 1, the place of beginning survey of exterior boundaries.

* * * *

SURVEY NO. 1492.

A R E A S .

Total Anchor Lode		19.98 Acres	
Less conflict with Bitter Creek Lode, Survey No. 1212		<u>1.133</u>	"
Net Area Anchor Lode		18.857 Acres	✓
Total Area Capstan Lode		19.206	" ✓
Total Area Compass Lode		18.941	" ✓
Total Area Signal Lode		20.595	" ✓
Total Area Main Top Lode		11.415	" ✓
Total Area Forecastle Lode		14.039	" ✓
Less conflict with Signal Lode	0.833 A.		
Less conflict with Compass Lode	0.904 "		✓
Less conflict with Capstan Lode	<u>0.528</u> "		✓
		<u>2.325</u>	" ✓
Net Area Forecastle Lode		11.714	" ✓
Total Area Windlass Lode		12.596	" ✓
Less conflict with Daisy Lode, Survey No. 961,	0.399 A.		✓
Less conflict with Main Top, Survey No. 1492	1.412 "		✓
Less conflict with Signal, Survey No. 1492	<u>0.624</u> "		✓
		2.735	✓"
Net Area Windlass Lode		<u>9.861</u>	" ✓
Total Area Lode Claim		110.589	" ✓

SURVEY NO. 1492.

V E I N S .

ANCHOR LOPE:

The vein appears to extend 420 ft. in a S.E. direction and 1031 ft. in a N.W. direction from discovery shaft.

CAPSTAN LOPE:

The vein appears to extend 80 ft. in a S.E. direction and 1314 ft. in a N.W. direction from the discovery cut.

COMPASS LOPE:

The vein appears to extend 20 ft. in a S.E. direction and 1480 ft. in a N.W. direction, *from disc cut,*

SIGNAL LOPE:

The vein appears to extend 20 ft. in a S.E. direction and 1480 ft. in a N.W. direction from the discovery cut.

MAIN TOP LOPE:

The vein appears to extend 50 ft. in a S.E. direction and 1575 ft. in a N.W. direction from the discovery shaft.

VINDIARS LOPE:

The vein appears to extend 10 ft. in a N.E. direction and 1115 ft. in a S.W. direction from the discovery cut.

FORECASTLE LOPE:

The vein appears to extend 525 ft. in a N.E. direction and 728.9 ft. in a S.W. direction from the discovery cut.

SURVEY NO. 1492.

LOCATION AND ADJOINING CLAIMS.

This Survey is bounded on the E. by Survey No. 1461; Coxswain, Binnacle, Quarter Peak and Jack Staff; on the S. by the Verde, Survey No. 1356 and Bitter Creek, Iron Carbonate and Conglomerate, Survey No. 1212; on the W. by March Lode, Survey No. 1212, and Daisy Survey No. 961; on the N. by U.S. lands.

This claim is located on unsurveyed land approximately in T₁₆ N. R. 2 E. of the G. & S. R. R. M. in Verde Mining District, Yavapai County, Arizona Territory.

Note.

This Survey is identical with the location except as hereinbefore stated.

EXPENDITURE OF FIVE HUNDRED DOLLARS.

I certify that the value of the labor and improvements upon this claim placed thereon by the claimant and its grantors, is not less than five hundred dollars, expended for the development of each location in said claim, and said improvements consist of:

ANCHOR LODGE:

Discovery shaft No. 1, which hrs. from the S.C.E. Mon. N. 19° 53' W. 490 ft. Shaft 4 x 6 x 10 ft. deep.
 Value \$100.00

CAPSTAN LODGE:

Discovery cut No. 1, which hrs. from the S.C.E. Mon. N. 19° 53' W. 80 ft. Cut 4 x 20 ft. 10 ft. face.
 Value \$100.00

SURVEY NO. 1492.

COMPASS LOPE:

Discovery cut No. 1, which hrs. from the S.C.E. Mon.
N. 19° 55' W. 20 ft. Cut 4 x 20 ft. 10 ft. face.
Value \$100.00

SIGNAL LOPE:

Discovery Cut No. 1, which hrs. from the S.C.E. Mon.
N. 19° 55' W. 20 ft. Cut 4 x 20 x 10 ft. face.
Value \$100.00

MAIN TOP LOPE:

Discovery shaft No. 1, which hrs. from the S.C.E.
Mon. W. 60 ft. Shaft 4 x 6 ft. 10 ft. deep.

Value \$ 100.

WINDLASS LOPE:

Discovery Cut No. 1 which hrs. from the P.C.E. Mon.
S. 40° 35' W. 10 ft. Cut 4 x 20 ft. 10 ft. face.
Value \$100.00

FORECASTLE LOPE:

Discovery Cut No. 1, which hrs. from the W.C.E. Mon
S. 40° 55' W. 525 ft. Cut 4 x 20 ft. 10 ft. face.
Value \$100.00

Four Hundred Dollars of the improvements on the
Columbia Lode Survey No. 1491, is to be credited
to each of the claims in this Survey, making a total
of 2200.00 to be so credited.

SURVEY NO. 1492.

Note.

Surveys No. 1490, 1491 and 1492 form one group of contiguous mining claims. An application was made for one survey of the entire group. The said survey was segregated and made into three for convenience. This group of mines is called the "Nautical group" and is being worked by a system of mining for the development of the entire group from one main working shaft from which levels are being run to develop the mining claims in said group.

INSTRUMENT.

This survey was made with a Gurley Solar Transit. The courses were deflected from the true meridian as determined by solar and polaris observation. The distances were measured with a 100-foot steel chain and a 50-foot steel tape.

J. J. Fisher

U. S. Geol. Surv. Surveyor.

Prescott, Arizona,

Sept. 11, 1900.

FINAL OATHS FOR SURVEYS.

LIST OF NAMES.

A list of the names of the individuals employed by J. J. Fisher
 United States Deputy Mineral Surveyor, to assist in running, measuring, and marking the lines
 corners and boundaries described in the foregoing field notes of the survey of the mining claim
 of The Verde Queen Copper Company of Arizona,
 known as the Capstan, Anchor, Compass, Signal, Maintop, Windlass & Forecastle,
 and showing the respective capacities in which they acted.

E. H. Draper, Chairman.
A. A. Ingraham, Chairman.
A. A. Ingraham, Axman.
E. H. Draper, Flagman.

FINAL OATHS OF ASSISTANTS.

We, E. H. Draper
 and A. A. Ingraham, do solemnly swear that we assisted J. J. Fisher
Fisher, United States Deputy Mineral Surveyor, in marking the corners and
 surveying the boundaries of the mining claim of The Verde Queen Copper
Company of Arizona.

known as the Capstan, Anchor,
Compass, Signal, Maintop, Windlass and Forecastle, represented
 in the foregoing field notes as having been surveyed by said deputy mineral surveyor and under
 his direction; and that said survey has been in all respects, to the best of our knowledge and
 belief, faithfully and correctly executed, and the corner and boundary monuments established
 according to law and the instructions furnished by the United States Surveyor-General for
Arizona.

E. H. Draper, Chairman.
A. A. Ingraham, Chairman.
A. A. Ingraham, Axman.
E. H. Draper, Flagman.

My commission expires
 May 10, 1900.

Subscribed and sworn to by the above-named persons before me
 this 20th day of August, 1900

J. J. Fisher

Notary Public.

(4-686.)

FINAL OATH OF U. S. DEPUTY MINERAL SURVEYOR

I, J. J. Fisher, U. S. Deputy Mineral Surveyor, do solemnly swear that, in pursuance of instructions received from the United States Surveyor General for Arizona, dated Aug. 15th 1900, I have, in strict conformity to the laws of the United States, the official regulations and instructions thereunder, and the instructions of said Surveyor General, faithfully and correctly executed the survey of the Mining Claim of The Verde Queen Copper Company of Arizona Cepstan, Anchor, Compass, Signal, known as the Main Top, Windlass and Forecastle, situate in Verde Mining District, Yavapai County, Arizona, in Section _____, Township No. _____, Range No. _____, and designated as Survey No. 1492, as represented in the foregoing field notes, which accurately show the boundaries of said mining claim as distinctly marked by monuments on the ground, and described in the attached copy of the location certificate, which was received by me from the Surveyor General with said instructions, and that all the corners of said survey have been established and perpetuated in strict accordance with the law, official regulations and instructions thereunder; and I do further solemnly swear that the foregoing are the true and original field notes of said survey and my report therein, and that the labor expended and improvements made upon said mining claim by claimant or to grantors are as therein fully stated, and that the character, extent, location and itemized value thereof are specified therein with particularity and full detail, and that no portion of said labor or improvements so credited to this claim has been included in the estimate of expenditures upon any other claim.

J. J. Fisher
U. S. Deputy Mineral Surveyor.

Subscribed and sworn to by the said J. J. Fisher
U. S. Deputy Mineral Surveyor, before me a Notary Public
in and for Yavapai Co. Arizona this twelfth
day of September 1900.

Ziba O. Brown
Notary Public



Affidavit of Five Hundred Dollars Improvements.

We, E. H. Draper, and A. A. Ingraham

of lawful age, being first duly sworn according to law, depose and say: that we are acquainted with the Capstan, Anchor, Compass, Signal, Maintop, Windlass & Forecastle mining claim, situate in Verde Mining district, Yavapai County, Arizona Territory, for which The Verde Queen Copper Company of Arizona

has made application for survey prior to application for patent under the provisions of the Act of Congress, approved May 10, 1872; and that the labor done and improvements made thereon by the applicant and to grantors exceed Five Hundred Dollars in value, and further that we are not personally interested in said mine.

E. H. Draper
A. A. Ingraham

TERRITORY OF ARIZONA, }
County of Yavapai } ss:

Sworn to and subscribed before me, this 3rd day of August, 1900

J. J. Fisher
Notary Public.

My commission expires
May 19, 1900

NOTICE OF MINING LOCATION.

Lode Claim.

To all whom it may concern:

This mining claim, the name of which is the Capstan Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purpose of exploration and purchase by F.E. Jordan and T.E. Campbell, the undersigned, on the 20th day of Sept. 1899.

The length of this claim is Fifteen hundred feet and we claim Eighty (80) feet in a Southerly direction and Fourteen hundred twenty (1420) feet in a Northerly direction from the center of the discovery cut, at which this notice is posted, lengthwise of the claim, together with Three Hundred (300) feet in width of the surface grounds, on each side of the center of said claim. The general course of the lode deposit and premises is from the North to the South.

The claim is situated and located in the Verde Mining District, in Yavapai County, in the Territory of Arizona, about three fourth mile in a Northerly direction from Jerome. It is the N. Extension of the Anchor and lies W. of the Coxswain.

The surface boundaries of the claim are marked upon the ground as follows: Beginning at a stone monument at a point in a Southerly direction Eighty feet from the discovery cut (at which this notice is posted), being in the center of the South end line of said claim; thence S. 70° 15' W. 300 feet to a stone monument being the S. West corner of said claim; thence N. 19° 53' W. 750 feet to a stone monument at the center of the West side line of said claim; thence same direction 750 feet to a stone monument being at the N. West corner of said claim; thence N. 70° 15' E. 300 feet to a stone monument at the center of the North end of said claim; thence same direction 300 feet to a stone monument, being at the North East corner of said claim; thence S. 19° 53' E. 750 feet to a stone monument being at the center of the East side line of said claim; thence same direction 750 feet to a stone monument at the S. East corner of said claim; thence S. 70° 15' W. 300 feet to the place of beginning.

All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes of the United States, and of an Act of the General Assembly of Arizona, entitled "An Act Concerning Mines", approved March 20th 1895 and amended March 2d, 1899.

Dated and posted on the ground, this 20th day of Sept. 1899.

F.E. Jordan
T.E. Campbell

Filed and recorded at request of F.E. Jordan, Dec. 15", A.D. 1899, at 9 o'clock a.m., Book 53 of Mines, page 2, Records of Yavapai County, Arizona.

By E.C. Averyt, Deputy Recorder. (Seal) W.I. Johnson, County Recorder.

TERRITORY OF ARIZONA,)
COUNTY OF YAVAPAI.) SS:

I, W.I. JOHNSON, County Recorder in and for said County, in said Territory, and custodian of the records thereof, do hereby certify that I have compared the above and foregoing with, and the same is a full, true and correct copy of the Notice of Location of the "Capstan" Mining Claim, as the same appears of record in Book 53 of Mines, page 2, records of Yavapai County, Arizona.

In Witness Whereof, I have hereunto set my hand and affixed my Official Seal, this 25th day of July, 1900.

W.I. Johnson
County Recorder.



"ANCHOR"

NOTICE OF MINING LOCATION.
Lode Claim.

To all whom it may concern:

This Mining Claim, the name of which is the Anchor Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purpose of exploration and purchase by F.E. Jordan and T.E. Campbell, the under signed, on the 20th day of Sept. 1899.

The length of this claim is Fifteen Hundred (1500) feet, and we claim One thousand eighty (1080) feet in a Northerly direction and Four Hundred twenty (420) feet in a Southerly direction from the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together with Three hundred (300) feet in width of the surface grounds, on each side of the center of said claim. The general course of the lode deposit and premises is from the North to the South.

The claim is situated and located in the Verde Mining District, in Yavapai County, in the Territory of Arizona, about one half mile in a North easterly direction from Jerome. It is the N. Extension of the Verde Mining Claim: lies E. of the Compass and N. of the Jackstaff.

The surface boundaries of the claim are marked upon the ground as follows: Beginning at a stone monument, identical with the cen. N. end of the Verde Mining Claim, at a point in a Southerly direction 420 feet from the discovery shaft (at which this notice is posted), being in the center of the South end line of said claim; thence S. 70° 15' W. 300 feet to a stone monument, being the Southwest corner of said claim; thence N. 19° 53' W. 750 feet to a stone monument at the center of the West side line of said claim; thence same direction 750 feet to a stone monument being at the Northwest corner of said claim; thence N. 70° 15' E. 300 feet to a stone monument at the center of the North end of said claim; thence same direction 300 feet to a stone monument, being at the North east corner of said claim; thence S. 19° 53' E. 750 feet to a stone monument being at the center of the East sideline of said claim; thence same direction 750 feet to a stone monument at the S. East corner of said claim; thence S. 70° 15' W. 300 feet to the place of beginning.

All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes of the United States, and of an Act of the General Assembly of Arizona, entitled "An Act Concerning Mines", approved March 20, 1895, and amended March 2d, 1899.

Dated and posted on the ground, this 20th day of Sept. 1899.

F.E. Jordan.
T.E. Campbell.

Filed and recorded at request of F.E. Jordan, Nov. 29, A.D. 1899, at 9 o'clock a.m. Book 52 of Mines, page 604, Records of Yavapai County, Arizona.

By E.C. Averyt, Deputy Recorder. (Seal) W.I. Johnson, County Recorder.

TERRITORY OF ARIZONA,)
COUNTY OF YAVAPAI.) SS:

I, W.I. JOHNSON, County Recorder in and for said County, in said Territory, and custodian of the records thereof, do hereby certify that I have compared the above and foregoing with, and the same is a full, true and correct copy of the Notice of Location of the "Anchor" Mining Claim, as the same appears of record in Book 52 of Mines, page 604, records of Yavapai County, Arizona.

In Witness Whereof, I have hereunto set my hand and affixed my Official Seal, this 25th day of July, 1900.



W.I. Johnson
County Recorder.

"COMPASS"

NOTICE OF MINING LOCATION.
Lode Claim.

27

To all whom it may concern:

This Mining Claim, the name of which is the Compass Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purpose of exploration and purchase by F.E. Jordan and T.E. Campbell the undersigned on the 20th day of Sept. 1899.

The length of this claim is Fifteen hundred (1500) feet, and we claim Fourteen hundred Eighty (1480) feet in a Northerly direction and Twenty (20) feet in a Southerly direction from the center of the discovery cut, at which this notice is posted, lengthwise of the claim, together with Three hundred (300) feet in width of the surface grounds, on each side of the center of said claim. The general course of the lode deposit and premises is from the North to the South.

The claim is situated and located in the Verde Mining District, in Yavapai County, in the Territory of Arizona, about one half mile in a Northerly direction from Jerome. It is the N. Extension of the Bitter Creek, and lies between the Anchor and Signal claims.

The surface boundaries of the claim are marked upon the ground as follows: Beginning at a stone monument at a point in a Southerly direction twenty (20) feet from the discovery cut (at which this notice is posted), being in the center of the South end line of said claim; thence S. 42° 19' W. 338 feet to a stone monument being the Southwest corner of said claim; thence N. 19° 53' W. 750 feet to a stone monument at the center of the West side line of said claim; thence same *dir* direction 750 feet to a stone monument being at the N. West corner of said claim; thence N. 42° 19' E. 338 feet to a stone monument at the center of the North end of said claim; thence same *dir* direction 338 feet to a stone monument, being at the North East corner of said claim; thence S. 19° 53' E. 750 feet to a stone monument being at the center of the East side line of said claim; thence same direction 750 feet to a stone monument at the S. East corner of said claim; thence S. 42° 19' W. 338 feet to the place of beginning.

All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes of the United States, and of an Act of the General Assembly of Arizona, entitled "An Act Concerning Mines", approved March 20th, 1895 and amended March 2d, 1899.

Dated and posted on the ground, this 20th day of Sept., 1899.

F.E. Jordan
T.E. Campbell

Filed and recorded at request of F.E. Jordan, Dec. 15", A.D. 1899, at 9 o'clock A.D., Book 53 of Mines, page 3, Records of Yavapai County, Arizona.

By E.C. Averyt, Deputy Recorder. (Seal) W.I. Johnson, County Recorder.

TERRITORY OF ARIZONA,)
COUNTY OF YAVAPAI.) SS:

I, W.I. JOHNSON, County Recorder in and for said County, in said Territory, and custodian of the records thereof, do hereby certify that I have compared the above and foregoing with and the same is a full, true and correct copy of the Notice of Location of the "Compass" Mining Claim, as the same appears of record in Book 53 of Mines, page 3, records of Yavapai County, Arizona.

In Witness Whereof, I have hereunto set my hand and affixed my Official Seal, this 25th day of July, 1900.



W.I. Johnson
County Recorder.

"SIGNAL"

NOTICE OF MINING LOCATION.
Lode Claim.

To all whom it may concern:

This Mining Claim, the name of which is the Signal Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purpose of exploration and purchase by F.E. Jordan and T.E. Campbell, the undersigned, on the 21st day of Sept. 1899.

The length of this claim is Fifteen Hundred (1500) feet, and we claim Fourteen hundred eighty (1480) feet in a Northerly direction and Twenty (20) feet in a Southerly direction from the center of the discovery cut, at which this notice is posted, lengthwise of the claim, together with Three hundred (300) feet in width of the surface grounds, on each side of the center of said claim. The general course of the lode deposit and premises is from the North to the South.

The claim is situated and located in the Verde Mining District, in Yavapai County, in the Territory of Arizona, about one half mile in a Northerly direction from Jerome. It is the N. extension of the Iron Carbanate, and lies W. of the Compass claim.

The surface boundaries of the claim are marked upon the ground as follows: Beginning at a stone monument at a point in a Northerly direction twenty (20) feet from the discovery cut (at which this notice is posted), being in the center of the South end line of said claim; thence S. 42° 19' W. 338 feet to a stone monument being the S. West corner of said claim; thence N. 19° 53' W. 750 feet to a stone monument at the center of the West side line of said claim; thence same direction 750 feet to a stone monument being at the N. West corner of said claim; thence N. 42° 19' E. 338 feet to a stone monument at the center of the North end of said claim; thence same direction 338 feet to a stone monument, being at the North East corner of said claim; thence S. 19° 53' E. 750 feet to a stone monument being at the center of the East side line of said claim; thence same direction 750 feet to a stone monument at the S. East corner of said claim; thence S. 42° 19' W. 338 feet to the place of beginning.

All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes of the United States, and of an Act of the General Assembly of Arizona, entitled "An Act Concerning Mines", approved March 20th, 1895, and amended March 2d, 1899.

Dated and posted on the ground, this 21st day of Sept. 1899.

F.E. Jordan
T.E. Campbell

Filed and recorded at request of F.E. Jordan, Dec. 15", A.D. 1899, at 9 o'clock A.M. Book 53 of Mines, page 4, Records of Yavapai County, Arizona.

By E.C. Averyt, Deputy Recorder. (Seal) W.I. Johnson, County Recorder.

TERRITORY OF ARIZONA,)
COUNTY OF YAVAPAI,) SS:

I, W.I. JOHNSON, County Recorder in and for said County, in said Territory, and custodian of the records thereof, do hereby certify that I have compared the above and foregoing with, and the same is a full, true and correct copy of the Notice of Location of the "Signal" Mining Claim, as the same appears of record in Book 53 of Mines, page 4, records of Yavapai County, Arizona.

In Witness Whereof, I have hereunto set my hand and affixed my Official Seal, this 25th day of July, 1900.

W.I. Johnson
County Recorder.



"MAIN TOP".

NOTICE OF MINING LOCATION.
Lode Claim.

To all whom it may concern:

This Mining Claim, the name of which is the Main Top Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purpose of exploration and purchase by F.E. Jordan and T.E. Campbell, the undersigned, on the 21st day of Sept. 1899.

The length of this claim is Fifteen hundred (1500) feet and we claim Fifteen hundred (1500) feet, in a Northerly direction from the South end center monument, at which this notice is posted lengthwise of the claim, together with Three Hundred (300) feet in width of the surface grounds, on each side of the center of said Claim. The General course of the lode deposit and premises is from the North to the South.

The claim is situated and located in the Verde Mining District, in Yavapai County, in the Territory of Arizona, about one quarter mile in a N. Westerly direction from Jerome. It is the N. Extension of the Conglomerate and lies along the E. side line of the March.

The surface boundaries of the claim are marked upon the ground as follows: Beginning at a stone monument about sixty feet easterly from the discovery shaft (at which this Notice of posted), being in the center of the South end line of said claim; thence S. 42° 19' W. 85 feet to a stone monument being the Southwest corner of said claim; thence N. 37° W. 750 feet to a stone monument at the center of the West side line of said claim; thence same direction 750 feet to a stone monument being at the N. West corner of said claim; thence N. 42° 19' E. 330 feet to a stone monument at the center of the North end of said claim; thence same direction 330 feet to a stone monument being at the North east corner of said claim; thence S. 19° 53' E. 750 feet to a stone monument being at the center of the East side line of said claim; thence same direction 750 feet to a stone monument at the S. East corner of said claim; thence S. 42° 19' W. 85 feet to the place of beginning.

All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes of the United States, and of an Act of the General Assembly of Arizona, entitled "An Act Concerning Mines", approved March 20th, 1895, and amended March 2d, 1899.

Dated and posted on the ground, this 21st day of Sept. 1899.

F.E. Jordan
T.E. Campbell

Filed and recorded at request of F.E. Jordan, Dec. 15", A.D. 1899, at 9 O'clock a.m., Book 53 of Mines, page 5, Records of Yavapai County, Arizona.

By E.C. Averyt, Deputy Recorder.
(Seal) W.I. Johnson, County Recorder.

TERRITORY OF ARIZONA,)
COUNTY OF YAVAPAI.) SS:

I, W.I. JOHNSON, County Recorder in and for said County, in said Territory, and custodian of the records thereof, do hereby certify that I have compared the above and foregoing with, and the same is a full, true and correct copy of the Notice of Location of the "Main Top" Mining Claim, as the same appears of record in Book 53 of Mines, page 5, records of Yavapai County, Arizona.

In Witness Whereof, I have hereunto set my hand and affixed my Official Seal, this 25th day of July, 1900.

W.I. Johnson
County Recorder.



Windlass.

NOTICE OF MINING LOCATION.
Lode claim.

To all whom it may concern:

This mining claim, the name of which is the Windlass Mining Claim, situate on lands, belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purpose of exploration and purchase by F.E. Jordan and T.E. Campbell, the undersigned, on the 29th day of November, 1899.

The length of this claim is Fifteen hundred (1500) feet, and we claim fourteen hundred ninety (1490) feet in a Southwesterly direction and Ten (10) feet in a Northeasterly direction from the center of the discovery cut, at which this notice is posted, lengthwise of the claim, together with Three hundred (300) feet in width of the surface grounds, on each side of the center of said claim. The general course of the lode deposit and premises is from the North East to the South West.

The claim is situated and located in the Verde Mining District, in Yavapai County, in the Territory of Arizona, about one half mile in a Northwesterly direction from Jerome and lies N.E. of the Daisy, S. of the Wyandotte Script, and N. of the March and Main top claims.

The surface boundaries of the claim are marked upon the ground as follows: Beginning at a stone monument at a point in a North Easterly direction Ten (10) feet from the discovery cut (at which this notice is posted), being in the center of the North end line of said claim; thence S. 85° East 300 feet to a stone monument being the North East corner of said claim; thence S. 40° 35' W. 750 feet to a stone monument at the center of the East side line of said claim; thence same direction 750 feet to a stone monument being at the South East corner of said claim; thence N. 85° West 300 feet to a stone monument at the center of the South end of said claim; thence same direction 300 feet to a stone monument, being at the South West corner of said claim; thence N. 40° 35' E. 750 feet to a stone monument being at the center of the West side line of said claim; thence same direction 750 feet to a stone monument at the North West corner of said claim; thence South 85° East 300 feet to the place of beginning.

All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes of the United States, and of an Act of the General Assembly of Arizona, entitled "An Act Concerning Mines", approved March 20th, 1895, and amended March 2d, 1899.

Dated and posted on the ground this 29th day of November, 1899.

F.E. Jordan
T.E. Campbell

Filed and recorded at request of F.E. Jordan, Feb. 27", A.D. 1900, at 9 o'clock a.m., Book 53 of Mines, page 280, Records of Yavapai County, Arizona.

(Seal) W.I. Johnson,
County Recorder.

by P.J. Farley,
Deputy Recorder.

TERRITORY OF ARIZONA,)
COUNTY OF YAVAPAI.)

SS:
I, W.I. JOHNSON, County Recorder in and for said County, in said Territory, and custodian of the records thereof, do hereby certify that I have compared the above and foregoing with, and the same is a full, true and correct copy of the Notice of Location of the "Windlass" Mining Claim, as the same appears of record in Book 53 of Mines, page 280, records of Yavapai County, Arizona.

In Witness Whereof, I have hereunto set my hand and affixed my Official Seal, this 25th day of July, 1900.

W.I. Johnson
County Recorder.



FORECASTLE.

NOTICE OF MINING LOCATION.

Lode claim.

To all whom it may concern:

This mining claim, the name of which is the Forecastle Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purpose of exploration and purchase by F.E. Jordan and T.E. Campbell, the undersigned, on the 29th day of November, 1899.

The length of this claim is Fifteen hundred (1500) feet, and we claim five hundred twenty five (525) feet in a Northeasterly direction and Nine hundred seventy-five (975) feet in a Southwesterly direction from the center of the discovery cut, at which this notice is posted, lengthwise of the claim, together with Three hundred (300) feet in width of the surface grounds, on each side of the center of said claim. The general course of the lode deposit and premises is from the North East to the South West.

The claim is situated and located in the Verde Mining District, in Yavapai County, in the Territory of Arizona, about one half mile in a Northerly direction from Jerome, and lies E. of the Windlass and Wyandotte Script, and N. of the Signal and Compass Claims.

The surface boundaries of the claim are marked upon the ground as follows: Beginning at a stone monument at a point in a Northeasterly direction 525 feet from the discovery cut (at which this notice is posted), being in the center of the North end line of said claim; thence S. 85° East 300 feet to a stone monument being the Northeast corner of said claim; thence S. 40° 35' W. 750 feet to a stone monument at the center of the East side line of said claim; thence same direction 750 feet to a stone monument being at the South East corner of said claim; thence N. 85° West 300 feet to a stone monument at the center of the South end of said claim; thence same direction 300 feet to a stone monument, being at the South West corner of said claim; thence N. 40° 35' East 750 feet to a stone monument, being at the center of the West side line of said claim; thence same direction 750 feet to a stone monument at the North West corner of said claim; thence South 85° East 300 feet to the place of beginning.

All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes of the United States, and of an Act of the General Assembly of Arizona, entitled "An Act Concerning Mines", approved March 20th, 1895, and amended March 2d, 1899.

Dated and posted on the ground, this 29th day of November, 1899.

F.E. Jordan
T.E. Campbell

Filed and recorded at request of F.E. Jordan, Feb. 27", A.D. 1900 at 9 o'clock A.M., Book 53 of Mines, page 278, Records of Yavapai County, Arizona.

(Seal) W.J. Johnson,

By P.J. Farley,

County Recorder.

Deputy Recorder.

TERRITORY OF ARIZONA,)
COUNTY OF YAVAPAI.) SS:

I, W.J. JOHNSON, County Recorder in and for said County, in said Territory, and custodian of the records thereof, do hereby certify that I have compared the above and foregoing with, and the same is a full, true and correct copy of the Notice of Location of the "Forecastle" Mining Claim, as the same appears of record in Book 53 of Mines, page 278, records of Yavapai County, Arizona.

In Witness Whereof, I have hereunto set my hand and affixed my Official Seal, this 25th day of July, 1900.

W.J. Johnson
County Recorder.



Surveyor General's Certificate of Approval of Field Notes and Survey of Mining Claim.

Department of the Interior,

Office of U. S. Surveyor General,

Tucson Arizona.

October 22, 1900, 18

I, U. S. Surveyor General for *District of Arizona,*

do hereby certify that the foregoing and hereto attached Field Notes and Return of the Survey of the Mining Claim of *The Verde Queen Copper Company of Arizona,*

....., known as the *Capsta, Anchor, Compass, Signal, Main Top, Windlass & Forecastle,* situate in *Verde* mining district,

Yavapai County, *Arizona*, in Section *~*, Township No. *~*, Range No. *~*

....., designated as Survey No. *1492*

executed by *J. J. Fisher*, U. S. Deputy Mineral

Surveyor, *Aug 20-30, 1900, 18*, under my instructions dated

Aug 15, 1900, 18, have been critically examined and the

necessary corrections and explanations made, and the said Field Notes and Return, and the Survey they describe, are hereby approved. A true copy of the copy of the location certificate filed by the applicant for survey is included in the field notes.

George Christ

U. S. Surveyor General for *Arizona*

