QQ 15-1901.

(4-683.)

Mineral Survey No. 1862	
Lot No.	
Gila	
Land District.	
•	
FIELD NOTES	
OF THE SURVEY OF THE MINING CLAIM OF	
L.C.Shattuck	
Of Fisce Cochise County Arizona Territory	
KNOWN AS THE	
Wadde 11	
WarrenMining Dist	rict,
Cochise County,Arizona-Territ.ory	,
Seglina Approximately. Township 23 S., Rangelo. 24 E (unsu:	rveyed)
Surveyed under instructions dated July 9th 1901, 1, by Soo. O. Olack, U. S. Deputy Mineral Surv	
Claim located January 1st 1894 Amended June 1901	
Survey commenced July 10 1901 1901 1	
Survey completed Tury to the 1001	

Claimants Address; - Eisbee, Cochise County, Arizona, Territory

PRELIMINARY OATHS OF ASSISTANTS IN SURVEY OF MINING CLAIM.

WE.	J. Watson	and Tho	, J.	Do	new
do solemnly swe that we will lev either by sticki notable objects, of our skill and	ear that we will well and fai el the chain upon even and ng or dropping the same; and the true length of all l ability, and in accordance	thfully execute the theology of the theology o	ne dution and plant the string metallic district the string metallic district distri	es of cl lumb tl true di easurin	nain carriers; ne tally-pins, stance to all g, to the best
	Cochise County, Arizon				
	Wadde 11				
	Warren				
Approximate 1	se County County Y, Township No. 23 S	nty, Ari zon , Range No. No.	124 E	ritor (unsur	y, veyed)
	X Tho	Mayou		·,	, Chainman.
	Subscribed and	sworn to by the a	bove-na	amed p	ersons before
	me this 10 t	h day of ur	Y 190)]	., 18
	*	J.M.	10	_	200
		Notary I	ublic i	n and f	or the County
T		do sologonia	e Leri	THORY D	Altimode and
of the Mining C known as the	ne duties of axeman, in the tructions given me and to to to the laim of	he best of my skil	l and a	ıbility, i	n the survey
					, Axeman.
	Subscribed and	sworn to by the s	aid		
		before r	ne this		day of
		3,	, 18	•1	
Ι,		ob -	solemi	nly swe	ar that I will
well and truly p	erform the duties of flagma g to instructions given me a	n, in the e <mark>s</mark> tablish	ment c	of corne	ers and other
survey of the M	ining Claim of				
known as the					···,
more fully descr	ribed in the preceding affida	vit.			
					Til a
		sworn to by the s			
		before r			day of
			, 18		

Beginning at cor No.1, the N.W.cor.identical with locat.

A pine post 4 ft.long, 4 ins.sq.set 1 ft.in the ground in a mound of stones & scribed 1 - 1562 W.L.whence

A pine post 4 ft.long, 4 ins.sq.set 1 ft.in the ground in a mound of stones & scribed 1-1562 W.C.bears N 30° 07'W 50°50 ft. & a second post of same dimensions set 1 ft.in the ground in a mound of stones & scribed 1-1562 W.C bears S 30°07'E 39°00 ft. & U.S.M.M.No.4 bears N 63°15'W 3192°00 ft.

No other bearing monuments available.

Thence N 87°48'E

17.20 To N end center, identical with location.

A.pine post 4 ft.long, 4 ins.sq.set 1 ft.in the ground

in a mound of stones & scribed 1562-W.L.

Same bearing to cor.No.2, the N.E.cor.identical with location & with cor.No.4, Last Rose of Summer Lode No. 1581. A pine post 4 ft.long, 4 ins.sq.set 1 ft.in the ground in a mound of stones & scribed 2-1582 W.L. Whence a rock in place 0.5 × 2½ × 3½ ft.chiseled ×-2 1582 B.R bears S 11°23'W 234.50 ft.

Thence S 40°34'E

858.90 To E side center, a mound of stones, identical with locat.

1378.00 Same bearing to cor.No.3 the S.E.cor.identical with location & with corners

No.3 Last Rose of Summer Lode No.1561

No.2 Comet Lode No.1563

And with a cor.of the unsurveyed Home Lode

A pine post 4 ft.long, 4 ins.sq.set 1 ft, in the ground
in a mound of stones & scribed 3-1562 W.L. whence

A pointed rock in place 2½ ft.high 2 × 2½ ft.at base,
chiseled x-3-1562 B.R.bears S 39°59 E 171.56 ft.

Thence S 87°48 W

300.00 To S end center, identical with location & with N end center Comet Lode No.1563,

A pine post 4 ft.long, 4 ins.sq.set 1 ft.in the ground in a mound of stones & scribed 1562 W.L.

Same bearing to cor.No.4, the S.W. wr.identical with location & with cor.No.1 Comet Lode No.1583 & with a corner of the unsurveyed Primrose Lode.

A pine post 4 ft.long, 4 ins.sq.set 1 ft.in the ground

	in a mound of stones & scribed 4-1562 W.L. whence
	A rock in place level with surface 2.6 × 4 ft.chiseled
	x-4-1562 B.R. bears N 86°43'W 123.90 ft.
	Thence N 30°07'W
314.61	To intersection line 2 - 3 Oregon Lode No. 1398 at S 11°
	17 E 26.94 ft.from cor.No.2
344.70	To intersection line 1 - 2 Oregon Lode No.1398 at S 87°
	48'W 9.84 ft.from cor No 2
653;50	Same bearing to W side center, a mound of stones identi-

1222.70 Same bearing to cor. No 1, the place of beginning.

cal with location

IMPROVEMENTS

Value

I certify that the value of the labor & improvements on this claim, placed thereon by the claimant or his grantors is not less than Five Hundred Dollars & that said improvements consist of

No.1 Diswvery Shaft 4×6×10 ft.bears from point on line 2-3 at 775.00 ft.from cor.No.2 S 61.40 W 250.00 ft. \$ 100.00 From same point

No.2	Shaft	4×6×15	ft.bears	N	69°45 IW	510.00	feet	100.00
No.3	Ħ	4×6×15	ft. "	N	66°55!W	330.00	11	100.00
No.4	17	4×6×12	ft. "	11	75°121W	325 • 00	11	100.00
No.5	11	4×6×10	ft. "	11	80°30 IW	330 • 00	11	50.00
No.6	79	4×6×10	ft. "	N	82°211W	285 • 00	17	50.00
No.7	99	4×6×12	ft. "	N	71°23'W	300;00	11	75.00
No.8	11	4×6×10	ft. "	s	70°001W	8.00	TI.	50.00
No.9	11	4×6×10	ft. "	N	44°40 17	250.00	11.	50.00

Total improvements Waddell Lode

\$ 675.00

LEDGE

The presumable course of the mineral bearing ledge on this claim, as nearly as can be determined from present development, is N 40°34'W1378'00 ft.from the South end center.

LOCATION

This claim is located about one mile S.E.of Bisbee, in the Warren Mining District, Cochise County Arizona Territory & will, when the public surveys are extended over this section, be embraced approximately in Township No. 23 South, Range No. 24 East of the Gila & Salt River Base & Meridian.

This claim is bounded or touched on the North by the Surplus Lode, (unsureyed). Perry, owner

On the East by

Last Rose of Summer Lode. No 1561 L.C. Shattuck, Owner.

On the South by

Comet Lode, No. 1563. L.C. Shattuck. Owner.

Home Lode, unsurveyed, Jacob Pirrung, Owner.

On the West by

Primrose Lode, unsurveyed, Edward Grenfell, Owner.

Wayland Lode

I.K. Wallace, Owner.

Oregon Lode No.1398

Thomas Higgins, Owner.

AREAS

Stat.	Bea	r.	Dist.		Lat.	Dep.	D.M.D.	
1 - 2	N 87°4	81E	317.20	+	12 • 18+	316 • 96+	316 • 96+	3860.57
2 - 3	S 40°3	41E	1378 • 00		1046 • 80+	896•16+	1530 • 08-1	1801687.74
3 - 4	S 87°4	8 I W	600 • 00	-	23.03-	599 • 55+	1826 - 89-	42068.67
4 - 1	N 30°0	717	1222 • 70	+_	1057 • 65-	613 • 57+	613.57+	648942 • 31
Area =	11.37	Acres			0000.00	000.00		990953•53
			Conf	lic	t with Ore	gon Lode l	No 1398	
1 - 2	N 11°1	7 9 W	26 • 94	+	26 • 41-	5.27-	5 • 27-	139•18
2 - 3	S 87°2	18 i M	9.84	Can	0 • 38-	9.83-	20.37+	7.74
3 - 1	S 30°0)71E	30.10		<u>26•03+</u>	<u> 15•10-</u>	15•10+	393 • 05
Area =	0.006	Acres			00.00	00.00		261 • 61
		Total	Area Wa	dde	11 Lode		11.374	Acres
		Less	Area in	con	flict with	Oregon		
		Lode,	Survey N	0.1	388		<u>0.008</u>	77
		Net A	rea Wadd	ell	Lode		11.368	Acres

Instrument

The survey was made with a Gurley Light Mountain Transit, all courses were deflected from the true meridian as determined by direct solar observations, checked by an observation on Polaris. The distances were measured with a 300.00 foot steel tape.

Magnetic variation 11°45'E throughout.

Bisbee Arizona
July 10th 1901

J.S. Deputy Mineral Surveyor

FINAL OATHS FOR SURVEYS.

LIST OF NAMES.

A list of the names of the individuals empl	loyed by Geo.C.Clark
United States Deputy Mineral Surveyor, to assi	st in running, measuring, and marking the lines
	ing field notes of the survey of the mining claim
	ck
· ·	VII.
and showing the respective capacities in which	they acted.
	Thos I Lauren, Chainman.
,	Thos & Danner, Chainman.
	, Axman.
9	, Flagman.
	••••
,	an' colome NITIG
	OF ASSISTANTS.
We C. S. /// atana	emnly swear that we assisted
7 P. J. Marson	
. United States Dep	uty Mineral Surveyor, in marking the corners and
surveying the boundaries of the mining claim	of.C.Shattuck
	, known as the
	, represented
	veyed by said deputy mineral surveyor and under
	n all respects, to the best of our knowledge and
	he corner and boundary monuments established
according to law and the instructions furnis	hed by the United States Surveyor-General for
Ari-sona	1 1/1 /
7	Thos Dawnen, Chainman.
4	Thos of Dawnen, Chainman.
<i>f</i>	, Axman .
	, Flagman.
Cubaanibad and	
Subscribed and s	sworn to by the above-named persons before me
MAN P 140 CAN M	
this] <i>O</i> b h	day of July 1901 1

Notary Public in and for the County of Cochise, Territory of Arizona.

My Commission expires Jan. 9 1904

FINAL OATH OF U. S. DEPUTY MINERAL SURVEYOR

I,	***************************************	Geo.C.Clark	, U. S. Deputy Miner	al
Surveyo	r, do solemnly sw	ear that, in pursuance of	instructions received from the Unit	ed
States S	urveyor General	forArizona	, dat	ed
Мау	16th 1901	, I have, i	in strict conformity to the laws of the	he
United S	States, the official	regulations and instruct	tions thereunder, and the instruction	ns
of said	Surveyor General	l, faithfully and correctly	y executed the survey of the Minim	ng
Claim o	f	L.C.Shattuck	Ç	
			known as t	
******		-Wadde 11	·	,
situate i	n	Warren	Mining Distri	ct,
	Cochise	County,	Arizona Territory, in Section	о'n
oproximat	ely Township	No.23 S , Range No.	. 24 E (unsurveyed)	,
and desi	ignated as Survey	y No. 1562	, as represent	.ed
in the fo	oregoing field note	es, which accurately show	w the boundaries of said mining clai	im
as distin	nctly marked by n	nonuments on the groun	d, and described in the attached co	ру
of the I	ocation certificate	e, which was received by	y me from the Surveyor General wi	th
said inst	tructions, and that	t all the corners of said s	survey have been established and pe	er-
petuated	l in strict accorda	ance with the law, officia	al regulations and instructions then	re-
under;	and I do further	solemnly swear that th	e foregoing are the true and origin	ıal
			n, and that the labor expended a	
		Description Colored St. Comment St. Section (Section St. Section S	laimant or his granto	
	· -		er, extent, location and itemized val	
			nd full detail, and that no portion	
	1000		im has been included in the estima	
	-			
or expen			······································	
			Geo, O. Olask.	
			U.S. Deputy Mineral Survey	ior
			C. S. Deputy Meneral Survey	01.
Su	ıbscribed and swo	rn to by the said	Ceo.C.Clark	
			e	
			+	
		4/ 190.1		
	day or	7 150.1	200	
			M. Connell Notary Public in and for the Coun	
			Notary Public in and for the Court	16
	0 8 154	**	of Cochice Towns	ity

of Cochise, Territory of Arizona.

My Commission expires Jan. 9 1904

Affidavit of Five Hundred Dollars Improvements.

one, C.J. Watson, and Thos I Downer
of lawful age, being first duly sworn according to law, depose and say: That we are
acquainted with the Waddell mining claim, situate
in Warren Mining District. Cochise County,
Arizona Territory, for which L.C.Shattuck
has made application for survey prior to application for patent under the provisions
of the Act of Congress, approved May 10, 1872; and that the labor done and improve-
ments made thereon by the applicant and his grantor exceed Five Hundred
Dollars in value, and further, that we are not personally interested in said mine.
La Matrond.
TERRITORY OF ARIZONA, County of Cochise
Sworn to and subscribed before me, this
day of July 190.1, 190
Notary Public in and for the County of Cochise, Territory of Arizona.

My Commission expires Jan. 9 1904

Location Motice.

Notice is hereby given that the undersigned, in compliance with the requirements of the Himing Act of Congress, approved May 10, 1872, has this day located and chain 1500 hundred linear fleet along the course of this lead, lode or vein of mineral bearing quartz, and 300 feet in width off each side of the middle of said lead, lode or vein, situated in the Warren Himing District, County of Cochise, Arizona, and more particularly described as follows, to-wit: Commencing at this monument of stones, being the center of the Northerly end of claim, and upon which this notice is posted shence Easterly 300 feet to a monument of stones; thence Southerly 1500 feet to a monument of stones; thence Westerly 300 feet to a monument of stones; thence Westerly 300 feet to a monument of stones; thence Westerly 300 feet to a monument of stones; thence Westerly 300 feet to a monument of stones; thence Westerly 300 feet to a monument of stones; thence Westerly 300 feet to the place of beginning.

This claim is situated about one mile in a Southerly direction from the town of Lisbee, and about 1000 feet from the R.R. in a Easterly direction, and shall be known as the Jaddell Line.

Located January 1st, 1894.

Witness:

A. M. Waddell

Thos. Higgins

John Foating

L.C.Shattuck

Filed and recorded at request of Shattuck & Koating, February 28, A.D. 1894 at 1-6 P.m.

Recorded Book 13, Records of Mines, Page 34.

mul

AMENDED

Motice of Mining Location.

LODE CLAIM.

To All Whom It May Con		V 1100
This mining claim, the na	me of which is the	rardell
8	s entered upon and located	ates of America, and in which there If for the purpose of exploration and
purchase by	•	
the undersigned, on the 1911	day of yu	ne 1901
The length of this claim	is 1400	feet,
and claim	/	
- 1 10		
in a D. Gaele	ny h Mest	direction, and 900 direction from
		•
		sted, lengthwise of the claim, together
		idth of the surface grounds, on each
side of the center of said claim.	The general course of the to the to the	lode deposit and premises is from the
		Canen Mining District, in
County,	in the Territory of Arizon	a, about Que mile
in a Dearlity	direction from 3	niel, and about 1000 JT
//		the ground as follows: Beginning at
A . Q		47.00
- ,		500 feet from
the discovery shaft (at which this	s notice is posted), being	in the center of the South
end line of said claim; thence	N. Westerly 300	feet to a cnonument
Thoof	, being the D. M.	corner of said claim; thence
n. Marlily 700	feet to a monumer	A of slow at the center of
the Wind side lin	ne of said claim; thenee	caus hearing 1400
feet to a monument Thou	being at the	2. 27. Corner of said
claim; thence M. Earling	17 feet t	o a mannement & post
at the center of the Could	end of said claim; th enc	e sure buins 1318
feet to a morning Thon	L, being at the	n. Each
corner of said claim; thence	Easterly 100	feet to a minimum
		side line of said claim;
thence equil bearing 14 or	feet to a m	ronument food at
the corner of said	claim; thence I M.	Esterly 300
feet to the place of beginning.		
All done under the provisi	ons of Chapter Six, of Ti	tle XXXII, of the Revised Statutes of
	3.77	of Arizona, entitled "An Act Concern-
ing Mines," approved March 20t	h, 1895, and amended Mg	arch 2d, 1899.
This is an Amended Local	tion Notice of the	addell
Mining Claim, located by	It. Waddell und	John Cheating
- Manager (180	+ and recorded in Rock	on the first day of
page 3H in the office of the Co	, and recorded in Book	esaid County of Cochice
		cation Notice is made and posted to
correct errors in the description is		
	- /	day of June 190
I and recorded at request of c by , et A.D. 1901 at 10: 60.	7.	
corded Book 15, Cage	324, Record	
uniel.		

Territory of Arizona,

County of Cochise

I, Frank Hare, County Recorder in and For said County do hereby certify that the location notice "Waddell,"original located Book 13. Rage 54; amended, recorded Book 15, Page 324, Record of Mines, situated in the Warren Mining District, Cochise County, Territory of Arizona; are true and correct copies as the same appear of record in my said office.

Witnessomy hand and official seal this 1 day of July A.D.1901.

Motice of Mining Location.

LODE CLAIM.

To All Wildom It May Concern:
This mining claim, the name of which is the Mullell
Mining Claim, situate on lands belonging to the United States of America, and in which there
are valuable mineral deposits, was entered upon and located for the purpose of exploration and
purchase by L. C. Dhattuck
the undersigned, on the 19th day of 17th June 1901
The length of this claim is /400 feet,
and claim 300 feet in a S. Ecestely direction, and 900
feet in a Wishuly direction from
the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together
with 300 feet in width of the surface grounds, on each
side of the center of said claim. The general course of the lode deposit and premises is from the
The claim is situated and located in the Warre Mining District, in
County, in the Territory of Arizona, about Que Mile
in a S. Easterly direction from Bester & about
1000 ft East of the ar S.E. R.R. Mack
The surface boundaries of the claim are marked upon the ground as follows: Beginning at
at a point in a S. Easterly direction 500 feet from
the discovery shaft (at which this notice is posted), being in the center of the South,
end line of said claim; thence S. Westerly 300 feet to a morning of the feet to a morning them.
The corner of said claim; thence
M. Westuly 700 feet to a monument of Soul at the center of
the West side line of said claim; thence law bearing 1400
feet to a monument of Rast being at the M. W. corner of said,
claim; thence M. Eastily 17 feet to a morumuit + past
at the center of the Moult end of said claim; thence dawn bearing 318
feet to a monument t past, being at the M. East
corner of said claim; thence S. Easterly 700, feet to a Monissium
of cloud being at the center of the & act side line of said claim;
theme Mull bearing 1400 feet to a monument of part at the S. E corner of said claim; thence S. Westerly 300
Geet to the place of beginning.
All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes of
the United States, and of an Act of the General Assembly of Arizona, entitled "An Act Concern-
ng Mines," approved March 20th, 1895, and amended March 2d, 1899.
This is an Amended Location Notice of the Maddell
Mining Claim, located by A. R. Waddell Ef John Healing
on the furt day of
famuly 1894, and recorded in Book 13 of Records of Mines, at
age 34, in the office of the County Recorder of the aforesaid County of County
o which reference is hereby made, and this Amended Location Notice is made and posted to
orrect errors in the description in the said original Location Notice.
Dated and posted on the ground this 1907 day of) June 1907
Lesnattillo

This diagram is to give locator a general idea of plan of location under the new law. The Discovery Shaft can be in the center of claim or any distance from either end desired. In the diagram it is placed 500 feet from one end and 1000 feet from the other. Commence description of claim at a center end monument, giving its distance and direction from center of Discovery Shaft; thence bound the claim in either direction. In description be careful to state locality of claim with reference to some natural object, or permanent monument, as will identify the claim.

AMENDED

Motice of Location.

LODE CLAIM.

Haddell
Dated MMU/9th 1901
Filed and recorded at request of
Tely / A. D. 190 /
Book 15 Records of Mins
Pages 324.
County Recorder.
Deputy Recorder.

Surveyor General's Certificate of Approval of Field Notes and Survey of Mining Claim.


Department of the Interior,

Office of U.S. Surveyor General,

Tueson, amoua
Oct. 24 th . +8/901
I, U. S. Surveyor General for And Survey of the Mining Claim of Lattuck
, known as the Haddell.
situate in mining district,
Cochine County, amoua,
in Section Apple , Township No. 230, , Range No. 24 & meurryd) , designated as Survey No. 1562
executed by <u>Geo. C. Clark</u> , U. S. Deputy Mineral
Surveyor, July 10th, 1901, 18, under my instructions dated
July 9th, 1911, 18, have been critically examined and the
necessary corrections and explanations made, and the said Field Notes and Return, and
the Survey they describe, are hereby approved. A true copy of the copy of the location
certificate filed by the applicant for survey is included in the field notes.
U. S. Surveyor General for Congivula.

WADDELL

1562



Comet

U. S. Dep. min. Riw. Bisber, Cochise County Auzona July 10th 1901.

Oregon