

MS .

0

1

5

6

7

5/22/901

Forme Copied 1
905

(4-683.)

Mineral Survey No. 1567

Lot No.

Prescott

Land District.

FIELD NOTES

OF THE SURVEY OF THE MINING CLAIM OF

The Gold Basis Mining and Milling Co.

KNOWN AS THE

Ninety-Five, Gold Basis and Florence Lodes
Hassayampa Mining District,

Yavapai County, Arizona

Section 36, Township 13 N, Range 2 W,

Surveyed under instructions dated May 22nd, 1901,

by A. B. Mader

U. S. Deputy Mineral Surveyor

Claim located Jan. 1, 95, April 14, 1894, & amended May 18th, 1901.

Survey commenced May 25th, 1901, 18 .

Survey completed July 3rd, 1901, 18 .

Address:

H. T. Andrews,

atty. in fact.

Prescott, Ariz.

PRELIMINARY OATHS OF ASSISTANTS IN SURVEY OF MINING CLAIM.

WE, Tom Laird and V. A. Kee,
do solemnly swear that we will well and faithfully execute the duties of chain carriers;
that we will level the chain upon even and uneven ground and plumb the tally-pins,
either by sticking or dropping the same; that we will report the true distance to all
notable objects, and the true length of all lines that we assist in measuring, to the best
of our skill and ability, and in accordance with instructions given us, in the survey of
the Mining Claims of The Gold Basis Mining and
Milling Co., known as the
Twenty-five, Gold Basis and Florence claims
situate in Hassayampa mining district,
Yavapai County,
in Section 36, Township No. 13 N, Range No. 2 W.

Tom Laird, Chainman.
V. A. Kee, Chainman.

Subscribed and sworn to by the above-named persons before
me this 1st day of June, 1901

My Commission Expires June 7, 1902
Benny J. Andrews
Notary Public

I, _____, do solemnly swear that I will well and
truly perform the duties of axeman, in the establishment of corners and other duties,
according to instructions given me and to the best of my skill and ability, in the survey
of the Mining Claim of _____

known as the _____,
more fully described in the preceding affidavit.

_____, Axeman.

Subscribed and sworn to by the said _____
before me this _____ day of _____,
_____, 18 ____.

I, _____, do solemnly swear that I will
well and truly perform the duties of flagman, in the establishment of corners and other
duties, according to instructions given me and to the best of my skill and ability, in the
survey of the Mining Claim of _____

known as the _____,
more fully described in the preceding affidavit.

_____, Flagman.

Subscribed and sworn to by the said _____
before me this _____ day of _____,
_____, 18 ____.

Survey No 1567

Feet

Ninety - Five Lode

Beginning at Cor. No 1.

Identical with Cor. of the location and with the South West Cor. of the Little Giant Claim (unsurveyed).

A pine post, 4" x 4" x 4'-6" long set 10" in the ground to bedrock, scribed ¹⁵⁶⁷ N.F. and surrounded with a mound of stones 1 1/2' base and 3' high, whence the Cor. of Seis 25-26-35 and 36 of T13 N, R2 W, G. & S. R. M., bears N 85° 47' W, 2324 ft.

An oak tree, 7" diam. bears S 44° 49' W, 16 ft. scribed ^{B.T.} _{N.F.} 1567.

An oak tree, 12" diam. bears S 70° 11' E, 23 1/2 ft. scribed ^{B.T.} _{N.F.} 1567.

- 74.3 Cross E side line Mirabile, unsurveyed. Thence N 84° 49' E from the N.E. Cor. of Mirabile.
- 90 Cross Mirabile Gulch, 10' wide, course N 60° W, bears S 25° E
- 100 Cross Wagon Road, follows Mirabile Gulch.
- 300 To the North End Center.

Identical with the location and with the S.E. Center of the Little Giant Lode.

A pine post 4" x 4" x 4'-6" long, set 8" in the ground to bedrock, scribed ^{N.E.C.} _{N.F.} 1567 and surrounded by a mound of stones 1 1/2' base and 3' high, whence

the North East corner of the Mirabile Claim (unsurveyed) S. L. Riley, Claimant, a pine post 5" diam. 4'-6" above ground surrounded by a mound of stones, bears N 76° 40' W, 241 ft.

No bearings available.

Thence N 84° 49' E

- 40 Cross road, bears N and S.
- 300 To Cor. No 2.

Identical with Cor. of the location and with the S.E. cor. of the Little Giant Claim.

A pine post 4" x 4" x 4'-6" long, set 10" in the ground to bedrock, scribed ² _{N.F.} 1567, surrounded by a mound of stones 1 1/2' base and 3' high whence

A pine tree, 14" diam. bears N 87° 30' E 36.6', scribed ^{B.T.} _{N.F.} 1567

A pine tree, 24" diam. bears N 60° 49' W 51', scribed ^{B.T.} _{N.F.} 1567

- Feet
- Thence $S 8^{\circ} - 14' E$
- 340 Cross Mirabile Gulch, course West bears E.
- 355 Cross road, bears E and W.
- 882.5 J. S.W. Cor. of Pearl claim — Rio claimant, a pine post $4" \times 4" \times 4'$ above ground.
- 950 Cross ravine, 12' wide, at junction, course $N 38^{\circ} W$, branches bear $N 65^{\circ} E$ and $S 40^{\circ} E$.
- 1072 To Cor. No 3.
- Identical with Cor. of the location and with Cor. No 2 of the Gold Basis lode of this survey.
- A pine post, $4" \times 4" \times 4'-6"$ long, set 10" in the ground to bedrock, scribed $N 1567$, surrounded by a mound of stones $1\frac{1}{2}'$ base by 3' high whence
- An oak, 9" diam, bears $S 82^{\circ} - 49' W$ 34.6 scribed $\begin{matrix} B.T. \\ G.B. \\ 1567 \end{matrix}$
- An oak, 12" diam, bears $S 49^{\circ} - 30' W$, 28' scribed $\begin{matrix} B.T. \\ G.B. \\ 1567 \end{matrix}$
- No other bearings available.
- Thence $S 84^{\circ} - 49' W$
- 160 Cross ravine, 6" wide, course N.W. bears S.E.
- 300 to the S. End Center.
- Identical with the location and with the north end center of the Gold Basis lode of this survey.
- A pine post, $4" \times 4" \times 4'-6"$, set 6" in the ground to bedrock, scribed $\begin{matrix} S.E.C. \\ N.F. \\ 1567 \end{matrix}$, surrounded by a mound of stones $1\frac{1}{2}'$ base and 3' high.
- No bearings available.
- 368 Cross ravine, 18' wide, course N, bears $S 35^{\circ} E$ and a branch bears $S 30^{\circ} W$.
- 554.7 Cross east side line of Mirabile claim, unsurveyed S. G. Riley claimant, at $N 6^{\circ} - 41' W$, 213.8' from the South East Cor. of the Mirabile, which is identical with the North East Corner of the Cincinnati lode, unsurveyed, Empire Mining and Milling Co, claimants, a pine post $4" \times 4" \times 4'-6"$ surrounded by a mound of stone.
- 600 To Cor. No 4.
- Identical with cor. of the location and with Cor. No 1, of the Gold Basis lode of this survey.
- A pine post, $4" \times 4" \times 4'-6"$, set 9" in the ground to bedrock, scribed $N.F. 1567$, surrounded by

Feet

a mound of stones $1\frac{1}{2}$ ' base and 3' high, whence
 a 14" diam. live oak, bears $N 7^{\circ} E$, 20.5' scribed ^{B.T.} N.F. 1567.
 A 10" diam. oak, bears $N 77^{\circ} E$, 19' scribed ^{B.T.} G.B. 1567.
 No other bearings available.

Thence $N 8^{\circ} - 14' W$
 1072 To Cor. No. 1 the place of beginning.

The variation at all the corners is $14^{\circ} E$.

Location

This claim is located in Hassayampa Mining District, Yavapai Co. Arizona, on ~~unsurveyed~~ surveyed public land in the N.E. $\frac{1}{4}$ of the N.W. $\frac{1}{4}$ and the N.W. $\frac{1}{4}$ of the N.E. $\frac{1}{4}$ of Sec. 36, T13 N, R2 W, G. & S.P.M.

Adjoining Claims

on the N - Little Giant claim, unsurveyed.
 " " E - Pearl and Xyster Fraction claims "
 " " S - Gold Basis claim of this survey.
 " " W - Mirabile claim unsurveyed

Ledge

The course and length of the ledge on the Ninety Five claim is from the North center end to the south center end 1072 feet and is traceable by croppings.

Gold Basis Lode

Feet

Beginning at Cor. No 1.
Identical with Cor. of the location and with
Cor. No 4 of the Ninety Five lode of this survey.
A pine post, 4" x 4" x 4'-6", set scribed G.B. 1567,
whence the Cor. to Secs. 25-26-35 + 36, T13 N
R2W, G. & S.R.M. bears N63°-33' W, 2766'.
Thence N84°-49' E

45.3 Cross east side line Mirabile claim, bearing N6°-41' W, 213.8 ft
From S.E. cor. Mirabile
232 Cross ravine, 18 wide, course N, bears S35° E and a
branch bears S, 30° W.

300 To the North End Center.
Identical with the location and with the North
end center of the Ninety Five claim of this survey.
A pine post 4" x 4" x 4'-6", scribed ^{N.E.C.} G.B. 1567

440 Cross ravine, 6" wide course N.W. bears S.E.

600 To Cor. No 2.

Identical with Cor. of the location and with
Cor. No 3 of the Ninety five lode of this survey.
A pine post, 4" x 4" x 4'-6" scribed ² G.B. 1567
whence An oak 9" diam, bears S82°-49' W 34.6 scribed ^{B.T.} G.B. 1567.
An oak 12" diam, bears S49°-30' W, 28', scribed ^{B.T.} G.B. 1567.
Thence S3°-30' E

1100 to the S.W. cor. of the Xyster Fraction and N.W. Cor.
of the Xyster Claims, unsurveyed.

1130 Cross ravine, 6" wide, course N62° W, bears S62° E.

1380 To Cor. No 3

Identical with Cor. of the location and with
Cor. No 2 of the Florence lode of this survey.
A pine post 4" x 4" x 4'-6", set 10" in the ground
to bedrock, scribed ³ G.B. 1567 and surrounded
by a mound of stones 1 1/2' base and 3' high whence
An oak, 7" diam, bears N74°-30' W, 24', scribed ^{B.T.} G.B. 1567.
No other bearings available.
Thence S84°-49' W

225 Cross ravine, 6" wide, course N bears S 125' to head.

300 To the South end center.

Identical with the location and with the
North End Center of the Florence lode of this survey.
A pine post 4" x 4" x 4'-6" set 8" in the ground
to bedrock, scribed ^{N.E.C.} G.B. 1567, and surrounded
by a mound of stones 1 1/2' base and 3' high.
No bearings available.

Feet

550 cross East side line of the Union claim, unsurveyed, Empire Mining and Milling Co. Claimants, bearing $N 25^{\circ} - 00' W$, distance 133' from the South East corner of the Union claim, a pine post, $4" \times 4" \times 4'$ above ground, marked S. E. Cor. Union.

600 To Cor. No 4.

Identical with the location and with Cor. No 7 of the Florence lode of this survey. A pine post, $4" \times 4" \times 4'-6"$, set 10" in the ground to bed rock, scribed G.B. 1867, surrounded by a mound of stones $1\frac{1}{2}'$ base and 3' high, whence ^{B.T.} A pine, 2" diam, bears $N 29^{\circ} - 40' E$, 60, scribed G.B. 1867. No other bearings available.

Thence $N 3^{\circ} - 30' W$

128.34 Cross east side line of the Union claim, unsurveyed Empire M. & M. Co. claimants, bearing $N 25^{\circ} - 00' W$, 269.4 ft from S. E. cor. of Union.

900 Cross ravine, 4 wide, course $N 55^{\circ} W$, bears $S 50^{\circ} E$.

1184.5 Cross south end line of Mirabile claim, unsurveyed, S. L. Riley claimant, bearing $N 77^{\circ} - 55' W$ at 59.3' from the south east corner, a pine post $4" \times 4" \times 4'$ above ground surrounded by a mound of stones and marked S. E. Cor. Mirabile and N. E. Cor. Cincinnati.

1380 To Cor. No 1, the place of beginning.

The variation of the needle at all the corners is $14^{\circ} E$.

Location

This claim is located in Harsayampa Mining District, Yavapai Co, Arizona, on surveyed land in the S. E. $\frac{1}{4}$ of the N. W. $\frac{1}{4}$ and the S. W. $\frac{1}{4}$ of the N. E. $\frac{1}{4}$ of sec. 36, T 13 N, R 2 W, G. & S. R. M.

Adjoining claims

on the N. - Ninety Five claim of this survey.
 " " E - Xyster and Xyster Fraction, unsurveyed.
 " " W - Mirabile, Cincinnati and Union claims, unsurveyed.
 " " S - Florence lode, of this survey.

Ledge

The course and length of the ledge on the ^{Gold Pass} ~~Twenty-five~~ claim is from the North center end to the south center end 1380 feet and is traceable by croppings.

Survey No 1567

7^{at}

"Florence" Lode

Beginning at Cor. No 1.

Identical with cor. of the location and with Cor. No 4 of the Gold Basis lode of this survey.

A pine post, 4" x 4" x 4'-6", scribed $\frac{1}{F}$ ¹⁵⁶⁷ whence the Cor. to Secs. 25-26-35 and 36 of T 13 N, R 2 W, G. & S. R. M. Bears N 44°-28' W, 3662'.

Thence N 84°-49' E.

50 ^{east} Intersect side line of Union claim, unsurveyed at N. 25° W. ^{30' S.E. cor. of the Union.}

300 To the North End Center.

Identical with the location and with the south end center of the Gold Basis of this survey.

A pine post 4" x 4" x 4'-6" long, scribed $\frac{N.E.C.}{F}$ ¹⁵⁶⁷.

375 cross ravine, 6' wide, course N bears S 125' to head.

600 To Cor. No 2.

Identical with the location and with Cor. No 3 of the Gold Basis lode.

A pine post 4" x 4" x 4'-6" scribed $\frac{2}{F}$ ¹⁵⁶⁷.

Thence S 6°-15' E

750 To the east side center.

Identical with the location.

A monument of stones 1 1/2" base x 3' high.

No bearings available.

810 Cross ravine, 12' wide, course S 40° W bears N 40° E.

1110 Cross Wolff Creek, 10' wide, course W, bears E.

1465 To Cor. No 3.

Identical with cor. of the location and with the North East Cor. of the Buzzard lode unsurveyed.

A pine post 4" x 4" x 4'-6", set 10" in the ground to bed rock, scribed $\frac{3}{F}$ ¹⁵⁶⁷ and surrounded by a mound of stones 1 1/2" base and 3' high whence a pine 15" diam. bears N 46° E, 19', scribed $\frac{B.T.}{F}$ ¹⁵⁶⁷.

No other bearings available.

Thence S 84°-49' W

300 To the South end center.

Identical with the location.

A pine post, 4" x 4" x 4'-6", set 12" in the ground to bed rock, scribed $\frac{S.E.C.}{F}$ ¹⁵⁶⁷ and surrounded by a mound of stones 1 1/2" base + 3' high

No bearings available.

Feet

315 Cross ravine, 5' wide, course N, bears S.

600 To Cor. No 4.

Identical with the location.

A pine post 4" x 4" x 4'-6" set 12" in the ground to bedrock, scribed $\frac{4}{1567}$ and surrounded by

a mound of stones 1 1/2' base and 3' high whence

A pine 12" diam. bears N 77°-30' E, 29' scribed $\frac{B.T.}{F} 1567$.A pine 9" diam. bears N 24°-30' E, 13' scribed $\frac{B.T.}{F} 1567$.

Thence N 6°-15' W

455 Cross Wolf Creek, 25' wide, course W, bears E.

715 To the west side center.

Identical with the location.

A mon. of stones 1 1/2' base & 3' high.

No bearings available.

1349 Intersect south end line of Union Claim unsurveyed, bearing N 89°-42' W, 93.5' from the south east cor. of the Union.

1390 Cross ravine, 12' wide, course N 50° W, bears S 50° E

1465 To Cor. No 1, the place of beginning.

The variation at all the corners is 14° E.

Location

This claim is located in Hassayampa Mining District, Yavapai Co., Arizona, on surveyed land in the N.E. 1/4 of the S.W. 1/4 and the N.W. 1/4 of the S.E. 1/4 of sec. 36, T13N, R2W, G. & S. R. M.

Adjoining Claims

on the N — Gold Basis lode of this survey.
 " " E — Oyster & Arab lodes, unsurveyed
 " " S — Buzzard lode, unsurveyed.
 " " W — Trilby lode, unsurveyed.

Ledge

The course and length of this ledge on the Florence lode is from the north center end to the south center end, 1465' and is traceable by croppings.

Expenditure of Five Hundred Dollars per claim.

I certify that the value of the labor and improvements upon these claims, placed thereon by the claimants and ~~their~~ its grantors, aggregates not less than five hundred dollars per claim and that said improvements consist of:

"Ninety Five"

- Dis. Shaft No 1, 5' x 7' x 97' deep, partly timbered, bearing S 23°-15' W, 558' from Cor. No 2, Value \$1500.00
- Shaft No 2, 4' x 6' x 59' deep, timbered, with a drift, 3' x 6' x 42' to the south, bears S 44°-10' W 390' from Cor. No 2 - Value 1000.00
- Shaft No 3, 4' x 7' x 24' deep and a drift to the N 10° W, 3' x 6' x 8' long. Bearing S 50°-5' W, 225' from Cor. No 2. Value 320.00
- Shaft No 4, 4' x 6' x 5' deep. Bearing S 8°-14' E, 6' from the N. E. Center. Value 25.00
- Tunnel, No 5, 4' x 6' x 196' long, bearing N 60° E 320' from Cor. No 4. ^{Course of Tunnel is} S 8°-30' E. Value 2000.00
- ✓ A 5 stamps Mill, Fine Vanner Concentrating Table, Rock Breaker, Boiler, Engine and accessories, and mine pumps and track, in a building, S 8°-14' E 350' from the N. E. Center Value 8000.00

"Gold Basis"

- Dis. Shaft No 1, 4' x 7' x 30' deep with a drift to the South of 4' x 6' x 6' long, bears S 70°-45' W 280' from Cor. No 2 Value \$360.00
- Tunnel No 2, 3 1/2' x 6' x 162' long, ^{course S 5°-30' E} with a drift 4' x 6' x 10' long ^{to the E} and a winze ^{to the West} of 3' x 3' x 25' bearing S 43°-30' W, 348' from Cor. No 2. Value 1800.00
- Tunnel No 3, 4' x 6' x 10' long bearing N 76°-30' W, 275' from Cor. No 3, Value 100.00

"Florence"

- Dis. Shaft No 1, 4' x 6' x 12' deep, bears S 17°-15' W 665' from Cor. No 2 Value \$100.00
- Shaft No 2, 4' x 6' x 15' deep, bears N 35°-25' W 380' from Cor. No 3. Value 150.00
- Tunnel No 3, 3 1/2' x 6' x 30' long, ^{Bearing N 5° E} bears N 26°-30' W 450' from Cor. No 3. Value 260.00
- A Cut 4' x 30' long x 18' deep, bears N 73°-50' W 270' from Cor. No 3. Not made by claimant.

Total \$15615.00

(over)

This survey was made with a Gurley
Light Mountain Transit.

The courses were deflected from the
True Meridian by Solar observations.
The distances were measured with a tape.

Arthur B. Mader c. r.
U. S. Deputy Mineral Surveyor

FINAL OATHS FOR SURVEYS.

LIST OF NAMES.

A list of the names of the individuals employed by A. B. Mader
 United States Deputy Mineral Surveyor, to assist in running, measuring, and marking the lines
 corners and boundaries described in the foregoing field notes of the survey of the mining claim
 of The Gold Basis Mining & Milling Co.
 known as the Ninety-five, Gold Basis and Florence claims
 and showing the respective capacities in which they acted.

Tom Laird, Chairman.
V. A. Kell, Chairman.
 _____, Assman.
 _____, Flagman.

FINAL OATHS OF ASSISTANTS.

We, Tom Laird
 and V. A. Kell, do solemnly swear that we assisted A. B. Mader
 _____, United States Deputy Mineral Surveyor, in marking the corners and
 surveying the boundaries of the mining claims of The Gold Basis
mining and Milling Co.
 _____, known as the Ninety-five
Gold Basis and Florence claims, represented
 in the foregoing field notes as having been surveyed by said deputy mineral surveyor and under
 his direction; and that said survey has been in all respects, to the best of our knowledge and
 belief, faithfully and correctly executed, and the corner and boundary monuments established
 according to law and the instructions furnished by the United States Surveyor-General for
Arizona

Tom Laird, Chairman.
V. A. Kell, Chairman.
 _____, Assman.
 _____, Flagman.

Subscribed and sworn to by the above-named persons before me
 this 1st day of June, 1901

My Commission Expires June 7, 1902.

Henry J. Andrews
 Notary Public

FINAL OATH OF U. S. DEPUTY MINERAL SURVEYOR

I, A. B. Mader, U. S. Deputy Mineral Surveyor, do solemnly swear that, in pursuance of instructions received from the United States Surveyor General for Arizona, dated May 22nd, 1901, I have, in strict conformity to the laws of the United States, the official regulations and instructions thereunder, and the instructions of said Surveyor General, faithfully and correctly executed the survey of the Mining Claim of The Gold Basis Mining and Milling Co., known as the Ninety Five, Gold Basis and Florence Lodes, situate in Hussayampa Mining District, Yavapai County, Arizona, in Section 36, Township No. 13 N, Range No. 2 W, G. & S. R. M., and designated as Survey No. 1567, as represented in the foregoing field notes, which accurately show the boundaries of said mining claim as distinctly marked by monuments on the ground, and described in the attached copy of the location certificate, which was received by me from the Surveyor General with said instructions, and that all the corners of said survey have been established and perpetuated in strict accordance with the law, official regulations and instructions thereunder; and I do further solemnly swear that the foregoing are the true and original field notes of said survey and my report therein, and that the labor expended and improvements made upon said mining claim by claimants or their grantors are as therein fully stated, and that the character, extent, location and itemized value thereof are specified therein with particularity and full detail, and that no portion of said labor or improvements so credited to this claim has been included in the estimate of expenditures upon any other claim.

A. B. Mader

U. S. Deputy Mineral Surveyor.

Subscribed and sworn to by the said A. B. Mader
 U. S. Deputy Mineral Surveyor, before me Henry T. Andrews a
Notary Public, within & for Yavapai County, Ariz. this 18th
 day of August, 1901.

Henry T. Andrews.

My Commission Expires June 7, 1902. Notary Public

Affidavit of Five Hundred Dollars Improvements.

We, J. B. Slack, and James H. Slack

of lawful age, being first duly sworn according to law, depose and say: That we are

acquainted with the Ninety-Five, Gold Basis and Florence mining claims, situate

in Hassayampa Mining District, Yavapai County,

Arizona Territory, for which The Gold Basis Mining and Milling
Co.

have made application for survey prior to application for patent under the provisions of the Act of Congress, approved May 10, 1872; and that the labor done and improvements made thereon by the applicants and their grantor do exceed Five Hundred Dollars in value, ^{per claim} and further, that we are not personally interested in said mine.

J. B. Slack
J. H. Slack

TERRITORY OF ARIZONA,
County of Yavapai } ss:

Sworn to and subscribed before me, this 1st
day of June, 1901

Henry J. Andrews
Notary Public

Notary Public, Yavapai, June 11, 1901

NINETY-FIVE.

NOTICE OF LOCATION.

Know all men by these presents; That I, the undersigned, have this day located Fifteen Hundred (1500) linear feet of this vein or lode, bearing precious metals, with all dips, spurs, angles and variations, with surface ground three hundred (300) feet on each side of the center of vein, with all Mineral Deposits contained therein, and all Timber growing within the limits of said claim, and all Water and Water privileges thereon or appurtenant thereto, under and according to the provisions of the United States Mining Laws, under which it is located.

This claim commences at this monument and notice placed upon the ledge and runs seven hundred & fifty (750) feet in a northerly direction and seven hundred & fifty (750) feet in a southerly direction along the ledge.

The exterior boundaries are as follows, viz: Commencing at a monument of stone on west boundary line, distant three hundred (300) feet in a westerly direction from discovery monument; thence in a northerly direction parallel with the ledge seven hundred & fifty (750) feet to monument of stone at N.W. corner of claim; thence in an easterly direction at right angles across the ledge Six Hundred (600) feet to monument of stone at N.E. corner of claim; thence in a southerly direction parallel with the ledge Fifteen Hundred (1500) feet to monument of stone at S.E. corner of claim; thence at right angles across the ledge in a westerly direction six hundred (600) feet to monument of stone at S.W. corner of claim; thence in a Northerly direction parallel with the ledge seven hundred & fifty (750) feet to monument on west boundary and place of beginning.

This ledge may be more generally described as situated about 1/2 mile in a Easterly direction from the Empire Mine and running parallel with the Douglas Mine on the East and a branch of Groom Creek in Hassayampa Mining District, Yavapai County, Arizona Territory and shall be known as the Ninety-Five Mining Claim.

Dated on the ground this 1st day of January, 1895.

R.H.Row.

Recorded at request of R.Row, Jan'y 2nd, A.D.1895 at 10:43 o'clock A.M. in Book 39 of Mines, page 376, Records of Yavapai County, Arizona.

F.A.Trittle,
County Recorder.

(L.S).

By M.O.Archibald, Deputy.

Territory of Arizona, §
 § ss:
County of Yavapai, §

I, P.J.Farley, County Recorder in and for the County of Yavapai, Territory of Arizona and Custodian of the Records thereof, do hereby certify that I have compared the above and foregoing with and the same is a full, true and correct copy of the Notice of Location of the "Ninety-Five" Mining Claim as the same appears of record in my office in Book 39 of Mines, page 376, Records of Yavapai County, Arizona.

In Witness Whereof I have hereunto set my hand and affixed my seal this the 17th day of May, A.D. 1901.



P.J. Farley

County Recorder.

GOLD BASIS.

NOTICE OF LOCATION.

Know all men by these presents; That we, the undersigned, have this day located fifteen hundred (1500) linear feet of this vein or lode, bearing precious metals, with all dips, spurs, angles and variations, with surface ground three hundred (300) feet on each side of the center of vein, with all Mineral Deposits contained therein, and all Timber growing within the limits of said claim, and all Water and Water privileges thereon or appurtenant thereto, under and according to the provisions of the United States Mining Laws, under which it is located.

This claim commences at this monument and notice placed upon the ledge and runs 100 feet in a Northerly direction and 1400 feet in a Southerly direction along the ledge.

The exterior boundaries are as follows, viz: Commencing at a monument of stone on west boundary line, distant Three Hundred (300) feet in a Westerly direction from discovery monument; thence in a northerly direction parallel with the ledge 100 feet to monument of stone at N.W. corner of claim; thence in an easterly direction at right angles across the ledge Six Hundred (600) feet to monument of stone at N.E. corner of claim; thence in a southerly direction parallel with the ledge fifteen hundred (1500) feet to monument of stone at S.E. corner of claim; thence at right angles across the ledge in a westerly direction Six Hundred (600) feet to monument of stone at S.W. corner of claim; thence in a northerly direction parallel with the ledge 1400 feet to monument on west boundary and place of beginning.

This ledge may be more generally described as situated about 1/2 mile in a south easterly direction from the Empire Mine and about two miles East of the Prescott and Peck Wagon Road. in Hassayampa Mining District, Yavapai County, Arizona Territory, and shall be known as the Gold Basis Mining Claim.

Dated on the ground this 14th day of April, 1894.

James Hart,
R.H.Row.

Recorded at request of R.H.Row, May 28th, A.D.1894 at 11 o'clock A.M. in Book 39 of Mines, page 238, Records of Yavapai County, Arizona.

Alex.O.Brodie,
County Recorder.

(L.S.)

Territory of Arizona, §
§ ss:
County of Yavapai, §

I, P.J.Farley, County Recorder in and for the County of Yavapai, Territory of Arizona and Custodian of the Records thereof, do hereby certify that I have compared the above and foregoing with, and the same is a full, true and correct copy of the Notice of Location of the "Gold Basis" Mining Claim as the same appears of record in my office in Book 39 of Mines, page 238, Records of Yavapai County, A Arizona.

In Witness Whereof I have hereunto set my hand and affixed my official seal this the 17th day of May, A.D.1901.



P. J. Farley
County Recorder.

AMENDED

Notice of Mining Location.

LODE CLAIM.

To All Whom It May Concern:

This mining claim, the name of which is the Florence Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purpose of exploration and purchase by W. H. Dodge

the undersigned, on the ninth day of January 1897. The length of this claim is fifteen hundred feet, and claim seven hundred feet in a northerly direction, and eight hundred feet in a southerly direction from the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together with three hundred feet in width of the surface grounds, on each side of the center of said claim. The general course of the lode deposit and premises is from the northerly to the southerly

The claim is situated and located in the Haysauapai Mining District, in Yavapai County, in the Territory of Arizona, about one half mile in a south eastern direction from the Empire Mine or Mill. The claim crosses Wolf Creek, where Central Saw Mill was located.

The surface boundaries of the claim are marked upon the ground as follows: Beginning at a monument at or near the South Centre monument of the Gold Basis mine at a point at a point in a northerly direction seven hundred feet from the discovery shaft (at which this notice is posted), being in the center of the north end line of said claim; thence three hundred feet to a monument in an easterly direction, being the north east corner of said claim; thence seven hundred & fifty feet to a monument at the center of the east side side line of said claim; thence seven hundred & fifty feet to a monument being at the south east corner of said claim; thence three hundred feet to a monument at the center of the south end of said claim; thence three hundred feet to a monument, being at the south west corner of said claim; thence seven hundred & fifty feet to a monument being at the center of the west side line side line of said claim; thence seven hundred & fifty feet to a monument at the north west corner of said claim; thence three hundred feet to the place of beginning.

All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes of the United States, and of an Act of the General Assembly of Arizona, entitled "An Act Concerning Mines," approved March 20th, 1895, and amended March 2d, 1899.

This is an Amended Location Notice of the Florence Mining Claim, located by W. H. Dodge dated & posted on the 9th day of January 1897, and recorded in Book 15 of Records of Mines, at page 510, in the office of the County Recorder of the aforesaid County of Yavapai to which reference is hereby made, and this Amended Location Notice is made and posted to correct errors in the description in the said original Location Notice.

Dated and posted on the ground this May 1901

W. H. Dodge

(4-687.)

Surveyor General's Certificate of Approval of Field Notes and Survey of Mining Claim.

Department of the Interior,

Office of U. S. Surveyor General,

Tucson, Arizona.

November 30 1901, 1901

I, U. S. Surveyor General for *District of Arizona.*

do hereby certify that the foregoing and hereto attached Field Notes and Return of the Survey of the Mining Claim of *The Gold Basis Mining and Milling Co.*

....., known as the *Ninety-Five, Gold Basis & Florence lodes.*

situate in *Hassayampa.* mining district,

Yavapai. County, *Arizona.*

in Section *36.*, Township No. *13 N.*, Range No. *2 West.*

....., designated as Survey No. *1567.*

executed by *A. B. Mader.*, U. S. Deputy Mineral Surveyor, *May 25-July 3-*, 1901., under my instructions dated

May 22-1901, ~~190~~, have been critically examined and the necessary corrections and explanations made, and the said Field Notes and Return, and

the Survey they describe, are hereby approved. A true copy of the copy of the location certificate filed by the applicant for survey is included in the field notes.

Hugh H. Price

U. S. Surveyor General for *Arizona.*

