

MS

0

1

6

2

9

1/1/01 Deputy

Received Jan 20 1902

1898-1899-1900-1901-1902

(4-683.)

Mineral Survey No. 1629

Lot No. _____

Prescott

Land District.

FIELD NOTES

OF THE SURVEY OF THE MINING CLAIM OF

American Gold and Copper Company

KNOWN AS THE

Eddy

San Domingo

Mining District,

Yavapai

County,

Arizona

Section approx. Township 7 N., Range 3 N. (uncurveyed)

Surveyed under instructions dated Aug 19-, 1901,

by J. J. Fisher,
U. S. Deputy Mineral Surveyor.

Claim located Jan 27- 1898

Survey commenced Sep 13, 1901

Survey completed Sep. 14, 1901

6-180

Address

J. J. Hawkins
Atty for claimants
Prescott
Arizona

PRELIMINARY OATHS OF ASSISTANTS IN SURVEY OF MINING CLAIM.

WE, Wm. Crocker and William Wiese,
do solemnly swear that we will well and faithfully execute the duties of chain carriers;
that we will level the chain upon even and uneven ground and plumb the tally-pins,
either by sticking or dropping the same; that we will report the true distance to all
notable objects, and the true length of all lines that we assist in measuring, to the best
of our skill and ability, and in accordance with instructions given us, in the survey of
the Mining Claim of American Gold and Copper
Company, known as the
Eddy lode
situate in San Domingo mining district,
Yavapai County, Arizona,
in Section _____, Township No. _____, Range No. _____.



my commission expires May 19-1904.

Wm. Crocker, Chainman.
Wm. Wiese, Chainman.

Subscribed and sworn to by the above-named persons before
me this 13 day of Dec 1901, 18

J. J. Fisher
Notary Public.

I, William Wiese, do solemnly swear that I will well and
truly perform the duties of axeman, in the establishment of corners and other duties,
according to instructions given me and to the best of my skill and ability, in the survey
of the Mining Claim of American Gold and Copper Company,
known as the Eddy lode,
more fully described in the preceding affidavit.



my commission expires May 19-1904.

Wm. Wiese, Axeman.

Subscribed and sworn to by the said Wm. Wiese
before me this 13 day of
Dec 1901, 18

J. J. Fisher
Notary Public.

I, Wm. Crocker, do solemnly swear that I will
well and truly perform the duties of flagman, in the establishment of corners and other
duties, according to instructions given me and to the best of my skill and ability, in the
survey of the Mining Claim of American Gold and Copper
Company,
known as the Eddy lode,
more fully described in the preceding affidavit.



my commission expires May 19-1904.

Wm. Crocker, Flagman.

Subscribed and sworn to by the said Wm. Crocker
before me this 13 day of
Dec 1901, 18

J. J. Fisher
Notary Public.

Note = see Survey Notes No. 1598 for oaths for Eddy.

SURVEY NO. 1629

EDDY LODE.

Beginning at cor.No.1, S.W.Cor.of location, identical with same.

A porphyry stone 8 x 10 x 24 ins. set 1 ft. in ground alongside a mon. of stones 3 x 3 ft. Stone marked E.No.1-1629.

A X on a quartzite rock in place marked B.R.E.No.1-1629, brs.N.51° 20' E.16.4 ft.

A X on a porphyry rock in place marked B.R.E.No.1-1629, brs.S.47° 25' E. 26.6 ft.

U.S.L.M.No.1494 brs.S. 42° 17' W. 7666.1 ft.

Thence N.83° E.

Var.13° 35' E.

750

To S.S.Mon.

1500

To Cor.No.2, identical with cor.of location.

A porphyrystone 8 x 8 x 24 ins. set 1ft. in ground alongside a mon. of stones 3 x 3 ft. Stone marked E.No.2-1629.

A X on a porphyry rock in place marked B.R.E.No.2-1629, brs.S.72° 30' W. 71 ft.

Thence N.7° W.

Var.13°55'E.

300

To E.C.E.

Cut a cross on porphyry rock in place for center point alongside built a mon. of stones 3 x 3 ft. Stone marked E.C.E.No.1629.

600

To cor.No.3, identical with cor.of location.

A porphyry stone 4 x 8 x 24 ins. set 1 ft. in ground alongside a mon. of stones 3 x 3 ft. Stone marked E.No.3-1629, whence cor.No.2 Frances Lode, Survey No. 1598 brs.N. 6° 39' E. 1220.7 ft. No brs. available.

SURVEY NO.1629.

Feet

Thence S.83° W.

Var. 13° 35' E.

750

To N.S.Mon.

1500

To cor.No.4, identical with cor.of location.

A granite stone 6 x 10 x 24 ins. set 1 ft. in ground alongside a mon, of stones 3 x 3 ft.

Stone marked E.No.4-1629.

A X on a porphyry rock in place marked B.R.E.No.4-1629 hrs.S.3° 17' E.65.5 ft.

Cor.No.1 Frances Lode Survey No. 1598, hrs.N.13° 48' E. 914.8 ft.

Thence S.7° E.

Var.13° 35'E.

300

To W.C.E.

A granite stone 6 x 10 x 24 ins. set 1 ft. in ground alongside a mon. of stones 3 x 3 ft. Stone marked W.C.E.E.No.1629.

600

To cor.No.1, the place of beginning survey of exterior boundaries.

* * * *

LOCATION.

This claim is located on unsurveyed land approximately in Tp.8 N.R.3 W.G.& S.R.Meridian, in San Domingo Mining District, Yavapai County, Arizona Territory.

* * * *

AREA.

EDDY LODGE: 20.66 Acres

* * * *

VEIN

EDDY Vein

Extends 930 ft. westerly and 570 ft.easterly from the discovery shaft and cut.

* * * *

EXPENDITURE OF FIVE HUNDRED DOLLARS.

I certify that the value of the labor and improvements upon this claim placed thereon by claimant and its grantors,, is not less than five hundred dollars, and that said improvements consist of:

Discovery shaft and Cut No.1, which hrs. from the W.C.E.Mon. N.83° E. 930 ft. Shaft 4 x 6 ft. 40 ft. deep. Cut 4 x 20 ft. 65 ft. long.

Value \$800.00

Tunnel No.2, which hrs. from the W.C.E.Mon.N.77° 8' E. 850 ft. Tunnel 4 x 6 ft.42 ft.long. Course S.

Value \$420.00

Shaft No.3, which hrs. from the E.C.E.Mon. S.78° 45' W. 480 ft. Shaft 4 x 6 ft. 50 ft. deep. Tim-bered. Graded shaft 12 x 45 ft.10 ft. face.

Value \$700.00

* * * *

INSTRUMENT.

This survey was made with a Gurley Light Mountain Solar Transit. The courses were deflected from the true meridian as determined by direct solar observa-tion. The distances were measured with a 50 ft. steel tape and a 100 ft. steel chain.

Prescott, Arizona

September 26, 1901.

J. J. Fisher
H.S.D.M.S.

FINAL OATHS FOR SURVEYS.

LIST OF NAMES.

A list of the names of the individuals employed by J. J. Fisher
 United States Deputy Mineral Surveyor, to assist in running, measuring, and marking the lines
 corners and boundaries described in the foregoing field notes of the survey of the mining claim
 of American Gold and Copper Company
 known as the Eddy lode
 and showing the respective capacities in which they acted.

- Wm. Crocker , Chainman.
- William Niese , Chainman.
- William Niese , Axman.
- Wm. Crocker , Flagman.

FINAL OATHS OF ASSISTANTS.

We, Wm. Crocker
 and William Niese , do solemnly swear that we assisted J. J. Fisher
Fisher , United States Deputy Mineral Surveyor, in marking the corners and
 surveying the boundaries of the mining claim of American Gold & Copper
Company ,
 known as the Eddy lode , represented
 in the foregoing field notes as having been surveyed by said deputy mineral surveyor and under
 his direction; and that said survey has been in all respects, to the best of our knowledge and
 belief, faithfully and correctly executed, and the corner and boundary monuments established
 according to law and the instructions furnished by the United States Surveyor-General for
Arizona .

- Wm. Crocker , Chainman.
- Wm. Niese , Chainman.
- Wm. Niese , Axman .
- Wm. Crocker , Flagman.

Subscribed and sworn to by the above-named persons before me
 this 14 " day of September, 1901.



my commission expires
 May 19-1904.

J. J. Fisher
 Notary Public.

FINAL OATH OF U. S. DEPUTY MINERAL SURVEYOR

I, J. J. Fisher, U. S. Deputy Mineral Surveyor, do solemnly swear that, in pursuance of instructions received from the United States Surveyor General for Arizona, dated Aug. 19th 1901, I have, in strict conformity to the laws of the United States, the official regulations and instructions thereunder, and the instructions of said Surveyor General, faithfully and correctly executed the survey of the Mining Claim of American Gold and Copper Company, known as the Eddy Lode, situate in San Domingo Mining District, Yavapai County, Arizona, in Section Township No. Range No. and designated as Survey No. 1629, as represented in the foregoing field notes, which accurately show the boundaries of said mining claim as distinctly marked by monuments on the ground, and described in the attached copy of the location certificate, which was received by me from the Surveyor General with said instructions, and that all the corners of said survey have been established and perpetuated in strict accordance with the law, official regulations and instructions thereunder; and I do further solemnly swear that the foregoing are the true and original field notes of said survey and my report therein, and that the labor expended and improvements made upon said mining claim by claimant or its grantors are as therein fully stated, and that the character, extent, location and itemized value thereof are specified therein with particularity and full detail, and that no portion of said labor or improvements so credited to this claim has been included in the estimate of expenditures upon any other claim.

J. J. Fisher
U. S. Deputy Mineral Surveyor.

Subscribed and sworn to by the said J. J. Fisher
U. S. Deputy Mineral Surveyor, before me Thomas C. Job a
Notary Public for Yavapai Co. Ariz. this 26th
day of September, 1901.



Thomas C. Job
Notary Public for Yavapai County,
Arizona.
my commission expires July 7- 1903.

Affidavit of Five Hundred Dollars Improvements.



We, Wm. Crocker, and William Niese,
of lawful age, being first duly sworn according to law, depose and say: that we are
acquainted with the Eddy mining claim, situate
in San Domingo Mining district, Yavapai County,
Arizona Territory, for which American Gold and Copper
Company

has made application for survey prior to application for patent under the provisions
of the Act of Congress, approved May 10, 1872; and that the labor done and improve-
ments made thereon by the applicant and its grantors exceed Five Hundred
Dollars in value, and further that we are not personally interested in said mine.

Wm Crocker

Wm. Niese

TERRITORY OF ARIZONA,
County of Yavapai } ss:

Sworn to and subscribed before me, this 17th
day of September, 189 1901.



J. J. Fisher
Notary Public.

my commission expires May 19, 1904.

"EDDY"

NOTICE OF MINING LOCATION,
Quartz Claim.

To all whom it may concern:

This mining claim, the name of which is the EDDY Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purpose of exploration and purchase by W.F. Drew, the undersigned, on the 27 day of January 1898.

The length of this claim is fifteen hundred feet, and I claim three hundred feet in a Southerly direction and 300 feet in a Northerly direction from the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together with 300 Three-----feet in width of the surface grounds, on each side of the center of said claim. The general course of the lode deposit and premises is from the Northeasterly to the Southwesterly.

The claim is situated and located in the San Domingo Mining District, in Yavapai County, in the Territory of Arizona, about half mile in a Southerly direction from the Ana Laura mining claim.

The surface boundaries of the claim are marked upon the ground as follows: Beginning at-----at a point in a South direction 300 feet from the discovery shaft (at which this notice is posted), being in the center of the East end line of said claim; thence 300 feet to a monument, being the N.E. corner of said claim; thence 750 feet to a monument at the center of the North side line of said claim; thence 750 feet to a monument being at the N.W. corner of said claim; thence 300 feet to a monument at the center of the West end of said claim; thence 300 feet to a monument, being at the S.W. corner of said claim; thence 750 feet to a monument being at the center of the South side line of said claim; thence 750 feet to a monument at the S.E. corner of said claim; thence 300 feet to the place of beginning.

All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes of the United States, and of an Act of the General Assembly of Arizona, entitled "An Act Concerning mines", approved March 20th, 1895.

Dated and posted on the ground this 27 day of January, 1898.

W.F. Drew.

Witness: Sam Franklin.

Filed and recorded at request of W.F. Drew, April 22nd A. D. 1898, at 9:00 o'clock a.m. Book 50 of Mines, page 139, Records of Yavapai County, Arizona.

(Seal) W.I. Johnson,

By E.C. Averyt,
Deputy Recorder.

County Recorder.

TERRITORY OF ARIZONA,)
:
COUNTY OF YAVAPAI.)

I, P. J. FARLEY, County Recorder in and for the County of Yavapai, in the Territory of Arizona, and custodian of the records thereof, do hereby certify that I have compared the above and foregoing with, and the same is a full, true and correct copy of the Notice of Location of the "EBBY" Mining claim, as the same appears of record in my office in Book 50 of Mines, page 130, Records of Yavapai County, Arizona.

IN WITNESS WHEREOF, I have hereunto set my hand and affixed my Official Seal, this 27th day of January, A. D. 1903.

[Handwritten signature of P. J. Farley]
County Recorder.

(4-687.)

Surveyor General's Certificate of Approval of Field Notes and Survey of Mining Claim.

Department of the Interior,

Office of U. S. Surveyor General,

Tucson, Arizona.

March 24th, 1902.

I, U. S. Surveyor General for *District of Arizona*,

do hereby certify that the foregoing and hereto attached Field Notes and Return of the

Survey of the Mining Claim of *American Gold and Copper Company*

....., known as the

Eddy lode

situate in *San Domingo* mining district,

Yavapai County, *Arizona*

in Section *approx.*, Township No. *8 N.*, Range No. *3 W. (unsurveyed)*

....., designated as Survey No. *1629*

executed by *J. J. Fisher*, U. S. Deputy Mineral

Surveyor, *Sept. 13-14*, 1901, under my instructions dated

Aug. 19 1901, ~~1901~~, have been critically examined and the

necessary corrections and explanations made, and the said Field Notes and Return, and


the Survey they describe, are hereby approved. A true copy of the copy of the location

certificate filed by the applicant for survey is included in the field notes.

Hugh H. Price

U. S. Surveyor General for *Arizona*

Survey No 1629
Prescott Land District.



S 42° 17' W 766.71
S 17° 17' W 766.71
S 17° 17' W 766.71

Surveyed
by J. J. Fisher
U.S. D. M. S.