

MS

0

1

6

3

1

(4-683.)

Mineral Survey No. 1631

Lot No. _____

Prescott

Land District.

FIELD NOTES

OF THE SURVEY OF THE MINING CLAIM OF

The Peave Gold Mining Co.

KNOWN AS THE

"Ninety Seven" lode
Walker

Mining District,

Yavapai County, Arizona

Section 7, Township 12 N, Range 1 W

Surveyed under instructions dated January 16th, 1902,

by A. B. Mader

U. S. Deputy Mineral Surveyor.

Claim located June 15, 1897 - Amended Dec. 7, 1901 +

Survey commenced March 3rd 1902 +

Survey completed March 3rd 1902 +

Judge John J. Hawkins
Attorney.

PRELIMINARY OATHS OF ASSISTANTS IN SURVEY OF MINING CLAIM.

WE, F. S. Ellis and John Larsen,
do solemnly swear that we will well and faithfully execute the duties of chain carriers;
that we will level the chain upon even and uneven ground and plumb the tally-pins,
either by sticking or dropping the same; that we will report the true distance to all
notable objects, and the true length of all lines that we assist in measuring, to the best
of our skill and ability, and in accordance with instructions given us, in the survey of
the Mining Claim of The Penn Gold Mining Co., known as the
Ninety Seven
situate in walker mining district,
Yavapai County, Arizona,
in Section _____, Township No. _____, Range No. _____

Frank S. Ellis, Chainman.

John Larson, Chainman.

Subscribed and sworn to by the above-named persons before
me this 3rd day of March, 18902

My Commission expires September 28, 1905.

W. L. Bell
Notary Public

I, _____, do solemnly swear that I will well and
truly perform the duties of axeman, in the establishment of corners and other duties,
according to instructions given me and to the best of my skill and ability, in the survey
of the Mining Claim of _____

known as the _____,
more fully described in the preceding affidavit.

_____, Axeman.

Subscribed and sworn to by the said _____
before me this _____ day of _____,
18 _____.

I, _____, do solemnly swear that I will
well and truly perform the duties of flagman, in the establishment of corners and other
duties, according to instructions given me and to the best of my skill and ability, in the
survey of the Mining Claim of _____

known as the _____,
more fully described in the preceding affidavit.

_____, Flagman.

Subscribed and sworn to by the said _____
before me this _____ day of _____,
18 _____.

Survey N^o 1631

Ninety Seven Lode

feet

Beginning at Cor. N^o 1.
Corner of the location bears N40°W, 20 feet.
A porphyry stone 12" x 6" x 18" set 6" in
the ground to bedrock, chiseled 1-N.S.
1631, with a mon. of stone 2 1/2' base
x 3' high alongside.
Whence U.S. Min. Mon. N^o 1631, Walker
Mining District bears N37°-2' E, 363.3 ft.
Cor. B of American Flag lode, Sur. N^o 4355
bears N28°-42' E, 1578 feet.
An oak tree, 10" in diam, bears S63°-8' W
28.9 ft. scribed B.T. 1-N.S. -1631.
An oak tree 22" in diam. bears N46°-8' E
50.2 ft. scribed B.T. 1-N.S. -1631.
Thence S40° E

- 300 To the North Center end.
Identical with the location, a mon.
of stone 2 1/2' base and 3' high
Whence the initial mon. bears S36°-10' W, 75 ft.
- 400 Cross gulch, 3' wide, course S bears N.
- 520 Cross gulch, 3' wide, course E bears N.W.
- 550 Cross ravine, 6' wide, course N 35° E bears
S40° W.
- 565 Cross road, bears N.E. and S.W.
- 600 To Cor. N^o 2.
Identical with Cor. of the location.
A granite stone, 10" x 5" x 22" set 10"
in the ground to bedrock chiseled
2 N.S. 1631, with a mon. of stone 2 1/2'
base and 3' high alongside.
An oak tree, 9" diam. bears S12°-8' W
28.5 ft. scribed B.T. 2-N.S. 1631
An oak tree 10" diam. bears S40°-15' E
1.8 ft. scribed B.T. 2-N.S. -1631
Thence S36°-10' W
- 240 Cross road bears N.E. and S.W.
- 270 Cross gulch, course N.E. bears S.W. 6' wide.
- 320 Cross ravine, 3' wide, course E bears W.
- 565 Cross ravine, 2' wide, course E bears W.
- 990 Cross ravine, 12" wide, course E bears W.
- 1143 to Cor N^o 3.
Corner of the location bears

700 S $21^{\circ}-58' W$, 88 feet.
 A granite stone, $10" \times 5" \times 18"$ set $10"$ in
 the ground to bedrock, chiseled
 3-N.S.-1631 and surrounded by
 a mon. of stone $2\frac{1}{2}'$ base and $3'$ high.
 A balsam fir tree $30"$ diam. bears $N25^{\circ}-36' E$
 45 ft. scribed B.T. 3 N.S. 1631.
 A pine tree, $7"$ diam, bears $S66^{\circ}-50' E$
 40.2 feet, scribed B.T.-3-N.S. 1631.
 Thence $N40^{\circ} W$

250 Cross ravine, $6"$ wide, course N.E, heads
 50 ft. S.W.

300 To the south center end.

Identical with the location.

A mon. of stone $2\frac{1}{2}'$ base \times $3'$ high.

No bearings available

600 To Cor. No 4.

Cor. of the location bears $S40^{\circ} W$, 77 ft.

A porphyry stone, $12" \times 6" \times 19"$, set $9"$ in
 the ground to bedrock, and chiseled
 4-N.S.-1631, with a mon. of stone
 $2\frac{1}{2}'$ base and $3'$ high alongside.

An oak, $18"$ diam. bears $N20^{\circ}-44' W$
 19 ft. scribed B.T. 4-N.S. 1631.

An oak, $6"$ diam. bears $N86^{\circ}-40' W$
 23.8 ft. scribed B.T.-4-N.S. 1631.

Thence $N36^{\circ}-10' E$

1143 To the place of beginning.

The variation at all the corners is $14^{\circ} E$

Location

This claim is located in the Walker Mining
 District, Yavapai Co, Arizona, on
 unsurveyed land, in what would be
 if surveyed, Sec. 7, T12N, R1W, G. + S.R.M.

Adjacent Claims

on the N - unknown claim, Fred. Rowe, claimant.
 " " S - unknown claim - Pickrell, claimant.
 " " E - located claim name & claimant unknown
 " " W - " " " " " "

Ledge

The ledge on the Ninety Seven Claim is from the N. C. E. to the S. C. E., S $36^{\circ}-10' W$, 1143 ft.

Area

Ninety Seven Code = 15.286 acres.

Expenditure of Five Hundred Dollars.

I certify that the value of the labor and improvements upon this claim placed thereon by the claimants and their grantors is not less than \$500⁰⁰ and that said improvements consist of:

Discovery Cut No 1, 4' wide x 21' long course S $60^{\circ} W$ for 15' and then S $10^{\circ} W$, x 20' high at face, bears S $62^{\circ}-4' W$ 80 ft. from the N. C. End.

A tunnel at the face of this cut, 4' x 6' x 5' long, bearing S $10^{\circ} W$.

Value of Cut \$300 - Tunnel \$25 Total \$325⁰⁰

Shaft No 2, 4' x 6' x 50' deep, bears S $18^{\circ}-10' W$ 665 ft. from Cor. No 1 Value \$500⁰⁰

Tunnel No 3, 4' x 6' x 100' long, course S $18^{\circ} W$, bears S $19^{\circ}-42' W$ 700 ft. from Cor. No 1. Value \$1000⁰⁰

Total Value \$2025⁰⁰

This survey was made with a Gurley Light Mountain Solar Transit. The courses were deflected from the true meridian as determined by solar observations.

The distances were measured with a 200 foot steel tape.

A. J. Mader

— U. S. Dep. Min. Surv.

Notes of Establishment of U.S.
 Mineral Monument No 1631.
 Walker Mining District, Yavapai Co.
 Arizona

A granite boulder, in place,
 2' x 18" x 14" above ground, and
 14" or more in the ground, chiseled
 with a cross (+) at exact point
 and U.S.M.M. No 1631, with a
 monument of stone surrounding
 same, 3 1/2 feet base and 4 1/2 ft.
 high.

Whelch, smoke stack at old hoist of
 Penn Gold Mining Co. bears $N62^{\circ}-54'E$
 A stone monument on the center of Mt. Union
 bears $S2^{\circ}-20'E$ about 1 3/4 miles.

A pine tree on the center of a sharp
 conical peak bears $N81^{\circ}-3'E$ about 2400 ft.
 Cor. 1 of Ninety Seven lode, survey No 1631
 bears $S37^{\circ}2'W$, 363.3 ft.

A pine tree, 9" diam. bears $N86^{\circ}-40'W$, 85.5
 ft. scribed B.T. M.M. No 1631.

A pine tree, 26" diam. bears $S43^{\circ}-53'W$, 57.5
 ft. scribed B.T. M.M. No 1631.

An oak tree, 12" diam, bears $S56^{\circ}-45'W$
 115.5 ft. scribed B.T. M.M. No 1631.

FINAL OATHS FOR SURVEYS.

LIST OF NAMES.

A list of the names of the individuals employed by A. B. Mader
 United States Deputy Mineral Surveyor, to assist in running, measuring, and marking the lines
 corners and boundaries described in the foregoing field notes of the survey of the mining claim
 of The Penn Gold Mining Co.
 known as the Ninety Seven
 and showing the respective capacities in which they acted.

F. S. Ellis , Chairman.
John T. Larson , Chairman.
 _____ , Axman.
 _____ , Flagman.

FINAL OATHS OF ASSISTANTS.

We, F. S. Ellis
 and John T. Larson , do solemnly swear that we assisted A. B. Mader
 _____ , United States Deputy Mineral Surveyor, in marking the corners and
 surveying the boundaries of the mining claim of The Penn Gold Mining
Co.

_____ , known as the _____
Ninety Seven , represented
 in the foregoing field notes as having been surveyed by said deputy mineral surveyor and under
 his direction; and that said survey has been in all respects, to the best of our knowledge and
 belief, faithfully and correctly executed, and the corner and boundary monuments established
 according to law and the instructions furnished by the United States Surveyor-General for

Arizona

F. S. Ellis , Chairman.
John T. Larson , Chairman.
 _____ , Axman .
 _____ , Flagman.

Subscribed and sworn to by the above-named persons before me
 this 10th day of March , 1902

My Commission expires September 28, 1905.

W. L. Bell
 Notary Public

FINAL OATH OF U. S. DEPUTY MINERAL SURVEYOR

I, A. B. Mader, U. S. Deputy Mineral Surveyor, do solemnly swear that, in pursuance of instructions received from the United States Surveyor General for Arizona, dated Jan 14 - 1902, I have, in strict conformity to the laws of the United States, the official regulations and instructions thereunder, and the instructions of said Surveyor General, faithfully and correctly executed the survey of the Mining Claim of The Penn Gold Mining Co., known as the Ninety Seven Walker, situate in Yavapai County, Arizona, in Section , Township No. , Range No. , and designated as Survey No. 1631, as represented in the foregoing field notes, which accurately show the boundaries of said mining claim as distinctly marked by monuments on the ground, and described in the attached copy of the location certificate, which was received by me from the Surveyor General with said instructions, and that all the corners of said survey have been established and perpetuated in strict accordance with the law, official regulations and instructions thereunder; and I do further solemnly swear that the foregoing are the true and original field notes of said survey and my report therein, and that the labor expended and improvements made upon said mining claim by claimants or Their grantors are as therein fully stated, and that the character, extent, location and itemized value thereof are specified therein with particularity and full detail, and that no portion of said labor or improvements so credited to this claim has been included in the estimate of expenditures upon any other claim.

A. B. Mader

U. S. Deputy Mineral Surveyor.

Subscribed and sworn to by the said

A. B. Mader

U. S. Deputy Mineral Surveyor, before me

a Notary Public

this 27

day of March 1902,

My Commission expires July 20, 1903.

John Hawkins
Notary Public

Affidavit of Five Hundred Dollars Improvements.

We, A. B. Underwood, and W. G. Grimmer

of lawful age, being first duly sworn according to law, depose and say: that we are

acquainted with the Ninety Seven mining claim, situate

in Walker Mining district, Yavapai County,

Arizona Territory, for which The Penn Gold Mining

Co.

has made application for survey prior to application for patent under the provisions

of the Act of Congress, approved May 10, 1872; and that the labor done and improve-

ments made thereon by the applicant and its grantor exceed Five Hundred

Dollars in value, and further that we are not personally interested in said mine.

A. B. Underwood

W. G. Grimmer

TERRITORY OF ARIZONA,

County of Yavapai

} ss:

Sworn to and subscribed before me, this 11th

day of March, 1902

189

My Commission expires September 28, 1905.

W. L. Bell

Notary Public

"NINETY SEVEN".

NOTICE OF LOCATION.

I the undersigned have this day located and claim fifteen hundred feet of this lead lode or ledge, commencing at this monument and notice and running (1500) hundred feet in a Southerly direction to a stake...at South end of claim. I also claim (300) feet surface ground each side the vein with all mineral therein, with all timber and water thereon. This claim may be more fully described as follows, being one mile N.E. of the Surprise Mill & Hoist, and one mile S.W. of Rowe's House on Lynx Creek and the South extension of the Side Issue claim owned by the Rowe Bro's on the Lynx Creek slope on the West side of the Lynx Creek trail in Walker Dist., Yavapai Co., Arizona, and shall be known as the Ninety Seven (97) Mine.

Located June 5th 1897.

W.C.Kent.

Recorded at request of J.N.Finley, Aug. 19 A.D. 1897, at 11:55 o'clock a.m. in Book 43 of Mines, page 137, Records of Yavapai County, Arizona.

(Seal)

W.I.Johnson,

County Recorder.

By F.C.Averyt,

Deputy.

TERRITORY OF ARIZONA,)

: ss: -

COUNTY OF YAVAPAI.)

I, F. J. FARLEY, County Recorder in and for the County of Yavapai, in the Territory of Arizona, and custodian of the records thereof, do hereby certify that I have compared the above and foregoing with, and the same is a full, true and correct copy of the Notice of location of the "NINETY SEVEN" mining claim, as the same appears of record in Book 43 of Mines, page 137, records of Yavapai County, Arizona.

IN WITNESS WHEREOF, I have hereunto set my hand and affixed my Official Seal, this 30th day of December, A.D. 1897.

F. J. Farley
County Recorder

AMENDED

Notice of Mining Location.

LODE CLAIM.

To All Whom It May Concern:

This mining claim, the name of which is the Ninety Seven Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purpose of exploration and purchase by The Penn Gold Mining Company

the undersigned, on the 7th day of December 1901

The length of this claim is 1500 feet,

and we claim 50 feet

in a northerly direction, and 1450

feet in a southerly direction from

the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together

with — 300 — feet in width of the surface grounds, on each

side of the center of said claim. The general course of the lode deposit and premises is from the

North to the South

The claim is situated and located in the Walker Mining District, in

Yavapai County, in the Territory of Arizona, about one mile

in a S. westerly direction from Rowe's House on Lynx Creek

and the S. extension of the Side Issue claim of Rowe Bros.

The surface boundaries of the claim are marked upon the ground as follows: Beginning at a Stone Monument

at a point in a Northerly direction 50 feet from

the discovery shaft (at which this notice is posted), being in the center of the North

end line of said claim; thence E. 300 feet to a Stone Mon-

ument, being the N.E. corner of said claim; thence

S. 750 feet to a Mon. of Stones at the center of

the E side line of said claim; thence S. 750

feet to a Mon. of Stones being at the S. E. corner of said

claim; thence W. 300 feet to a Mon. of Stones

at the center of the South end of said claim; thence W. - 300

feet to a Mon. of Stones, being at the S.W.

corner of said claim; thence N. 750 feet to a Mon. of

Stones being at the center of the West side line of said claim;

thence N. 750 feet to a Mon. of Stones at

the N.W. corner of said claim; thence E. 300 -

feet to the place of beginning.

All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes of the United States, and of an Act of the General Assembly of Arizona, entitled "An Act Concerning Mines," approved March 20th, 1895, and amended March 2d, 1899.

This is an Amended Location Notice of the Ninety seven Mining Claim, located by W. C. Kent,

on the 5th day of

June 1897, and recorded in Book 48 of Records of Mines, at

page 167, in the office of the County Recorder of the aforesaid County of Yavapai

to which reference is hereby made, and this Amended Location Notice is made and posted to

correct errors in the description in the said original Location Notice.

Dated and posted on the ground this 7th day of December 1901

The Penn Gold Mining Co.

By W. L. Bell Supr.

TERRITORY OF ARIZONA, ss.
County of.....

I,..... County Recorder in and for the County and Territory aforesaid, do hereby certify that the within instrument was filed for record at..... o'clock..... M., on this..... day of..... 189....., and duly recorded in Book No..... of..... Records of..... County, Arizona, at pages.....

WITNESS my hand and official seal the day and year first above written.

County Recorder

AMENDED

Notice of Location.

Thirty-Seven, LODGE CLAIM.

The Pen Good Mining Company Locators
Marked

Dated Dec 7 1901

Filed and recorded at request of

W. A. Sauerbrey

December 7, A. D. 1901 at 3.10 o'clock P. M.

Book 58 of Mines


Pages 491-493

DEPT. OF MINES, YAVAPAI COUNTY, ARIZONA.

P. J. Sullivan County Recorder.

By P. J. Sullivan Deputy Recorder.

THE H. M. MCNEIL CO., PRINTERS, PHOENIX, ARIZ.



This diagram is to give locator a general idea of plan of location under the new law. The Discovery Shaft can be in the center of claim or any distance from either end desired. In the diagram it is placed 500 feet from one end and 1000 feet from the other. Commence description of claim at a center end monument, giving its distance and direction from center of Discovery Shaft; thence bound the claim in either direction. In description be careful to state locality of claim with reference to some natural object, or permanent monument, as will identify the claim.

induced Nov 27

AMENDED

310. \$100.00

(4-687.)

Surveyor General's Certificate of Approval of Field Notes and Survey of Mining Claim.

Department of the Interior,

Office of U. S. Surveyor General,

Phoenix, Arizona

Sept. 9, 190*2*

I, U. S. Surveyor General for *Dist. of Arizona*,

do hereby certify that the foregoing and hereto attached Field Notes and Return of the Survey of the Mining Claim of *The Penn Gold Mining Co.*

....., known as the

Ninty-seven

situate in *Walker* mining district,

Yavapai County, *Arizona*

in Section, Township No., Range No.

....., designated as Survey No. *1631*

executed by *A. B. Mader*, U. S. Deputy Mineral

Surveyor, *March 3rd*, 190*2*, under my instructions dated

January 16th, 190*2*, have been critically examined and the

necessary corrections and explanations made, and the said Field Notes and Return, and

the Survey they describe, are hereby approved. A true copy of the copy of the location

certificate filed by the applicant for survey is included in the field notes.

Hugh H. Price
U. S. Surveyor General for *Arizona*

SURVEY No. 1631
 PRESCOTT LAND DISTRICT
 Surveyed March 3, 1902

by
 A.B. MADER, U.S. DEP. MIN. SUR.
 SCALE 200' to 1 in.

